BLM LIBRARY
88064928

Rio Blanco Oil Shale Company

MODULAR DEVELOPMENT PHASE MONITORING REPORT THREE

VOLUME 2 OF 3

December 1977 – November 1978

Year-End Report

Gulf Oil Corporation / Standard Oil Company (Indiana)
A General Partnership
9725 East Hampden Avenue, Denver, Colorado 80231

United States Department of the Interior

GEOLOGICAL SURVEY

Conservation Division
Area Oil Shale Supervisor's Office
131 N. 6th, Suite 300
Grand Junction, Colorado 81501

April 16, 1979

Mr. Hank Ash
Chairman, OSEAP
USDI - Office of the Secretary
Bldg. 67, Room 820-A
Denver Federal Center
Denver, Colorado 80225

Dear Mr. Ash:

Under separate cover we are sending you fifty copies of the Rio Blanco Oil Shale Company "Tract C-a Annual Progress Report" for distribution to the panel.

The report describes the operations conducted under the development plan for the period September 22, 1977, through December 31, 1978. Section 7 of the report contains a summary of the environmental monitoring program for the seasonal year December 1, 1977, through November 30, 1978. Section 1(C)(4) of the stipulations to the Oil Shale Lease subjects this portion of the Annual Report to public review and comment.

A detailed monitoring report (RBOSP MDP Monitoring Report 3) was also submitted. Two copies of this report (3 Vols) are included for the panel's use. This report presents the monitoring data collected during the summer and fall seasons of 1978, provides an analysis of the data collected for the full seasonal year (December 1, 1977, through November 30, 1978), and compares MDP monitoring data with baseline and interim monitoring data.

We would welcome any comments or suggestions to improve future reports.

Sincerely yours,

James W. Hager

James W. Hager
Acting Area Oil Shale Supervisor

ONE HUNDRED YEARS OF EARTH SCIENCE IN THE PUBLIC SERVICE

88064928

BLM Library
D-553A, Building 50
Denver Federal Center
P. O. Box 25047
Denver, CO 80225-0047

TN
859
.C64
K56
Dec 77-
Nov. 78
v.2
c.2

RIO BLANCO OIL SHALE COMPANY
MODULAR DEVELOPMENT PHASE
MONITORING REPORT 3

December 1977 - November 1978

YEAR-END REPORT

Prepared by:
RIO BLANCO OIL SHALE COMPANY
DENVER, COLORADO

March 31, 1979

APPENDICES

BLM LIBRARY
D-553A, Building 50
Denver Federal Center
P. O. Box 25047
Denver, CO 80225-0047

LIST OF APPENDICES

Volume 2

APPENDIX	TITLE
2-1	RBOSC Air Quality Data
2-1.1	Gaseous Constituents Data
2-1.2	Particulate Data
2-2	RBOSC Climatological Data
2-2.1	Meteorological Data - Site 1
2-2.2	Meteorological Data - Sites 2 & 3
2-2.3	Annual Joint Frequency Distributions
2-2.4	Precipitation Data
2-5	RBOSC Visibility Data
2-5.1	Definitions of Conditions of Restricted Visibility
2-5.2	Hourly Visual Range Data - Spring 1978
2-5.3	Visibility Site Log Sheets - Spring 1978
2-5.4	Hourly Visual Range Data - Fall 1978
2-5.5	Visibility Site Log Sheets - Fall 1978
3-2	RBOSC Vegetation Data
3-2.1	Range Production Data
3-3	RBOSC Fauna Data
3-3.1	Mule Deer Data
3-3.2	Mule Deer Statistical Calculations

Volume 3

APPENDIX	TITLE
4-2	RBOSC Aquatic Studies Data
4-2.1	Water Quality Data
4-3	RBOSC Periphyton Data
4-3.1	Periphyton Biomass Data
4-3.2	Simple Statistics for Periphyton
4-4	RBOSC Benthos Data
4-4.1	Simple Statistics for Benthos

LIST OF APPENDICES (Continued)

APPENDIX	TITLE
4-5	Aquatic Biota Statistical Calculations
4-5.1	Comparision of Mean Densities...
4-5.2	Macroinvertebrate Taxa...Densities,... and Comparison with Baseline...
4-5.3	Similarity Indices for Periphyton
5-1	RBOSC Surface Water Data
5-1.1	USGS Surface Gaging Station Data - Summaries
5-1.2	USGS Surface Gaging Station Data - Individual Analyses
5-2	RBOSC Groundwater Data
5-2.1	Alluvial Well Water Quality Summaries
5-2.2	Alluvial Well Water Quality Individual Analyses
5-2.3	Alluvial Well Water Quality Cluster Analyses
5-2.4	Deep Oil Shale Aquifer Water Quality - Individual Analyses
5-2.5	Deep Oil Shale Aquifer Water Quality - Ranges and Means
5-2.6	Deep Oil Shale Aquifer Well Completion Diagrams
5-3	RBOSC MDP Pump Test Monitoring Data
5-3.1	Erosion and Sedimentation Data
5-3.2	MDP Alluvial Aquifer Water Quality Data

APPENDIX 2-1
RBOSC AIR QUALITY DATA

APPENDIX 2-1.1

GASEOUS CONSTITUENTS DATA*

*Missing data indicated by 999

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	6	1	1	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.030
78	6	1	2	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.029
78	6	1	3	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.027
78	6	1	4	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.028
78	6	1	5	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.026
78	6	1	6	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.027
78	6	1	7	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.032
78	6	1	8	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.033
78	6	1	9	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.037
78	6	1	10	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.042
78	6	1	11	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.044
78	6	1	12	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.047
78	6	1	13	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.050
78	6	1	14	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.052
78	6	1	15	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.055
78	6	1	16	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.054
78	6	1	17	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.052
78	6	1	18	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.051
78	6	1	19	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.045
78	6	1	20	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.031
78	6	1	21	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.029
78	6	1	22	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.028
78	6	1	23	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.028
78	6	1	24	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.029
78	6	2	1	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.029
78	6	2	2	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.029
78	6	2	3	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.025
78	6	2	4	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.026
78	6	2	5	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.026
78	6	2	6	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.027
78	6	2	7	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.037
78	6	2	8	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.041
78	6	2	9	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.042
78	6	2	10	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.045
78	6	2	11	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.049
78	6	2	12	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.051
78	6	2	13	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.051
78	6	2	14	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.055
78	6	2	15	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.060
78	6	2	16	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.062
78	6	2	17	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.063
78	6	2	18	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.060
78	6	2	19	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.055
78	6	2	20	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.057
78	6	2	21	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.055
78	6	2	22	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.046
78	6	2	23	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.035
78	6	2	24	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.033

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 5			
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)	
78	6	3	1	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.051	
78	6	3	2	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.028	
78	6	3	3	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.027	
78	6	3	4	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.027	
78	6	3	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	3	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	3	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	3	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	3	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	3	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	3	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	3	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	3	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	3	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	3	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	3	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	3	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	3	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	3	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	3	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	3	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	3	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	3	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	3	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	
78	6	4	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999	

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	6	5	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	5	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	5	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	5	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	5	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	5	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	5	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	5	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	5	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	5	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	5	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	5	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	5	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	5	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	5	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	5	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	5	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	5	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	5	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	5	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	5	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	5	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	5	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	5	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	6	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999

DATA LISTING FOR RBOSC AIR QUALITY

---------- SITE 1---------- ------- SITE 5----------

YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	6	7	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	7	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	7	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	7	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	7	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	7	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	7	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	7	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	7	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	7	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	7	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	7	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	6	7	13	0.01	0.005	999.9	0.01	0.005	0.055	999.99	999.99	0.049
78	6	7	14	0.01	0.005	0.5	0.01	0.005	0.051	999.99	999.99	0.046
78	6	7	15	0.01	0.005	0.5	0.01	0.005	0.051	999.99	999.99	0.045
78	6	7	16	0.01	0.005	0.5	0.01	0.005	0.051	999.99	999.99	0.045
78	6	7	17	0.01	0.005	0.5	0.01	0.005	0.051	999.99	999.99	0.045
78	6	7	18	0.01	0.005	0.5	0.01	0.005	0.050	999.99	999.99	0.045
78	6	7	19	0.01	0.005	0.5	0.01	0.005	0.044	999.99	999.99	0.028
78	6	7	20	0.01	0.005	0.5	0.01	0.005	0.046	999.99	999.99	0.022
78	6	7	21	0.01	0.005	0.5	0.01	0.005	0.048	999.99	999.99	0.026
78	6	7	22	0.01	0.005	0.5	0.01	0.005	0.047	999.99	999.99	0.026
78	6	7	23	0.01	0.005	0.5	0.01	0.005	0.047	999.99	999.99	0.023
78	6	7	24	0.01	0.005	0.5	0.01	0.005	0.046	999.99	999.99	0.019
78	6	8	1	0.01	0.005	0.5	0.01	0.005	0.049	999.99	999.99	0.014
78	6	8	2	0.01	0.005	0.5	0.01	0.005	0.046	999.99	999.99	0.014
78	6	8	3	0.01	0.005	0.5	0.01	0.005	0.044	999.99	999.99	0.013
78	6	8	4	0.01	0.005	0.5	0.01	0.005	0.041	999.99	999.99	0.011
78	6	8	5	0.01	0.005	0.5	0.01	0.005	0.042	999.99	999.99	0.017
78	6	8	6	0.01	0.005	0.5	0.01	0.005	0.045	999.99	999.99	0.020
78	6	8	7	0.01	0.005	0.5	0.01	0.005	0.034	999.99	999.99	0.027
78	6	8	8	0.01	0.008	0.5	0.01	0.005	0.035	999.99	999.99	0.032
78	6	8	9	0.01	0.005	0.5	0.01	0.005	0.047	999.99	999.99	0.038
78	6	8	10	0.01	0.005	0.5	0.01	0.005	0.051	999.99	999.99	0.044
78	6	8	11	0.01	0.005	0.5	0.01	0.005	0.052	999.99	999.99	0.046
78	6	8	12	0.01	0.005	0.5	0.01	0.005	0.054	999.99	999.99	0.045
78	6	8	13	0.01	0.005	0.5	0.01	0.005	0.056	999.99	999.99	0.047
78	6	8	14	0.01	0.005	0.5	0.01	0.005	0.055	999.99	999.99	0.048
78	6	8	15	0.01	0.005	0.5	0.01	0.005	0.055	999.99	999.99	0.047
78	6	8	16	0.01	0.005	0.5	0.01	0.005	0.057	999.99	999.99	0.049
78	6	8	17	0.01	0.005	0.5	0.01	0.005	0.061	999.99	999.99	0.051
78	6	8	18	0.01	0.005	0.5	0.01	0.005	0.062	999.99	999.99	0.054
78	6	8	19	0.01	0.005	0.5	0.01	0.005	0.056	999.99	999.99	0.037
78	6	8	20	0.01	0.005	0.5	0.01	0.005	0.057	999.99	999.99	0.030
78	6	8	21	0.01	0.005	0.5	0.01	0.005	0.057	999.99	999.99	0.031
78	6	8	22	0.01	0.005	0.5	0.01	0.005	0.053	999.99	999.99	0.032
78	6	8	23	0.01	0.005	0.5	0.01	0.005	0.057	999.99	999.99	0.028
78	6	8	24	0.01	0.005	0.5	0.01	0.005	0.059	999.99	999.99	0.034

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	6	9	1	0.01	0.005	0.5	0.01	0.005	0.063	999.99	999.99	0.037
78	6	9	2	0.01	0.005	0.5	0.01	0.005	0.062	999.99	999.99	0.040
78	6	9	3	0.01	0.005	0.5	0.01	0.005	0.062	999.99	999.99	0.035
78	6	9	4	0.01	0.005	0.5	0.01	0.005	0.063	999.99	999.99	0.027
78	6	9	5	0.01	0.005	0.5	0.01	0.005	0.060	999.99	999.99	0.021
78	6	9	6	0.01	0.005	0.5	0.01	0.005	0.055	999.99	999.99	0.024
78	6	9	7	0.01	0.005	0.5	0.01	0.005	0.056	999.99	999.99	0.027
78	6	9	8	0.01	0.005	0.5	0.01	0.005	0.056	999.99	999.99	0.040
78	6	9	9	0.01	0.005	0.5	0.01	0.005	0.055	999.99	999.99	0.048
78	6	9	10	0.01	0.005	0.5	0.01	0.005	0.056	999.99	999.99	0.049
78	6	9	11	0.01	0.005	0.5	0.01	0.005	0.057	999.99	999.99	0.051
78	6	9	12	0.01	0.005	0.5	0.01	0.005	0.059	999.99	999.99	0.051
78	6	9	13	0.01	0.005	0.5	0.01	0.005	0.058	999.99	999.99	0.050
78	6	9	14	0.01	0.005	0.5	0.01	0.005	0.057	999.99	999.99	0.050
78	6	9	15	0.01	0.005	0.5	0.01	0.005	0.056	999.99	999.99	0.049
78	6	9	16	0.01	0.005	0.5	0.01	0.005	0.055	999.99	999.99	0.048
78	6	9	17	0.01	0.005	0.5	0.01	0.005	0.053	999.99	999.99	0.047
78	6	9	18	0.01	0.005	0.5	0.01	0.005	0.050	999.99	999.99	0.044
78	6	9	19	0.01	0.005	0.5	0.01	0.005	0.049	999.99	999.99	0.042
78	6	9	20	0.01	0.005	0.5	0.01	0.005	0.049	999.99	999.99	0.023
78	6	9	21	0.01	0.005	0.5	0.01	0.005	0.048	999.99	999.99	0.026
78	6	9	22	0.01	0.005	0.5	0.01	0.005	0.049	999.99	999.99	0.024
78	6	9	23	0.01	0.005	0.5	0.01	0.005	0.048	999.99	999.99	0.026
78	6	9	24	0.01	0.005	0.5	0.01	0.005	0.053	999.99	999.99	0.027
78	6	10	1	0.01	0.005	0.5	0.01	0.005	0.058	999.99	999.99	0.032
78	6	10	2	0.01	0.005	0.5	0.01	0.005	0.057	999.99	999.99	0.034
78	6	10	3	0.01	0.005	0.5	0.01	0.005	0.055	999.99	999.99	0.033
78	6	10	4	0.01	0.005	0.5	0.01	0.005	0.061	999.99	999.99	0.038
78	6	10	5	0.01	0.005	0.5	0.01	0.005	0.064	999.99	999.99	0.041
78	6	10	6	0.01	0.005	0.5	0.01	0.005	0.065	999.99	999.99	0.054
78	6	10	7	0.01	0.005	0.5	0.01	0.005	0.065	999.99	999.99	0.058
78	6	10	8	0.01	0.005	0.5	0.01	0.005	0.067	999.99	999.99	0.061
78	6	10	9	0.01	0.005	0.5	0.01	0.005	0.070	999.99	999.99	0.064
78	6	10	10	0.01	0.005	0.5	0.01	0.005	0.071	999.99	999.99	0.063
78	6	10	11	0.01	0.005	0.5	0.01	0.005	0.072	999.99	999.99	0.064
78	6	10	12	0.01	0.005	0.5	0.01	0.005	0.068	999.99	999.99	0.061
78	6	10	13	0.01	0.005	0.5	0.01	0.005	0.064	999.99	999.99	0.056
78	6	10	14	0.01	0.005	0.5	0.01	0.005	0.060	999.99	999.99	0.052
78	6	10	15	0.01	0.005	0.5	0.01	0.005	0.063	999.99	999.99	0.055
78	6	10	16	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.053
78	6	10	17	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.047
78	6	10	18	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.044
78	6	10	19	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.044
78	6	10	20	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.042
78	6	10	21	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.032
78	6	10	22	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.027
78	6	10	23	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.034
78	6	10	24	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.040

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 5		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	6	11	1	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.044
78	6	11	2	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.040
78	6	11	3	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.028
78	6	11	4	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.024
78	6	11	5	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.023
78	6	11	6	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.027
78	6	11	7	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.040
78	6	11	8	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.043
78	6	11	9	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.049
78	6	11	10	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.053
78	6	11	11	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.056
78	6	11	12	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.062
78	6	11	13	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.064
78	6	11	14	0.01	0.005	999.9	0.01	0.005	0.075	0.01	0.01	0.066
78	6	11	15	0.01	0.005	999.9	0.01	0.005	0.078	0.01	0.01	0.069
78	6	11	16	999.99	0.010	999.9	999.99	0.005	0.080	0.01	0.01	0.070
78	6	11	17	999.99	0.005	999.9	999.99	0.005	0.080	0.01	0.01	0.070
78	6	11	18	999.99	0.005	999.9	999.99	0.005	0.077	0.01	0.01	0.069
78	6	11	19	999.99	0.005	999.9	999.99	0.005	0.066	0.01	0.01	0.055
78	6	11	20	999.99	0.005	999.9	999.99	0.005	0.064	0.01	0.01	0.035
78	6	11	21	999.99	0.005	999.9	999.99	0.005	0.065	0.01	0.01	0.039
78	6	11	22	999.99	0.005	999.9	999.99	0.005	0.057	0.01	0.01	0.034
78	6	11	23	999.99	0.005	999.9	999.99	0.005	0.054	0.01	0.01	0.032
78	6	11	24	999.99	0.005	999.9	999.99	0.005	0.057	0.01	0.01	0.033
78	6	12	1	999.99	0.005	999.9	999.99	0.005	0.058	0.01	0.01	0.033
78	6	12	2	999.99	0.005	999.9	999.99	0.005	0.060	0.01	0.01	0.034
78	6	12	3	999.99	0.005	999.9	999.99	0.005	0.061	0.01	0.01	0.034
78	6	12	4	999.99	0.005	999.9	999.99	0.005	0.059	0.01	0.01	0.033
78	6	12	5	999.99	0.005	999.9	999.99	0.005	0.057	0.01	0.01	0.032
78	6	12	6	999.99	0.005	999.9	999.99	0.005	0.057	0.01	0.01	0.031
78	6	12	7	999.99	0.005	999.9	999.99	0.005	0.053	0.01	0.01	0.035
78	6	12	8	999.99	0.006	999.9	999.99	0.005	0.053	0.01	0.01	0.048
78	6	12	9	999.99	0.005	999.9	999.99	0.005	0.057	0.01	0.01	0.051
78	6	12	10	999.99	0.005	999.9	999.99	0.005	0.060	0.01	0.01	0.053
78	6	12	11	999.99	0.005	999.9	999.99	0.005	0.066	0.01	0.01	0.057
78	6	12	12	999.99	0.005	999.9	999.99	0.005	0.066	0.01	0.01	0.058
78	6	12	13	999.99	0.005	999.9	999.99	0.005	0.064	0.01	0.01	0.056
78	6	12	14	999.99	0.005	999.9	999.99	0.005	0.060	0.01	0.01	0.055
78	6	12	15	999.99	0.005	999.9	999.99	0.005	0.058	999.99	999.99	0.040
78	6	12	16	999.99	0.005	999.9	999.99	0.005	0.055	999.99	999.99	0.046
78	6	12	17	999.99	0.005	999.9	999.99	0.005	0.051	999.99	999.99	0.044
78	6	12	18	999.99	0.005	999.9	999.99	0.005	0.048	999.99	999.99	0.041
78	6	12	19	999.99	0.005	999.9	999.99	0.005	0.047	999.99	999.99	0.035
78	6	12	20	999.99	0.005	999.9	999.99	0.005	0.044	999.99	999.99	0.024
78	6	12	21	999.99	0.005	999.9	999.99	0.005	0.042	999.99	999.99	0.025
78	6	12	22	999.99	0.005	999.9	999.99	0.005	0.042	999.99	999.99	0.023
78	6	12	23	999.99	0.005	999.9	999.99	0.005	0.042	999.99	999.99	0.021
78	6	12	24	999.99	0.005	999.9	999.99	0.005	0.042	999.99	999.99	0.021

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	6	13	1	999.99	0.005	999.9	999.99	0.005	0.043	999.99	999.99	0.015
78	6	13	2	999.99	0.005	999.9	999.99	0.005	0.043	999.99	999.99	0.017
78	6	13	3	999.99	0.005	999.9	999.99	0.005	0.044	999.99	999.99	0.023
78	6	13	4	999.99	0.005	999.9	999.99	0.005	0.043	999.99	999.99	0.024
78	6	13	5	999.99	0.005	999.9	999.99	0.005	0.043	999.99	999.99	0.024
78	6	13	6	999.99	0.005	999.9	999.99	0.005	0.045	999.99	999.99	0.022
78	6	13	7	999.99	0.005	999.9	999.99	0.005	0.046	999.99	999.99	0.029
78	6	13	8	999.99	0.005	999.9	999.99	0.005	0.046	999.99	999.99	0.041
78	6	13	9	999.99	0.005	999.9	999.99	0.005	0.048	999.99	999.99	0.043
78	6	13	10	999.99	0.005	999.9	999.99	0.005	0.049	999.99	999.99	0.043
78	6	13	11	999.99	0.005	999.9	999.99	0.005	0.052	0.01	0.01	0.046
78	6	13	12	999.99	0.005	999.9	999.99	0.005	0.059	0.01	0.01	0.053
78	6	13	13	999.99	0.005	999.9	999.99	0.005	0.064	0.01	0.01	0.057
78	6	13	14	999.99	0.005	999.9	999.99	0.005	0.068	0.01	0.01	0.060
78	6	13	15	999.99	0.005	999.9	999.99	0.005	0.061	0.01	0.01	0.054
78	6	13	16	999.99	0.005	999.9	999.99	0.005	0.056	0.01	0.01	0.050
78	6	13	17	999.99	0.005	999.9	999.99	0.005	0.056	0.01	0.01	0.049
78	6	13	18	999.99	0.005	999.9	999.99	0.005	0.059	0.01	0.01	0.050
78	6	13	19	999.99	0.005	999.9	999.99	0.005	0.059	0.01	0.01	0.050
78	6	13	20	999.99	0.005	999.9	999.99	0.005	0.058	0.01	0.01	0.036
78	6	13	21	999.99	0.005	999.9	999.99	0.005	0.056	0.01	0.01	0.031
78	6	13	22	999.99	0.005	999.9	999.99	0.005	0.056	0.01	0.01	0.028
78	6	13	23	999.99	0.005	999.9	999.99	0.005	0.056	0.01	0.01	0.031
78	6	13	24	999.99	0.005	999.9	999.99	0.005	0.055	0.01	0.01	0.029
78	6	14	1	999.99	0.005	999.9	999.99	0.005	0.053	0.01	0.03	0.029
78	6	14	2	999.99	0.005	999.9	999.99	0.005	0.052	0.01	0.01	0.028
78	6	14	3	999.99	0.005	999.9	999.99	0.005	0.053	0.01	0.01	0.018
78	6	14	4	999.99	0.005	999.9	999.99	0.005	0.051	0.01	0.01	0.016
78	6	14	5	999.99	0.005	999.9	999.99	0.005	0.049	0.01	0.01	0.018
78	6	14	6	999.99	0.005	999.9	999.99	0.005	0.049	0.01	0.01	0.017
78	6	14	7	999.99	0.005	999.9	999.99	0.005	0.049	0.01	0.01	0.028
78	6	14	8	999.99	0.005	999.9	999.99	0.005	0.049	0.01	0.01	0.041
78	6	14	9	999.99	0.005	999.9	999.99	0.005	0.048	0.01	0.01	0.043
78	6	14	10	999.99	0.005	999.9	999.99	0.005	0.049	0.01	0.01	0.043
78	6	14	11	999.99	0.005	999.9	999.99	0.005	0.049	0.01	0.01	0.043
78	6	14	12	999.99	0.005	999.9	999.99	0.005	0.050	0.01	0.01	0.044
78	6	14	13	999.99	0.005	999.9	999.99	0.005	0.051	0.01	0.01	0.045
78	6	14	14	999.99	0.005	999.9	999.99	0.005	0.052	0.01	0.01	0.046
78	6	14	15	999.99	0.005	999.9	999.99	0.005	0.055	0.01	0.01	0.048
78	6	14	16	999.99	0.005	999.9	999.99	0.005	0.054	0.01	0.01	0.049
78	6	14	17	999.99	0.005	999.9	999.99	0.005	0.050	0.01	0.01	0.045
78	6	14	18	999.99	0.005	999.9	999.99	0.005	0.051	0.01	0.01	0.045
78	6	14	19	999.99	0.005	999.9	999.99	0.005	0.054	0.01	0.01	0.046
78	6	14	20	999.99	0.005	999.9	999.99	0.005	0.053	0.01	0.01	0.038
78	6	14	21	999.99	0.005	999.9	999.99	0.005	0.051	0.01	0.01	0.032
78	6	14	22	999.99	0.005	999.9	999.99	0.005	0.049	0.01	0.01	0.032
78	6	14	23	999.99	0.005	999.9	999.99	0.005	0.048	0.01	0.01	0.029
78	6	14	24	999.99	0.005	999.9	999.99	0.005	0.047	0.01	0.01	0.030

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	6	15	1	999.99	0.005	999.9	999.99	0.005	0.048	0.01	0.01	0.029
78	6	15	2	999.99	0.005	999.9	999.99	0.005	0.050	0.01	0.01	0.033
78	6	15	3	999.99	0.005	999.9	999.99	0.005	0.052	0.01	0.01	0.032
78	6	15	4	999.99	0.005	999.9	999.99	0.005	0.053	0.01	0.01	0.036
78	6	15	5	999.99	0.005	999.9	999.99	0.005	0.055	0.01	0.01	0.034
78	6	15	6	999.99	0.005	999.9	999.99	0.005	0.056	0.01	0.01	0.040
78	6	15	7	999.99	0.005	999.9	999.99	0.005	0.058	0.01	0.01	0.052
78	6	15	8	999.99	0.005	999.9	999.99	0.005	0.060	0.01	0.01	0.052
78	6	15	9	999.99	0.005	999.9	999.99	0.005	0.061	0.01	0.01	0.055
78	6	15	10	999.99	0.005	999.9	999.99	0.005	0.063	0.01	0.01	0.050
78	6	15	11	999.99	0.005	999.9	999.99	0.005	0.064	0.01	0.01	0.057
78	6	15	12	999.99	0.005	999.9	999.99	0.005	0.065	0.01	0.01	0.058
78	6	15	13	999.99	0.005	999.9	999.99	0.005	0.061	0.01	0.01	0.055
78	6	15	14	999.99	0.005	999.9	999.99	0.005	0.062	0.01	0.01	0.054
78	6	15	15	999.99	0.005	999.9	999.99	0.005	0.061	0.01	0.01	0.054
78	6	15	16	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.052
78	6	15	17	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.049
78	6	15	18	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.049
78	6	15	19	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.049
78	6	15	20	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.037
78	6	15	21	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.033
78	6	15	22	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.033
78	6	15	23	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.03	0.031
78	6	15	24	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.05	0.028
78	6	16	1	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.030
78	6	16	2	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.032
78	6	16	3	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.034
78	6	16	4	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.033
78	6	16	5	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.02	0.029
78	6	16	6	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.037
78	6	16	7	999.99	0.005	0.5	999.99	0.005	0.063	0.01	0.01	0.056
78	6	16	8	999.99	0.005	0.5	999.99	0.005	0.063	0.01	0.01	0.056
78	6	16	9	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.055
78	6	16	10	999.99	0.008	0.5	999.99	0.005	99.999	0.01	0.01	0.054
78	6	16	11	999.99	0.005	0.5	999.99	0.005	99.999	0.01	0.01	0.053
78	6	16	12	999.99	99.999	0.5	999.99	0.005	0.056	0.01	0.01	0.051
78	6	16	13	999.99	99.999	0.5	999.99	0.005	0.055	999.99	999.99	0.049
78	6	16	14	999.99	99.999	0.5	999.99	99.999	0.055	999.99	999.99	0.048
78	6	16	15	999.99	99.999	0.5	999.99	99.999	0.053	999.99	999.99	0.048
78	6	16	16	999.99	99.999	0.5	999.99	99.999	0.053	999.99	999.99	0.047
78	6	16	17	999.99	99.999	0.5	999.99	99.999	0.055	999.99	999.99	0.049
78	6	16	18	999.99	99.999	0.5	999.99	99.999	0.057	999.99	999.99	0.050
78	6	16	19	999.99	99.999	0.5	999.99	99.999	0.068	999.99	999.99	0.059
78	6	16	20	999.99	99.999	0.5	999.99	99.999	0.072	999.99	999.99	0.064
78	6	16	21	999.99	99.999	0.5	999.99	99.999	0.068	999.99	999.99	0.057
78	6	16	22	999.99	99.999	0.5	999.99	99.999	0.070	999.99	999.99	0.045
78	6	16	23	999.99	99.999	0.5	999.99	99.999	0.067	999.99	999.99	0.038
78	6	16	24	999.99	99.999	0.5	999.99	99.999	0.063	999.99	999.99	0.039

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 5		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	6	17	1	999.99	99.999	0.5	999.99	99.999	0.060	999.99	999.99	0.039
78	6	17	2	999.99	99.999	0.5	999.99	99.999	0.058	999.99	999.99	0.035
78	6	17	3	999.99	99.999	0.5	999.99	99.999	0.056	999.99	999.99	0.032
78	6	17	4	999.99	99.999	0.5	999.99	99.999	0.053	999.99	999.99	0.031
78	6	17	5	999.99	99.999	0.5	999.99	99.999	0.052	999.99	999.99	0.029
78	6	17	6	999.99	99.999	0.5	999.99	99.999	0.054	999.99	999.99	0.035
78	6	17	7	999.99	99.999	0.5	999.99	99.999	0.057	999.99	999.99	0.049
78	6	17	8	999.99	99.999	0.5	999.99	99.999	0.059	999.99	999.99	0.051
78	6	17	9	999.99	99.999	0.5	999.99	99.999	0.061	999.99	999.99	0.053
78	6	17	10	999.99	99.999	0.5	999.99	99.999	0.063	0.01	0.01	0.055
78	6	17	11	999.99	99.999	0.5	0.01	99.999	0.064	0.01	0.01	0.056
78	6	17	12	0.01	99.999	0.5	0.01	99.999	0.067	0.01	0.01	0.058
78	6	17	13	0.01	99.999	0.5	0.01	99.999	0.069	0.01	0.01	0.061
78	6	17	14	0.01	99.999	0.5	0.01	99.999	0.071	0.01	0.01	0.063
78	6	17	15	0.01	99.999	0.5	0.01	99.999	0.070	0.01	0.01	0.062
78	6	17	16	0.01	99.999	0.5	0.01	99.999	0.067	0.01	0.01	0.059
78	6	17	17	0.01	99.999	999.9	0.01	99.999	0.065	0.01	0.01	0.059
78	6	17	18	0.01	99.999	0.5	0.01	99.999	0.066	0.01	0.01	0.058
78	6	17	19	0.01	99.999	0.5	0.01	99.999	0.059	0.01	0.01	0.047
78	6	17	20	0.01	99.999	0.5	0.01	99.999	0.061	0.01	0.01	0.037
78	6	17	21	0.01	99.999	0.5	0.01	99.999	0.060	0.01	0.01	0.037
78	6	17	22	0.01	99.999	0.5	0.01	99.999	0.062	0.01	0.02	0.035
78	6	17	23	0.01	99.999	0.5	0.01	99.999	0.060	0.01	0.02	0.035
78	6	17	24	0.01	99.999	0.5	0.01	99.999	0.060	0.01	0.03	0.033
78	6	18	1	0.01	99.999	0.5	0.01	99.999	0.061	0.01	0.02	0.037
78	6	18	2	0.01	99.999	0.5	0.01	99.999	0.062	0.01	0.03	0.034
78	6	18	3	0.01	99.999	0.5	0.01	99.999	0.063	0.01	0.03	0.035
78	6	18	4	0.01	99.999	0.5	0.01	99.999	0.062	0.01	0.02	0.033
78	6	18	5	0.01	99.999	0.5	0.01	99.999	0.063	0.01	0.02	0.024
78	6	18	6	0.01	99.999	0.5	0.01	99.999	0.061	0.01	0.01	0.028
78	6	18	7	0.01	99.999	0.5	0.01	99.999	0.059	0.01	0.01	0.035
78	6	18	8	0.01	99.999	0.5	0.01	99.999	0.055	0.01	0.01	0.040
78	6	18	9	999.99	99.999	999.9	999.99	99.999	0.054	999.99	999.99	0.046
78	6	18	10	999.99	99.999	999.9	999.99	99.999	0.066	999.99	999.99	0.054
78	6	18	11	0.01	99.999	0.5	0.01	99.999	0.067	0.01	0.01	0.058
78	6	18	12	0.01	99.999	0.5	0.01	99.999	0.063	0.01	0.01	0.053
78	6	18	13	0.01	99.999	0.5	0.01	99.999	0.065	0.01	0.01	0.058
78	6	18	14	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.059
78	6	18	15	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.058
78	6	18	16	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.056
78	6	18	17	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.056
78	6	18	18	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.052
78	6	18	19	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.051
78	6	18	20	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.045
78	6	18	21	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.03	0.039
78	6	18	22	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.036
78	6	18	23	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.035
78	6	18	24	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.04	0.034

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	6	19	1	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.02	0.033
78	6	19	2	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.08	0.025
78	6	19	3	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.05	0.028
78	6	19	4	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.02	0.030
78	6	19	5	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.03	0.031
78	6	19	6	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.031
78	6	19	7	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.038
78	6	19	8	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.052
78	6	19	9	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.054
78	6	19	10	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.058
78	6	19	11	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.059
78	6	19	12	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.060
78	6	19	13	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.061
78	6	19	14	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.060
78	6	19	15	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.061
78	6	19	16	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.062
78	6	19	17	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.063
78	6	19	18	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.065
78	6	19	19	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.066
78	6	19	20	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.051
78	6	19	21	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.032
78	6	19	22	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.040
78	6	19	23	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.057
78	6	19	24	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.038
78	6	20	1	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.036
78	6	20	2	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.034
78	6	20	3	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.033
78	6	20	4	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.032
78	6	20	5	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.031
78	6	20	6	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.029
78	6	20	7	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.034
78	6	20	8	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.048
78	6	20	9	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	99.999
78	6	20	10	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	99.999
78	6	20	11	999.99	0.005	0.5	999.99	0.005	99.999	0.01	0.01	0.057
78	6	20	12	999.99	0.005	0.5	999.99	0.005	99.999	0.01	0.01	0.058
78	6	20	13	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.055
78	6	20	14	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.053
78	6	20	15	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.054
78	6	20	16	0.01	0.005	0.5	0.01	0.005	99.999	0.01	0.01	0.055
78	6	20	17	0.01	0.005	0.5	0.01	0.005	99.999	0.01	0.01	0.054
78	6	20	18	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.052
78	6	20	19	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.041
78	6	20	20	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.029
78	6	20	21	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.031
78	6	20	22	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.033
78	6	20	23	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.033
78	6	20	24	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.030

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	6	21	1	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.028
78	6	21	2	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.029
78	6	21	3	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.025
78	6	21	4	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.025
78	6	21	5	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.028
78	6	21	6	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.026
78	6	21	7	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.034
78	6	21	8	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.040
78	6	21	9	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.052
78	6	21	10	0.01	0.005	999.9	999.99	0.005	0.059	0.01	0.01	0.055
78	6	21	11	999.99	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.056
78	6	21	12	0.01	0.005	0.5	0.01	0.005	99.999	0.01	0.01	0.055
78	6	21	13	0.01	0.005	0.5	0.01	0.005	99.999	0.01	0.01	0.056
78	6	21	14	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.056
78	6	21	15	0.01	99.999	0.5	0.01	0.006	99.999	0.01	0.01	0.057
78	6	21	16	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.057
78	6	21	17	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.053
78	6	21	18	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.050
78	6	21	19	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.045
78	6	21	20	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.031
78	6	21	21	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.030
78	6	21	22	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.028
78	6	21	23	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.026
78	6	21	24	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.029
78	6	22	1	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.028
78	6	22	2	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.029
78	6	22	3	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.032
78	6	22	4	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.032
78	6	22	5	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.032
78	6	22	6	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.032
78	6	22	7	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.032
78	6	22	8	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.044
78	6	22	9	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.050
78	6	22	10	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.052
78	6	22	11	0.01	0.005	999.9	0.01	0.005	0.056	0.01	0.01	0.054
78	6	22	12	999.99	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.053
78	6	22	13	999.99	99.999	0.5	0.01	99.999	0.058	0.01	0.01	0.052
78	6	22	14	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.053
78	6	22	15	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.050
78	6	22	16	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.047
78	6	22	17	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.045
78	6	22	18	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.044
78	6	22	19	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.043
78	6	22	20	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.033
78	6	22	21	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.03	0.028
78	6	22	22	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.032
78	6	22	23	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.030
78	6	22	24	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.026

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 5		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	6	23	1	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.021
78	6	23	2	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.019
78	6	23	3	0.01	0.005	0.5	0.01	0.005	0.046	0.02	0.14	0.019
78	6	23	4	0.01	0.005	0.5	0.01	0.005	0.045	0.02	0.10	0.019
78	6	23	5	0.01	0.005	0.5	0.01	0.005	0.044	0.09	0.55	0.014
78	6	23	6	0.01	0.005	0.5	0.01	0.005	0.043	0.07	0.43	0.019
78	6	23	7	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.039
78	6	23	8	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.046
78	6	23	9	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.048
78	6	23	10	999.99	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.049
78	6	23	11	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.049
78	6	23	12	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.047
78	6	23	13	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.048
78	6	23	14	0.01	99.999	999.9	0.01	99.999	99.999	0.01	0.01	0.048
78	6	23	15	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.040
78	6	23	16	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.046
78	6	23	17	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.046
78	6	23	18	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.045
78	6	23	19	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.042
78	6	23	20	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.030
78	6	23	21	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.02	0.017
78	6	23	22	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.08	0.022
78	6	23	23	0.01	0.005	0.5	0.01	0.005	0.044	0.02	0.10	0.026
78	6	23	24	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.08	0.028
78	6	24	1	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.03	0.030
78	6	24	2	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.033
78	6	24	3	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.03	0.033
78	6	24	4	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.06	0.031
78	6	24	5	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.02	0.031
78	6	24	6	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.02	0.022
78	6	24	7	999.99	99.999	999.9	0.01	99.999	0.038	0.01	0.03	0.020
78	6	24	8	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.041
78	6	24	9	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.041
78	6	24	10	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.042
78	6	24	11	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.044
78	6	24	12	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.044
78	6	24	13	0.01	0.005	999.9	0.01	0.005	0.044	0.01	0.01	0.044
78	6	24	14	0.01	99.999	999.9	0.01	99.999	0.043	0.01	0.01	0.044
78	6	24	15	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.043
78	6	24	16	0.01	99.999	0.5	0.01	0.005	99.999	0.01	0.01	0.044
78	6	24	17	999.99	0.005	0.5	0.01	0.005	99.999	0.01	0.01	0.042
78	6	24	18	0.01	0.005	0.5	0.01	0.005	99.999	0.01	0.01	0.042
78	6	24	19	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.040
78	6	24	20	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.038
78	6	24	21	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.035
78	6	24	22	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.035
78	6	24	23	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.034
78	6	24	24	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.030

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	6	25	1	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.027
78	6	25	2	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.028
78	6	25	3	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.028
78	6	25	4	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.028
78	6	25	5	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.030
78	6	25	6	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.034
78	6	25	7	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.040
78	6	25	8	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.045
78	6	25	9	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.049
78	6	25	10	0.01	0.005	999.9	0.01	0.005	0.051	0.01	0.01	0.049
78	6	25	11	0.01	0.005	999.9	0.01	0.005	0.049	0.01	0.01	0.049
78	6	25	12	0.01	0.005	999.9	0.01	0.005	0.049	0.01	0.01	0.050
78	6	25	13	0.01	0.005	999.9	0.01	0.005	0.049	0.01	0.01	0.051
78	6	25	14	0.01	0.005	999.9	0.01	0.005	0.050	0.01	0.01	0.052
78	6	25	15	0.01	0.005	999.9	0.01	0.005	0.057	0.01	0.01	0.055
78	6	25	16	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.058
78	6	25	17	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.056
78	6	25	18	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.055
78	6	25	19	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.050
78	6	25	20	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.02	0.041
78	6	25	21	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.034
78	6	25	22	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.028
78	6	25	23	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.031
78	6	25	24	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.035
78	6	26	1	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.032
78	6	26	2	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.031
78	6	26	3	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.031
78	6	26	4	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.029
78	6	26	5	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.027
78	6	26	6	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.028
78	6	26	7	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.035
78	6	26	8	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.044
78	6	26	9	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.047
78	6	26	10	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.049
78	6	26	11	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.051
78	6	26	12	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.054
78	6	26	13	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.058
78	6	26	14	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.057
78	6	26	15	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.058
78	6	26	16	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.056
78	6	26	17	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.055
78	6	26	18	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.055
78	6	26	19	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.049
78	6	26	20	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.035
78	6	26	21	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.035
78	6	26	22	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.030
78	6	26	23	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.025
78	6	26	24	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.027

DATA LISTING FOR KBOSC AIR QUALITY

				SITE 1						SITE 5		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	6	27	1	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.028
78	6	27	2	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.023
78	6	27	3	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.022
78	6	27	4	0.01	0.006	0.5	0.01	0.005	0.045	0.01	0.01	0.019
78	6	27	5	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.02	0.020
78	6	27	6	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.04	0.019
78	6	27	7	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.028
78	6	27	8	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.039
78	6	27	9	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.042
78	6	27	10	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.041
78	6	27	11	0.01	99.999	0.5	0.01	0.005	99.999	0.01	0.01	0.040
78	6	27	12	999.99	0.005	0.5	0.01	0.005	99.999	0.01	0.01	0.040
78	6	27	13	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.043
78	6	27	14	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.044
78	6	27	15	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.044
78	6	27	16	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.044
78	6	27	17	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.043
78	6	27	18	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.041
78	6	27	19	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.035
78	6	27	20	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.023
78	6	27	21	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.024
78	6	27	22	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.023
78	6	27	23	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.021
78	6	27	24	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.022
78	6	28	1	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.016
78	6	28	2	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.016
78	6	28	3	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.017
78	6	28	4	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.016
78	6	28	5	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.012
78	6	28	6	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.015
78	6	28	7	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.024
78	6	28	8	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.034
78	6	28	9	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.035
78	6	28	10	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.035
78	6	28	11	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.033
78	6	28	12	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.035
78	6	28	13	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.038
78	6	28	14	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.039
78	6	28	15	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.040
78	6	28	16	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.040
78	6	28	17	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.039
78	6	28	18	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.037
78	6	28	19	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.035
78	6	28	20	0.01	0.005	0.5	0.01	0.005	0.033	0.01	0.01	0.035
78	6	28	21	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.031
78	6	28	22	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.017
78	6	28	23	0.01	0.005	0.5	0.01	0.005	0.031	0.01	0.01	0.017
78	6	28	24	0.01	0.005	0.5	0.01	0.005	0.032	0.01	0.01	0.017

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	6	29	1	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.016
78	6	29	2	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.015
78	6	29	3	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.016
78	6	29	4	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.013
78	6	29	5	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.013
78	6	29	6	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.013
78	6	29	7	0.01	0.005	0.5	0.01	0.005	0.032	0.01	0.01	0.019
78	6	29	8	0.01	0.006	0.5	0.01	0.005	0.037	0.01	0.01	0.033
78	6	29	9	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.033
78	6	29	10	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.041
78	6	29	11	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.043
78	6	29	12	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.040
78	6	29	13	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.038
78	6	29	14	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.036
78	6	29	15	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.031
78	6	29	16	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.033
78	6	29	17	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.033
78	6	29	18	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.035
78	6	29	19	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.028
78	6	29	20	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.012
78	6	29	21	0.01	0.005	0.5	0.01	0.005	0.032	0.01	0.01	0.006
78	6	29	22	0.01	0.005	0.5	0.01	0.005	0.025	0.01	0.01	0.008
78	6	29	23	0.01	0.005	0.5	0.01	0.005	0.022	0.01	0.01	0.007
78	6	29	24	0.01	0.005	0.5	0.01	0.005	0.028	0.01	0.01	0.006
78	6	30	1	0.01	0.005	0.5	0.01	0.005	0.029	0.01	0.01	0.005
78	6	30	2	0.01	0.005	0.5	0.01	0.005	0.033	0.01	0.01	0.005
78	6	30	3	0.01	0.005	0.5	0.01	0.005	0.033	0.01	0.01	0.007
78	6	30	4	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.006
78	6	30	5	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.007
78	6	30	6	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.011
78	6	30	7	0.01	0.005	0.5	0.01	0.005	0.030	0.01	0.01	0.022
78	6	30	8	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.030
78	6	30	9	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.039
78	6	30	10	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.045
78	6	30	11	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.048
78	6	30	12	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.046
78	6	30	13	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.047
78	6	30	14	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.047
78	6	30	15	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.049
78	6	30	16	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.049
78	6	30	17	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.048
78	6	30	18	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.047
78	6	30	19	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.026
78	6	30	20	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.025
78	6	30	21	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.024
78	6	30	22	0.01	0.006	0.5	0.01	0.005	0.046	0.01	0.01	0.023
78	6	30	23	0.01	0.006	0.5	0.01	0.005	0.046	0.01	0.01	0.015
78	6	30	24	0.01	0.006	0.5	0.01	0.005	0.046	0.01	0.01	0.018

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 5		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	7	1	1	0.01	0.006	0.5	0.01	0.005	0.046	0.01	0.01	0.013
78	7	1	2	0.01	0.006	0.5	0.01	0.005	0.048	0.01	0.01	0.014
78	7	1	3	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.015
78	7	1	4	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.016
78	7	1	5	0.01	0.006	0.5	0.01	0.005	0.044	0.01	0.01	0.021
78	7	1	6	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.026
78	7	1	7	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.031
78	7	1	8	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.041
78	7	1	9	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.046
78	7	1	10	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.047
78	7	1	11	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.054
78	7	1	12	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.057
78	7	1	13	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.057
78	7	1	14	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.057
78	7	1	15	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.056
78	7	1	16	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.056
78	7	1	17	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.056
78	7	1	18	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.057
78	7	1	19	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.052
78	7	1	20	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.032
78	7	1	21	0.01	0.006	0.5	0.01	0.005	0.052	0.01	0.01	0.034
78	7	1	22	0.01	0.006	0.5	0.01	0.005	0.053	0.01	0.01	0.034
78	7	1	23	0.01	0.006	0.5	0.01	0.005	0.052	0.01	0.01	0.034
78	7	1	24	0.01	0.006	0.5	0.01	0.005	0.052	0.01	0.01	0.034
78	7	2	1	0.01	0.006	0.5	0.01	0.005	0.055	0.01	0.01	0.034
78	7	2	2	0.01	0.006	0.5	0.01	0.005	0.055	0.01	0.01	0.035
78	7	2	3	0.01	0.006	0.5	0.01	0.005	0.053	0.01	0.01	0.034
78	7	2	4	0.01	0.006	0.5	0.01	0.005	0.052	0.01	0.01	0.027
78	7	2	5	0.01	0.006	0.5	0.01	0.005	0.053	0.01	0.01	0.019
78	7	2	6	0.01	0.006	0.5	0.01	0.005	0.052	0.01	0.01	0.022
78	7	2	7	0.01	0.006	0.5	0.01	0.005	0.051	0.01	0.01	0.034
78	7	2	8	0.01	0.006	0.5	0.01	0.005	0.052	0.01	0.01	0.043
78	7	2	9	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.052
78	7	2	10	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.053
78	7	2	11	0.01	0.005	0.5	0.01	0.005	0.052	999.99	0.01	0.052
78	7	2	12	0.01	0.005	0.5	0.01	0.005	0.051	999.99	0.01	0.052
78	7	2	13	0.01	0.005	0.5	0.01	0.005	0.047	999.99	0.01	0.048
78	7	2	14	0.01	0.005	0.5	0.01	0.005	0.044	999.99	0.01	0.043
78	7	2	15	0.01	0.005	0.5	0.01	0.005	0.044	999.99	0.01	0.043
78	7	2	16	0.01	0.005	0.5	0.01	0.005	0.044	999.99	0.01	0.045
78	7	2	17	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.040
78	7	2	18	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.038
78	7	2	19	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.035
78	7	2	20	0.01	0.006	0.5	0.01	0.005	0.037	0.01	0.01	0.027
78	7	2	21	0.01	0.006	0.5	0.01	0.005	0.038	0.01	0.01	0.025
78	7	2	22	0.01	0.006	0.5	0.01	0.005	0.039	0.01	0.01	0.025
78	7	2	23	0.01	0.006	0.5	0.01	0.005	0.039	0.01	0.01	0.022
78	7	2	24	0.01	0.006	0.5	0.01	0.005	0.039	0.01	0.01	0.016

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 5		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	7	3	1	0.01	0.006	0.5	0.01	0.005	0.038	0.01	0.01	0.021
78	7	3	2	0.01	0.006	0.5	0.01	0.005	0.038	0.01	0.01	0.026
78	7	3	3	0.01	0.006	0.5	0.01	0.005	0.037	0.01	0.01	0.024
78	7	3	4	0.01	0.006	0.5	0.01	0.005	0.037	0.01	0.01	0.019
78	7	3	5	0.01	0.006	0.5	0.01	0.005	0.032	0.01	0.01	0.021
78	7	3	6	0.01	0.006	0.5	0.01	0.005	0.029	0.01	0.01	0.018
78	7	3	7	0.01	0.006	0.5	0.01	0.005	0.029	0.01	0.01	0.025
78	7	3	8	0.01	0.006	0.5	0.01	0.005	0.030	0.01	0.01	0.030
78	7	3	9	0.01	0.006	0.5	0.01	0.005	0.033	0.01	0.01	0.030
78	7	3	10	0.01	0.006	0.5	0.01	0.005	0.036	999.99	0.01	0.036
78	7	3	11	0.01	0.006	0.5	0.01	0.005	0.038	999.99	999.99	0.037
78	7	3	12	0.01	0.006	0.5	0.01	0.005	0.039	999.99	999.99	0.040
78	7	3	13	0.01	0.006	0.5	0.01	0.005	0.042	999.99	999.99	0.042
78	7	3	14	0.01	0.006	0.5	0.01	0.005	0.046	0.01	999.99	0.045
78	7	3	15	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.047
78	7	3	16	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.047
78	7	3	17	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.043
78	7	3	18	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.041
78	7	3	19	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.044
78	7	3	20	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.032
78	7	3	21	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.051
78	7	3	22	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.053
78	7	3	23	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.054
78	7	3	24	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.025
78	7	4	1	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.026
78	7	4	2	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.029
78	7	4	3	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.033
78	7	4	4	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.036
78	7	4	5	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.051
78	7	4	6	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.053
78	7	4	7	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.044
78	7	4	8	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.062
78	7	4	9	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.070
78	7	4	10	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.071
78	7	4	11	999.99	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.070
78	7	4	12	999.99	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.070
78	7	4	13	0.01	0.005	0.5	0.01	0.005	99.999	0.01	0.01	0.069
78	7	4	14	0.01	0.005	0.5	999.99	0.005	99.999	0.01	0.01	0.069
78	7	4	15	0.01	0.005	0.5	999.99	0.005	0.079	0.01	0.01	0.069
78	7	4	16	0.01	0.005	0.5	0.01	0.005	0.080	0.01	0.01	0.070
78	7	4	17	0.01	0.005	0.5	0.01	0.005	0.081	0.01	0.01	0.070
78	7	4	18	0.01	0.005	0.5	0.01	0.005	0.080	0.01	0.01	0.070
78	7	4	19	0.01	0.005	0.5	0.01	0.005	0.078	0.01	0.01	0.061
78	7	4	20	0.01	0.005	0.5	0.01	0.005	0.074	0.01	0.01	0.047
78	7	4	21	0.01	0.005	0.5	0.01	0.005	0.074	0.01	0.01	0.046
78	7	4	22	0.01	0.005	0.5	0.01	0.005	0.076	0.01	0.01	0.035
78	7	4	23	0.01	0.005	0.5	0.01	0.005	0.074	0.01	0.01	0.033
78	7	4	24	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.037

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	7	5	1	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.037
78	7	5	2	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.035
78	7	5	3	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.033
78	7	5	4	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.031
78	7	5	5	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.030
78	7	5	6	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.031
78	7	5	7	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.039
78	7	5	8	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.053
78	7	5	9	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.056
78	7	5	10	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.058
78	7	5	11	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.060
78	7	5	12	0.01	0.005	0.5	0.01	0.005	0.078	0.01	0.01	0.066
78	7	5	13	0.01	0.005	0.5	0.01	0.005	0.078	0.01	0.01	0.066
78	7	5	14	0.01	0.005	0.5	0.01	0.005	0.077	0.01	0.01	0.065
78	7	5	15	0.01	99.999	0.5	0.01	0.005	0.076	0.01	0.01	0.064
78	7	5	16	0.01	0.005	0.5	0.01	0.005	0.073	0.01	0.01	0.062
78	7	5	17	0.01	0.005	0.5	0.01	0.005	0.073	0.01	0.01	0.062
78	7	5	18	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.064
78	7	5	19	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.053
78	7	5	20	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.043
78	7	5	21	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.054
78	7	5	22	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.055
78	7	5	23	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.045
78	7	5	24	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.041
78	7	6	1	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.037
78	7	6	2	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.038
78	7	6	3	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.036
78	7	6	4	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.036
78	7	6	5	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.036
78	7	6	6	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.036
78	7	6	7	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.039
78	7	6	8	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.050
78	7	6	9	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.054
78	7	6	10	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.057
78	7	6	11	0.01	0.005	0.5	0.01	0.005	0.073	0.01	0.01	0.061
78	7	6	12	0.01	0.005	0.5	0.01	0.005	0.074	0.01	0.01	0.064
78	7	6	13	0.01	0.005	0.5	0.01	0.005	0.073	0.01	0.01	0.064
78	7	6	14	0.01	0.005	0.5	0.01	0.005	0.073	0.01	0.01	0.063
78	7	6	15	0.01	0.005	0.5	0.01	0.005	0.073	0.01	0.01	0.064
78	7	6	16	0.01	0.005	0.5	0.01	0.005	0.074	0.01	0.01	0.064
78	7	6	17	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.062
78	7	6	18	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.063
78	7	6	19	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.041
78	7	6	20	0.01	0.005	0.5	0.01	0.005	0.071	0.01	0.01	0.050
78	7	6	21	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.053
78	7	6	22	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.049
78	7	6	23	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.034
78	7	6	24	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.033

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	7	7	1	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.032
78	7	7	2	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.032
78	7	7	3	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.034
78	7	7	4	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.032
78	7	7	5	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.032
78	7	7	6	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.031
78	7	7	7	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.039
78	7	7	8	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.045
78	7	7	9	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.054
78	7	7	10	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.059
78	7	7	11	0.01	0.005	0.5	0.01	0.005	0.074	0.01	0.01	0.063
78	7	7	12	0.01	0.005	0.5	0.01	0.005	0.079	0.01	0.01	0.069
78	7	7	13	0.01	0.005	0.5	0.01	0.005	0.083	0.01	0.01	0.070
78	7	7	14	0.01	0.005	0.5	0.01	0.005	0.080	0.01	0.01	0.069
78	7	7	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	7	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	7	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	7	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	7	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	7	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	7	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	7	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	7	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	7	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	8	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999

DATA LISTING FOR RROSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	7	9	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	9	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	9	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	9	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	9	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	9	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	9	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	9	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	9	9	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.050
78	7	9	10	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.052
78	7	9	11	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.056
78	7	9	12	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.057
78	7	9	13	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.055
78	7	9	14	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.055
78	7	9	15	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.055
78	7	9	16	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.056
78	7	9	17	0.01	0.005	0.5	0.01	0.005	0.071	0.01	0.01	0.059
78	7	9	18	0.01	0.005	0.5	0.01	0.005	0.075	0.01	0.01	0.064
78	7	9	19	0.01	0.005	0.5	0.01	0.005	0.073	0.01	0.01	0.058
78	7	9	20	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.040
78	7	9	21	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.037
78	7	9	22	0.01	0.005	0.5	0.01	0.005	0.073	0.01	0.01	0.047
78	7	9	23	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.042
78	7	9	24	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.041
78	7	10	1	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.038
78	7	10	2	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.035
78	7	10	3	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.031
78	7	10	4	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.028
78	7	10	5	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.031
78	7	10	6	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.032
78	7	10	7	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.037
78	7	10	8	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.046
78	7	10	9	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.050
78	7	10	10	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.054
78	7	10	11	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.056
78	7	10	12	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.059
78	7	10	13	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.056
78	7	10	14	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.059
78	7	10	15	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.060
78	7	10	16	0.01	0.005	0.5	0.01	0.005	0.071	0.01	0.01	0.063
78	7	10	17	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.060
78	7	10	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	10	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	10	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	10	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	10	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	10	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	10	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	7	11	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	11	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	11	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	11	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	11	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	11	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	11	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	11	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	11	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	11	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	11	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	11	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	11	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	11	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	11	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	11	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	11	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	11	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	11	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	11	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	11	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	11	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	11	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	11	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	12	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	12	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	12	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	12	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	12	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	12	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	12	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	12	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	12	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	12	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	12	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	12	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	12	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	12	14	999.99	99.999	0.5	999.99	99.999	0.069	0.01	0.01	0.059
78	7	12	15	999.99	99.999	0.5	999.99	99.999	0.070	0.01	0.01	0.060
78	7	12	16	999.99	99.999	0.5	999.99	99.999	0.070	0.01	0.01	0.061
78	7	12	17	999.99	99.999	0.5	999.99	99.999	0.070	0.01	0.01	0.061
78	7	12	18	999.99	99.999	0.5	999.99	99.999	0.069	0.01	0.01	0.060
78	7	12	19	999.99	99.999	0.5	999.99	99.999	0.067	0.01	0.01	0.057
78	7	12	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	12	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	12	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	12	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	12	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1					SITE 5		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	7	13	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	13	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	13	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	13	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	13	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	13	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	13	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	13	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	13	9	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.053
78	7	13	10	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.056
78	7	13	11	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.059
78	7	13	12	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.058
78	7	13	13	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.058
78	7	13	14	0.01	99.999	999.9	0.01	0.005	0.068	0.01	0.01	0.059
78	7	13	15	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.059
78	7	13	16	999.99	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.060
78	7	13	17	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.061
78	7	13	18	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.060
78	7	13	19	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.052
78	7	13	20	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.038
78	7	13	21	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.038
78	7	13	22	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.032
78	7	13	23	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.030
78	7	13	24	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.036
78	7	14	1	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.036
78	7	14	2	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.034
78	7	14	3	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.032
78	7	14	4	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.034
78	7	14	5	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.032
78	7	14	6	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.030
78	7	14	7	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.038
78	7	14	8	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.044
78	7	14	9	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.054
78	7	14	10	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.058
78	7	14	11	0.01	99.999	0.5	0.01	99.999	0.068	0.01	0.01	0.060
78	7	14	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	14	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	14	14	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	99.999
78	7	14	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	14	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	14	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	14	18	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.050
78	7	14	19	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.050
78	7	14	20	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.032
78	7	14	21	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.034
78	7	14	22	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.034
78	7	14	23	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.032
78	7	14	24	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.032

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1					SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	7	15	1	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.030
78	7	15	2	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.030
78	7	15	3	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.030
78	7	15	4	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.026
78	7	15	5	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.026
78	7	15	6	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.024
78	7	15	7	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.028
78	7	15	8	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.036
78	7	15	9	999.99	0.005	0.5	999.99	0.005	0.068	0.01	0.01	0.050
78	7	15	10	999.99	0.005	0.5	999.99	0.005	0.068	0.01	0.01	0.056
78	7	15	11	999.99	0.005	0.5	999.99	0.005	0.066	0.01	0.01	0.056
78	7	15	12	999.99	0.005	0.5	999.99	0.005	0.068	0.01	0.01	0.056
78	7	15	13	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.056
78	7	15	14	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.056
78	7	15	15	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.056
78	7	15	16	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.056
78	7	15	17	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.054
78	7	15	18	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.054
78	7	15	19	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.054
78	7	15	20	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.052
78	7	15	21	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.032
78	7	15	22	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.030
78	7	15	23	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.028
78	7	15	24	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.024
78	7	16	1	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.018
78	7	16	2	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.022
78	7	16	3	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.022
78	7	16	4	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.026
78	7	16	5	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.020
78	7	16	6	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.024
78	7	16	7	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.030
78	7	16	8	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.044
78	7	16	9	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.058
78	7	16	10	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.060
78	7	16	11	0.01	0.005	0.5	0.01	0.005	0.076	0.01	0.01	0.064
78	7	16	12	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.062
78	7	16	13	0.01	0.005	0.5	0.01	0.005	0.076	0.01	0.01	0.064
78	7	16	14	0.01	0.005	0.5	0.01	0.005	0.080	0.01	0.01	0.068
78	7	16	15	0.01	0.005	0.5	0.01	0.005	0.080	0.01	0.01	0.068
78	7	16	16	0.01	0.005	0.5	0.01	0.005	0.078	0.01	0.01	0.066
78	7	16	17	0.01	0.005	0.5	0.01	0.005	0.076	0.01	0.01	0.064
78	7	16	18	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.060
78	7	16	19	0.01	0.005	0.5	0.01	0.005	0.076	0.01	0.01	0.062
78	7	16	20	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.056
78	7	16	21	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.044
78	7	16	22	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.060
78	7	16	23	0.01	0.005	0.5	0.01	0.005	0.076	0.01	0.01	0.060
78	7	16	24	0.01	0.005	0.5	0.01	0.005	0.076	0.01	0.01	0.060

DATA LISTING FOR KBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	7	17	1	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.052
78	7	17	2	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.052
78	7	17	3	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.034
78	7	17	4	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.032
78	7	17	5	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.026
78	7	17	6	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.026
78	7	17	7	0.01	0.005	0.5	0.01	0.005	0.076	0.01	0.01	0.046
78	7	17	8	0.01	0.005	0.5	0.01	0.005	0.076	0.01	0.01	0.062
78	7	17	9	0.01	0.005	0.5	0.01	0.005	0.076	0.01	0.01	0.064
78	7	17	10	0.01	0.005	0.5	0.01	0.005	0.076	0.01	0.01	0.064
78	7	17	11	0.01	0.005	0.5	0.01	0.005	0.076	0.01	0.01	0.064
78	7	17	12	0.01	0.005	0.5	0.01	0.005	0.074	0.01	0.01	0.062
78	7	17	13	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.060
78	7	17	14	0.01	0.005	0.5	0.01	0.005	0.076	0.01	0.01	0.064
78	7	17	15	0.01	0.005	0.5	0.01	0.005	0.076	0.01	0.01	0.064
78	7	17	16	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.042
78	7	17	17	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.052
78	7	17	18	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.050
78	7	17	19	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.048
78	7	17	20	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.040
78	7	17	21	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.054
78	7	17	22	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.040
78	7	17	23	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.044
78	7	17	24	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.034
78	7	18	1	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.020
78	7	18	2	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.014
78	7	18	3	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.018
78	7	18	4	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.014
78	7	18	5	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.014
78	7	18	6	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.018
78	7	18	7	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.036
78	7	18	8	0.01	0.005	0.5	0.01	0.005	0.076	0.01	0.01	0.052
78	7	18	9	0.01	0.005	0.5	0.01	0.005	0.076	0.01	0.01	0.060
78	7	18	10	0.01	0.005	0.5	0.01	0.005	0.074	0.01	0.01	0.062
78	7	18	11	0.01	99.999	0.5	0.01	0.005	99.999	0.01	0.01	0.062
78	7	18	12	0.01	99.999	0.5	0.01	0.005	0.061	0.01	0.01	0.064
78	7	18	13	0.02	0.005	0.5	0.01	0.005	0.074	0.01	0.01	0.063
78	7	18	14	0.01	0.005	0.5	0.01	0.005	0.073	0.01	0.01	0.062
78	7	18	15	0.01	0.005	0.5	0.01	0.005	0.071	0.01	0.01	0.061
78	7	18	16	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.050
78	7	18	17	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.048
78	7	18	18	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.043
78	7	18	19	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.044
78	7	18	20	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.044
78	7	18	21	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.037
78	7	18	22	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.039
78	7	18	23	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.038
78	7	18	24	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.034

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	7	19	1	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.022
78	7	19	2	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.032
78	7	19	3	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.036
78	7	19	4	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.034
78	7	19	5	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.024
78	7	19	6	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.024
78	7	19	7	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.036
78	7	19	8	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.044
78	7	19	9	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.056
78	7	19	10	0.01	0.005	0.5	0.01	0.005	0.072	999.99	999.99	0.060
78	7	19	11	0.01	0.005	0.5	0.01	0.005	0.076	999.99	999.99	0.062
78	7	19	12	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.060
78	7	19	13	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.060
78	7	19	14	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.046
78	7	19	15	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.056
78	7	19	16	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.058
78	7	19	17	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.060
78	7	19	18	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.054
78	7	19	19	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.056
78	7	19	20	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.044
78	7	19	21	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.036
78	7	19	22	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.034
78	7	19	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	19	24	999.99	0.005	0.5	999.99	0.005	0.068	999.99	999.99	0.042
78	7	20	1	999.99	0.005	0.5	999.99	0.005	0.064	999.99	999.99	0.028
78	7	20	2	999.99	0.005	0.5	999.99	0.005	0.064	999.99	999.99	0.016
78	7	20	3	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.018
78	7	20	4	999.99	0.005	0.5	999.99	0.005	0.064	999.99	999.99	0.020
78	7	20	5	999.99	0.005	0.5	999.99	0.005	0.064	999.99	999.99	0.016
78	7	20	6	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.018
78	7	20	7	999.99	0.005	0.5	999.99	0.005	0.064	999.99	999.99	0.034
78	7	20	8	999.99	0.005	0.5	999.99	0.005	0.066	999.99	999.99	0.052
78	7	20	9	999.99	0.005	0.5	999.99	0.005	0.072	999.99	999.99	0.060
78	7	20	10	999.99	0.005	0.5	999.99	0.005	0.078	999.99	999.99	99.999
78	7	20	11	999.99	0.005	0.5	999.99	0.005	0.076	999.99	999.99	99.999
78	7	20	12	999.99	0.005	0.5	999.99	0.005	0.072	999.99	999.99	99.999
78	7	20	13	0.01	0.006	0.5	999.99	0.005	0.073	999.99	999.99	99.999
78	7	20	14	0.01	0.006	0.5	0.01	0.005	0.075	999.99	999.99	99.999
78	7	20	15	0.01	0.006	0.5	0.01	0.005	0.077	999.99	999.99	99.999
78	7	20	16	0.01	0.005	0.5	0.01	0.005	0.075	999.99	999.99	99.999
78	7	20	17	0.01	0.005	0.5	0.01	0.005	0.076	999.99	999.99	99.999
78	7	20	18	0.01	0.006	0.5	0.01	0.005	0.081	999.99	999.99	99.999
78	7	20	19	0.01	0.006	0.5	0.01	0.005	0.082	999.99	999.99	99.999
78	7	20	20	0.01	0.006	0.5	0.01	0.005	0.078	999.99	999.99	99.999
78	7	20	21	0.01	0.006	0.5	0.01	0.005	0.075	999.99	999.99	99.999
78	7	20	22	0.01	0.006	0.5	0.01	0.005	0.078	999.99	999.99	99.999
78	7	20	23	0.01	0.006	0.5	0.01	0.005	0.072	999.99	999.99	99.999
78	7	20	24	0.01	0.006	0.5	0.01	0.005	0.073	999.99	999.99	99.999

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1					SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	7	21	1	0.01	0.006	0.5	0.01	0.005	0.066	999.99	999.99	99.999
78	7	21	2	0.01	0.006	0.5	0.01	0.005	0.060	999.99	999.99	99.999
78	7	21	3	0.01	0.005	0.5	0.01	0.005	0.052	999.99	999.99	99.999
78	7	21	4	0.01	0.005	0.5	0.01	0.005	0.049	999.99	999.99	99.999
78	7	21	5	0.01	0.005	0.5	0.01	0.005	0.045	999.99	999.99	99.999
78	7	21	6	0.01	0.005	0.5	0.01	0.005	0.042	999.99	999.99	99.999
78	7	21	7	0.01	0.005	0.5	0.01	0.005	0.044	999.99	999.99	99.999
78	7	21	8	0.01	0.005	0.5	0.01	0.005	0.046	999.99	999.99	99.999
78	7	21	9	0.01	0.005	0.5	0.01	0.005	0.050	999.99	999.99	99.999
78	7	21	10	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.061
78	7	21	11	0.01	0.006	0.5	0.01	0.005	0.063	0.01	0.01	0.054
78	7	21	12	0.01	0.006	0.5	0.01	0.005	0.066	0.01	0.01	0.055
78	7	21	13	0.01	0.006	0.5	0.01	0.005	0.069	0.01	0.01	0.058
78	7	21	14	0.01	0.006	0.5	0.01	0.005	0.074	0.01	0.01	0.061
78	7	21	15	0.01	0.006	0.5	0.01	0.005	0.081	0.01	0.01	0.068
78	7	21	16	0.01	0.006	0.5	0.01	0.005	0.084	0.01	0.01	0.072
78	7	21	17	0.01	0.006	0.5	0.01	0.005	0.084	0.01	0.01	0.071
78	7	21	18	0.01	0.006	0.5	0.01	0.005	0.080	0.01	0.01	0.069
78	7	21	19	0.01	0.005	0.5	0.01	0.005	0.074	0.01	0.01	0.063
78	7	21	20	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.053
78	7	21	21	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.053
78	7	21	22	0.01	0.006	0.5	0.01	0.005	0.063	0.01	0.01	0.041
78	7	21	23	0.01	0.006	0.5	0.01	0.005	0.068	0.01	0.01	0.036
78	7	21	24	0.01	0.006	0.5	0.01	0.005	0.072	0.01	0.01	0.035
78	7	22	1	0.01	0.006	0.5	0.01	0.005	0.071	0.01	0.01	0.034
78	7	22	2	0.01	0.006	0.5	0.01	0.005	0.069	0.01	0.01	0.034
78	7	22	3	0.01	0.006	0.5	0.01	0.005	0.066	0.01	0.01	0.032
78	7	22	4	0.01	0.006	0.5	0.01	0.005	0.066	0.01	0.01	0.030
78	7	22	5	0.01	0.006	0.5	0.01	0.005	0.067	0.01	0.01	0.029
78	7	22	6	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.031
78	7	22	7	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.042
78	7	22	8	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.047
78	7	22	9	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.056
78	7	22	10	0.01	0.005	0.5	0.01	0.005	0.076	0.01	0.01	0.060
78	7	22	11	0.01	0.005	0.5	0.01	0.005	0.076	0.01	0.01	0.064
78	7	22	12	0.01	0.005	0.5	0.01	0.005	0.078	0.01	0.01	0.064
78	7	22	13	0.01	0.005	0.5	0.01	0.005	0.076	0.01	0.01	0.064
78	7	22	14	0.01	0.005	0.5	0.01	0.005	0.074	0.01	0.01	0.062
78	7	22	15	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.062
78	7	22	16	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.060
78	7	22	17	0.01	0.005	0.5	0.01	0.005	0.076	0.01	0.01	0.064
78	7	22	18	0.01	0.005	0.5	0.01	0.005	0.076	0.01	0.01	0.066
78	7	22	19	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.054
78	7	22	20	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.038
78	7	22	21	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.042
78	7	22	22	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.044
78	7	22	23	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.040
78	7	22	24	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.038

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	7	23	1	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.038
78	7	23	2	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.034
78	7	23	3	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.030
78	7	23	4	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.030
78	7	23	5	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.030
78	7	23	6	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.030
78	7	23	7	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.032
78	7	23	8	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.042
78	7	23	9	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.046
78	7	23	10	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.054
78	7	23	11	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.058
78	7	23	12	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.060
78	7	23	13	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.058
78	7	23	14	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.058
78	7	23	15	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.054
78	7	23	16	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.054
78	7	23	17	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.054
78	7	23	18	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.052
78	7	23	19	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.046
78	7	23	20	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.030
78	7	23	21	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.032
78	7	23	22	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.032
78	7	23	23	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.032
78	7	23	24	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.034
78	7	24	1	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.024
78	7	24	2	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.022
78	7	24	3	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.022
78	7	24	4	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.024
78	7	24	5	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.026
78	7	24	6	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.024
78	7	24	7	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.030
78	7	24	8	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.038
78	7	24	9	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.052
78	7	24	10	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.056
78	7	24	11	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.058
78	7	24	12	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.059
78	7	24	13	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.059
78	7	24	14	999.99	99.999	0.5	0.01	0.005	0.070	0.01	0.01	0.059
78	7	24	15	0.01	99.999	0.5	0.01	0.005	0.070	0.01	0.01	0.059
78	7	24	16	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.059
78	7	24	17	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.054
78	7	24	18	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.057
78	7	24	19	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.054
78	7	24	20	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.034
78	7	24	21	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.038
78	7	24	22	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.034
78	7	24	23	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.035
78	7	24	24	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.031

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1					SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	7	25	1	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.027
78	7	25	2	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.022
78	7	25	3	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.021
78	7	25	4	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.019
78	7	25	5	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.022
78	7	25	6	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.022
78	7	25	7	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.037
78	7	25	8	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.047
78	7	25	9	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	99.999
78	7	25	10	0.01	0.005	0.5	0.01	0.005	0.067	999.99	0.01	0.050
78	7	25	11	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.057
78	7	25	12	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.059
78	7	25	13	0.01	0.005	0.5	0.01	0.005	0.071	0.01	0.01	0.059
78	7	25	14	0.01	0.005	0.5	0.01	0.005	0.071	0.01	0.01	0.060
78	7	25	15	0.01	0.005	0.5	0.01	0.005	0.071	0.01	0.01	0.060
78	7	25	16	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.061
78	7	25	17	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.061
78	7	25	18	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.059
78	7	25	19	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.058
78	7	25	20	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.061
78	7	25	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	25	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	25	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	25	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	26	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	26	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	26	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	26	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	26	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	26	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	26	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	26	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	26	9	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.046
78	7	26	10	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.053
78	7	26	11	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.057
78	7	26	12	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.057
78	7	26	13	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.057
78	7	26	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	26	15	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.058
78	7	26	16	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.059
78	7	26	17	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.058
78	7	26	18	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.058
78	7	26	19	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.048
78	7	26	20	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.034
78	7	26	21	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.036
78	7	26	22	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.036
78	7	26	23	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.036
78	7	26	24	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.035

DATA LISTING FOR RHOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	7	27	1	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.032
78	7	27	2	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.031
78	7	27	3	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.030
78	7	27	4	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.032
78	7	27	5	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.026
78	7	27	6	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.024
78	7	27	7	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.035
78	7	27	8	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.045
78	7	27	9	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.051
78	7	27	10	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.059
78	7	27	11	0.01	0.005	0.5	0.01	0.005	0.073	0.01	0.01	0.060
78	7	27	12	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.061
78	7	27	13	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.060
78	7	27	14	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.060
78	7	27	15	0.01	0.005	0.5	0.01	0.005	0.073	0.01	0.01	0.060
78	7	27	16	0.01	0.005	0.5	0.01	0.005	0.073	0.01	0.01	0.060
78	7	27	17	0.01	0.005	0.5	0.01	0.005	0.073	0.01	0.01	0.057
78	7	27	18	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.055
78	7	27	19	0.01	0.005	0.5	0.01	0.005	0.071	0.01	0.01	0.060
78	7	27	20	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.054
78	7	27	21	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.044
78	7	27	22	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.050
78	7	27	23	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.049
78	7	27	24	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.046
78	7	28	1	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.038
78	7	28	2	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.036
78	7	28	3	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.035
78	7	28	4	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.033
78	7	28	5	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.031
78	7	28	6	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.026
78	7	28	7	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.041
78	7	28	8	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.056
78	7	28	9	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.054
78	7	28	10	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.054
78	7	28	11	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.057
78	7	28	12	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.060
78	7	28	13	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.059
78	7	28	14	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.044
78	7	28	15	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.055
78	7	28	16	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.058
78	7	28	17	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.058
78	7	28	18	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.058
78	7	28	19	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.049
78	7	28	20	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.035
78	7	28	21	0.01	0.005	0.5	0.01	0.005	0.071	0.01	0.01	0.034
78	7	28	22	0.01	0.005	0.5	0.01	0.005	0.071	0.01	0.01	0.023
78	7	28	23	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.039
78	7	28	24	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.045

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	7	29	1	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.036
78	7	29	2	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.026
78	7	29	3	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.023
78	7	29	4	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.023
78	7	29	5	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.027
78	7	29	6	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.030
78	7	29	7	0.01	99.999	0.5	0.01	0.005	0.064	0.01	0.01	0.029
78	7	29	8	0.01	99.999	0.5	0.01	0.005	0.060	0.01	0.01	0.030
78	7	29	9	0.01	0.005	0.5	0.01	0.005	0.074	0.01	0.01	0.047
78	7	29	10	0.01	0.005	0.5	0.01	0.005	0.075	0.01	0.01	0.059
78	7	29	11	0.01	0.005	0.5	0.01	0.005	0.076	0.01	0.01	0.061
78	7	29	12	0.01	0.005	0.5	0.01	0.005	0.074	0.01	0.01	0.062
78	7	29	13	0.01	0.005	0.5	0.01	0.005	0.078	0.01	0.01	0.064
78	7	29	14	0.01	0.005	0.5	0.01	0.005	0.079	0.01	0.01	0.064
78	7	29	15	0.01	0.005	0.5	0.01	0.005	0.077	0.01	0.01	0.061
78	7	29	16	0.01	0.005	0.5	0.01	0.005	0.074	0.01	0.01	0.062
78	7	29	17	0.01	0.005	0.5	0.01	0.005	0.074	0.01	0.01	0.062
78	7	29	18	0.01	0.005	0.5	0.01	0.005	0.071	0.01	0.01	0.060
78	7	29	19	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.058
78	7	29	20	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.040
78	7	29	21	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.053
78	7	29	22	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.030
78	7	29	23	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.029
78	7	29	24	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.031
78	7	30	1	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.031
78	7	30	2	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.029
78	7	30	3	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.021
78	7	30	4	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.017
78	7	30	5	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.019
78	7	30	6	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.024
78	7	30	7	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.035
78	7	30	8	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.044
78	7	30	9	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.052
78	7	30	10	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.056
78	7	30	11	0.01	0.005	0.5	0.01	0.005	0.071	0.01	0.01	0.059
78	7	30	12	0.01	0.005	0.5	0.01	0.005	0.071	0.01	0.01	0.059
78	7	30	13	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.059
78	7	30	14	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.061
78	7	30	15	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.061
78	7	30	16	0.01	0.005	0.5	0.01	0.005	0.073	0.01	0.01	0.062
78	7	30	17	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.061
78	7	30	18	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.059
78	7	30	19	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.049
78	7	30	20	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.037
78	7	30	21	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.038
78	7	30	22	0.01	0.006	0.5	0.01	0.005	0.069	0.01	0.01	0.036
78	7	30	23	0.01	0.006	0.5	0.01	0.005	0.070	0.01	0.01	0.035
78	7	30	24	0.01	0.006	0.5	0.01	0.005	0.068	0.01	0.01	0.032

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	7	31	1	0.01	0.006	0.5	0.01	0.005	0.068	0.01	0.01	0.026
78	7	31	2	0.01	0.006	0.5	0.01	0.005	0.068	0.01	0.01	0.030
78	7	31	3	0.01	0.006	0.5	0.01	0.005	0.067	0.01	0.01	0.025
78	7	31	4	0.01	0.006	0.5	0.01	0.005	0.066	0.01	0.01	0.024
78	7	31	5	0.01	0.006	0.5	0.01	0.005	0.063	0.01	0.01	0.024
78	7	31	6	0.01	0.006	0.5	0.01	0.005	0.064	0.01	0.01	0.028
78	7	31	7	0.01	0.006	0.5	0.01	0.005	0.060	0.01	0.01	0.028
78	7	31	8	0.01	0.006	0.5	0.01	0.005	0.062	0.01	0.01	0.032
78	7	31	9	0.01	0.006	0.5	0.01	0.005	0.068	0.01	0.01	0.048
78	7	31	10	0.01	0.006	0.5	0.01	0.005	0.066	0.01	0.01	0.055
78	7	31	11	0.01	0.006	0.5	0.01	0.005	0.068	0.01	0.01	0.057
78	7	31	12	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.056
78	7	31	13	999.99	99.999	0.5	0.01	99.999	0.067	0.01	0.01	0.056
78	7	31	14	999.99	99.999	0.5	0.01	99.999	0.067	0.01	0.01	0.056
78	7	31	15	0.01	99.999	0.5	0.01	99.999	0.068	0.01	0.01	0.057
78	7	31	16	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.057
78	7	31	17	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.058
78	7	31	18	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.058
78	7	31	19	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.056
78	7	31	20	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.051
78	7	31	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	31	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	31	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	7	31	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	1	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	1	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	1	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	1	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	1	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	1	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	1	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	1	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	1	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	1	10	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.049
78	8	1	11	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.051
78	8	1	12	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.057
78	8	1	13	0.01	0.005	0.5	0.01	0.005	0.071	0.01	0.01	0.060
78	8	1	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	1	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	1	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	1	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	1	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	1	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	1	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	1	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	1	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	1	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	1	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	8	2	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	2	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	2	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	2	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	2	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	2	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	2	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	2	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	2	9	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.046
78	8	2	10	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.050
78	8	2	11	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.053
78	8	2	12	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.055
78	8	2	13	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.054
78	8	2	14	0.01	99.999	999.9	999.99	99.999	99.999	0.01	0.01	0.053
78	8	2	15	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.052
78	8	2	16	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.051
78	8	2	17	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.051
78	8	2	18	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.051
78	8	2	19	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.047
78	8	2	20	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.030
78	8	2	21	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.034
78	8	2	22	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.035
78	8	2	23	0.01	0.006	0.5	0.01	0.005	0.056	0.01	0.01	0.029
78	8	2	24	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.032
78	8	3	1	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.032
78	8	3	2	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.029
78	8	3	3	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.019
78	8	3	4	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.017
78	8	3	5	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.015
78	8	3	6	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.015
78	8	3	7	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.027
78	8	3	8	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.033
78	8	3	9	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.036
78	8	3	10	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.040
78	8	3	11	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.044
78	8	3	12	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.048
78	8	3	13	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.051
78	8	3	14	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.052
78	8	3	15	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.053
78	8	3	16	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.053
78	8	3	17	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.052
78	8	3	18	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.051
78	8	3	19	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.043
78	8	3	20	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.029
78	8	3	21	0.01	0.006	0.5	0.01	0.005	0.054	0.01	0.01	0.030
78	8	3	22	0.01	0.006	0.5	0.01	0.005	0.056	0.01	0.01	0.030
78	8	3	23	0.01	0.006	0.5	0.01	0.005	0.056	0.01	0.01	0.030
78	8	3	24	0.01	0.006	0.5	0.01	0.005	0.056	0.01	0.01	0.030

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	8	4	1	0.01	0.006	0.5	0.01	0.005	0.057	0.01	0.01	0.030
78	8	4	2	0.01	0.006	0.5	0.01	0.005	0.058	0.01	0.01	0.027
78	8	4	3	0.01	0.006	0.5	0.01	0.005	0.057	0.01	0.01	0.023
78	8	4	4	0.01	0.006	0.5	0.01	0.005	0.051	0.01	0.01	0.021
78	8	4	5	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.027
78	8	4	6	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.026
78	8	4	7	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.024
78	8	4	8	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.036
78	8	4	9	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.043
78	8	4	10	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.049
78	8	4	11	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.050
78	8	4	12	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.051
78	8	4	13	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.057
78	8	4	14	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.057
78	8	4	15	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.055
78	8	4	16	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.055
78	8	4	17	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.054
78	8	4	18	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.055
78	8	4	19	0.01	0.006	0.5	0.01	0.005	0.060	0.01	0.01	0.048
78	8	4	20	0.01	0.006	0.5	0.01	0.005	0.058	0.01	0.01	0.032
78	8	4	21	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.035
78	8	4	22	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.036
78	8	4	23	0.01	0.006	0.5	0.01	0.005	0.066	0.01	0.01	0.038
78	8	4	24	0.01	0.006	0.5	0.01	0.005	0.064	0.01	0.01	0.038
78	8	5	1	0.01	0.006	0.5	0.01	0.005	0.065	0.01	0.01	0.034
78	8	5	2	0.01	0.006	0.5	0.01	0.005	0.065	0.01	0.01	0.036
78	8	5	3	0.01	0.006	0.5	0.01	0.005	0.066	0.01	0.01	0.035
78	8	5	4	0.01	0.006	0.5	0.01	0.005	0.064	0.01	0.01	0.026
78	8	5	5	0.01	0.006	0.5	0.01	0.005	0.060	0.01	0.01	0.022
78	8	5	6	0.01	0.006	0.5	0.01	0.005	0.058	0.01	0.01	0.023
78	8	5	7	0.01	0.006	0.5	0.01	0.005	0.057	0.01	0.01	0.032
78	8	5	8	0.01	0.006	0.5	0.01	0.005	0.060	0.01	0.01	0.044
78	8	5	9	0.01	0.006	0.5	0.01	0.005	0.060	0.01	0.01	0.050
78	8	5	10	0.01	0.006	0.5	0.01	0.005	0.063	0.01	0.01	0.053
78	8	5	11	0.01	0.006	0.5	0.01	0.005	0.064	0.01	0.01	0.054
78	8	5	12	0.01	0.006	0.5	0.01	0.005	0.062	0.01	0.01	0.055
78	8	5	13	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.054
78	8	5	14	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.052
78	8	5	15	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.052
78	8	5	16	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.053
78	8	5	17	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.053
78	8	5	18	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.052
78	8	5	19	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.038
78	8	5	20	0.01	0.006	0.5	0.01	0.005	0.059	0.01	0.01	0.033
78	8	5	21	0.01	0.006	0.5	0.01	0.005	0.058	0.01	0.01	0.035
78	8	5	22	0.01	0.006	0.5	0.01	0.005	0.061	0.01	0.01	0.036
78	8	5	23	0.01	0.006	0.5	0.01	0.005	0.063	0.01	0.01	0.036
78	8	5	24	0.01	0.006	0.5	0.01	0.005	0.064	0.01	0.01	0.035

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	8	6	1	0.01	0.007	0.5	0.01	0.005	0.061	0.01	0.01	0.029
78	8	6	2	0.01	0.006	0.5	0.01	0.005	0.057	0.01	0.01	0.023
78	8	6	3	0.01	0.006	0.5	0.01	0.005	0.059	0.01	0.01	0.030
78	8	6	4	0.01	0.006	0.5	0.01	0.005	0.060	0.01	0.01	0.033
78	8	6	5	0.01	0.006	0.5	0.01	0.005	0.061	0.01	0.01	0.031
78	8	6	6	0.01	0.006	0.5	0.01	0.005	0.057	0.01	0.01	0.022
78	8	6	7	0.01	0.006	0.5	0.01	0.005	0.049	0.01	0.01	0.030
78	8	6	8	0.01	0.006	0.5	0.01	0.005	0.047	0.01	0.01	0.035
78	8	6	9	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.044
78	8	6	10	0.01	99.999	0.5	0.01	0.005	0.061	0.01	0.01	0.046
78	8	6	11	0.01	99.999	0.5	0.01	0.005	0.066	0.01	0.01	0.049
78	8	6	12	0.01	99.999	0.5	0.01	99.999	0.065	0.01	0.01	0.053
78	8	6	13	0.01	99.999	0.5	0.01	99.999	0.065	0.01	0.01	0.054
78	8	6	14	0.01	99.999	0.5	0.01	99.999	0.065	0.01	0.01	0.055
78	8	6	15	0.01	99.999	0.5	0.01	99.999	0.064	0.01	0.01	0.054
78	8	6	16	0.01	99.999	0.5	0.01	99.999	0.063	0.01	0.01	0.053
78	8	6	17	0.01	99.999	0.5	0.01	0.005	0.064	0.01	0.01	0.053
78	8	6	18	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.055
78	8	6	19	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.055
78	8	6	20	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.040
78	8	6	21	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.035
78	8	6	22	0.01	0.006	0.5	0.01	0.005	0.062	0.01	0.01	0.042
78	8	6	23	0.01	0.006	0.5	0.01	0.005	0.062	0.01	0.01	0.051
78	8	6	24	0.01	0.006	0.5	0.01	0.005	0.059	0.01	0.01	0.045
78	8	7	1	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.031
78	8	7	2	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.032
78	8	7	3	0.01	0.006	0.5	0.01	0.005	0.063	0.01	0.01	0.030
78	8	7	4	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.026
78	8	7	5	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.028
78	8	7	6	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.028
78	8	7	7	0.01	0.006	0.5	0.01	0.005	0.057	0.01	0.01	0.031
78	8	7	8	0.01	0.006	0.5	0.01	0.005	0.058	0.01	0.01	0.043
78	8	7	9	0.01	0.006	0.5	0.01	0.005	0.060	0.01	0.01	0.047
78	8	7	10	0.01	99.999	999.9	0.01	99.999	0.056	0.01	0.01	0.050
78	8	7	11	999.99	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.050
78	8	7	12	0.01	99.999	0.5	0.01	99.999	0.061	0.01	0.01	0.050
78	8	7	13	0.01	99.999	0.5	0.01	99.999	0.059	0.01	0.01	0.050
78	8	7	14	0.01	99.999	0.5	0.01	99.999	0.059	0.01	0.01	0.049
78	8	7	15	0.01	99.999	0.5	0.01	99.999	0.058	0.01	0.01	0.049
78	8	7	16	0.01	99.999	0.5	0.01	99.999	0.058	0.01	0.01	0.048
78	8	7	17	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.047
78	8	7	18	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.046
78	8	7	19	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.041
78	8	7	20	0.01	0.006	0.5	0.01	0.005	0.051	0.01	0.01	0.026
78	8	7	21	0.01	0.006	0.5	0.01	0.005	0.053	0.01	0.01	0.029
78	8	7	22	0.01	0.006	0.5	0.01	0.005	0.055	0.01	0.01	0.029
78	8	7	23	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.030
78	8	7	24	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.029

DATA LISTING FOR RHOSC AIR QUALITY

				SITE 1						SITE 5		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	8	8	1	0.01	0.006	0.5	0.01	0.005	0.053	0.01	0.01	0.028
78	8	8	2	0.01	0.006	0.5	0.01	0.005	0.052	0.01	0.01	0.025
78	8	8	3	0.01	0.006	0.5	0.01	0.005	0.051	0.01	0.01	0.024
78	8	8	4	0.01	0.006	0.5	0.01	0.005	0.053	0.01	0.01	0.021
78	8	8	5	0.01	0.006	0.5	0.01	0.005	0.052	0.01	0.01	0.020
78	8	8	6	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.022
78	8	8	7	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.023
78	8	8	8	0.01	0.006	0.5	0.01	0.005	0.051	999.99	0.01	99.999
78	8	8	9	0.01	0.006	0.5	0.01	0.005	0.055	0.01	0.01	0.040
78	8	8	10	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.048
78	8	8	11	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.050
78	8	8	12	0.01	0.006	0.5	0.01	0.005	0.060	0.01	0.01	0.050
78	8	8	13	0.01	0.006	0.5	0.01	0.005	0.061	0.01	0.01	0.051
78	8	8	14	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.050
78	8	8	15	0.01	0.006	0.5	0.01	0.005	0.061	0.01	0.01	0.051
78	8	8	16	0.01	0.006	0.5	0.01	0.005	0.060	0.01	0.01	0.051
78	8	8	17	0.01	0.006	0.5	0.01	0.005	0.057	0.01	0.01	0.050
78	8	8	18	0.01	0.006	0.5	0.01	0.005	0.057	0.01	0.01	0.043
78	8	8	19	0.01	0.006	0.5	0.01	0.005	0.055	0.01	0.01	0.030
78	8	8	20	0.01	0.006	0.5	0.01	0.005	0.055	0.01	0.01	0.025
78	8	8	21	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.023
78	8	8	22	0.01	0.006	0.5	0.01	0.005	0.051	0.01	0.01	0.028
78	8	8	23	0.01	0.006	0.5	0.01	0.005	0.054	0.01	0.01	0.028
78	8	8	24	0.01	0.006	0.5	0.01	0.005	0.051	0.01	0.01	0.027
78	8	9	1	0.01	0.006	0.5	0.01	0.005	0.053	0.01	0.01	0.023
78	8	9	2	0.01	0.006	0.5	0.01	0.005	0.053	0.01	0.01	0.025
78	8	9	3	0.01	0.006	0.5	0.01	0.005	0.051	0.01	0.01	0.028
78	8	9	4	0.01	0.006	0.5	0.01	0.005	0.051	0.01	0.01	0.029
78	8	9	5	0.01	0.006	0.5	0.01	0.005	0.052	0.01	0.01	0.025
78	8	9	6	0.01	0.006	0.5	0.01	0.005	0.052	0.01	0.01	0.023
78	8	9	7	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.030
78	8	9	8	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.045
78	8	9	9	0.01	99.999	0.5	0.01	0.005	0.056	0.01	0.01	0.045
78	8	9	10	0.01	99.999	0.5	0.01	99.999	0.060	0.01	0.01	0.048
78	8	9	11	0.01	99.999	0.5	0.01	99.999	0.060	0.01	0.01	0.050
78	8	9	12	0.01	99.999	0.5	0.01	99.999	0.060	0.01	0.01	0.049
78	8	9	13	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.050
78	8	9	14	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.054
78	8	9	15	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.057
78	8	9	16	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.056
78	8	9	17	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.055
78	8	9	18	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.055
78	8	9	19	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.041
78	8	9	20	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.030
78	8	9	21	0.01	0.006	0.5	0.01	0.005	0.059	0.01	0.01	0.031
78	8	9	22	0.01	0.006	0.5	0.01	0.005	0.059	0.01	0.01	0.024
78	8	9	23	0.01	0.006	0.5	0.01	0.005	0.061	0.01	0.01	0.023
78	8	9	24	0.01	0.006	0.5	0.01	0.005	0.062	0.01	0.01	0.023

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	8	10	1	0.01	0.006	0.5	0.01	0.005	0.062	0.01	0.01	0.018
78	8	10	2	0.01	0.006	0.5	0.01	0.005	0.061	0.01	0.01	0.021
78	8	10	3	0.01	0.006	0.5	0.01	0.005	0.059	0.01	0.01	0.028
78	8	10	4	0.01	0.006	0.5	0.01	0.005	0.059	0.01	0.01	0.032
78	8	10	5	0.01	0.006	0.5	0.01	0.005	0.061	0.01	0.01	0.030
78	8	10	6	0.01	0.006	0.5	0.01	0.005	0.066	0.01	0.01	0.022
78	8	10	7	0.01	0.006	0.5	0.01	0.005	0.066	0.01	0.01	0.030
78	8	10	8	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.046
78	8	10	9	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.055
78	8	10	10	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.058
78	8	10	11	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.060
78	8	10	12	0.01	0.005	0.5	0.01	0.005	0.073	0.01	0.01	0.059
8	8	10	13	0.01	0.005	0.5	0.01	0.005	0.071	0.01	0.01	0.059
8	8	10	14	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.058
78	8	10	15	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.057
78	8	10	16	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.056
78	8	10	17	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.055
78	8	10	18	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.054
78	8	10	19	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.053
78	8	10	20	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.045
78	8	10	21	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.034
78	8	10	22	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.035
78	8	10	23	0.01	0.006	0.5	0.01	0.005	0.063	0.01	0.01	0.034
78	8	10	24	0.01	0.006	0.5	0.01	0.005	0.064	0.01	0.01	0.034
78	8	11	1	0.01	0.006	0.5	0.01	0.005	0.063	0.01	0.01	0.036
78	8	11	2	0.01	0.006	0.5	0.01	0.005	0.064	0.01	0.01	0.033
78	8	11	3	0.01	0.006	0.5	0.01	0.005	0.064	0.01	0.01	0.022
78	8	11	4	0.01	0.006	0.5	0.01	0.005	0.064	0.01	0.01	0.021
78	8	11	5	0.01	0.006	0.5	0.01	0.005	0.064	0.01	0.01	0.023
78	8	11	6	0.01	0.006	0.5	0.01	0.005	0.064	0.01	0.01	0.020
78	8	11	7	0.01	0.006	0.5	0.01	0.005	0.065	0.01	0.01	0.026
78	8	11	8	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.035
78	8	11	9	0.01	0.006	0.5	0.01	0.005	0.069	0.01	0.01	0.052
78	8	11	10	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.058
78	8	11	11	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.059
78	8	11	12	0.01	99.999	0.5	0.01	0.005	0.071	0.01	0.01	0.050
78	8	11	13	0.01	99.999	0.5	0.01	99.999	0.069	0.01	0.01	0.056
78	8	11	14	0.01	99.999	0.5	0.01	99.999	0.067	0.01	0.01	0.058
78	8	11	15	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.055
78	8	11	16	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.059
78	8	11	17	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.060
78	8	11	18	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.056
78	8	11	19	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.050
78	8	11	20	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.053
78	8	11	21	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.044
78	8	11	22	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.036
78	8	11	23	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.032
78	8	11	24	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.033

DATA LISTING FOR HROSC AIR QUALITY

				SITE 1						SITE 5		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	8	12	1	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.026
78	8	12	2	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.023
78	8	12	3	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.026
78	8	12	4	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.028
78	8	12	5	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.026
78	8	12	6	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.024
78	8	12	7	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.027
78	8	12	8	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.047
78	8	12	9	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.054
78	8	12	10	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.056
78	8	12	11	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.057
78	8	12	12	0.01	0.005	0.5	0.01	0.005	0.073	0.01	0.01	0.060
78	8	12	13	0.01	0.005	0.5	0.01	0.005	0.073	0.01	0.01	0.060
78	8	12	14	0.01	0.005	0.5	0.01	0.005	0.074	0.01	0.01	0.061
78	8	12	15	0.01	0.005	0.5	0.01	0.005	0.074	0.01	0.01	0.062
78	8	12	16	0.01	0.005	0.5	0.01	0.005	0.074	0.01	0.01	0.061
78	8	12	17	0.01	0.005	0.5	0.01	0.005	0.074	0.01	0.01	0.061
78	8	12	18	0.01	0.005	0.5	0.01	0.005	0.077	0.01	0.01	0.064
78	8	12	19	0.01	0.005	0.5	0.01	0.005	0.075	0.01	0.01	0.059
78	8	12	20	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.043
78	8	12	21	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.028
78	8	12	22	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.021
78	8	12	23	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.024
78	8	12	24	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.036
78	8	13	1	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.036
78	8	13	2	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.027
78	8	13	3	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.017
78	8	13	4	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.016
78	8	13	5	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.010
78	8	13	6	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.013
78	8	13	7	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.021
78	8	13	8	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.035
78	8	13	9	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.044
78	8	13	10	0.01	0.005	0.5	0.01	0.005	99.999	0.01	0.01	0.052
78	8	13	11	0.01	0.005	0.5	0.01	0.005	99.999	0.01	0.01	0.054
78	8	13	12	0.01	99.999	0.5	999.99	99.999	0.069	0.01	0.01	0.053
78	8	13	13	999.99	99.999	0.5	999.99	99.999	0.070	0.01	0.01	0.052
78	8	13	14	999.99	0.005	0.5	999.99	0.005	0.069	0.01	0.01	0.055
78	8	13	15	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.055
78	8	13	16	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.059
78	8	13	17	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.058
78	8	13	18	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.057
78	8	13	19	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.050
78	8	13	20	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.027
78	8	13	21	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.048
78	8	13	22	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.041
78	8	13	23	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.037
78	8	13	24	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.032

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	8	14	1	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.019
78	8	14	2	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.014
78	8	14	3	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.021
78	8	14	4	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.011
78	8	14	5	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.007
78	8	14	6	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.017
78	8	14	7	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.039
78	8	14	8	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.045
78	8	14	9	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.045
78	8	14	10	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.042
78	8	14	11	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.042
78	8	14	12	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.046
78	8	14	13	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.050
78	8	14	14	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.050
78	8	14	15	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.050
78	8	14	16	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.049
78	8	14	17	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.046
78	8	14	18	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.043
78	8	14	19	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.042
78	8	14	20	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.035
78	8	14	21	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.024
78	8	14	22	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.013
78	8	14	23	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.011
78	8	14	24	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.009
78	8	15	1	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.009
78	8	15	2	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.013
78	8	15	3	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.010
78	8	15	4	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.009
78	8	15	5	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.009
78	8	15	6	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.009
78	8	15	7	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.020
78	8	15	8	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.033
78	8	15	9	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.037
78	8	15	10	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.042
78	8	15	11	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.045
78	8	15	12	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.047
78	8	15	13	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.050
78	8	15	14	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.050
78	8	15	15	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.052
78	8	15	16	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.054
78	8	15	17	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.055
78	8	15	18	0.01	0.005	0.5	0.01	0.005	0.071	0.01	0.01	0.057
78	8	15	19	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.053
78	8	15	20	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.040
78	8	15	21	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.038
78	8	15	22	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.037
78	8	15	23	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.035
78	8	15	24	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.033

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	8	16	1	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.029
78	8	16	2	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.025
78	8	16	3	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.023
78	8	16	4	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.021
78	8	16	5	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.014
78	8	16	6	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.015
78	8	16	7	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.032
78	8	16	8	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.045
78	8	16	9	0.01	0.005	0.5	0.01	0.005	0.062	999.99	0.01	0.050
78	8	16	10	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	99.999
78	8	16	11	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	99.999
78	8	16	12	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	99.999
78	8	16	13	0.01	0.005	0.5	0.01	0.005	0.068	0.01	999.99	99.999
78	8	16	14	0.01	0.005	0.5	0.01	0.005	0.065	0.01	999.99	99.999
78	8	16	15	0.01	0.005	0.5	0.01	0.005	0.059	0.01	999.99	99.999
78	8	16	16	0.01	0.005	0.5	0.01	0.005	0.063	0.01	999.99	99.999
78	8	16	17	0.01	0.005	0.5	0.01	0.005	0.071	0.01	0.01	0.060
78	8	16	18	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.061
78	8	16	19	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.062
78	8	16	20	0.01	0.005	0.5	0.01	0.005	0.071	0.01	0.01	0.061
78	8	16	21	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.059
78	8	16	22	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.056
78	8	16	23	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.040
78	8	16	24	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.049
78	8	17	1	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.038
78	8	17	2	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.040
78	8	17	3	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.037
78	8	17	4	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.037
78	8	17	5	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.042
78	8	17	6	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.030
78	8	17	7	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.047
78	8	17	8	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.054
78	8	17	9	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.055
78	8	17	10	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.056
78	8	17	11	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.056
78	8	17	12	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.056
78	8	17	13	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.054
78	8	17	14	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.054
78	8	17	15	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.053
78	8	17	16	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.053
78	8	17	17	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.053
78	8	17	18	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.051
78	8	17	19	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.050
78	8	17	20	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.049
78	8	17	21	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.049
78	8	17	22	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.046
78	8	17	23	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.049
78	8	17	24	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.050

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 5		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	8	18	1	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.041
78	8	18	2	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.027
78	8	18	3	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.030
78	8	18	4	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.032
78	8	18	5	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.036
78	8	18	6	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.045
78	8	18	7	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.043
78	8	18	8	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.048
78	8	18	9	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.051
78	8	18	10	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.050
78	8	18	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	18	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	18	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	8	18	14	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.053
78	8	18	15	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.053
78	8	18	16	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.052
78	8	18	17	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.051
78	8	18	18	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.049
78	8	18	19	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.034
78	8	18	20	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.029
78	8	18	21	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.029
78	8	18	22	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.028
78	8	18	23	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.027
78	8	18	24	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.028
78	8	19	1	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.026
78	8	19	2	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.024
78	8	19	3	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.018
78	8	19	4	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.018
78	8	19	5	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.019
78	8	19	6	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.023
78	8	19	7	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.030
78	8	19	8	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.038
78	8	19	9	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.044
78	8	19	10	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.047
78	8	19	11	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.053
78	8	19	12	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.057
78	8	19	13	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.057
78	8	19	14	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.055
78	8	19	15	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.055
78	8	19	16	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.056
78	8	19	17	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.054
78	8	19	18	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.050
78	8	19	19	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.037
78	8	19	20	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.032
78	8	19	21	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.031
78	8	19	22	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.026
78	8	19	23	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.034
78	8	19	24	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.035

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	8	20	1	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.030
78	8	20	2	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.026
78	8	20	3	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.023
78	8	20	4	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.019
78	8	20	5	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.019
78	8	20	6	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.018
78	8	20	7	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.025
78	8	20	8	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.035
78	8	20	9	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.043
78	8	20	10	0.01	0.005	0.5	0.01	0.005	0.055	0.01	999.99	0.048
78	8	20	11	0.01	0.005	0.5	0.01	0.005	0.057	0.01	999.99	0.050
78	8	20	12	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	99.999
78	8	20	13	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.045
78	8	20	14	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.044
78	8	20	15	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.046
78	8	20	16	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.048
78	8	20	17	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.049
78	8	20	18	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.048
78	8	20	19	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.047
78	8	20	20	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.031
78	8	20	21	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.026
78	8	20	22	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.021
78	8	20	23	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.018
78	8	20	24	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.017
78	8	21	1	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.019
78	8	21	2	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.017
78	8	21	3	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.018
78	8	21	4	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.016
78	8	21	5	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.016
78	8	21	6	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.020
78	8	21	7	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.024
78	8	21	8	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.034
78	8	21	9	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.040
78	8	21	10	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.039
78	8	21	11	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.040
78	8	21	12	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.042
78	8	21	13	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.043
78	8	21	14	999.99	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.045
78	8	21	15	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.044
78	8	21	16	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.046
78	8	21	17	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.047
78	8	21	18	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.045
78	8	21	19	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.030
78	8	21	20	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.025
78	8	21	21	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.023
78	8	21	22	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.021
78	8	21	23	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.024
78	8	21	24	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.040

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	8	22	1	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.045
78	8	22	2	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.043
78	8	22	3	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.029
78	8	22	4	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.018
78	8	22	5	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.025
78	8	22	6	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.036
78	8	22	7	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.037
78	8	22	8	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.040
78	8	22	9	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.040
78	8	22	10	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	99.999
78	8	22	11	0.01	0.005	0.5	0.01	0.005	0.054	999.99	999.99	0.045
78	8	22	12	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.047
78	8	22	13	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.049
78	8	22	14	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.050
78	8	22	15	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.051
78	8	22	16	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.049
78	8	22	17	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.049
78	8	22	18	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.048
78	8	22	19	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.045
78	8	22	20	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.044
78	8	22	21	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.042
78	8	22	22	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.044
78	8	22	23	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.033
78	8	22	24	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.024
78	8	23	1	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.026
78	8	23	2	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.024
78	8	23	3	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.024
78	8	23	4	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.026
78	8	23	5	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.027
78	8	23	6	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.027
78	8	23	7	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.040
78	8	23	8	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.041
78	8	23	9	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.044
78	8	23	10	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.046
78	8	23	11	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.046
78	8	23	12	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.048
78	8	23	13	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.049
78	8	23	14	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.049
78	8	23	15	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.048
78	8	23	16	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.048
78	8	23	17	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.047
78	8	23	18	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.047
78	8	23	19	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.034
78	8	23	20	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.028
78	8	23	21	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.029
78	8	23	22	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.030
78	8	23	23	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.024
78	8	23	24	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.022

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	8	24	1	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.020
78	8	24	2	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.016
78	8	24	3	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.016
78	8	24	4	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.020
78	8	24	5	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.019
78	8	24	6	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.015
78	8	24	7	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.023
78	8	24	8	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.040
78	8	24	9	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.045
78	8	24	10	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.047
78	8	24	11	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.049
78	8	24	12	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.051
78	8	24	13	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.053
78	8	24	14	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.055
78	8	24	15	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.055
78	8	24	16	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.053
78	8	24	17	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.051
78	8	24	18	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.047
78	8	24	19	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.035
78	8	24	20	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.035
78	8	24	21	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.036
78	8	24	22	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.034
78	8	24	23	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.033
78	8	24	24	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.029
78	8	25	1	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.023
78	8	25	2	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.023
78	8	25	3	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.021
78	8	25	4	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.020
78	8	25	5	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.022
78	8	25	6	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.022
78	8	25	7	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.024
78	8	25	8	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.034
78	8	25	9	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.040
78	8	25	10	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.043
78	8	25	11	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.046
78	8	25	12	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.046
78	8	25	13	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.046
78	8	25	14	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.047
78	8	25	15	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.047
78	8	25	16	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.048
78	8	25	17	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.047
78	8	25	18	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.039
78	8	25	19	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.026
78	8	25	20	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.032
78	8	25	21	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.034
78	8	25	22	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.034
78	8	25	23	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.028
78	8	25	24	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.033

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	8	26	1	0.01	0.006	0.5	0.01	0.005	0.049	0.01	0.01	0.028
78	8	26	2	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.022
78	8	26	3	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.019
78	8	26	4	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.022
78	8	26	5	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.025
78	8	26	6	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.027
78	8	26	7	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.029
78	8	26	8	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.037
78	8	26	9	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.039
78	8	26	10	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.048
78	8	26	11	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.048
78	8	26	12	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.048
78	8	26	13	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.048
78	8	26	14	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.048
78	8	26	15	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.048
78	8	26	16	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.049
78	8	26	17	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.050
78	8	26	18	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.048
78	8	26	19	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.036
78	8	26	20	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.033
78	8	26	21	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.037
78	8	26	22	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.033
78	8	26	23	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.034
78	8	26	24	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.035
78	8	27	1	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.036
78	8	27	2	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.031
78	8	27	3	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.026
78	8	27	4	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.023
78	8	27	5	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.024
78	8	27	6	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.026
78	8	27	7	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.034
78	8	27	8	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.043
78	8	27	9	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.047
78	8	27	10	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.052
78	8	27	11	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.057
78	8	27	12	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.060
78	8	27	13	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.058
78	8	27	14	0.01	0.005	0.5	0.01	0.005	0.071	0.01	0.01	0.059
78	8	27	15	0.01	0.005	0.5	0.01	0.005	0.074	0.01	0.01	0.063
78	8	27	16	0.01	0.005	0.5	0.01	0.005	0.074	0.01	0.01	0.064
78	8	27	17	0.01	0.005	0.5	0.01	0.005	0.074	0.01	0.01	0.064
78	8	27	18	0.01	0.005	0.5	0.01	0.005	0.072	0.01	0.01	0.062
78	8	27	19	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.046
78	8	27	20	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.043
78	8	27	21	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.041
78	8	27	22	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.030
78	8	27	23	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.031
78	8	27	24	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.033

DATA LISTING FOR RROSC AIR QUALITY

				SITE 1						SITE 5		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	8	28	1	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.031
78	8	28	2	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.030
78	8	28	3	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.028
78	8	28	4	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.027
78	8	28	5	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.025
78	8	28	6	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.023
78	8	28	7	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.021
78	8	28	8	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.035
78	8	28	9	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.039
78	8	28	10	0.01	0.005	999.9	0.01	0.005	0.052	999.99	999.99	99.999
78	8	28	11	999.99	0.005	0.5	0.01	0.005	0.054	999.99	999.99	99.999
78	8	28	12	0.01	99.999	0.5	0.01	0.005	0.055	999.99	999.99	99.999
78	8	28	13	0.01	99.999	0.5	0.01	0.005	0.055	999.99	999.99	99.999
78	8	28	14	0.01	0.005	0.5	0.01	0.005	0.056	999.99	999.99	99.999
78	8	28	15	0.01	0.005	0.5	0.01	0.005	0.059	999.99	999.99	99.999
78	8	28	16	0.01	0.005	0.5	0.01	0.005	0.063	999.99	999.99	99.999
78	8	28	17	0.01	0.005	0.5	0.01	0.005	0.064	999.99	999.99	99.999
78	8	28	18	0.01	0.005	0.5	0.01	0.005	0.062	999.99	999.99	99.999
78	8	28	19	0.01	0.005	0.5	0.01	0.005	0.053	999.99	999.99	99.999
78	8	28	20	0.01	0.005	0.5	0.01	0.005	0.054	999.99	999.99	99.999
78	8	28	21	0.01	0.005	0.5	0.01	0.005	0.056	999.99	999.99	99.999
78	8	28	22	0.01	0.005	0.5	0.01	0.005	0.055	999.99	999.99	99.999
78	8	28	23	0.01	0.005	0.5	0.01	0.005	0.057	999.99	999.99	99.999
78	8	28	24	0.01	0.005	0.5	0.01	0.005	0.058	999.99	999.99	99.999
78	8	29	1	0.01	0.005	0.5	0.01	0.005	0.060	999.99	999.99	99.999
78	8	29	2	0.01	0.005	0.5	0.01	0.005	0.062	999.99	999.99	99.999
78	8	29	3	0.01	0.005	0.5	0.01	0.005	0.059	999.99	999.99	99.999
78	8	29	4	0.01	0.005	0.5	0.01	0.005	0.059	999.99	999.99	99.999
78	8	29	5	0.01	0.005	0.5	0.01	0.005	0.061	999.99	999.99	99.999
78	8	29	6	0.01	0.005	0.5	0.01	0.005	0.056	999.99	999.99	99.999
78	8	29	7	0.01	0.005	0.5	0.01	0.005	0.055	999.99	999.99	99.999
78	8	29	8	0.01	0.005	0.5	0.01	0.005	0.055	999.99	999.99	99.999
78	8	29	9	0.01	0.005	0.5	0.01	0.005	0.057	999.99	999.99	99.999
78	8	29	10	0.01	0.005	0.5	0.01	0.005	0.059	999.99	999.99	99.999
78	8	29	11	0.01	0.005	0.5	0.01	0.005	0.061	999.99	999.99	99.999
78	8	29	12	0.01	0.005	0.5	0.01	0.005	0.064	999.99	999.99	99.999
78	8	29	13	0.01	0.005	0.5	0.01	0.005	0.064	999.99	999.99	99.999
78	8	29	14	0.01	0.005	0.5	0.01	0.005	0.064	999.99	999.99	99.999
78	8	29	15	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.055
78	8	29	16	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.056
78	8	29	17	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.056
78	8	29	18	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.054
78	8	29	19	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.039
78	8	29	20	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.041
78	8	29	21	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.037
78	8	29	22	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.031
78	8	29	23	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.032
78	8	29	24	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.032

DATA LISTING FOR ROOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	8	30	1	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.035
78	8	30	2	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.035
78	8	30	3	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.026
78	8	30	4	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.022
78	8	30	5	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.024
78	8	30	6	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.026
78	8	30	7	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.031
78	8	30	8	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.041
78	8	30	9	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.047
78	8	30	10	0.01	0.005	0.5	0.01	0.005	0.070	0.01	0.01	0.055
78	8	30	11	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.056
78	8	30	12	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.052
78	8	30	13	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.050
78	8	30	14	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.048
78	8	30	15	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.047
78	8	30	16	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.049
78	8	30	17	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.050
78	8	30	18	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.046
78	8	30	19	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.037
78	8	30	20	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.029
78	8	30	21	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.027
78	8	30	22	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.022
78	8	30	23	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.018
78	8	30	24	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.020
78	8	31	1	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.025
78	8	31	2	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.029
78	8	31	3	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.025
78	8	31	4	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.023
78	8	31	5	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.021
78	8	31	6	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.019
78	8	31	7	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.022
78	8	31	8	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.044
78	8	31	9	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.048
78	8	31	10	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.049
78	8	31	11	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.051
78	8	31	12	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.052
78	8	31	13	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.051
78	8	31	14	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.050
78	8	31	15	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.048
78	8	31	16	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.047
78	8	31	17	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.048
78	8	31	18	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.049
78	8	31	19	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.038
78	8	31	20	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.032
78	8	31	21	0.01	0.006	0.5	0.01	0.005	0.053	0.01	0.01	0.034
78	8	31	22	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.034
78	8	31	23	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.040
78	8	31	24	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.042

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	9	1	1	0.01	0.005	0.5	0.01	0.005	0.068	0.01	0.01	0.041
78	9	1	2	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.039
78	9	1	3	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.039
78	9	1	4	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.038
78	9	1	5	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.031
78	9	1	6	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.029
78	9	1	7	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.028
78	9	1	8	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.037
78	9	1	9	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.052
78	9	1	10	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.058
78	9	1	11	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.058
78	9	1	12	0.01	0.005	0.5	0.01	0.005	0.067	0.01	0.01	0.057
78	9	1	13	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.056
78	9	1	14	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.055
78	9	1	15	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.053
78	9	1	16	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.053
78	9	1	17	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.053
78	9	1	18	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.046
78	9	1	19	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.035
78	9	1	20	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.035
78	9	1	21	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.036
78	9	1	22	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.031
78	9	1	23	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.026
78	9	1	24	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.021
78	9	2	1	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.020
78	9	2	2	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.022
78	9	2	3	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.025
78	9	2	4	0.01	0.006	0.5	0.01	0.005	0.056	0.01	0.01	0.031
78	9	2	5	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.029
78	9	2	6	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.024
78	9	2	7	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.030
78	9	2	8	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.039
78	9	2	9	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.043
78	9	2	10	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.049
78	9	2	11	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.054
78	9	2	12	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.056
78	9	2	13	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.055
78	9	2	14	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.054
78	9	2	15	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.055
78	9	2	16	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.054
78	9	2	17	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.043
78	9	2	18	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.020
78	9	2	19	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.022
78	9	2	20	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.030
78	9	2	21	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.030
78	9	2	22	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.027
78	9	2	23	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.028
78	9	2	24	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.028

DATA LISTING FOR RHOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	9	3	1	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.025
78	9	3	2	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.024
78	9	3	3	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.025
78	9	3	4	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.026
78	9	3	5	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.023
78	9	3	6	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.025
78	9	3	7	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.028
78	9	3	8	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.035
78	9	3	9	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.042
78	9	3	10	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.047
78	9	3	11	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.049
78	9	3	12	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.050
78	9	3	13	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.050
78	9	3	14	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.051
78	9	3	15	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.050
78	9	3	16	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.051
78	9	3	17	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.047
78	9	3	18	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.046
78	9	3	19	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.032
78	9	3	20	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.035
78	9	3	21	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.036
78	9	3	22	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.031
78	9	3	23	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.024
78	9	3	24	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.029
78	9	4	1	0.01	0.006	0.5	0.01	0.005	0.057	0.01	0.01	0.031
78	9	4	2	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.031
78	9	4	3	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.028
78	9	4	4	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.025
78	9	4	5	0.01	0.006	0.5	0.01	0.005	0.062	0.01	0.01	0.025
78	9	4	6	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.023
78	9	4	7	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.028
78	9	4	8	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.041
78	9	4	9	0.01	0.005	0.5	0.01	0.005	0.057	999.99	0.01	99.999
78	9	4	10	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.051
78	9	4	11	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.055
78	9	4	12	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.055
78	9	4	13	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.055
78	9	4	14	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.055
78	9	4	15	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.054
78	9	4	16	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.054
78	9	4	17	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.053
78	9	4	18	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.049
78	9	4	19	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.035
78	9	4	20	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.039
78	9	4	21	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.040
78	9	4	22	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.037
78	9	4	23	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.028
78	9	4	24	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.027

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	9	5	1	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.028
78	9	5	2	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.026
78	9	5	3	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.024
78	9	5	4	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.025
78	9	5	5	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.026
78	9	5	6	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.027
78	9	5	7	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.019
78	9	5	8	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.034
78	9	5	9	0.01	0.005	0.5	0.01	0.005	99.999	0.01	0.01	0.041
78	9	5	10	999.99	99.999	999.9	0.01	0.005	0.063	0.01	0.01	0.054
78	9	5	11	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.051
78	9	5	12	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.051
78	9	5	13	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.051
78	9	5	14	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.051
78	9	5	15	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.051
78	9	5	16	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.050
78	9	5	17	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.051
78	9	5	18	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.047
78	9	5	19	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.032
78	9	5	20	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.034
78	9	5	21	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.032
78	9	5	22	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.032
78	9	5	23	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.028
78	9	5	24	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.029
78	9	6	1	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.027
78	9	6	2	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.028
78	9	6	3	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.026
78	9	6	4	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.019
78	9	6	5	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.023
78	9	6	6	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.022
78	9	6	7	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.026
78	9	6	8	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.043
78	9	6	9	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.048
78	9	6	10	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.050
78	9	6	11	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.050
78	9	6	12	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.050
78	9	6	13	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.050
78	9	6	14	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.050
78	9	6	15	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.051
78	9	6	16	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.051
78	9	6	17	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.049
78	9	6	18	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.045
78	9	6	19	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.034
78	9	6	20	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.037
78	9	6	21	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.032
78	9	6	22	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.030
78	9	6	23	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.032
78	9	6	24	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.026

DATA LISTING FOR RBOSC ATR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	9	7	1	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.029
78	9	7	2	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.030
78	9	7	3	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.028
78	9	7	4	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.023
78	9	7	5	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.022
78	9	7	6	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.020
78	9	7	7	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.023
78	9	7	8	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.031
78	9	7	9	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.047
78	9	7	10	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.048
78	9	7	11	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.049
78	9	7	12	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.050
78	9	7	13	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.051
78	9	7	14	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.052
78	9	7	15	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.053
78	9	7	16	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.055
78	9	7	17	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.052
78	9	7	18	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.041
78	9	7	19	0.01	0.005	0.5	0.01	0.006	0.045	0.01	0.01	0.026
78	9	7	20	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.023
78	9	7	21	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.033
78	9	7	22	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.022
78	9	7	23	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.015
78	9	7	24	0.01	0.005	0.5	0.01	0.006	0.046	0.01	0.01	0.012
78	9	8	1	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.012
78	9	8	2	0.01	0.005	0.5	0.01	0.006	0.051	0.01	0.01	0.009
78	9	8	3	0.01	99.999	0.5	0.01	99.999	0.053	0.01	0.01	0.007
78	9	8	4	0.01	99.999	0.5	0.01	99.999	0.051	0.01	0.01	0.006
78	9	8	5	0.01	99.999	0.5	0.01	99.999	0.049	0.01	0.01	0.009
78	9	8	6	0.01	99.999	0.5	0.01	99.999	0.052	0.01	0.01	0.009
78	9	8	7	0.01	99.999	0.5	0.01	99.999	0.048	0.01	0.01	0.009
78	9	8	8	0.01	99.999	0.5	0.01	99.999	0.052	0.01	0.01	0.031
78	9	8	9	0.01	99.999	0.5	0.01	99.999	0.054	0.01	0.01	0.043
78	9	8	10	0.01	99.999	0.5	0.01	99.999	0.054	0.01	0.01	0.047
78	9	8	11	0.01	99.999	0.5	0.01	99.999	0.058	0.01	0.01	0.049
78	9	8	12	0.01	99.999	0.5	0.01	99.999	0.060	0.01	0.01	0.052
78	9	8	13	0.01	99.999	0.5	0.01	99.999	0.060	0.01	0.01	0.051
78	9	8	14	0.01	99.999	0.5	0.01	99.999	0.061	0.01	0.01	0.052
78	9	8	15	0.01	99.999	0.5	0.01	99.999	0.059	0.01	0.01	0.051
78	9	8	16	0.01	99.999	0.5	0.01	99.999	0.056	0.01	0.01	0.048
78	9	8	17	0.01	99.999	0.5	0.01	99.999	0.053	0.01	0.01	0.046
78	9	8	18	0.01	99.999	0.5	0.01	99.999	0.051	0.01	0.01	0.035
78	9	8	19	0.01	99.999	0.5	0.01	99.999	0.050	0.01	0.01	0.026
78	9	8	20	0.01	99.999	0.5	0.01	99.999	0.053	0.01	0.01	0.023
78	9	8	21	0.01	99.999	0.5	0.01	99.999	0.054	0.01	0.01	0.026
78	9	8	22	0.01	99.999	0.5	0.01	99.999	0.054	0.01	0.01	0.022
78	9	8	23	0.01	99.999	0.5	0.01	99.999	0.051	0.01	0.01	0.022
78	9	8	24	0.01	99.999	0.5	0.01	99.999	0.053	0.01	0.01	0.025

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	9	9	1	0.01	99.999	0.5	0.01	99.999	0.054	0.01	0.01	0.022
78	9	9	2	0.01	99.999	0.5	0.01	99.999	0.055	0.01	0.01	0.022
78	9	9	3	0.01	99.999	0.5	0.01	99.999	0.052	0.01	0.01	0.020
78	9	9	4	0.01	99.999	0.5	0.01	99.999	0.054	0.01	0.01	0.018
78	9	9	5	0.01	99.999	0.5	0.01	99.999	0.053	0.01	0.01	0.016
78	9	9	6	0.01	99.999	0.5	0.01	99.999	0.050	0.01	0.01	0.017
78	9	9	7	0.01	99.999	0.5	0.01	99.999	0.048	0.01	0.01	0.016
78	9	9	8	0.01	99.999	0.5	0.01	99.999	0.047	0.01	0.01	0.032
78	9	9	9	0.01	99.999	0.5	0.01	99.999	0.052	0.01	0.01	0.040
78	9	9	10	0.01	99.999	0.5	0.01	99.999	0.056	0.01	0.01	0.047
78	9	9	11	0.01	99.999	0.5	0.01	99.999	0.057	0.01	0.01	0.049
78	9	9	12	0.01	99.999	0.5	0.01	99.999	0.056	0.01	0.01	0.048
78	9	9	13	0.01	99.999	0.5	0.01	99.999	0.056	0.01	0.01	0.048
78	9	9	14	0.01	99.999	0.5	0.01	99.999	0.056	0.01	0.01	0.047
78	9	9	15	0.01	99.999	0.5	0.01	99.999	0.057	0.01	0.01	0.048
78	9	9	16	0.01	99.999	0.5	0.01	99.999	0.057	0.01	0.01	0.050
78	9	9	17	0.01	99.999	0.5	0.01	99.999	0.056	0.01	0.01	0.050
78	9	9	18	0.01	99.999	0.5	0.01	99.999	0.054	0.01	0.01	0.046
78	9	9	19	0.01	99.999	0.5	0.01	99.999	0.052	0.01	0.01	0.028
78	9	9	20	0.01	99.999	0.5	0.01	99.999	0.051	0.01	0.01	0.029
78	9	9	21	0.01	99.999	0.5	0.01	99.999	0.048	0.01	0.01	0.027
78	9	9	22	0.01	99.999	0.5	0.01	99.999	0.047	0.01	0.01	0.029
78	9	9	23	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.028
78	9	9	24	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.024
78	9	10	1	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.025
78	9	10	2	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.023
78	9	10	3	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.024
78	9	10	4	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.021
78	9	10	5	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.018
78	9	10	6	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.022
78	9	10	7	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.031
78	9	10	8	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.037
78	9	10	9	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.039
78	9	10	10	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.041
78	9	10	11	0.01	99.999	0.5	0.01	99.999	0.047	0.01	0.01	0.041
78	9	10	12	0.01	99.999	0.5	0.01	99.999	0.047	0.01	0.01	0.041
78	9	10	13	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.040
78	9	10	14	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.040
78	9	10	15	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.040
78	9	10	16	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.040
78	9	10	17	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.038
78	9	10	18	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.038
78	9	10	19	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.036
78	9	10	20	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.034
78	9	10	21	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.037
78	9	10	22	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.035
78	9	10	23	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.040
78	9	10	24	0.01	99.999	0.5	0.01	99.999	0.052	0.01	0.01	0.044

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1					SITE 5		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	9	11	1	0.01	99.999	0.5	0.01	99.999	0.063	0.01	0.01	0.053
78	9	11	2	0.01	99.999	0.5	0.01	99.999	0.065	0.01	0.01	0.055
78	9	11	3	0.01	99.999	0.5	0.01	99.999	0.062	0.01	0.01	0.047
78	9	11	4	0.01	99.999	0.5	0.01	99.999	0.063	0.01	0.01	0.050
78	9	11	5	0.01	99.999	0.5	0.01	99.999	0.065	0.01	0.01	0.052
78	9	11	6	0.01	99.999	0.5	0.01	99.999	0.057	0.01	0.01	0.042
78	9	11	7	0.01	99.999	0.5	0.01	99.999	0.051	0.01	0.01	0.029
78	9	11	8	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.043
78	9	11	9	0.01	99.999	0.5	0.01	99.999	0.055	0.01	0.01	0.046
78	9	11	10	0.01	99.999	0.5	0.01	99.999	0.054	0.01	0.01	0.046
78	9	11	11	999.99	99.999	0.5	0.01	99.999	0.051	0.01	0.01	0.046
78	9	11	12	999.99	99.999	0.5	0.01	99.999	0.055	0.01	0.01	0.047
78	9	11	13	0.01	99.999	0.5	0.01	99.999	0.055	0.01	0.01	0.047
78	9	11	14	0.01	99.999	0.5	0.01	99.999	0.053	0.01	0.01	0.046
78	9	11	15	0.01	99.999	0.5	0.01	99.999	0.053	0.01	0.01	0.046
78	9	11	16	0.01	99.999	0.5	0.01	99.999	0.052	0.01	0.01	0.045
78	9	11	17	0.01	99.999	0.5	0.01	99.999	0.051	0.01	0.01	0.043
78	9	11	18	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.041
78	9	11	19	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.039
78	9	11	20	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.036
78	9	11	21	0.01	99.999	0.5	0.01	99.999	0.035	0.01	0.01	0.021
78	9	11	22	0.01	99.999	0.5	0.01	99.999	0.035	0.01	0.01	0.019
78	9	11	23	0.01	99.999	0.5	0.01	99.999	0.029	0.01	0.01	0.015
78	9	11	24	0.01	0.005	0.5	0.01	0.006	0.034	0.01	0.01	0.018
78	9	12	1	0.01	0.005	0.5	0.01	0.006	0.038	0.01	0.01	0.013
78	9	12	2	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.012
78	9	12	3	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.016
78	9	12	4	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.017
78	9	12	5	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.018
78	9	12	6	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.014
78	9	12	7	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.019
78	9	12	8	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.032
78	9	12	9	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.038
78	9	12	10	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.040
78	9	12	11	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.040
78	9	12	12	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.040
78	9	12	13	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.041
78	9	12	14	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.041
78	9	12	15	0.01	99.999	0.5	999.99	99.999	0.046	0.01	0.01	0.042
78	9	12	16	0.01	99.999	0.5	999.99	0.005	0.047	0.01	0.01	0.042
78	9	12	17	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.041
78	9	12	18	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.041
78	9	12	19	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.027
78	9	12	20	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.027
78	9	12	21	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.024
78	9	12	22	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.019
78	9	12	23	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.023
78	9	12	24	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.025

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 5		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	9	13	1	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.025
78	9	13	2	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.021
78	9	13	3	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.022
78	9	13	4	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.017
78	9	13	5	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.017
78	9	13	6	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.018
78	9	13	7	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.014
78	9	13	8	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.024
78	9	13	9	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.039
78	9	13	10	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.040
78	9	13	11	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.041
78	9	13	12	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.041
78	9	13	13	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.041
78	9	13	14	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.042
78	9	13	15	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.042
78	9	13	16	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.042
78	9	13	17	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.041
78	9	13	18	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.038
78	9	13	19	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.024
78	9	13	20	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.023
78	9	13	21	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.025
78	9	13	22	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.025
78	9	13	23	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.026
78	9	13	24	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.024
78	9	14	1	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.019
78	9	14	2	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.018
78	9	14	3	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.022
78	9	14	4	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.020
78	9	14	5	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.020
78	9	14	6	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.020
78	9	14	7	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.022
78	9	14	8	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.031
78	9	14	9	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.039
78	9	14	10	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.039
78	9	14	11	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.046
78	9	14	12	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.050
78	9	14	13	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.048
78	9	14	14	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.045
78	9	14	15	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.043
78	9	14	16	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.042
78	9	14	17	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.041
78	9	14	18	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.040
78	9	14	19	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.037
78	9	14	20	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.036
78	9	14	21	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.035
78	9	14	22	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.023
78	9	14	23	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.019
78	9	14	24	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.014

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	9	15	1	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.015
78	9	15	2	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.014
78	9	15	3	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.012
78	9	15	4	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.014
78	9	15	5	0.01	0.005	0.5	0.01	0.005	0.033	0.01	0.01	0.013
78	9	15	6	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.010
78	9	15	7	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.013
78	9	15	8	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.023
78	9	15	9	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.035
78	9	15	10	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.036
78	9	15	11	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.036
78	9	15	12	0.01	0.005	999.9	0.01	0.005	0.042	0.01	0.01	0.036
78	9	15	13	0.01	99.999	0.5	999.99	0.005	0.042	0.01	0.01	0.037
78	9	15	14	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.036
78	9	15	15	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.039
78	9	15	16	0.01	99.999	0.5	0.01	99.999	0.047	0.01	0.01	0.040
78	9	15	17	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.039
78	9	15	18	0.01	99.999	0.5	0.01	99.999	0.040	0.01	0.01	0.038
78	9	15	19	0.01	99.999	0.5	0.01	99.999	0.036	0.01	0.01	0.029
78	9	15	20	0.01	99.999	0.5	0.01	99.999	0.038	0.01	0.01	0.026
78	9	15	21	0.01	99.999	0.5	0.01	99.999	0.039	0.01	0.01	0.021
78	9	15	22	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.024
78	9	15	23	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.024
78	9	15	24	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.022
78	9	16	1	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.025
78	9	16	2	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.025
78	9	16	3	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.022
78	9	16	4	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.022
78	9	16	5	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.023
78	9	16	6	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.022
78	9	16	7	0.01	99.999	0.5	0.01	99.999	0.039	0.01	0.01	0.022
78	9	16	8	0.01	99.999	999.9	0.01	99.999	0.039	0.01	0.01	0.026
78	9	16	9	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.037
78	9	16	10	0.01	99.999	0.5	0.01	99.999	0.047	0.01	0.01	0.039
78	9	16	11	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.039
78	9	16	12	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.039
78	9	16	13	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.039
78	9	16	14	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.040
78	9	16	15	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.041
78	9	16	16	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.040
78	9	16	17	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.039
78	9	16	18	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.037
78	9	16	19	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.026
78	9	16	20	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.025
78	9	16	21	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.024
78	9	16	22	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.024
78	9	16	23	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.027
78	9	16	24	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.024

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 5		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	9	17	1	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.030
78	9	17	2	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.037
78	9	17	3	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.029
78	9	17	4	0.01	0.005	0.5	0.01	0.005	0.032	0.01	0.01	0.021
78	9	17	5	0.01	0.005	0.5	0.01	0.005	0.027	0.01	0.01	0.016
78	9	17	6	0.01	0.005	0.5	0.01	0.005	0.023	0.01	0.01	0.011
78	9	17	7	0.01	0.005	0.5	0.01	0.005	0.031	0.01	0.01	0.023
78	9	17	8	0.01	0.010	0.5	0.01	0.005	0.032	0.01	0.01	0.029
78	9	17	9	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.029
78	9	17	10	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.033
78	9	17	11	0.01	99.999	0.5	0.01	0.005	0.042	0.01	0.01	0.036
78	9	17	12	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.037
78	9	17	13	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.037
78	9	17	14	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.037
78	9	17	15	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.038
78	9	17	16	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.039
78	9	17	17	0.01	99.999	0.5	0.01	99.999	0.049	0.01	0.01	0.041
78	9	17	18	0.01	99.999	0.5	0.01	99.999	0.047	0.01	0.01	0.040
78	9	17	19	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.039
78	9	17	20	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.038
78	9	17	21	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.038
78	9	17	22	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.039
78	9	17	23	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.039
78	9	17	24	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.038
78	9	18	1	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.038
78	9	18	2	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.037
78	9	18	3	0.01	99.999	0.5	0.01	99.999	0.047	0.01	0.01	0.037
78	9	18	4	0.01	99.999	0.5	0.01	99.999	0.051	0.01	0.01	0.040
78	9	18	5	0.01	99.999	0.5	0.01	99.999	0.051	0.01	0.01	0.039
78	9	18	6	0.01	99.999	0.5	0.01	99.999	0.054	0.01	0.01	0.042
78	9	18	7	0.01	99.999	0.5	0.01	99.999	0.056	0.01	0.01	0.043
78	9	18	8	0.01	99.999	0.5	0.01	99.999	0.056	0.01	0.01	0.042
78	9	18	9	0.01	99.999	999.9	0.01	99.999	0.050	0.01	0.01	0.040
78	9	18	10	0.01	99.999	0.5	0.01	99.999	0.051	0.01	0.01	0.040
78	9	18	11	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.038
78	9	18	12	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.036
78	9	18	13	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.035
78	9	18	14	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.035
78	9	18	15	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.036
78	9	18	16	0.01	99.999	0.5	0.01	99.999	0.048	0.01	0.01	0.039
78	9	18	17	0.01	99.999	0.5	0.01	99.999	0.047	0.01	0.01	0.040
78	9	18	18	0.01	99.999	0.5	0.01	99.999	0.040	0.01	0.01	0.028
78	9	18	19	0.01	99.999	0.5	0.01	99.999	0.040	0.01	0.01	0.018
78	9	18	20	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.023
78	9	18	21	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.022
78	9	18	22	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.020
78	9	18	23	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.016
78	9	18	24	0.01	99.999	0.5	0.01	99.999	0.039	0.01	0.01	0.014

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 5		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	9	19	1	0.01	99.999	0.5	0.01	99.999	0.038	0.01	0.01	0.014
78	9	19	2	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.030
78	9	19	3	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.033
78	9	19	4	0.01	99.999	0.5	0.01	99.999	0.040	0.01	0.01	0.025
78	9	19	5	0.01	99.999	0.5	0.01	99.999	0.039	0.01	0.01	0.016
78	9	19	6	0.01	99.999	0.5	0.01	99.999	0.038	0.01	0.01	0.024
78	9	19	7	0.01	99.999	0.5	0.01	99.999	0.037	0.01	0.01	0.030
78	9	19	8	0.01	99.999	0.5	0.01	99.999	0.037	0.01	0.01	0.031
78	9	19	9	0.01	99.999	999.9	0.01	99.999	0.037	0.01	0.01	0.030
78	9	19	10	0.01	99.999	999.9	0.01	99.999	0.037	0.01	0.01	0.030
78	9	19	11	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.031
78	9	19	12	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.034
78	9	19	13	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.037
78	9	19	14	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.035
78	9	19	15	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.035
78	9	19	16	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.035
78	9	19	17	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.036
78	9	19	18	0.01	0.005	0.5	0.01	0.005	99.999	0.01	0.01	0.036
78	9	19	19	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.020
78	9	19	20	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.016
78	9	19	21	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.012
78	9	19	22	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.015
78	9	19	23	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.018
78	9	19	24	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.016
78	9	20	1	0.01	0.005	0.5	0.01	0.005	0.033	0.01	0.01	0.013
78	9	20	2	0.01	0.005	0.5	0.01	0.005	0.029	0.01	0.01	0.012
78	9	20	3	0.01	0.005	0.5	0.01	0.005	0.030	0.01	0.01	0.010
78	9	20	4	0.01	0.005	0.5	0.01	0.005	0.032	0.01	0.01	0.010
78	9	20	5	0.01	0.005	0.5	0.01	0.005	0.028	0.01	0.01	0.011
78	9	20	6	0.01	0.005	0.5	0.01	0.005	0.028	0.01	0.01	0.016
78	9	20	7	0.01	0.005	0.5	0.01	0.005	0.030	0.01	0.01	0.020
78	9	20	8	0.01	0.005	0.5	0.01	0.005	0.033	0.01	0.01	0.024
78	9	20	9	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.027
78	9	20	10	0.01	99.999	999.9	0.01	99.999	0.032	0.01	0.01	0.031
78	9	20	11	0.01	99.999	0.5	0.01	99.999	0.030	0.01	0.01	0.033
78	9	20	12	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.034
78	9	20	13	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.033
78	9	20	14	999.99	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.035
78	9	20	15	999.99	99.999	0.5	0.01	99.999	0.047	0.01	0.01	0.037
78	9	20	16	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.037
78	9	20	17	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.040
78	9	20	18	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.030
78	9	20	19	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.020
78	9	20	20	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.019
78	9	20	21	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.019
78	9	20	22	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.019
78	9	20	23	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.018
78	9	20	24	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.018

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	9	21	1	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.016
78	9	21	2	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.011
78	9	21	3	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.009
78	9	21	4	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.009
78	9	21	5	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.009
78	9	21	6	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.009
78	9	21	7	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.011
78	9	21	8	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.023
78	9	21	9	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.028
78	9	21	10	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.035
78	9	21	11	999.99	0.005	999.9	999.99	0.005	0.042	0.01	0.01	0.041
78	9	21	12	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.042
78	9	21	13	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.043
78	9	21	14	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.044
78	9	21	15	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.045
78	9	21	16	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.048
78	9	21	17	999.99	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.048
78	9	21	18	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.038
78	9	21	19	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.032
78	9	21	20	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.025
78	9	21	21	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.027
78	9	21	22	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.030
78	9	21	23	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.030
78	9	21	24	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.027
78	9	22	1	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.022
78	9	22	2	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.025
78	9	22	3	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.025
78	9	22	4	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.025
78	9	22	5	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.024
78	9	22	6	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.018
78	9	22	7	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.022
78	9	22	8	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.032
78	9	22	9	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.035
78	9	22	10	999.99	0.005	0.5	999.99	0.005	99.999	0.01	0.01	0.044
78	9	22	11	999.99	0.005	0.5	999.99	0.005	99.999	0.01	0.01	0.047
78	9	22	12	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.049
78	9	22	13	999.99	99.999	999.9	999.99	0.005	0.053	0.01	0.01	0.051
78	9	22	14	0.01	99.999	999.9	0.01	99.999	0.058	0.01	0.01	0.052
78	9	22	15	0.01	99.999	0.5	0.01	99.999	0.061	0.01	0.01	0.052
78	9	22	16	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.053
78	9	22	17	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.052
78	9	22	18	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.040
78	9	22	19	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.032
78	9	22	20	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.032
78	9	22	21	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.027
78	9	22	22	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.027
78	9	22	23	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.023
78	9	22	24	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.028

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 5		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	9	23	1	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.024
78	9	23	2	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.023
78	9	23	3	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.022
78	9	23	4	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.020
78	9	23	5	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.019
78	9	23	6	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.021
78	9	23	7	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.025
78	9	23	8	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.034
78	9	23	9	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.039
78	9	23	10	999.99	99.999	999.9	0.01	99.999	0.049	0.01	0.01	0.044
78	9	23	11	999.99	99.999	999.9	0.01	99.999	0.048	0.01	0.01	0.048
78	9	23	12	0.01	99.999	0.5	0.01	99.999	0.064	0.01	0.01	0.048
78	9	23	13	999.99	99.999	0.5	0.01	99.999	0.065	0.01	0.01	0.044
78	9	23	14	999.99	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.042
78	9	23	15	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.041
78	9	23	16	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.038
78	9	23	17	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.038
78	9	23	18	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.032
78	9	23	19	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.020
78	9	23	20	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.025
78	9	23	21	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.025
78	9	23	22	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.025
78	9	23	23	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.026
78	9	23	24	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.026
78	9	24	1	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.025
78	9	24	2	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.024
78	9	24	3	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.022
78	9	24	4	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.021
78	9	24	5	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.020
78	9	24	6	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.017
78	9	24	7	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.020
78	9	24	8	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.023
78	9	24	9	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.032
78	9	24	10	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.039
78	9	24	11	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.043
78	9	24	12	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.043
78	9	24	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	9	24	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	9	24	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	9	24	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	9	24	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	9	24	18	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	99.999
78	9	24	19	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.031
78	9	24	20	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.028
78	9	24	21	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.030
78	9	24	22	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.023
78	9	24	23	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.032
78	9	24	24	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.020

DATA LISTING FOR RROSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	9	25	1	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.020
78	9	25	2	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.022
78	9	25	3	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.018
78	9	25	4	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.020
78	9	25	5	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.017
78	9	25	6	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.015
78	9	25	7	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.021
78	9	25	8	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.031
78	9	25	9	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.034
78	9	25	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	9	25	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	9	25	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	9	25	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	9	25	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	9	25	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	9	25	16	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.044
78	9	25	17	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.044
78	9	25	18	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.038
78	9	25	19	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.028
78	9	25	20	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.030
78	9	25	21	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.029
78	9	25	22	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.027
78	9	25	23	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.024
78	9	25	24	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.027
78	9	26	1	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.022
78	9	26	2	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.022
78	9	26	3	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.024
78	9	26	4	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.022
78	9	26	5	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.017
78	9	26	6	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.015
78	9	26	7	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.020
78	9	26	8	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.030
78	9	26	9	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.037
78	9	26	10	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.045
78	9	26	11	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.049
78	9	26	12	0.01	99.999	0.5	0.01	99.999	0.058	0.01	0.01	0.051
78	9	26	13	0.01	99.999	0.5	0.01	99.999	0.060	0.01	0.01	0.052
78	9	26	14	0.01	99.999	0.5	0.01	99.999	0.059	0.01	0.01	0.051
78	9	26	15	0.01	99.999	0.5	0.01	99.999	0.058	0.01	0.01	0.051
78	9	26	16	0.01	99.999	0.5	0.01	99.999	0.059	0.01	0.01	0.024
78	9	26	17	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.049
78	9	26	18	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.038
78	9	26	19	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.026
78	9	26	20	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.027
78	9	26	21	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.026
78	9	26	22	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.022
78	9	26	23	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.022
78	9	26	24	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.024

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	9	27	1	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.024
78	9	27	2	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.023
78	9	27	3	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.023
78	9	27	4	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.018
78	9	27	5	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.014
78	9	27	6	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.020
78	9	27	7	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.024
78	9	27	8	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.030
78	9	27	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	9	27	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	9	27	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	9	27	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	9	27	13	0.01	0.005	0.5	0.01	0.005	0.066	0.01	0.01	0.020
78	9	27	14	0.01	0.005	0.5	0.01	0.005	0.069	0.01	0.01	0.056
78	9	27	15	0.01	0.005	0.5	0.01	0.005	0.065	0.01	0.01	0.055
78	9	27	16	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.052
78	9	27	17	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.050
78	9	27	18	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.039
78	9	27	19	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.031
78	9	27	20	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.030
78	9	27	21	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.030
78	9	27	22	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.025
78	9	27	23	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.021
78	9	27	24	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.018
78	9	28	1	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.023
78	9	28	2	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.024
78	9	28	3	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.018
78	9	28	4	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.020
78	9	28	5	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.021
78	9	28	6	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.021
78	9	28	7	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.015
78	9	28	8	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.030
78	9	28	9	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.039
78	9	28	10	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.046
78	9	28	11	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.047
78	9	28	12	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.047
78	9	28	13	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.047
78	9	28	14	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.048
78	9	28	15	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.047
78	9	28	16	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.048
78	9	28	17	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.049
78	9	28	18	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.037
78	9	28	19	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.028
78	9	28	20	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.033
78	9	28	21	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.029
78	9	28	22	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.028
78	9	28	23	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.019
78	9	28	24	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.022

DATA LISTING FOR NBOSC AIR QUALITY

				SITE 1						SITE 5		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	9	29	1	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.030
78	9	29	2	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.030
78	9	29	3	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.028
78	9	29	4	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.023
78	9	29	5	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.024
78	9	29	6	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.023
78	9	29	7	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.025
78	9	29	8	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.033
78	9	29	9	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.039
78	9	29	10	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.041
78	9	29	11	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.042
78	9	29	12	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.043
78	9	29	13	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.043
78	9	29	14	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.044
78	9	29	15	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.045
78	9	29	16	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.045
78	9	29	17	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.045
78	9	29	18	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.037
78	9	29	19	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.028
78	9	29	20	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.028
78	9	29	21	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.030
78	9	29	22	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.029
78	9	29	23	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.029
78	9	29	24	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.030
78	9	30	1	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.030
78	9	30	2	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.027
78	9	30	3	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.026
78	9	30	4	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.025
78	9	30	5	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.022
78	9	30	6	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.021
78	9	30	7	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.027
78	9	30	8	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.033
78	9	30	9	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.041
78	9	30	10	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.047
78	9	30	11	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.049
78	9	30	12	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.052
78	9	30	13	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.054
78	9	30	14	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.052
78	9	30	15	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.050
78	9	30	16	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.052
78	9	30	17	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.053
78	9	30	18	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.035
78	9	30	19	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.032
78	9	30	20	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.029
78	9	30	21	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.025
78	9	30	22	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.027
78	9	30	23	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.025
78	9	30	24	0.01	0.005	0.5	0.01	0.005	0.063	0.01	0.01	0.032

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	10	1	1	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.032
78	10	1	2	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.027
78	10	1	3	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.024
78	10	1	4	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.025
78	10	1	5	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.021
78	10	1	6	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.020
78	10	1	7	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.023
78	10	1	8	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.035
78	10	1	9	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.041
78	10	1	10	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.046
78	10	1	11	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.046
78	10	1	12	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.045
78	10	1	13	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.045
78	10	1	14	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.045
78	10	1	15	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.047
78	10	1	16	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.048
78	10	1	17	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.045
78	10	1	18	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.043
78	10	1	19	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.042
78	10	1	20	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.036
78	10	1	21	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.024
78	10	1	22	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.021
78	10	1	23	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.020
78	10	1	24	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.022
78	10	2	1	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.024
78	10	2	2	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.027
78	10	2	3	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.023
78	10	2	4	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.022
78	10	2	5	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.022
78	10	2	6	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.021
78	10	2	7	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.025
78	10	2	8	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.035
78	10	2	9	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.040
78	10	2	10	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.044
78	10	2	11	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.046
78	10	2	12	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.045
78	10	2	13	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.045
78	10	2	14	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.046
78	10	2	15	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.048
78	10	2	16	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.048
78	10	2	17	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.048
78	10	2	18	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.034
78	10	2	19	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.031
78	10	2	20	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.024
78	10	2	21	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.025
78	10	2	22	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.032
78	10	2	23	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.026
78	10	2	24	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.029

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 5		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	10	3	1	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.027
78	10	3	2	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.026
78	10	3	3	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.024
78	10	3	4	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.023
78	10	3	5	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.023
78	10	3	6	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.024
78	10	3	7	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.025
78	10	3	8	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.028
78	10	3	9	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.034
78	10	3	10	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.041
78	10	3	11	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.046
78	10	3	12	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.047
78	10	3	13	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.048
78	10	3	14	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.048
78	10	3	15	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.050
78	10	3	16	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.050
78	10	3	17	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.045
78	10	3	18	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.030
78	10	3	19	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.026
78	10	3	20	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.026
78	10	3	21	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.028
78	10	3	22	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.025
78	10	3	23	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.025
78	10	3	24	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.020
78	10	4	1	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.019
78	10	4	2	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.023
78	10	4	3	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.03	0.021
78	10	4	4	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.02	0.023
78	10	4	5	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.024
78	10	4	6	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.021
78	10	4	7	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.025
78	10	4	8	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.031
78	10	4	9	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.039
78	10	4	10	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.047
78	10	4	11	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.048
78	10	4	12	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.047
78	10	4	13	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.047
78	10	4	14	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.047
78	10	4	15	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.046
78	10	4	16	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.045
78	10	4	17	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.045
78	10	4	18	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.02	0.030
78	10	4	19	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.027
78	10	4	20	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.026
78	10	4	21	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.021
78	10	4	22	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.021
78	10	4	23	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.022
78	10	4	24	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.025

DATA LISTING FOR KROSC AIR QUALITY

				STTF 1						SITE 5		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	10	5	1	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.024
78	10	5	2	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.024
78	10	5	3	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.024
78	10	5	4	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.024
78	10	5	5	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.021
78	10	5	6	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.022
78	10	5	7	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.022
78	10	5	8	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.030
78	10	5	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	5	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	5	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	5	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	5	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	5	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	5	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	5	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	5	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	5	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	5	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	5	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	5	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	5	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	5	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	5	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	6	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	6	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	6	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	6	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	6	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	6	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	6	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	6	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	6	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	6	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	6	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	6	12	0.01	0.005	0.5	0.01	0.005	0.064	0.01	0.01	0.050
78	10	6	13	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.051
78	10	6	14	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.051
78	10	6	15	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.052
78	10	6	16	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.052
78	10	6	17	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.050
78	10	6	18	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.035
78	10	6	19	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.029
78	10	6	20	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.025
78	10	6	21	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.026
78	10	6	22	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.029
78	10	6	23	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.030
78	10	6	24	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.032

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1					SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	10	7	1	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.028
78	10	7	2	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.024
78	10	7	3	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.022
78	10	7	4	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.023
78	10	7	5	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.025
78	10	7	6	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.027
78	10	7	7	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.027
78	10	7	8	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.032
78	10	7	9	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.040
78	10	7	10	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.043
78	10	7	11	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.047
78	10	7	12	0.01	0.005	0.5	0.01	0.005	0.062	0.01	0.01	0.048
78	10	7	13	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.049
78	10	7	14	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.049
78	10	7	15	0.01	99.999	999.9	0.01	99.999	0.056	0.01	0.01	0.049
78	10	7	16	999.99	99.999	0.5	0.01	99.999	0.055	0.01	0.01	0.048
78	10	7	17	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.044
78	10	7	18	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.028
78	10	7	19	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.023
78	10	7	20	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.024
78	10	7	21	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.024
78	10	7	22	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.024
78	10	7	23	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.024
78	10	7	24	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.023
78	10	8	1	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.017
78	10	8	2	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.016
78	10	8	3	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.03	0.019
78	10	8	4	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.020
78	10	8	5	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.021
78	10	8	6	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.024
78	10	8	7	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.025
78	10	8	8	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.033
78	10	8	9	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	99.999
78	10	8	10	0.01	0.005	0.5	0.01	0.005	0.057	999.99	0.01	99.999
78	10	8	11	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	99.999
78	10	8	12	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.047
78	10	8	13	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.046
78	10	8	14	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.047
78	10	8	15	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.047
78	10	8	16	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.047
78	10	8	17	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.046
78	10	8	18	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.037
78	10	8	19	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.031
78	10	8	20	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.028
78	10	8	21	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.022
78	10	8	22	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.025
78	10	8	23	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.026
78	10	8	24	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.029

DATA LISTING FOR RBUSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	10	9	1	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.027
78	10	9	2	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.026
78	10	9	3	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.025
78	10	9	4	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.024
78	10	9	5	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.025
78	10	9	6	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.022
78	10	9	7	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.023
78	10	9	8	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.034
78	10	9	9	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.037
78	10	9	10	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.048
78	10	9	11	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.051
78	10	9	12	0.01	0.005	0.5	0.01	0.005	0.061	0.01	0.01	0.052
78	10	9	13	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.052
78	10	9	14	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.050
78	10	9	15	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.044
78	10	9	16	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.044
78	10	9	17	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.042
78	10	9	18	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.030
78	10	9	19	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.028
78	10	9	20	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.022
78	10	9	21	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.020
78	10	9	22	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.019
78	10	9	23	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.020
78	10	9	24	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.019
78	10	10	1	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.013
78	10	10	2	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.017
78	10	10	3	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.020
78	10	10	4	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.019
78	10	10	5	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.019
78	10	10	6	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.019
78	10	10	7	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.024
78	10	10	8	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.027
78	10	10	9	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.033
78	10	10	10	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.038
78	10	10	11	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.045
78	10	10	12	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.046
78	10	10	13	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.048
78	10	10	14	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.050
78	10	10	15	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.050
78	10	10	16	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.049
78	10	10	17	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.045
78	10	10	18	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.030
78	10	10	19	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.028
78	10	10	20	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.030
78	10	10	21	0.01	0.005	0.5	0.01	0.005	0.059	0.01	0.01	0.032
78	10	10	22	0.01	0.005	0.5	0.01	0.005	0.060	0.01	0.01	0.047
78	10	10	23	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.044
78	10	10	24	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.037

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	10	11	1	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.032
78	10	11	2	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.028
78	10	11	3	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.028
78	10	11	4	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.026
78	10	11	5	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.023
78	10	11	6	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.020
78	10	11	7	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.024
78	10	11	8	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.031
78	10	11	9	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.036
78	10	11	10	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.045
78	10	11	11	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.044
78	10	11	12	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.041
78	10	11	13	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.040
78	10	11	14	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.040
78	10	11	15	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.040
78	10	11	16	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.042
78	10	11	17	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.038
78	10	11	18	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.028
78	10	11	19	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.021
78	10	11	20	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.024
78	10	11	21	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.022
78	10	11	22	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.031
78	10	11	23	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.030
78	10	11	24	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.030
78	10	12	1	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.026
78	10	12	2	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.024
78	10	12	3	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.022
78	10	12	4	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.015
78	10	12	5	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.014
78	10	12	6	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.015
78	10	12	7	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.014
78	10	12	8	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.022
78	10	12	9	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.024
78	10	12	10	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.032
78	10	12	11	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.036
78	10	12	12	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.038
78	10	12	13	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.037
78	10	12	14	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.037
78	10	12	15	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.037
78	10	12	16	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.039
78	10	12	17	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.040
78	10	12	18	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.028
78	10	12	19	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.024
78	10	12	20	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.026
78	10	12	21	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.027
78	10	12	22	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.029
78	10	12	23	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.027
78	10	12	24	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.02	0.026

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	10	13	1	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.024
78	10	13	2	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.027
78	10	13	3	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.024
78	10	13	4	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.023
78	10	13	5	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.022
78	10	13	6	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.019
78	10	13	7	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.022
78	10	13	8	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.026
78	10	13	9	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.028
78	10	13	10	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.033
78	10	13	11	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.043
78	10	13	12	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.047
78	10	13	13	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.047
78	10	13	14	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.047
78	10	13	15	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.046
78	10	13	16	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.047
78	10	13	17	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.045
78	10	13	18	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.029
78	10	13	19	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.024
78	10	13	20	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.023
78	10	13	21	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.024
78	10	13	22	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.025
78	10	13	23	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.025
78	10	13	24	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.025
78	10	14	1	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.025
78	10	14	2	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.023
78	10	14	3	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.023
78	10	14	4	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.023
78	10	14	5	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.024
78	10	14	6	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.021
78	10	14	7	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.023
78	10	14	8	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.030
78	10	14	9	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.033
78	10	14	10	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.043
78	10	14	11	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.046
78	10	14	12	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.045
78	10	14	13	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.045
78	10	14	14	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.045
78	10	14	15	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.040
78	10	14	16	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.037
78	10	14	17	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.036
78	10	14	18	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.021
78	10	14	19	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.020
78	10	14	20	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.024
78	10	14	21	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.024
78	10	14	22	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.026
78	10	14	23	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.027
78	10	14	24	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.025

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	10	15	1	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.022
78	10	15	2	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.024
78	10	15	3	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.022
78	10	15	4	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.022
78	10	15	5	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.022
78	10	15	6	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.023
78	10	15	7	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.024
78	10	15	8	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.029
78	10	15	9	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.035
78	10	15	10	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.039
78	10	15	11	999.99	99.999	0.5	0.01	99.999	0.047	0.01	0.01	0.043
78	10	15	12	999.99	99.999	0.5	0.01	99.999	0.050	0.01	0.01	0.043
78	10	15	13	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.043
78	10	15	14	0.01	99.999	0.5	0.01	99.999	0.049	0.01	0.01	0.043
78	10	15	15	0.01	99.999	0.5	0.01	99.999	0.049	0.01	0.01	0.043
78	10	15	16	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.042
78	10	15	17	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.039
78	10	15	18	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.026
78	10	15	19	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.023
78	10	15	20	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.022
78	10	15	21	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.024
78	10	15	22	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.023
78	10	15	23	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.024
78	10	15	24	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.023
78	10	16	1	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.021
78	10	16	2	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.022
78	10	16	3	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.022
78	10	16	4	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.022
78	10	16	5	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.024
78	10	16	6	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.024
78	10	16	7	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.022
78	10	16	8	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.027
78	10	16	9	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.034
78	10	16	10	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.035
78	10	16	11	0.01	0.005	0.5	0.01	0.005	0.049	999.99	0.01	99.999
78	10	16	12	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.044
78	10	16	13	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.046
78	10	16	14	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.047
78	10	16	15	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.047
78	10	16	16	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.048
78	10	16	17	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.048
78	10	16	18	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.037
78	10	16	19	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.028
78	10	16	20	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.026
78	10	16	21	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.024
78	10	16	22	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.023
78	10	16	23	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.025
78	10	16	24	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.017

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 5		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	10	17	1	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.022
78	10	17	2	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.024
78	10	17	3	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.023
78	10	17	4	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.03	0.022
78	10	17	5	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.02	0.021
78	10	17	6	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.016
78	10	17	7	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.016
78	10	17	8	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.026
78	10	17	9	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.043
78	10	17	10	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.046
78	10	17	11	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.048
78	10	17	12	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.047
78	10	17	13	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.045
78	10	17	14	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.045
78	10	17	15	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.044
78	10	17	16	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.044
78	10	17	17	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.040
78	10	17	18	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.041
78	10	17	19	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.040
78	10	17	20	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.034
78	10	17	21	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.024
78	10	17	22	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.018
78	10	17	23	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.034
78	10	17	24	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.042
78	10	18	1	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.040
78	10	18	2	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.036
78	10	18	3	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.025
78	10	18	4	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.021
78	10	18	5	0.01	0.014	0.5	0.01	0.005	0.019	0.01	0.01	0.020
78	10	18	6	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.020
78	10	18	7	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.017
78	10	18	8	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.023
78	10	18	9	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.027
78	10	18	10	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.035
78	10	18	11	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.038
78	10	18	12	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.044
78	10	18	13	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.046
78	10	18	14	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.046
78	10	18	15	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.046
78	10	18	16	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.046
78	10	18	17	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.041
78	10	18	18	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.023
78	10	18	19	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.022
78	10	18	20	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.025
78	10	18	21	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.024
78	10	18	22	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.020
78	10	18	23	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.022
78	10	18	24	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.019

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	10	19	1	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.018
78	10	19	2	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.018
78	10	19	3	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.020
78	10	19	4	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.017
78	10	19	5	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.014
78	10	19	6	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.014
78	10	19	7	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.019
78	10	19	8	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.024
78	10	19	9	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.035
78	10	19	10	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.036
78	10	19	11	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.036
78	10	19	12	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.040
78	10	19	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	19	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	19	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	19	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	19	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	19	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	19	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	19	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	19	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	19	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	19	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	19	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	20	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1					SITE 5		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	10	21	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	21	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	21	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	21	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	21	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	21	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	21	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	21	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	21	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	21	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	21	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	21	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	21	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	21	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	21	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	21	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	21	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	21	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	21	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	21	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	21	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	21	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	21	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	21	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	22	1	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.026
78	10	22	2	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.030
78	10	22	3	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.030
78	10	22	4	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.024
78	10	22	5	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.028
78	10	22	6	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.028
78	10	22	7	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.026
78	10	22	8	0.01	0.005	0.5	0.01	0.005	0.028	0.01	0.01	0.022
78	10	22	9	0.01	0.005	0.5	0.01	0.005	0.028	0.01	0.01	0.022
78	10	22	10	0.01	0.005	0.5	0.01	0.005	0.028	0.01	0.01	0.024
78	10	22	11	0.01	0.005	0.5	0.01	0.005	0.032	0.01	0.01	0.028
78	10	22	12	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.030
78	10	22	13	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.030
78	10	22	14	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.030
78	10	22	15	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.030
78	10	22	16	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.030
78	10	22	17	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.028
78	10	22	18	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.028
78	10	22	19	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.024
78	10	22	20	0.01	0.005	0.5	0.01	0.005	0.032	0.01	0.01	0.016
78	10	22	21	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.010
78	10	22	22	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.008
78	10	22	23	0.01	0.005	0.5	0.01	0.005	0.032	0.01	0.01	0.006
78	10	22	24	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.008

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 5		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	10	23	1	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.006
78	10	23	2	0.01	0.005	0.5	0.01	0.005	0.032	0.01	0.01	0.006
78	10	23	3	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.006
78	10	23	4	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.006
78	10	23	5	0.01	0.005	0.5	0.01	0.005	0.032	0.01	0.01	0.006
78	10	23	6	0.01	0.005	0.5	0.01	0.005	0.032	0.01	0.01	0.004
78	10	23	7	0.01	0.005	0.5	0.01	0.005	0.032	0.01	0.01	0.006
78	10	23	8	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.012
78	10	23	9	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.022
78	10	23	10	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.028
78	10	23	11	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.036
78	10	23	12	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.038
78	10	23	13	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.040
78	10	23	14	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.040
78	10	23	15	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.038
78	10	23	16	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.036
78	10	23	17	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.030
78	10	23	18	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.016
78	10	23	19	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.016
78	10	23	20	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.014
78	10	23	21	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.010
78	10	23	22	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.010
78	10	23	23	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.008
78	10	23	24	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.008
78	10	24	1	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.006
78	10	24	2	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.006
78	10	24	3	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.008
78	10	24	4	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.008
78	10	24	5	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.008
78	10	24	6	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.006
78	10	24	7	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.006
78	10	24	8	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.008
78	10	24	9	0.01	0.010	0.5	0.01	0.010	0.032	0.01	0.01	0.016
78	10	24	10	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.024
78	10	24	11	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.024
78	10	24	12	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.026
78	10	24	13	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.028
78	10	24	14	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.036
78	10	24	15	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.036
78	10	24	16	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.036
78	10	24	17	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.030
78	10	24	18	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.018
78	10	24	19	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.016
78	10	24	20	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.028
78	10	24	21	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.024
78	10	24	22	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.030
78	10	24	23	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.024
78	10	24	24	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.020

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	10	25	1	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.020
78	10	25	2	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.024
78	10	25	3	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.024
78	10	25	4	0.01	0.005	0.5	0.01	0.005	0.032	0.01	0.01	0.020
78	10	25	5	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.024
78	10	25	6	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.032
78	10	25	7	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.034
78	10	25	8	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.032
78	10	25	9	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.032
78	10	25	10	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.032
78	10	25	11	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.032
78	10	25	12	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.036
78	10	25	13	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.036
78	10	25	14	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.040
78	10	25	15	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.040
78	10	25	16	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.040
78	10	25	17	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.038
78	10	25	18	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.024
78	10	25	19	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.020
78	10	25	20	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.020
78	10	25	21	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.022
78	10	25	22	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.020
78	10	25	23	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.022
78	10	25	24	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.020
78	10	26	1	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.020
78	10	26	2	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.016
78	10	26	3	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.012
78	10	26	4	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.014
78	10	26	5	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.014
78	10	26	6	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.016
78	10	26	7	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.014
78	10	26	8	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.024
78	10	26	9	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.030
78	10	26	10	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.036
78	10	26	11	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.040
78	10	26	12	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.040
78	10	26	13	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.040
78	10	26	14	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.040
78	10	26	15	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.042
78	10	26	16	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.040
78	10	26	17	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.032
78	10	26	18	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.020
78	10	26	19	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.020
78	10	26	20	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.018
78	10	26	21	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.016
78	10	26	22	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.016
78	10	26	23	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.020
78	10	26	24	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.020

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	10	27	1	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.016
78	10	27	2	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.016
78	10	27	3	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.016
78	10	27	4	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.014
78	10	27	5	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.016
78	10	27	6	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.014
78	10	27	7	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.016
78	10	27	8	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.022
78	10	27	9	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.030
78	10	27	10	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.034
78	10	27	11	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.036
78	10	27	12	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.040
78	10	27	13	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.040
78	10	27	14	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.040
78	10	27	15	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.040
78	10	27	16	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.042
78	10	27	17	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.030
78	10	27	18	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.020
78	10	27	19	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.020
78	10	27	20	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.024
78	10	27	21	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.018
78	10	27	22	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.020
78	10	27	23	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.020
78	10	27	24	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.020
78	10	28	1	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.020
78	10	28	2	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.022
78	10	28	3	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.020
78	10	28	4	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.016
78	10	28	5	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.018
78	10	28	6	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.018
78	10	28	7	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.018
78	10	28	8	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.024
78	10	28	9	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.028
78	10	28	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	28	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	28	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	28	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	28	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	28	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	28	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	28	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	28	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	28	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	28	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	28	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	28	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	28	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	28	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	10	29	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	29	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	29	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	29	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	29	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	29	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	29	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	29	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	29	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	29	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	29	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	29	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	29	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	29	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	29	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	29	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	29	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	29	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	29	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	29	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	29	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	29	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	29	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	29	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	30	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	10	31	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	31	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	31	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	31	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	31	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	31	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	31	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	31	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	31	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	31	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	31	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	31	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	31	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	31	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	31	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	31	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	31	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	31	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	31	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	31	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	31	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	31	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	31	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	10	31	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	1	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1					SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	11	2	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	2	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	2	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	2	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	2	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	2	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	2	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	2	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	2	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	2	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	2	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	2	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	2	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	2	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	2	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	2	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	2	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	2	18	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.023
78	11	2	19	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.028
78	11	2	20	0.01	0.005	0.5	0.01	0.005	0.033	0.01	0.01	0.028
78	11	2	21	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.031
78	11	2	22	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.033
78	11	2	23	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.029
78	11	2	24	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.020
78	11	3	1	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.020
78	11	3	2	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.017
78	11	3	3	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.014
78	11	3	4	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.015
78	11	3	5	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.016
78	11	3	6	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.014
78	11	3	7	0.01	0.005	0.5	0.01	0.005	0.032	0.01	0.01	0.012
78	11	3	8	0.01	0.005	0.5	0.01	0.005	0.029	0.01	0.01	0.017
78	11	3	9	0.01	0.005	0.5	0.01	0.005	0.032	0.01	0.01	0.030
78	11	3	10	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.030
78	11	3	11	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.033
78	11	3	12	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.035
78	11	3	13	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.040
78	11	3	14	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.044
78	11	3	15	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.046
78	11	3	16	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.045
78	11	3	17	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.041
78	11	3	18	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.033
78	11	3	19	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.033
78	11	3	20	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.025
78	11	3	21	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.022
78	11	3	22	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.020
78	11	3	23	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.019
78	11	3	24	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.018

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	11	4	1	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.017
78	11	4	2	0.01	0.005	0.5	0.01	0.005	0.033	0.01	0.01	0.016
78	11	4	3	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.016
78	11	4	4	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.015
78	11	4	5	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.017
78	11	4	6	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.016
78	11	4	7	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.014
78	11	4	8	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.020
78	11	4	9	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.022
78	11	4	10	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.029
78	11	4	11	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.038
78	11	4	12	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.041
78	11	4	13	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.042
78	11	4	14	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.042
78	11	4	15	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.043
78	11	4	16	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.043
78	11	4	17	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.037
78	11	4	18	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.028
78	11	4	19	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.024
78	11	4	20	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.022
78	11	4	21	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.028
78	11	4	22	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.027
78	11	4	23	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.028
78	11	4	24	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.025
78	11	5	1	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.023
78	11	5	2	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.023
78	11	5	3	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.022
78	11	5	4	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.021
78	11	5	5	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.020
78	11	5	6	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.021
78	11	5	7	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.022
78	11	5	8	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.024
78	11	5	9	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.035
78	11	5	10	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.040
78	11	5	11	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.042
78	11	5	12	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.042
78	11	5	13	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.043
78	11	5	14	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.043
78	11	5	15	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.043
78	11	5	16	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.043
78	11	5	17	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.037
78	11	5	18	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.026
78	11	5	19	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.023
78	11	5	20	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.025
78	11	5	21	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.025
78	11	5	22	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.025
78	11	5	23	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.024
78	11	5	24	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.024

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	11	6	1	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.025
78	11	6	2	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.024
78	11	6	3	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.025
78	11	6	4	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.025
78	11	6	5	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.024
78	11	6	6	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.025
78	11	6	7	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.025
78	11	6	8	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.029
78	11	6	9	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.030
78	11	6	10	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.036
78	11	6	11	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.042
78	11	6	12	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.044
78	11	6	13	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.045
78	11	6	14	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.045
78	11	6	15	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.044
78	11	6	16	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.043
78	11	6	17	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.029
78	11	6	18	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.023
78	11	6	19	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.021
78	11	6	20	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.025
78	11	6	21	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.021
78	11	6	22	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.023
78	11	6	23	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.025
78	11	6	24	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.024
78	11	7	1	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.024
78	11	7	2	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.022
78	11	7	3	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.024
78	11	7	4	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.024
78	11	7	5	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.025
78	11	7	6	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.021
78	11	7	7	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.020
78	11	7	8	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.026
78	11	7	9	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.026
78	11	7	10	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.035
78	11	7	11	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.038
78	11	7	12	0.01	0.005	0.5	0.01	0.005	0.046	999.99	999.99	99.999
78	11	7	13	0.01	0.005	0.5	0.01	0.005	0.046	999.99	999.99	99.999
78	11	7	14	0.01	0.005	0.5	0.01	0.005	0.046	999.99	999.99	99.999
78	11	7	15	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.039
78	11	7	16	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.037
78	11	7	17	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.023
78	11	7	18	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.021
78	11	7	19	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.020
78	11	7	20	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.019
78	11	7	21	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.019
78	11	7	22	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.020
78	11	7	23	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.021
78	11	7	24	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.022

DATA LISTING FOR RHOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	11	8	1	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.022
78	11	8	2	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.022
78	11	8	3	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.019
78	11	8	4	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.016
78	11	8	5	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.016
78	11	8	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	8	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	8	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	8	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	8	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	8	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	8	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	8	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	8	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	8	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	8	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	8	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	8	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	8	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	8	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	8	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	8	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	8	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	8	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	9	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	11	10	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	10	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	10	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	10	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	10	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	10	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	10	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	10	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	10	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	10	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	10	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	10	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	10	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	10	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	10	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	10	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	10	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	10	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	10	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	10	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	10	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	10	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	10	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	10	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	11	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	11	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	11	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	11	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	11	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	11	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	11	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	11	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	11	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	11	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	11	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	11	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	11	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	11	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	11	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	11	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	11	17	0.01	0.005	0.5	0.01	0.005	0.024	0.01	0.01	0.026
78	11	11	18	0.01	0.005	0.5	0.01	0.005	0.022	0.01	0.01	0.024
78	11	11	19	0.01	0.005	0.5	0.01	0.005	0.019	0.01	0.01	0.024
78	11	11	20	0.01	0.005	0.5	0.01	0.005	0.023	0.01	0.01	0.022
78	11	11	21	0.01	0.005	0.5	0.01	0.005	0.017	0.01	0.01	0.020
78	11	11	22	0.01	0.005	0.5	0.01	0.005	0.029	0.01	0.01	0.016
78	11	11	23	0.01	0.005	0.5	0.01	0.005	0.026	0.01	0.01	0.015
78	11	11	24	0.01	0.005	0.5	0.01	0.005	0.024	0.01	0.01	0.014

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	11	12	1	0.01	0.005	0.5	0.01	0.005	0.027	0.01	0.01	0.013
78	11	12	2	0.01	0.005	0.5	0.01	0.005	0.024	0.01	0.01	0.012
78	11	12	3	0.01	0.005	0.5	0.01	0.005	0.026	0.01	0.01	0.010
78	11	12	4	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.018
78	11	12	5	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.034
78	11	12	6	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.031
78	11	12	7	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.027
78	11	12	8	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.034
78	11	12	9	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.035
78	11	12	10	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.044
78	11	12	11	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.043
78	11	12	12	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.043
78	11	12	13	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.043
78	11	12	14	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.042
78	11	12	15	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.042
78	11	12	16	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.044
78	11	12	17	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.043
78	11	12	18	0.01	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.041
78	11	12	19	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.045
78	11	12	20	0.01	0.005	0.5	0.01	0.005	0.058	0.01	0.01	0.043
78	11	12	21	0.01	0.005	0.5	0.01	0.005	0.057	0.01	0.01	0.041
78	11	12	22	0.01	0.005	0.5	0.01	0.005	0.056	0.01	0.01	0.044
78	11	12	23	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.041
78	11	12	24	0.01	0.005	0.5	0.01	0.005	0.054	0.01	0.01	0.040
78	11	13	1	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.035
78	11	13	2	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.034
78	11	13	3	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.036
78	11	13	4	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.035
78	11	13	5	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.032
78	11	13	6	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.031
78	11	13	7	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.033
78	11	13	8	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.028
78	11	13	9	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.030
78	11	13	10	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.036
78	11	13	11	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.040
78	11	13	12	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.044
78	11	13	13	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.045
78	11	13	14	999.99	0.005	0.5	0.01	0.005	0.055	0.01	0.01	0.045
78	11	13	15	0.01	0.005	0.5	0.01	0.005	0.053	0.01	0.01	0.044
78	11	13	16	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.041
78	11	13	17	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.024
78	11	13	18	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.025
78	11	13	19	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.025
78	11	13	20	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.025
78	11	13	21	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.022
78	11	13	22	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.022
78	11	13	23	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.021
78	11	13	24	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.022

DATA LISTING FOR RBOSC ATR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	11	14	1	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.023
78	11	14	2	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.022
78	11	14	3	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.022
78	11	14	4	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.025
78	11	14	5	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.029
78	11	14	6	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.029
78	11	14	7	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.029
78	11	14	8	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.025
78	11	14	9	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.030
78	11	14	10	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.038
78	11	14	11	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.041
78	11	14	12	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.041
78	11	14	13	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.042
78	11	14	14	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.041
78	11	14	15	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.041
78	11	14	16	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.041
78	11	14	17	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.041
78	11	14	18	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.041
78	11	14	19	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.040
78	11	14	20	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.040
78	11	14	21	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.042
78	11	14	22	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.040
78	11	14	23	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.030
78	11	14	24	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.029
78	11	15	1	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.026
78	11	15	2	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.021
78	11	15	3	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.022
78	11	15	4	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.026
78	11	15	5	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.037
78	11	15	6	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.041
78	11	15	7	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.035
78	11	15	8	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.037
78	11	15	9	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.040
78	11	15	10	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.041
78	11	15	11	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.041
78	11	15	12	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.041
78	11	15	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	15	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	15	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	15	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	15	17	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.039
78	11	15	18	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.039
78	11	15	19	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.041
78	11	15	20	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.040
78	11	15	21	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.040
78	11	15	22	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.039
78	11	15	23	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.039
78	11	15	24	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.039

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	11	16	1	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.039
78	11	16	2	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.038
78	11	16	3	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.039
78	11	16	4	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.039
78	11	16	5	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.038
78	11	16	6	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.037
78	11	16	7	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.035
78	11	16	8	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.035
78	11	16	9	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.034
78	11	16	10	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.035
78	11	16	11	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.035
78	11	16	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	16	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	16	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	16	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	16	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	16	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	16	18	999.99	0.005	0.5	999.99	0.005	0.036	0.01	0.01	0.018
78	11	16	19	999.99	0.005	0.5	999.99	0.005	0.037	0.01	0.01	0.021
78	11	16	20	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.024
78	11	16	21	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.036
78	11	16	22	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.026
78	11	16	23	999.99	0.005	0.5	999.99	0.005	0.039	0.01	0.01	0.027
78	11	16	24	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.025
78	11	17	1	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.025
78	11	17	2	999.99	0.005	0.5	999.99	0.005	0.041	0.01	0.01	0.028
78	11	17	3	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.030
78	11	17	4	999.99	0.005	0.5	999.99	0.005	0.041	0.01	0.01	0.030
78	11	17	5	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.031
78	11	17	6	999.99	0.005	0.5	999.99	0.005	0.033	0.01	0.01	0.031
78	11	17	7	999.99	0.005	0.5	999.99	0.005	0.036	0.01	0.01	0.029
78	11	17	8	999.99	0.005	0.5	999.99	0.005	0.034	0.01	0.01	0.031
78	11	17	9	999.99	0.005	0.5	999.99	0.005	0.037	0.01	0.01	0.032
78	11	17	10	999.99	0.005	0.5	999.99	0.005	0.038	0.01	0.01	0.034
78	11	17	11	999.99	0.005	0.5	999.99	0.005	0.038	0.01	0.01	0.034
78	11	17	12	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.034
78	11	17	13	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.036
78	11	17	14	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.038
78	11	17	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	17	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	17	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	17	18	0.01	0.005	0.5	0.01	0.005	0.026	0.01	0.01	0.028
78	11	17	19	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.020
78	11	17	20	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.019
78	11	17	21	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.015
78	11	17	22	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.020
78	11	17	23	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.022
78	11	17	24	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.024

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	11	18	1	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.025
78	11	18	2	0.01	0.012	0.5	0.01	0.005	0.027	0.01	0.01	0.023
78	11	18	3	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.024
78	11	18	4	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.017
78	11	18	5	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.016
78	11	18	6	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.016
78	11	18	7	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.017
78	11	18	8	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.018
78	11	18	9	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.028
78	11	18	10	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.029
78	11	18	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	18	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	18	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	18	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	18	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	18	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	18	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	18	18	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.032
78	11	18	19	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.032
78	11	18	20	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.027
78	11	18	21	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.023
78	11	18	22	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.022
78	11	18	23	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.015
78	11	18	24	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.014
78	11	19	1	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.012
78	11	19	2	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.010
78	11	19	3	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.009
78	11	19	4	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.011
78	11	19	5	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.011
78	11	19	6	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.011
78	11	19	7	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.012
78	11	19	8	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.020
78	11	19	9	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.021
78	11	19	10	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.023
78	11	19	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	19	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	19	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	19	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	19	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	19	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	19	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	11	19	18	999.99	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.026
78	11	19	19	0.01	99.999	0.5	0.01	99.999	0.047	0.01	0.01	0.021
78	11	19	20	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.017
78	11	19	21	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.020
78	11	19	22	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.021
78	11	19	23	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.018
78	11	19	24	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.013

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1					SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	11	20	1	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.017
78	11	20	2	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.018
78	11	20	3	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.012
78	11	20	4	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.017
78	11	20	5	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.020
78	11	20	6	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.014
78	11	20	7	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.014
78	11	20	8	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.021
78	11	20	9	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.024
78	11	20	10	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.022
78	11	20	11	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.029
78	11	20	12	999.99	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.035
78	11	20	13	0.01	0.005	0.5	0.01	0.006	0.048	0.01	0.01	0.040
78	11	20	14	0.01	0.005	0.5	0.01	0.006	0.048	0.01	0.01	0.041
78	11	20	15	0.01	0.005	999.9	0.01	0.006	0.048	0.01	0.01	0.041
78	11	20	16	0.01	0.005	0.5	0.01	0.006	0.046	0.01	0.01	0.036
78	11	20	17	0.01	0.005	0.5	0.01	0.006	0.043	0.01	0.01	0.026
78	11	20	18	0.01	0.005	0.5	0.01	0.006	0.045	0.01	0.01	0.013
78	11	20	19	0.01	0.005	0.5	0.01	0.007	0.046	0.01	0.01	0.011
78	11	20	20	0.01	0.005	0.5	0.01	0.006	0.046	0.01	0.01	0.010
78	11	20	21	0.01	0.005	0.5	0.01	0.007	0.042	0.01	0.01	0.014
78	11	20	22	0.01	0.005	0.5	0.01	0.007	0.044	0.01	0.01	0.015
78	11	20	23	0.01	0.005	0.5	0.01	0.006	0.043	0.01	0.01	0.018
78	11	20	24	0.01	0.005	0.5	0.01	0.006	0.045	0.01	0.01	0.012
78	11	21	1	0.01	0.005	0.5	0.01	0.007	0.041	0.01	0.01	0.007
78	11	21	2	0.01	0.005	0.5	0.01	0.006	0.042	0.01	0.01	0.009
78	11	21	3	0.01	0.005	0.5	0.01	0.007	0.043	0.01	0.01	0.011
78	11	21	4	0.01	0.005	0.5	0.01	0.007	0.044	0.01	0.01	0.013
78	11	21	5	0.01	0.005	0.5	0.01	0.006	0.044	0.01	0.01	0.009
78	11	21	6	0.01	0.005	0.5	0.01	0.007	0.043	0.01	0.01	0.015
78	11	21	7	0.01	0.005	0.5	0.01	0.007	0.043	0.01	0.01	0.019
78	11	21	8	0.01	0.005	0.5	0.01	0.006	0.041	0.01	0.01	0.020
78	11	21	9	0.01	0.005	0.5	0.01	0.006	0.041	0.01	0.01	0.016
78	11	21	10	0.01	0.005	0.5	0.01	0.006	0.042	0.01	0.01	0.016
78	11	21	11	0.01	0.005	0.5	0.01	0.006	0.046	0.01	0.01	0.020
78	11	21	12	0.01	0.005	0.5	0.01	0.006	0.048	0.01	0.01	0.024
78	11	21	13	0.01	0.005	0.5	0.01	0.006	0.048	0.01	0.01	0.028
78	11	21	14	0.01	0.005	0.5	0.01	0.006	0.048	0.01	0.01	0.033
78	11	21	15	0.01	0.005	0.5	0.01	0.006	0.048	0.01	0.01	0.040
78	11	21	16	0.01	0.005	0.5	0.01	0.006	0.047	0.01	0.01	0.035
78	11	21	17	0.01	0.005	0.5	0.01	0.006	0.047	0.01	0.01	0.020
78	11	21	18	0.01	0.005	0.5	0.01	0.006	0.046	0.01	0.01	0.010
78	11	21	19	0.01	0.005	0.5	0.01	0.006	0.045	0.01	0.01	0.012
78	11	21	20	0.01	0.005	0.5	0.01	0.006	0.044	0.01	0.01	0.012
78	11	21	21	0.01	0.005	0.5	0.01	0.006	0.043	0.01	0.01	0.011
78	11	21	22	0.01	0.005	0.5	0.01	0.006	0.040	0.01	0.01	0.011
78	11	21	23	0.01	0.005	0.5	0.01	0.006	0.038	0.01	0.01	0.013
78	11	21	24	0.01	0.005	0.5	0.01	0.006	0.035	0.01	0.01	0.010

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1					SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	11	22	1	0.01	0.005	0.5	0.01	0.007	0.032	0.01	0.01	0.008
78	11	22	2	0.01	0.005	0.5	0.01	0.006	0.030	0.01	0.01	0.006
78	11	22	3	0.01	0.005	0.5	0.01	0.006	0.030	0.01	0.01	0.007
78	11	22	4	0.01	0.005	0.5	0.01	0.006	0.031	0.01	0.01	0.016
78	11	22	5	0.01	0.005	0.5	0.01	0.006	0.034	0.01	0.01	0.027
78	11	22	6	0.01	0.005	0.5	0.01	0.006	0.035	0.01	0.01	0.028
78	11	22	7	0.01	0.005	0.5	0.01	0.006	0.036	0.01	0.01	0.030
78	11	22	8	0.01	0.005	0.5	0.01	0.006	0.037	0.01	0.01	0.032
78	11	22	9	0.01	0.005	0.5	0.01	0.007	0.039	0.01	0.01	0.033
78	11	22	10	0.01	0.005	0.5	0.01	0.006	0.042	0.01	0.01	0.035
78	11	22	11	0.01	0.005	0.5	0.01	0.006	0.044	0.01	0.01	0.038
78	11	22	12	0.01	0.005	0.5	0.01	0.006	0.044	0.01	0.01	0.039
78	11	22	13	0.01	0.005	0.5	0.01	0.006	0.045	0.01	0.01	0.037
78	11	22	14	0.01	0.005	0.5	0.01	0.006	0.048	0.01	0.01	0.039
78	11	22	15	0.01	0.005	0.5	0.01	0.007	0.048	0.01	0.01	0.039
78	11	22	16	0.01	0.005	0.5	0.01	0.007	0.048	0.01	0.01	0.038
78	11	22	17	0.01	0.005	0.5	0.01	0.006	0.047	0.01	0.01	0.034
78	11	22	18	0.01	0.005	0.5	0.01	0.007	0.047	0.01	0.01	0.032
78	11	22	19	0.01	0.005	0.5	0.01	0.007	0.047	0.01	0.01	0.032
78	11	22	20	0.01	0.005	0.5	0.01	0.007	0.050	0.01	0.01	0.027
78	11	22	21	0.01	0.005	0.5	0.01	0.007	0.051	0.01	0.01	0.017
78	11	22	22	0.01	0.005	0.5	0.01	0.006	0.050	0.01	0.01	0.023
78	11	22	23	0.01	0.005	0.5	0.01	0.006	0.049	0.01	0.01	0.025
78	11	22	24	0.01	0.005	0.5	0.01	0.006	0.049	0.01	0.01	0.026
78	11	23	1	0.01	0.005	0.5	0.01	0.006	0.049	0.01	0.01	0.026
78	11	23	2	0.01	0.005	0.5	0.01	0.006	0.048	0.01	0.01	0.025
78	11	23	3	0.01	0.005	0.5	0.01	0.006	0.047	0.01	0.01	0.023
78	11	23	4	0.01	0.005	0.5	0.01	0.006	0.046	0.01	0.01	0.022
78	11	23	5	0.01	0.005	0.5	0.01	0.006	0.046	0.01	0.01	0.022
78	11	23	6	0.01	0.005	0.5	0.01	0.006	0.044	0.01	0.01	0.023
78	11	23	7	0.01	0.005	0.5	0.01	0.006	0.046	0.01	0.01	0.024
78	11	23	8	0.01	0.005	0.5	0.01	0.006	0.045	0.01	0.01	0.026
78	11	23	9	0.01	0.005	0.5	0.01	0.006	0.048	0.01	0.01	0.032
78	11	23	10	0.01	0.005	0.5	0.01	0.006	0.049	0.01	0.01	0.039
78	11	23	11	999.99	99.999	0.5	0.01	99.999	0.050	0.01	0.01	0.042
78	11	23	12	0.01	99.999	0.5	0.01	99.999	0.051	0.01	0.01	0.042
78	11	23	13	0.01	99.999	0.5	0.01	99.999	0.052	0.01	0.01	0.043
78	11	23	14	0.01	99.999	0.5	0.01	99.999	0.053	0.01	0.01	0.044
78	11	23	15	0.01	99.999	0.5	0.01	99.999	0.053	0.01	0.01	0.044
78	11	23	16	0.01	99.999	0.5	0.01	99.999	0.052	0.01	0.01	0.042
78	11	23	17	0.01	99.999	0.5	0.01	99.999	0.051	0.01	0.01	0.031
78	11	23	18	0.01	99.999	0.5	0.01	99.999	0.049	0.01	0.01	0.025
78	11	23	19	0.01	99.999	0.5	0.01	99.999	0.047	0.01	0.01	0.027
78	11	23	20	0.01	99.999	0.5	0.01	99.999	0.048	0.01	0.01	0.027
78	11	23	21	0.01	99.999	0.5	0.01	99.999	0.048	0.01	0.01	0.026
78	11	23	22	0.01	99.999	0.5	0.01	99.999	0.049	0.01	0.01	0.026
78	11	23	23	0.01	99.999	0.5	0.01	99.999	0.049	0.01	0.01	0.026
78	11	23	24	0.01	99.999	0.5	0.01	99.999	0.048	0.01	0.01	0.025

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1					SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	11	24	1	0.01	99.999	0.5	0.01	99.999	0.049	0.01	0.01	0.022
78	11	24	2	0.01	99.999	0.5	0.01	99.999	0.048	0.01	0.01	0.022
78	11	24	3	0.01	99.999	0.5	0.01	99.999	0.048	0.01	0.01	0.020
78	11	24	4	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.022
78	11	24	5	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.022
78	11	24	6	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.022
78	11	24	7	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.020
78	11	24	8	0.01	99.999	0.5	0.01	99.999	0.031	0.01	0.01	0.023
78	11	24	9	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.030
78	11	24	10	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.030
78	11	24	11	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.033
78	11	24	12	0.01	99.999	0.5	0.01	99.999	0.040	0.01	0.01	0.032
78	11	24	13	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.033
78	11	24	14	0.01	99.999	0.5	0.01	99.999	0.039	0.01	0.01	0.034
78	11	24	15	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.035
78	11	24	16	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.035
78	11	24	17	0.01	99.999	0.5	0.01	99.999	0.038	0.01	0.01	0.028
78	11	24	18	0.01	99.999	0.5	0.01	99.999	0.037	0.01	0.01	0.020
78	11	24	19	0.01	99.999	0.5	0.01	99.999	0.040	0.01	0.01	0.020
78	11	24	20	0.01	99.999	0.5	0.01	99.999	0.039	0.01	0.01	0.020
78	11	24	21	0.01	99.999	0.5	0.01	99.999	0.034	0.01	0.01	0.026
78	11	24	22	0.01	99.999	0.5	0.01	99.999	0.028	0.01	0.01	0.019
78	11	24	23	0.01	99.999	0.5	0.01	99.999	0.034	0.01	0.01	0.018
78	11	24	24	0.01	99.999	0.5	0.01	99.999	0.037	0.01	0.01	0.015
78	11	25	1	0.01	99.999	0.5	0.01	99.999	0.032	0.01	0.01	0.014
78	11	25	2	0.01	99.999	0.5	0.01	99.999	0.034	0.01	0.01	0.015
78	11	25	3	0.01	99.999	0.5	0.01	99.999	0.032	0.01	0.01	0.016
78	11	25	4	0.01	99.999	0.5	0.01	99.999	0.032	0.01	0.01	0.018
78	11	25	5	0.01	99.999	0.5	0.01	99.999	0.031	0.01	0.01	0.027
78	11	25	6	0.01	99.999	0.5	0.01	99.999	0.024	0.01	0.01	0.027
78	11	25	7	0.01	99.999	0.5	0.01	99.999	0.020	0.01	0.01	0.024
78	11	25	8	0.01	99.999	0.5	0.01	99.999	0.034	0.01	0.01	0.021
78	11	25	9	0.01	99.999	0.5	0.01	99.999	0.031	0.01	0.01	0.026
78	11	25	10	0.01	99.999	0.5	0.01	99.999	0.028	0.01	0.01	0.027
78	11	25	11	0.01	99.999	0.5	0.01	99.999	0.035	0.01	0.01	0.028
78	11	25	12	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.030
78	11	25	13	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.030
78	11	25	14	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.031
78	11	25	15	0.01	99.999	0.5	0.01	99.999	0.040	0.01	0.01	0.031
78	11	25	16	0.01	99.999	0.5	0.01	99.999	0.038	0.01	0.01	0.029
78	11	25	17	0.01	99.999	0.5	0.01	99.999	0.040	0.01	0.01	0.023
78	11	25	18	0.01	99.999	0.5	0.01	99.999	0.038	0.01	0.01	0.014
78	11	25	19	0.01	99.999	0.5	0.01	99.999	0.030	0.01	0.01	0.015
78	11	25	20	0.01	99.999	0.5	0.01	99.999	0.024	0.01	0.01	0.014
78	11	25	21	0.01	99.999	0.5	0.01	99.999	0.028	0.01	0.01	0.014
78	11	25	22	0.01	99.999	0.5	0.01	99.999	0.029	0.01	0.01	0.025
78	11	25	23	0.01	99.999	0.5	0.01	99.999	0.036	0.01	0.01	0.031
78	11	25	24	0.01	99.999	0.5	0.01	99.999	0.036	0.01	0.01	0.031

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1					SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	11	26	1	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.034
78	11	26	2	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.031
78	11	26	3	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.035
78	11	26	4	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.033
78	11	26	5	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.031
78	11	26	6	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.026
78	11	26	7	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.018
78	11	26	8	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.022
78	11	26	9	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.035
78	11	26	10	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.040
78	11	26	11	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.040
78	11	26	12	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.039
78	11	26	13	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.039
78	11	26	14	0.01	99.999	999.9	0.01	99.999	0.046	0.01	0.01	0.039
78	11	26	15	0.01	99.999	999.9	0.01	99.999	0.045	0.01	0.01	0.039
78	11	26	16	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.038
78	11	26	17	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.035
78	11	26	18	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.032
78	11	26	19	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.022
78	11	26	20	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.030
78	11	26	21	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.028
78	11	26	22	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.034
78	11	26	23	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.034
78	11	26	24	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.028
78	11	27	1	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.027
78	11	27	2	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.035
78	11	27	3	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.039
78	11	27	4	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.038
78	11	27	5	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.037
78	11	27	6	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.036
78	11	27	7	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.037
78	11	27	8	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.028
78	11	27	9	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.035
78	11	27	10	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.039
78	11	27	11	0.01	99.999	0.5	0.01	99.999	0.047	0.01	0.01	0.038
78	11	27	12	0.01	99.999	0.5	0.01	99.999	0.048	0.01	0.01	0.040
78	11	27	13	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.040
78	11	27	14	0.01	99.999	0.5	0.01	99.999	0.051	0.01	0.01	0.041
78	11	27	15	0.01	99.999	999.9	0.01	99.999	0.048	0.01	0.01	0.041
78	11	27	16	0.01	99.999	0.5	0.01	99.999	0.047	0.01	0.01	0.038
78	11	27	17	999.99	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.028
78	11	27	18	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.028
78	11	27	19	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.027
78	11	27	20	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.028
78	11	27	21	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.026
78	11	27	22	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.024
78	11	27	23	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.022
78	11	27	24	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.022

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	11	28	1	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.022
78	11	28	2	0.01	99.999	0.5	0.01	99.999	0.039	0.01	0.01	0.021
78	11	28	3	0.01	99.999	0.5	0.01	99.999	0.040	0.01	0.01	0.021
78	11	28	4	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.022
78	11	28	5	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.022
78	11	28	6	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.022
78	11	28	7	0.01	99.999	0.5	0.01	99.999	0.038	0.01	0.01	0.022
78	11	28	8	0.01	99.999	0.5	0.01	99.999	0.037	0.01	0.01	0.022
78	11	28	9	0.01	99.999	0.5	0.01	99.999	0.038	0.01	0.01	0.027
78	11	28	10	0.01	99.999	0.5	0.01	99.999	0.039	0.01	0.01	0.033
78	11	28	11	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.037
78	11	28	12	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.03	0.039
78	11	28	13	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.039
78	11	28	14	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.040
78	11	28	15	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.038
78	11	28	16	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.039
78	11	28	17	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.038
78	11	28	18	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.037
78	11	28	19	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.037
78	11	28	20	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.034
78	11	28	21	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.032
78	11	28	22	0.01	99.999	0.5	0.01	99.999	0.038	0.01	0.01	0.031
78	11	28	23	0.01	99.999	0.5	0.01	99.999	0.039	0.01	0.01	0.024
78	11	28	24	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.018
78	11	29	1	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.018
78	11	29	2	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.017
78	11	29	3	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.018
78	11	29	4	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.021
78	11	29	5	0.01	99.999	0.5	0.01	99.999	0.039	0.01	0.01	0.021
78	11	29	6	0.01	99.999	0.5	0.01	99.999	0.039	0.01	0.01	0.023
78	11	29	7	0.01	99.999	0.5	0.01	99.999	0.039	0.01	0.01	0.021
78	11	29	8	0.01	99.999	0.5	0.01	99.999	0.040	0.01	0.01	0.018
78	11	29	9	0.01	99.999	0.5	0.01	99.999	0.040	0.01	0.01	0.022
78	11	29	10	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.033
78	11	29	11	0.01	99.999	0.5	0.01	99.999	0.047	0.01	0.01	0.033
78	11	29	12	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.037
78	11	29	13	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.038
78	11	29	14	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.036
78	11	29	15	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.035
78	11	29	16	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.033
78	11	29	17	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.026
78	11	29	18	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.021
78	11	29	19	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.018
78	11	29	20	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.017
78	11	29	21	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.020
78	11	29	22	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.019
78	11	29	23	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.020
78	11	29	24	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.021

DATA LISTING FOR RBOSC AIR QUALITY

				SITE 1					SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPB)
78	11	30	1	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.025
78	11	30	2	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.025
78	11	30	3	0.01	99.999	0.5	0.01	99.999	0.040	0.01	0.01	0.029
78	11	30	4	0.01	99.999	0.5	0.01	99.999	0.037	0.01	0.01	0.026
78	11	30	5	0.01	99.999	0.5	0.01	99.999	0.040	0.01	0.01	0.024
78	11	30	6	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.022
78	11	30	7	0.01	99.999	0.5	0.01	99.999	0.040	0.01	0.01	0.024
78	11	30	8	0.01	99.999	0.5	0.01	99.999	0.040	0.01	0.01	99.999
78	11	30	9	0.01	99.999	0.5	0.01	99.999	0.040	0.01	0.01	0.033
78	11	30	10	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.035
78	11	30	11	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.036
78	11	30	12	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.039
78	11	30	13	0.01	99.999	0.5	0.01	99.999	0.049	0.01	0.01	0.040
78	11	30	14	0.01	99.999	0.5	0.01	99.999	0.049	0.01	0.01	0.041
78	11	30	15	0.01	99.999	0.5	0.01	99.999	0.048	0.01	0.01	0.038
78	11	30	16	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.037
78	11	30	17	0.01	99.999	0.5	0.01	99.999	0.040	0.01	0.01	0.036
78	11	30	18	0.01	99.999	0.5	0.01	99.999	0.039	0.01	0.01	0.033
78	11	30	19	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.023
78	11	30	20	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.028
78	11	30	21	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.035
78	11	30	22	0.01	99.999	0.5	0.01	99.999	0.041	0.01	0.01	0.034
78	11	30	23	0.01	99.999	0.5	0.01	99.999	0.040	0.01	0.01	0.033
78	11	30	24	0.01	99.999	0.5	0.01	99.999	0.039	0.01	0.01	0.030

APPENDIX 2-1.2

RBOSC PARTICULATE DATA - SITES 1, 2, 3, AND 6*

---

* As a result of a clerical error, the dates listed as the particulate monitoring days have been one day in advance of the actual date since November, 1977. For this reason, all particulate samples collected since November have been included in this appendix with the correct date.

APPENDIX 2-1.2

SECOND QUARTER MDP PARTICULATE DATA ($\mu g/m^3$)
(December 1977 - February 1978)

Date	Site 1	Date	Site 2	Date	Site 3	Date	Site 6
12/06	5.5	12/19	3.2	12/02	9.4	12/28	17.0
12/12	8.5	12/25	3.3	12/08	32.6		
12/18	2.7	12/31	4.6	12/14	17.7		
12/24	3.2			12/20	3.0		
				12/26	2.2		
01/29	1.3	01/18	2.0	01/13	6.2	01/01	8.0
		01/24	4.7	01/19	5.5	01/14	13.4
		01/30	1.3	01/25	1.3	01/20	6.7
				01/31	2.0	01/26	20.1
02/04	2.0	02/11	2.0	02/12	3.4	02/01	27.5
02/10	3.3	02/17	4.1	02/18	6.3	02/07	16.7
02/16	6.6			02/24	8.3	02/13	18.1
02/28	4.0					02/19	8.7
						02/25	17.4
Maximum Value	8.5		4.7		32.6		27.5
Minimum Value	1.3		1.3		1.3		6.7
Geo. Mean	3.6		2.9		5.4		14.1

APPENDIX 2-1.2

THIRD QUARTER MDP PARTICULATE DATA ($\mu g/m^3$)
(MARCH - MAY 1978)

Date	Site 1	Site 2	Site 3	Site 6
3/2	-	-	2.8	-
3/3	-	-	-	10.7
3/7	-	10.9	-	-
3/8	-	-	2.7	-
3/13	-	2.7	-	-
3/15	-	-	-	11.4
3/18	4.6	-	-	-
3/19	-	7.5	-	-
3/21	7.3	4.1	11.1	17.4
3/25	-	3.4	6.2	-
3/29	9.6	3.5	36.6	64.4
4/2	4.5	5.1	4.2	8.0
4/6	-	20.7	16.5	35.1
4/10	8.7	13.4	17.1	72.9
4/14	11.5	16.2	-	-
4/18	4.7	16.9	25.8	119.
4/22	13.8	18.7	16.1	48.2
4/26	38.0	36.8	38.7	279.
4/30	7.6	6.1	6.1	-
5/4	22.2	19.9	44.7	81.7
5/8	7.2	6.7	9.7	33.9
5/12	11.6	14.2	23.0	-
5/16	27.3	-	54.2	265.
5/20	15.4	26.0	27.0	186.
5/24	36.0	39.1	40.5	1220.
5/28	16.1	9.8	30.0	49.9
Maximum Value	38.0	39.1	54.2	1220.
Minimum Value	4.5	2.7	2.7	10.7
Geo. Mean	11.6	10.6	15.5	61.0

APPENDIX 2-1.2

FOURTH QUARTER MDP PARTICULATE DATA ($\mu g/m^3$)
(June-August 1978)

Date	Site 1	Site 2	Site 3	Site 6
6/1	9.5	17.8	62.9	125.
6/5	-	9.0	57.3	864.
6/9	23.0	25.3	-	451.
6/13	20.0	16.1	60.0	279.
6/17	22.8	16.4	-	84.5
6/21	18.4	26.3	124.	296.
6/25	58.6	60.2	101.	87.0
6/29	18.5	22.9	160.	151.
7/3	28.4	31.0	38.6	86.6
7/7	26.1	15.9	68.2	-
7/11	21.1	25.7	89.0	177.
7/15	28.8	33.2	119.	165.
7/19	20.0	23.5	43.3	344.
7/23	11.9	18.4	58.8	68.2
7/27	29.1	32.4	147.	458.
7/31	20.6	31.1	-	-
8/4	24.6	25.7	130.	230.
8/8	24.4	38.7	110.	524.
8/12	28.6	31.6	29.5	-
8/16	21.2	22.4	39.7	-
8/20	16.5	10.4	-	85.5
8/24	15.5	9.1	97.5	1805.
8/28	19.5	16.9	104.	548.
Maximum Value	58.6	60.2	160.	1805.
Minimum Value	11.9	9.0	38.6	68.2
Geo. Mean	21.6	22.1	77.4	236.

APPENDIX 2-1.2

FIFTH QUARTER MDP PARTICULATE DATA ($\mu g/m^3$)
(September-November 1978)

Date	Site 1	Site 2	Site 3	Site 6
9/1	27.1	28.6	109.	509.
9/5	31.7	28.1	155.	1095.
9/9	41.5	27.0	47.9	486.
9/13	11.6	23.2	64.2	356.
9/17	30.6	29.5	35.2	82.9
9/21	12.9	10.6	44.8	92.4
9/25	-	24.3	117.	196.
9/29	20.4	18.2	73.5	210.
10/3	16.6	13.9	75.3	180.
10/7	-	16.7	74.6	85.7
10/11	21.3	27.5	114.	82.4
10/15	46.7	-	102.	-
10/19	24.2	33.6	69.2	-
10/23	6.8	8.0	14.4	-
10/27	11.3	10.9	43.8	-
10/31	22.9	20.3	68.8	-
11/4	30.1	22.1	70.6	-
11/8	50.5	30.9	-	-
11/12	2.1	1.2	4.0	-
11/16	-	-	5.7	-
11/20	-	6.9	6.0	-
11/24	4.6	6.4	12.6	-
11/28	9.0	5.9	6.4	-
Maximum Value	50.5	33.6	155.	1095.
Minimum Value	2.1	1.2	4.0	82.4
Geo. Mean	17.2	15.1	39.1	212.

APPENDIX 2-2
RBOSC CLIMATOLOGICAL DATA

APPENDIX 2-2.1

METEOROLOGICAL DATA - SITE 1*

*Missing data indicated by 999

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBUSC METEOROLOGY TOWER 1

				- 10 METER -		60 METER		TEMPERATURE						
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	REL HUMID (%)	SOLAR RAD LY/MIN		
78	6	1	1	7.5	329	13.9	1	5.3	6.4	1.1	F	23.0	0.01	RB	1
78	6	1	2	6.3	340	13.6	4	5.1	5.9	0.8	F	23.0	0.01	RB	1
78	6	1	3	4.7	10	9.2	12	3.9	3.9	0.1	E	23.0	0.01	RB	1
78	6	1	4	2.1	52	4.5	24	2.7	2.5	-0.2	E	24.0	0.01	RB	1
78	6	1	5	3.5	1	6.6	23	1.9	1.7	-0.2	E	24.0	0.04	RB	1
78	6	1	6	5.6	20	6.5	23	2.2	1.6	-0.6	D	24.0	0.21	RB	1
78	6	1	7	7.2	29	7.7	31	3.0	2.3	-0.8	C	24.0	0.49	RB	1
78	6	1	8	6.1	46	6.9	49	4.5	3.8	-0.7	D	23.0	0.79	RB	1
78	6	1	9	5.6	45	6.3	46	6.6	5.9	-0.7	D	21.0	1.06	RB	1
78	6	1	10	7.5	49	8.5	45	8.3	7.5	-0.9	B	21.0	1.28	RB	1
78	6	1	11	7.5	47	8.5	48	10.3	9.3	-0.9	B	20.0	1.42	RB	1
78	6	1	12	7.9	54	9.2	46	12.0	11.1	-0.9	B	19.0	1.49	RB	1
78	6	1	13	8.6	17	9.4	15	13.7	12.6	-1.1	A	19.0	1.45	RB	1
78	6	1	14	9.5	35	10.5	36	14.6	13.6	-1.1	A	18.0	1.34	RB	1
78	6	1	15	10.7	18	12.3	15	15.2	14.1	-1.1	A	18.0	1.18	RB	1
78	6	1	16	11.1	7	12.2	4	15.2	14.2	-1.0	A	18.0	0.94	RB	1
78	6	1	17	9.7	357	10.8	359	15.2	14.3	-0.8	C	18.0	0.65	RB	1
78	6	1	18	9.2	18	10.6	18	14.8	14.1	-0.6	D	18.0	0.35	RB	1
78	6	1	19	7.2	16	10.5	26	13.6	13.6	0.0	E	19.0	0.08	RB	1
78	6	1	20	4.7	339	10.5	24	11.3	12.4	1.1	F	20.0	0.01	RB	1
78	6	1	21	3.3	328	7.3	28	11.0	11.5	0.5	E	21.0	0.01	RB	1
78	6	1	22	2.2	346	5.2	45	10.7	10.8	0.1	E	21.0	0.01	RB	1
78	6	1	23	4.4	296	4.1	32	10.0	10.4	0.3	E	21.0	0.01	RB	1
78	6	1	24	4.2	302	4.9	30	9.5	10.0	0.4	E	21.0	0.01	RB	1
78	6	2	1	4.5	296	4.1	14	9.3	9.5	0.3	E	21.0	0.01	RB	1
78	6	2	2	4.2	297	3.5	5	9.1	9.3	0.2	E	21.0	0.01	RB	1
78	6	2	3	3.7	320	4.7	30	8.0	8.3	0.3	E	22.0	0.01	RB	1
78	6	2	4	2.5	221	2.9	15	6.9	7.3	0.4	E	22.0	0.01	RB	1
78	6	2	5	2.5	178	2.7	55	6.1	6.5	0.4	E	23.0	0.04	RB	1
78	6	2	6	4.1	41	5.4	27	6.1	5.8	-0.3	D	22.0	0.20	RB	1
78	6	2	7	4.1	24	4.3	18	7.5	6.9	-0.7	D	21.0	0.45	RB	1
78	6	2	8	4.2	21	4.8	13	9.4	8.8	-0.7	D	20.0	0.60	RB	1
78	6	2	9	4.4	49	4.7	46	11.0	10.3	-0.7	D	19.0	0.92	RB	1
78	6	2	10	5.1	57	6.2	55	12.7	11.9	-0.7	D	18.0	1.04	RB	1
78	6	2	11	6.0	62	6.1	63	14.5	13.8	-0.8	C	17.0	1.27	RB	1
78	6	2	12	5.5	55	6.3	52	16.3	15.6	-0.7	D	17.0	1.03	RB	1
78	6	2	13	6.2	343	7.2	338	17.4	16.5	-0.9	B	17.0	0.74	RB	1
78	6	2	14	9.3	283	11.0	281	17.6	16.7	-0.9	B	17.0	0.89	RB	1
78	6	2	15	11.4	248	14.7	243	17.9	17.0	-0.9	B	17.0	0.78	RB	1
78	6	2	16	7.6	118	8.5	175	17.1	16.3	-0.8	C	17.0	0.79	RB	1
78	6	2	17	7.4	281	8.6	276	18.2	17.4	-0.7	D	17.0	0.57	RB	1
78	6	2	18	7.3	276	9.1	278	17.5	17.2	-0.3	D	18.0	0.15	RB	1
78	6	2	19	10.1	357	12.4	359	16.0	15.9	-0.2	E	18.0	0.03	RB	1
78	6	2	20	12.4	17	15.9	20	14.6	14.3	-0.2	E	19.0	0.01	RB	1
78	6	2	21	11.2	16	14.4	22	13.0	12.8	-0.2	E	20.0	0.01	RB	1
78	6	2	22	8.9	350	13.3	6	11.3	11.7	0.4	E	20.0	0.01	RB	1
78	6	2	23	4.4	303	8.4	2	9.9	10.3	0.5	E	21.0	0.01	RB	1
78	6	2	24	3.1	353	6.3	26	9.7	9.7	0.0	E	21.0	0.01	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RHOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE						
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	REL HUMID (%)	SOLAR RAD LY/MIN		
78	6	3	1	4.1	317	6.2	9	9.1	9.2	0.1	E	21.0	0.01	RB	1
78	6	3	2	4.2	329	7.9	6	8.3	8.4	0.1	E	22.0	0.01	RB	1
78	6	3	3	2.8	296	4.6	348	7.7	7.6	-0.1	E	23.0	0.01	RB	1
78	6	3	4	2.8	346	4.6	359	7.8	7.6	-0.2	E	25.0	0.01	RB	1
78	6	3	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	3	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	3	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	3	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	3	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	3	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	3	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	3	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	3	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	3	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	3	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	3	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	3	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	3	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	3	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	3	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	3	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	3	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	3	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	3	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	4	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE						
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)		REL HUMID (%)	SOLAR RAD LY/MIN	
78	6	5	1	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	5	2	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	5	3	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	5	4	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	5	5	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	5	6	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	5	7	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	5	8	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	5	9	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	5	10	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	5	11	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	5	12	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	5	13	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	5	14	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	5	15	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	5	16	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	5	17	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	5	18	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	5	19	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	5	20	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	5	21	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	5	22	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	5	23	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	5	24	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	1	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	2	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	3	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	4	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	5	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	6	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	7	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	8	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	9	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	10	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	11	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	12	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	13	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	14	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	15	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	16	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	17	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	18	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	19	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	20	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	21	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	22	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	23	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1
78	6	6	24	999.9	999	999.9	999	999.9	999.9	999.9	- 999.9		99.99	RB 1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED	WIND DIR	60 METER WIND SPEED	WIND DIR	TEMPERATURE 10 M TEMP	60 M TEMP	DELTA T 60-10 (C)	SC	REL HUMID (%)	SOLAR RAD LY/MIN		
YR	MN	DY	HR	MPH	DEG	MPH	DEG	(C)	(C)	(C)					
78	6	7	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	7	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	7	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	7	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	7	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	7	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	7	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	7	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	7	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	7	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	7	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	7	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	6	7	13	12.2	288	15.4	284	18.9	17.8	-1.0	A	17.0	1.50	RB	1
78	6	7	14	15.3	305	20.5	297	19.2	18.1	-1.1	A	17.0	0.82	RB	1
78	6	7	15	19.1	327	23.2	323	17.7	17.0	-0.7	D	18.0	0.67	RB	1
78	6	7	16	16.5	323	19.9	317	17.9	17.0	-0.9	B	18.0	0.94	RB	1
78	6	7	17	13.2	316	16.0	315	17.9	17.2	-0.7	D	18.0	0.53	RB	1
78	6	7	18	10.5	346	13.2	341	16.4	16.0	-0.4	D	18.0	0.15	RB	1
78	6	7	19	5.6	290	7.9	311	15.4	15.5	0.2	E	19.0	0.04	RB	1
78	6	7	20	7.7	305	10.8	311	15.4	15.7	0.3	E	19.0	0.01	RB	1
78	6	7	21	10.5	300	14.9	309	14.9	15.4	0.5	E	19.0	0.0	RB	1
78	6	7	22	9.8	297	14.0	309	14.6	15.2	0.6	E	19.0	0.0	RB	1
78	6	7	23	8.2	284	10.9	295	14.6	14.8	0.2	E	19.0	0.0	RB	1
78	6	7	24	9.9	280	13.8	292	13.8	14.4	0.5	E	19.0	0.0	RB	1
78	6	8	1	10.2	279	12.4	303	13.5	14.8	1.3	F	19.0	0.0	RB	1
78	6	8	2	6.1	308	8.4	346	12.1	13.4	1.3	F	20.0	0.0	RB	1
78	6	8	3	4.4	249	4.3	20	12.0	12.9	0.9	F	20.0	0.0	RB	1
78	6	8	4	2.6	322	2.6	30	10.3	11.0	0.7	E	21.0	0.01	RB	1
78	6	8	5	4.0	232	2.8	238	11.5	12.3	0.7	E	20.0	0.03	RB	1
78	6	8	6	4.1	233	3.2	200	13.9	13.7	-0.1	E	19.0	0.21	RB	1
78	6	8	7	3.3	85	2.8	140	13.9	13.9	0.0	E	18.0	0.48	RB	1
78	6	8	8	4.2	89	4.8	99	15.1	14.6	-0.6	D	18.0	0.77	RB	1
78	6	8	9	5.5	75	6.7	79	16.2	15.5	-0.7	D	18.0	1.02	RB	1
78	6	8	10	4.9	29	5.3	28	17.3	16.5	-0.8	C	17.0	1.20	RB	1
78	6	8	11	6.6	294	7.6	285	18.3	17.4	-0.9	B	17.0	1.17	RB	1
78	6	8	12	5.8	342	6.7	341	19.0	18.1	-0.9	B	16.0	1.49	RB	1
78	6	8	13	6.3	281	7.1	270	19.7	18.8	-0.9	B	16.0	1.19	RB	1
78	6	8	14	6.8	293	8.2	276	20.2	19.3	-0.9	B	16.0	1.28	RB	1
78	6	8	15	8.0	300	9.8	289	20.9	19.9	-1.0	A	16.0	1.16	RB	1
78	6	8	16	8.3	311	9.8	306	21.2	20.3	-0.9	B	16.0	0.95	RB	1
78	6	8	17	7.8	306	9.7	302	21.3	20.6	-0.8	C	16.0	0.68	RB	1
78	6	8	18	8.8	315	11.2	311	20.9	20.3	-0.6	D	16.0	0.38	RB	1
78	6	8	19	3.9	298	5.1	319	19.9	19.9	0.0	E	16.0	0.09	RB	1
78	6	8	20	2.7	246	2.2	328	19.0	19.4	0.4	E	18.0	0.01	RB	1
78	6	8	21	6.3	234	6.2	223	18.5	19.1	0.6	E	18.0	0.0	RB	1
78	6	8	22	9.6	257	12.6	228	17.1	18.3	1.2	F	18.0	0.0	RB	1
78	6	8	23	11.4	264	14.3	243	17.5	18.6	1.1	F	18.0	0.0	RB	1
78	6	8	24	12.6	248	13.6	254	17.3	18.5	1.2	F	18.0	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				* 10 METER *		60 METER		TEMPERATURE							
				WIND	WIND	WIND	WIND	10 M	60 M	DELTA T		REL	SOLAR		
				SPEED	DIR	SPEED	DIR	TEMP	TEMP	60-10		HUMID	RAD		
YR	MN	DY	HR	MPH	DEG	MPH	DEG	(C)	(C)	(C)	SC	(%)	LY/MIN		
78	6	9	1	13.2	247	14.0	248	16.7	17.9	1.2	F	18.0	0.0	RB	1
78	6	9	2	11.2	243	13.3	240	16.3	17.4	1.2	F	18.0	0.0	RB	1
78	6	9	3	9.5	244	10.9	221	16.3	17.2	0.9	F	18.0	0.0	RB	1
78	6	9	4	6.3	242	7.0	246	17.0	17.2	0.1	E	18.0	0.0	RB	1
78	6	9	5	6.7	248	7.0	247	16.7	16.8	0.1	E	18.0	0.03	RB	1
78	6	9	6	4.5	208	5.7	211	15.8	16.0	0.2	E	18.0	0.22	RB	1
78	6	9	7	5.9	241	9.5	238	18.0	17.5	-0.6	D	17.0	0.50	RB	1
78	6	9	8	8.2	234	10.8	229	19.6	18.8	-0.8	C	17.0	0.77	RB	1
78	6	9	9	9.2	199	13.6	211	21.3	20.2	-1.1	A	16.0	1.05	RB	1
78	6	9	10	10.9	210	15.8	214	22.5	21.4	-1.1	A	16.0	1.20	RB	1
78	6	9	11	12.3	225	18.2	221	23.6	22.5	-1.1	A	15.0	1.42	RB	1
78	6	9	12	16.9	195	25.4	206	24.0	22.9	-1.1	A	15.0	1.53	RB	1
78	6	9	13	16.0	200	24.8	208	24.7	23.6	-1.1	A	15.0	1.45	RB	1
78	6	9	14	15.2	205	24.2	216	25.4	24.2	-1.1	A	15.0	1.38	RB	1
78	6	9	15	15.6	199	23.1	207	25.2	24.4	-0.9	B	15.0	1.06	RB	1
78	6	9	16	11.8	209	19.2	212	24.7	24.0	-0.7	D	15.0	0.55	RB	1
78	6	9	17	12.1	200	19.7	209	24.1	23.7	-0.5	D	15.0	0.33	RB	1
78	6	9	18	9.2	207	16.9	216	23.5	23.3	-0.2	E	16.0	0.13	RB	1
78	6	9	19	7.7	210	15.5	213	22.5	22.6	0.1	E	16.0	0.05	RB	1
78	6	9	20	6.3	212	13.3	221	21.5	21.6	0.1	E	16.0	0.0	RB	1
78	6	9	21	5.2	221	13.7	216	20.8	21.0	0.3	E	17.0	0.0	RB	1
78	6	9	22	5.7	222	13.5	221	20.5	20.8	0.4	E	17.0	0.0	RB	1
78	6	9	23	5.7	248	12.6	220	19.7	20.1	0.4	E	17.0	0.0	RB	1
78	6	9	24	6.4	209	16.0	219	19.3	19.8	0.5	E	17.0	0.0	RB	1
78	6	10	1	7.7	206	17.2	216	19.0	19.5	0.5	E	17.0	0.0	RB	1
78	6	10	2	8.5	211	18.6	215	18.7	19.0	0.3	E	17.0	0.0	RB	1
78	6	10	3	10.6	210	21.1	213	18.3	18.5	0.2	E	18.0	0.0	RB	1
78	6	10	4	11.3	210	21.3	213	18.1	18.2	0.2	E	18.0	0.0	RB	1
78	6	10	5	13.1	210	24.0	212	18.0	18.1	0.1	E	18.0	0.03	RB	1
78	6	10	6	14.0	209	25.8	212	18.8	18.6	-0.3	D	17.0	0.21	RB	1
78	6	10	7	15.5	206	26.2	215	19.6	19.1	-0.5	D	17.0	0.42	RB	1
78	6	10	8	18.1	200	27.9	214	20.5	19.9	-0.6	D	17.0	0.71	RB	1
78	6	10	9	19.8	201	31.2	210	21.4	20.7	-0.7	D	16.0	1.02	RB	1
78	6	10	10	18.2	203	29.2	212	22.4	21.6	-0.8	C	16.0	1.25	RB	1
78	6	10	11	16.7	216	26.5	219	23.1	22.2	-1.0	A	16.0	1.40	RB	1
78	6	10	12	22.6	202	35.6	212	23.8	22.9	-0.9	B	16.0	1.47	RB	1
78	6	10	13	19.9	209	31.7	216	24.2	23.4	-0.7	D	15.0	1.26	RB	1
78	6	10	14	20.2	206	33.3	215	24.6	23.8	-0.8	C	15.0	1.30	RB	1
78	6	10	15	17.8	209	29.9	216	24.0	23.2	-0.8	C	15.0	0.93	RB	1
78	6	10	16	15.5	209	25.4	216	23.3	22.7	-0.6	D	16.0	0.51	RB	1
78	6	10	17	11.7	230	19.5	226	23.0	22.6	-0.5	D	16.0	0.31	RB	1
78	6	10	18	12.2	208	20.6	221	22.6	22.2	-0.4	D	16.0	0.20	RB	1
78	6	10	19	11.2	215	22.0	221	22.1	21.8	-0.3	D	16.0	0.07	RB	1
78	6	10	20	11.7	244	19.2	228	21.7	21.5	-0.2	E	16.0	0.01	RB	1
78	6	10	21	13.3	250	20.8	240	21.3	21.2	-0.1	E	16.0	0.0	RB	1
78	6	10	22	11.1	261	16.5	259	20.5	20.6	0.1	E	17.0	0.0	RB	1
78	6	10	23	7.9	332	11.5	325	18.1	17.9	-0.2	E	17.0	0.0	RB	1
78	6	10	24	8.0	34	10.6	29	13.4	13.0	-0.4	D	19.0	0.01	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	REL. HUMID (%)	SOLAR RAD LY/MIN		
78	6	11	1	5.9	55	7.3	48	11.0	10.6	-0.4	D	20.0	0.01	RB	1
78	6	11	2	3.7	22	5.1	26	9.7	9.3	-0.3	D	21.0	0.01	RB	1
78	6	11	3	3.8	312	3.7	350	9.0	8.7	-0.2	E	21.0	0.01	RB	1
78	6	11	4	4.3	304	3.6	342	8.5	8.3	-0.2	E	22.0	0.01	RB	1
78	6	11	5	5.3	303	5.2	334	8.0	8.1	0.1	E	22.0	0.04	RB	1
78	6	11	6	4.2	24	4.6	25	9.0	8.6	-0.4	D	21.0	0.22	RB	1
78	6	11	7	3.7	12	3.9	320	10.0	9.4	-0.6	D	20.0	0.48	RB	1
78	6	11	8	4.7	91	4.7	96	10.7	10.0	-0.7	D	19.0	0.93	RB	1
78	6	11	9	8.2	237	9.1	230	11.7	10.8	-0.8	C	20.0	1.02	RB	1
78	6	11	10	7.5	249	8.9	248	13.1	12.1	-1.0	A	19.0	1.30	RB	1
78	6	11	11	9.5	262	11.2	254	14.8	13.9	-0.9	B	19.0	1.46	RB	1
78	6	11	12	13.2	278	15.4	274	15.9	14.8	-1.1	A	18.0	1.53	RB	1
78	6	11	13	10.8	282	13.2	277	17.0	15.8	-1.2	A	18.0	1.50	RB	1
78	6	11	14	11.0	287	13.6	286	17.5	16.4	-1.1	A	17.0	1.41	RB	1
78	6	11	15	13.0	294	15.6	290	18.1	17.0	-1.0	A	17.0	1.24	RB	1
78	6	11	16	12.6	305	15.9	299	18.5	17.5	-1.0	A	17.0	1.00	RB	1
78	6	11	17	12.6	318	15.5	314	18.3	17.5	-0.8	C	17.0	0.71	RB	1
78	6	11	18	10.4	329	12.7	324	17.8	17.2	-0.6	D	17.0	0.40	RB	1
78	6	11	19	9.2	310	12.7	321	16.0	16.6	0.6	E	18.0	0.10	RB	1
78	6	11	20	8.4	283	10.9	320	13.8	15.8	1.9	F	19.0	0.01	RB	1
78	6	11	21	7.7	311	10.5	356	13.8	15.1	1.3	F	19.0	0.01	RB	1
78	6	11	22	10.7	1	15.8	14	12.8	13.0	0.3	E	20.0	0.01	RB	1
78	6	11	23	6.1	321	11.7	11	11.1	12.1	1.0	F	20.0	0.01	RB	1
78	6	11	24	3.6	316	7.8	13	10.8	11.2	0.5	E	21.0	0.01	RB	1
78	6	12	1	4.4	306	5.1	357	10.6	10.7	0.2	E	21.0	0.01	RB	1
78	6	12	2	3.9	291	3.4	17	10.3	10.6	0.2	E	21.0	0.01	RB	1
78	6	12	3	2.8	264	1.9	14	10.1	10.2	0.1	E	21.0	0.01	RB	1
78	6	12	4	3.1	240	1.9	289	10.2	10.2	0.1	E	21.0	0.01	RB	1
78	6	12	5	4.0	221	5.5	196	9.7	10.7	0.9	F	21.0	0.04	RB	1
78	6	12	6	2.2	177	3.1	151	11.1	11.1	0.0	E	20.0	0.22	RB	1
78	6	12	7	3.1	98	2.9	91	12.2	11.7	-0.5	D	19.0	0.50	RB	1
78	6	12	8	3.2	59	3.1	62	13.9	13.2	-0.6	D	18.0	0.78	RB	1
78	6	12	9	3.5	54	3.8	62	15.9	15.2	-0.7	D	17.0	0.95	RB	1
78	6	12	10	4.1	24	4.0	40	18.0	17.3	-0.7	D	16.0	1.08	RB	1
78	6	12	11	7.8	159	9.5	164	21.3	20.4	-1.0	A	16.0	1.37	RB	1
78	6	12	12	12.0	199	16.2	202	22.7	21.6	-1.1	A	16.0	1.23	RB	1
78	6	12	13	15.7	192	22.1	201	22.9	22.0	-1.0	A	16.0	1.14	RB	1
78	6	12	14	16.7	189	23.2	196	23.7	22.6	-1.0	A	16.0	1.40	RB	1
78	6	12	15	13.5	206	19.9	213	24.2	23.2	-1.0	A	15.0	1.22	RB	1
78	6	12	16	15.8	199	24.3	206	24.3	23.6	-0.8	C	15.0	0.98	RB	1
78	6	12	17	14.7	201	22.4	211	24.2	23.6	-0.6	D	15.0	0.70	RB	1
78	6	12	18	12.0	201	19.4	211	23.1	22.8	-0.2	E	16.0	0.30	RB	1
78	6	12	19	6.7	210	14.7	214	21.5	21.7	0.2	E	16.0	0.07	RB	1
78	6	12	20	5.9	244	14.1	211	20.0	21.3	1.2	F	17.0	0.01	RB	1
78	6	12	21	8.2	253	13.3	209	19.6	21.5	1.9	F	17.0	0.0	RB	1
78	6	12	22	7.6	256	14.8	209	19.1	21.0	1.9	F	17.0	0.01	RB	1
78	6	12	23	6.4	264	15.4	220	18.8	19.9	1.1	F	18.0	0.01	RB	1
78	6	12	24	6.8	245	14.3	223	18.7	19.3	0.5	E	18.0	0.01	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C) SC	REL HUMID (%)	SOLAR RAD LY/MIN		
YR	MN	DY	HR											
78	6	13	1	9.5	250	16.8	227	18.8	19.3	0.5 E	17.0	0.01	RB	1
78	6	13	2	6.3	254	15.4	219	18.0	18.7	0.7 E	18.0	0.01	RB	1
78	6	13	3	6.1	258	14.2	220	17.8	18.7	0.9 F	18.0	0.01	RB	1
78	6	13	4	7.5	270	12.5	223	16.7	18.2	1.5 F	18.0	0.01	RB	1
78	6	13	5	7.3	268	14.4	219	17.6	18.4	1.3 F	18.0	0.04	RB	1
78	6	13	6	7.1	212	14.6	213	18.4	18.2	-0.1 E	17.0	0.22	RB	1
78	6	13	7	8.3	198	13.3	210	19.8	19.0	-0.8 C	17.0	0.50	RB	1
78	6	13	8	10.2	196	14.3	209	21.2	20.2	-1.0 A	16.0	0.79	RB	1
78	6	13	9	13.3	193	18.8	202	21.7	20.7	-1.0 A	16.0	1.06	RB	1
78	6	13	10	15.9	193	22.1	204	22.4	21.3	-1.1 A	16.0	1.27	RB	1
78	6	13	11	13.9	198	19.9	209	22.6	21.3	-1.3 A	16.0	1.42	RB	1
78	6	13	12	14.0	207	20.9	214	23.4	22.0	-1.3 A	16.0	1.50	RB	1
78	6	13	13	16.1	194	23.4	202	23.5	22.3	-1.1 A	16.0	1.48	RB	1
78	6	13	14	16.3	189	22.6	193	23.9	22.8	-1.1 A	15.0	1.35	RB	1
78	6	13	15	13.9	197	20.2	208	24.3	23.3	-1.0 A	16.0	1.23	RB	1
78	6	13	16	14.2	198	21.2	207	24.3	23.4	-0.9 B	15.0	0.99	RB	1
78	6	13	17	13.7	200	21.8	208	23.9	23.4	-0.6 D	15.0	0.71	RB	1
78	6	13	18	12.1	202	20.2	211	23.1	22.8	-0.3 D	16.0	0.41	RB	1
78	6	13	19	8.1	208	16.2	213	21.6	21.7	0.1 E	16.0	0.10	RB	1
78	6	13	20	5.3	238	15.2	215	19.8	20.4	0.6 E	17.0	0.01	RB	1
78	6	13	21	8.1	261	16.8	223	19.3	19.7	0.3 E	17.0	0.0	RB	1
78	6	13	22	5.4	247	12.7	219	19.1	19.4	0.3 E	17.0	0.0	RB	1
78	6	13	23	5.3	228	12.9	214	19.1	19.4	0.4 E	17.0	0.01	RB	1
78	6	13	24	4.5	230	10.7	225	18.5	18.9	0.4 E	18.0	0.01	RB	1
78	6	14	1	2.6	162	7.8	224	17.9	18.4	0.5 E	18.0	0.01	RB	1
78	6	14	2	5.3	254	11.5	223	17.3	17.9	0.6 E	18.0	0.01	RB	1
78	6	14	3	6.8	236	16.7	221	17.6	18.0	0.4 E	18.0	0.01	RB	1
78	6	14	4	10.5	259	13.9	240	17.0	17.3	0.3 E	18.0	0.01	RB	1
78	6	14	5	9.8	264	14.1	237	16.3	17.0	0.7 E	18.0	0.04	RB	1
78	6	14	6	7.1	210	14.2	217	17.6	17.5	-0.1 E	18.0	0.22	RB	1
78	6	14	7	9.1	194	13.9	206	19.3	18.5	-0.8 C	17.0	0.51	RB	1
78	6	14	8	10.8	200	15.7	211	20.6	19.6	-1.0 A	17.0	0.80	RB	1
78	6	14	9	11.2	208	16.8	216	21.7	20.6	-1.2 A	16.0	1.07	RB	1
78	6	14	10	13.3	205	19.1	211	22.2	21.1	-1.1 A	16.0	1.32	RB	1
78	6	14	11	13.5	202	19.9	206	21.8	20.7	-1.1 A	16.0	1.02	RB	1
78	6	14	12	15.1	203	23.2	210	21.3	20.4	-0.9 B	16.0	0.90	RB	1
78	6	14	13	16.1	198	24.8	207	21.6	20.7	-0.9 B	16.0	1.05	RB	1
78	6	14	14	15.1	196	23.0	204	23.0	22.0	-1.0 A	16.0	1.23	RB	1
78	6	14	15	14.6	207	21.8	214	23.5	22.6	-0.9 B	15.0	0.95	RB	1
78	6	14	16	14.8	204	22.9	210	23.7	22.9	-0.8 C	15.0	0.83	RB	1
78	6	14	17	15.5	200	24.9	205	23.1	22.7	-0.5 D	16.0	0.49	RB	1
78	6	14	18	14.8	199	24.1	205	22.9	22.7	-0.2 E	16.0	0.30	RB	1
78	6	14	19	12.3	206	21.8	214	22.4	22.3	-0.1 E	16.0	0.10	RB	1
78	6	14	20	8.1	223	17.0	214	20.8	21.1	0.3 E	17.0	0.01	RB	1
78	6	14	21	5.9	248	15.8	209	19.6	20.8	1.2 F	17.0	0.0	RB	1
78	6	14	22	6.1	229	17.7	206	19.4	20.8	1.3 F	17.0	0.01	RB	1
78	6	14	23	5.6	229	16.7	211	19.5	20.3	0.8 F	17.0	0.01	RB	1
78	6	14	24	5.7	232	16.4	219	18.9	19.4	0.5 E	17.0	0.01	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RB08C METEOROLOGY TOWER 1

				* 10 METER * WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	REL HUMID (%)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	6	15	1	6.1	233	17.3	223	18.1	18.5	0.4	E	18.0	0.01	RB	1
78	6	15	2	10.1	262	14.6	227	17.5	17.8	0.3	E	18.0	0.01	RB	1
78	6	15	3	13.1	262	18.0	249	16.7	18.1	1.4	F	18.0	0.01	RB	1
78	6	15	4	13.5	250	17.2	238	16.0	17.6	1.6	F	18.0	0.01	RB	1
78	6	15	5	7.5	240	16.8	222	15.2	15.7	0.5	E	19.0	0.04	RB	1
78	6	15	6	9.7	210	18.8	221	16.7	16.4	-0.3	D	18.0	0.23	RB	1
78	6	15	7	10.2	212	17.7	220	18.3	17.6	-0.7	D	17.0	0.52	RB	1
78	6	15	8	13.1	209	20.4	215	19.5	18.7	-0.9	B	17.0	0.82	RB	1
78	6	15	9	15.6	214	24.7	220	20.3	19.3	-1.0	A	17.0	1.10	RB	1
78	6	15	10	16.7	210	26.6	217	21.2	20.1	-1.1	A	16.0	1.32	RB	1
78	6	15	11	19.5	198	30.6	208	21.8	20.8	-1.0	A	16.0	1.47	RB	1
78	6	15	12	18.5	200	28.0	207	22.5	21.4	-1.1	A	16.0	1.52	RB	1
78	6	15	13	17.1	205	25.2	212	23.3	22.1	-1.2	A	16.0	1.49	RB	1
78	6	15	14	17.9	201	26.8	208	23.6	22.6	-1.0	A	16.0	1.41	RB	1
78	6	15	15	17.4	206	26.2	209	23.8	22.9	-0.9	B	16.0	1.24	RB	1
78	6	15	16	15.2	200	23.4	208	23.8	23.0	-0.8	C	16.0	0.99	RB	1
78	6	15	17	17.0	208	27.8	209	23.4	22.9	-0.5	D	16.0	0.71	RB	1
78	6	15	18	15.0	202	24.1	210	22.6	22.3	-0.3	D	16.0	0.40	RB	1
78	6	15	19	13.2	203	21.8	209	21.6	21.5	0.0	E	16.0	0.10	RB	1
78	6	15	20	9.7	205	18.5	208	20.1	20.5	0.4	E	17.0	0.01	RB	1
78	6	15	21	9.4	209	18.2	207	19.2	19.6	0.4	E	17.0	0.0	RB	1
78	6	15	22	10.1	210	19.7	209	19.3	19.6	0.3	E	17.0	0.01	RB	1
78	6	15	23	9.0	218	18.4	208	18.5	19.0	0.4	E	18.0	0.01	RB	1
78	6	15	24	5.9	234	15.9	220	17.7	18.2	0.5	E	18.0	0.01	RB	1
78	6	16	1	6.1	241	15.9	219	16.5	17.1	0.6	E	19.0	0.01	RB	1
78	6	16	2	9.9	260	15.9	231	16.3	17.4	1.1	F	19.0	0.01	RB	1
78	6	16	3	12.1	253	18.6	242	16.8	17.4	0.6	E	18.0	0.0	RB	1
78	6	16	4	10.4	257	16.1	231	15.6	16.3	0.8	F	19.0	0.01	RB	1
78	6	16	5	6.7	227	16.6	220	14.8	15.2	0.4	E	19.0	0.04	RB	1
78	6	16	6	8.9	211	17.0	220	15.8	15.5	-0.3	D	19.0	0.23	RB	1
78	6	16	7	11.7	205	18.8	215	17.3	16.5	-0.8	C	18.0	0.52	RB	1
78	6	16	8	13.0	200	19.6	213	18.5	17.5	-1.0	A	18.0	0.81	RB	1
78	6	16	9	16.4	194	23.7	206	19.1	18.2	-1.0	A	18.0	1.08	RB	1
78	6	16	10	16.6	196	24.5	205	20.0	18.9	-1.0	A	17.0	1.30	RB	1
78	6	16	11	17.2	204	25.5	210	20.8	19.7	-1.2	A	17.0	1.45	RB	1
78	6	16	12	17.6	199	25.6	204	21.8	20.6	-1.1	A	17.0	1.51	RB	1
78	6	16	13	15.2	219	23.6	221	22.6	21.4	-1.2	A	16.0	1.49	RB	1
78	6	16	14	17.1	211	26.0	219	23.0	21.9	-1.1	A	16.0	1.41	RB	1
78	6	16	15	16.9	203	26.7	210	23.2	22.3	-0.9	B	16.0	1.24	RB	1
78	6	16	16	17.5	203	28.0	209	23.2	22.5	-0.7	D	16.0	1.00	RB	1
78	6	16	17	16.8	200	26.9	211	22.4	21.9	-0.4	D	16.0	0.53	RB	1
78	6	16	18	14.5	199	23.8	206	21.2	20.9	-0.3	D	17.0	0.12	RB	1
78	6	16	19	12.0	282	16.9	278	19.8	19.6	-0.2	E	17.0	0.04	RB	1
78	6	16	20	14.4	308	19.7	308	18.2	18.2	0.0	E	18.0	0.01	RB	1
78	6	16	21	14.0	292	21.6	295	16.4	16.9	0.5	E	18.0	0.0	RB	1
78	6	16	22	15.2	289	23.4	290	15.5	15.9	0.4	E	19.0	0.01	RB	1
78	6	16	23	5.7	347	8.3	355	14.5	14.5	0.1	E	19.0	0.01	RB	1
78	6	16	24	3.0	14	5.2	1	13.2	13.1	-0.2	E	20.0	0.01	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	REL HUMID (%)	SOLAR RAD LY/MIN		
78	6	17	1	3.1	166	3.6	57	12.0	12.2	0.2	E	21.0	0.01	RB	1
78	6	17	2	3.1	247	4.6	356	10.5	10.4	0.0	E	21.0	0.01	RB	1
78	6	17	3	3.5	11	4.7	6	9.4	9.2	-0.2	E	22.0	0.01	RB	1
78	6	17	4	2.8	205	3.2	25	8.3	8.3	0.0	E	22.0	0.01	RB	1
78	6	17	5	2.8	126	3.6	107	7.8	7.7	-0.1	E	22.0	0.03	RB	1
78	6	17	6	3.9	1	4.4	19	7.4	6.9	-0.5	D	22.0	0.21	RB	1
78	6	17	7	4.8	64	6.0	67	8.6	7.9	-0.7	D	21.0	0.50	RB	1
78	6	17	8	6.2	93	7.9	92	9.6	8.9	-0.8	C	20.0	0.79	RB	1
78	6	17	9	5.2	99	6.3	92	10.7	10.0	-0.7	D	20.0	1.06	RB	1
78	6	17	10	5.5	117	6.6	121	12.0	11.2	-0.9	B	19.0	1.23	RB	1
78	6	17	11	5.9	122	6.4	130	14.3	13.5	-0.8	C	18.0	1.43	RB	1
78	6	17	12	9.3	256	10.9	246	16.6	15.5	-1.1	A	18.0	1.51	RB	1
78	6	17	13	9.6	274	11.0	263	17.5	16.5	-1.0	A	18.0	1.49	RB	1
78	6	17	14	12.7	272	15.2	265	18.0	16.9	-1.1	A	18.0	1.42	RB	1
78	6	17	15	13.2	271	15.9	269	18.5	17.4	-1.1	A	18.0	1.25	RB	1
78	6	17	16	13.9	301	17.2	296	18.4	17.3	-1.0	A	18.0	1.01	RB	1
78	6	17	17	13.0	309	15.5	306	18.2	17.3	-0.8	C	18.0	0.71	RB	1
78	6	17	18	9.1	323	10.6	316	18.0	17.4	-0.6	D	18.0	0.40	RB	1
78	6	17	19	6.0	310	7.6	317	17.1	17.1	0.0	E	18.0	0.10	RB	1
78	6	17	20	5.0	282	6.1	296	15.7	16.0	0.4	E	19.0	0.01	RB	1
78	6	17	21	9.0	281	9.8	310	15.4	16.6	1.2	F	19.0	0.01	RB	1
78	6	17	22	8.1	286	7.8	307	16.0	16.6	0.6	E	19.0	0.01	RB	1
78	6	17	23	5.4	295	8.9	352	13.1	14.2	1.1	F	20.0	0.01	RB	1
78	6	17	24	4.6	296	6.1	6	12.6	12.9	0.3	E	20.0	0.01	RB	1
78	6	18	1	4.1	288	3.2	351	12.7	12.7	0.0	E	20.0	0.01	RB	1
78	6	18	2	2.8	257	1.3	340	12.6	12.8	0.2	E	21.0	0.01	RB	1
78	6	18	3	2.8	247	1.9	207	12.7	12.7	0.0	E	21.0	0.01	RB	1
78	6	18	4	4.2	217	3.7	176	12.6	12.8	0.2	E	20.0	0.01	RB	1
78	6	18	5	3.9	224	3.1	180	12.6	12.6	0.1	E	20.0	0.03	RB	1
78	6	18	6	4.4	218	4.7	202	12.6	12.7	0.0	E	20.0	0.22	RB	1
78	6	18	7	3.3	173	3.9	193	14.0	13.5	-0.5	D	19.0	0.45	RB	1
78	6	18	8	3.7	133	3.8	158	15.1	14.5	-0.5	D	18.0	0.66	RB	1
78	6	18	9	5.1	86	5.9	109	17.3	16.8	-0.6	D	17.0	1.02	RB	1
78	6	18	10	8.1	181	10.8	192	20.2	19.2	-1.0	A	17.0	1.28	RB	1
78	6	18	11	13.5	202	19.3	206	22.0	20.6	-1.3	A	16.0	1.46	RB	1
78	6	18	12	17.1	194	24.5	203	22.6	21.4	-1.2	A	16.0	1.54	RB	1
78	6	18	13	20.1	195	30.7	204	22.8	21.9	-0.9	B	16.0	1.38	RB	1
78	6	18	14	21.2	196	31.8	205	23.0	22.3	-0.7	D	16.0	1.34	RB	1
78	6	18	15	19.5	196	28.5	206	23.3	22.5	-0.8	C	16.0	1.25	RB	1
78	6	18	16	14.6	213	23.7	217	23.7	22.8	-0.9	B	16.0	0.98	RB	1
78	6	18	17	16.7	203	26.8	208	23.3	22.7	-0.5	D	16.0	0.61	RB	1
78	6	18	18	17.5	198	27.8	207	22.7	22.5	-0.3	D	16.0	0.28	RB	1
78	6	18	19	14.6	200	24.1	208	22.2	22.0	-0.2	E	16.0	0.09	RB	1
78	6	18	20	10.6	202	18.0	206	21.0	21.0	0.1	E	17.0	0.01	RB	1
78	6	18	21	8.6	222	16.8	218	20.8	20.8	0.0	E	17.0	0.01	RB	1
78	6	18	22	7.6	210	14.6	215	20.7	20.8	0.1	E	17.0	0.01	RB	1
78	6	18	23	10.0	227	16.5	231	20.4	20.4	0.0	E	17.0	0.01	RB	1
78	6	18	24	10.3	277	13.8	295	17.8	18.9	1.1	F	18.0	0.01	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER - WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	REL HUMID (%)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	6	19	1	8.2	290	8.7	313	17.3	18.0	0.7	E	18.0	0.01	RB	1
78	6	19	2	5.1	82	6.2	45	13.3	13.2	-0.1	E	20.0	0.01	RB	1
78	6	19	3	3.3	320	5.3	359	12.0	12.1	0.0	E	21.0	0.01	RB	1
78	6	19	4	5.5	292	4.6	329	11.8	11.7	-0.1	E	21.0	0.01	RB	1
78	6	19	5	2.5	252	1.5	299	12.1	12.0	-0.1	E	21.0	0.04	RB	1
78	6	19	6	3.5	219	3.5	194	12.6	12.3	-0.3	D	20.0	0.20	RB	1
78	6	19	7	3.8	153	3.7	169	13.9	13.3	-0.6	D	19.0	0.48	RB	1
78	6	19	8	4.5	116	4.9	130	15.4	14.7	-0.7	D	18.0	0.77	RB	1
78	6	19	9	11.4	281	12.9	278	16.9	15.9	-1.0	A	18.0	1.05	RB	1
78	6	19	10	13.4	270	15.6	268	17.9	16.8	-1.1	A	18.0	1.28	RB	1
78	6	19	11	12.9	277	15.1	273	18.8	17.6	-1.2	A	17.0	1.43	RB	1
78	6	19	12	15.8	272	19.3	268	20.0	18.7	-1.3	A	17.0	1.50	RB	1
78	6	19	13	16.4	303	19.7	296	20.4	19.1	-1.3	A	17.0	1.48	RB	1
78	6	19	14	15.6	299	18.8	295	21.0	19.8	-1.2	A	17.0	1.41	RB	1
78	6	19	15	13.6	292	16.5	290	21.2	20.1	-1.1	A	16.0	1.24	RB	1
78	6	19	16	14.5	303	18.3	299	21.3	20.2	-1.1	A	17.0	0.99	RB	1
78	6	19	17	18.4	304	22.5	300	20.7	19.9	-0.8	C	17.0	0.71	RB	1
78	6	19	18	18.3	303	23.5	300	19.9	19.3	-0.6	D	17.0	0.41	RB	1
78	6	19	19	16.1	301	22.5	298	18.5	18.4	-0.1	E	18.0	0.11	RB	1
78	6	19	20	13.5	293	21.2	296	16.5	17.2	0.7	E	19.0	0.01	RB	1
78	6	19	21	9.1	313	15.9	303	15.3	16.1	0.8	F	19.0	0.01	RB	1
78	6	19	22	7.2	249	10.1	284	14.6	15.1	0.5	E	19.0	0.01	RB	1
78	6	19	23	5.0	311	7.4	8	13.3	14.2	0.9	F	20.0	0.01	RB	1
78	6	19	24	3.2	350	5.6	38	12.9	13.2	0.3	E	20.0	0.01	RB	1
78	6	20	1	4.6	316	7.5	23	11.9	12.6	0.7	E	20.0	0.01	RB	1
78	6	20	2	3.9	300	5.1	29	11.7	12.1	0.4	E	21.0	0.01	RB	1
78	6	20	3	3.6	298	4.2	39	11.5	11.7	0.2	E	21.0	0.01	RB	1
78	6	20	4	3.3	293	4.4	41	11.1	11.4	0.3	E	21.0	0.01	RB	1
78	6	20	5	2.9	306	5.6	37	10.8	11.2	0.4	E	21.0	0.03	RB	1
78	6	20	6	3.1	330	5.4	25	11.0	10.9	-0.1	E	20.0	0.21	RB	1
78	6	20	7	3.9	23	4.2	33	12.3	11.7	-0.6	D	19.0	0.50	RB	1
78	6	20	8	6.3	76	7.6	71	13.4	12.7	-0.7	D	19.0	0.79	RB	1
78	6	20	9	8.7	104	7.0	97	14.2	13.4	-0.7	D	19.0	1.06	RB	1
78	6	20	10	5.2	94	5.8	102	15.8	15.0	-0.8	C	18.0	1.28	RB	1
78	6	20	11	5.4	122	5.3	133	17.4	16.6	-0.8	C	17.0	1.42	RB	1
78	6	20	12	6.0	141	6.3	151	19.2	18.4	-0.8	C	16.0	1.47	RB	1
78	6	20	13	7.1	289	8.4	272	20.5	19.4	-1.0	A	16.0	1.46	RB	1
78	6	20	14	7.8	278	8.8	265	21.3	20.3	-1.1	A	16.0	1.35	RB	1
78	6	20	15	9.4	312	11.0	298	21.5	20.6	-1.0	A	16.0	1.21	RB	1
78	6	20	16	8.5	316	9.2	313	21.9	21.0	-1.0	A	16.0	0.99	RB	1
78	6	20	17	6.3	335	6.7	326	22.1	21.3	-0.8	C	16.0	0.69	RB	1
78	6	20	18	6.5	342	6.9	337	21.8	21.1	-0.7	D	16.0	0.43	RB	1
78	6	20	19	3.6	192	4.4	154	21.2	20.9	-0.2	E	16.0	0.12	RB	1
78	6	20	20	3.8	290	3.7	303	19.3	19.5	0.2	E	17.0	0.01	RB	1
78	6	20	21	4.8	282	3.7	332	18.9	19.2	0.3	E	18.0	0.01	RB	1
78	6	20	22	5.9	274	6.5	282	18.3	18.8	0.6	E	18.0	0.01	RB	1
78	6	20	23	11.0	250	13.0	252	18.4	19.1	0.7	E	18.0	0.01	RB	1
78	6	20	24	10.9	245	12.1	241	19.3	20.0	0.6	E	17.0	0.01	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE							
				WIND	WIND	WIND	WIND	10 M	60 M	DELTA T		REL	SOLAR		
				SPEED	DIR	SPEED	DIR	TEMP	TEMP	60-10		HUMID	RAD		
YR	MN	DY	HR	MPH	DEG	MPH	DEG	(C)	(C)	(C)	SC	(%)	LY/MIN		
78	6	21	1	9.5	246	9.6	247	20.1	20.3	0.2	E	17.0	0.01	RB	1
78	6	21	2	9.7	236	10.8	224	19.2	19.9	0.7	E	17.0	0.01	RB	1
78	6	21	3	9.8	253	10.2	222	18.5	19.2	0.6	E	18.0	0.01	RB	1
78	6	21	4	6.7	259	6.8	234	18.7	19.1	0.4	E	18.0	0.01	RB	1
78	6	21	5	8.4	269	10.7	238	17.6	18.2	0.6	E	18.0	0.03	RB	1
78	6	21	6	7.7	259	10.8	229	18.0	18.2	0.2	E	18.0	0.20	RB	1
78	6	21	7	5.5	219	9.7	221	20.0	19.4	-0.6	D	17.0	0.48	RB	1
78	6	21	8	8.5	206	12.2	221	21.3	20.2	-1.1	A	16.0	0.79	RB	1
78	6	21	9	8.8	232	10.8	227	22.0	21.1	-0.9	B	16.0	0.94	RB	1
78	6	21	10	8.6	244	10.3	239	22.9	21.9	-1.1	A	16.0	1.28	RB	1
78	6	21	11	9.2	261	11.0	259	24.0	23.0	-1.0	A	15.0	1.46	RB	1
78	6	21	12	9.3	208	11.6	218	24.7	23.6	-1.1	A	15.0	1.37	RB	1
78	6	21	13	8.5	215	11.6	216	25.4	24.1	-1.3	A	14.0	1.49	RB	1
78	6	21	14	10.9	214	14.5	215	25.7	24.4	-1.2	A	15.0	1.40	RB	1
78	6	21	15	13.3	197	17.5	202	25.9	24.7	-1.2	A	15.0	1.23	RB	1
78	6	21	16	13.1	200	18.6	205	25.9	25.0	-1.0	A	15.0	0.99	RB	1
78	6	21	17	12.0	204	17.4	212	25.6	24.9	-0.8	C	15.0	0.71	RB	1
78	6	21	18	10.2	208	17.4	210	24.8	24.4	-0.4	D	15.0	0.36	RB	1
78	6	21	19	6.7	233	13.7	221	23.7	23.7	-0.1	E	16.0	0.11	RB	1
78	6	21	20	6.9	258	13.3	218	22.0	22.7	0.7	E	17.0	0.01	RB	1
78	6	21	21	6.1	250	15.4	215	21.2	22.0	0.8	F	17.0	0.01	RB	1
78	6	21	22	6.3	251	14.8	219	21.0	21.6	0.6	E	17.0	0.01	RB	1
78	6	21	23	10.3	263	15.3	264	21.1	22.0	0.9	F	17.0	0.01	RB	1
78	6	21	24	9.0	278	11.7	310	20.5	22.1	1.5	F	17.0	0.01	RB	1
78	6	22	1	6.0	329	11.3	2	17.6	18.9	1.2	F	18.0	0.01	RB	1
78	6	22	2	5.7	320	10.6	16	16.8	18.0	1.2	F	19.0	0.01	RB	1
78	6	22	3	4.4	309	5.8	15	17.1	17.6	0.5	E	19.0	0.01	RB	1
78	6	22	4	6.0	296	7.0	0	16.9	17.7	0.8	F	19.0	0.01	RB	1
78	6	22	5	5.2	291	5.4	342	17.2	17.6	0.4	E	19.0	0.04	RB	1
78	6	22	6	3.5	295	2.2	358	17.8	17.9	0.0	E	18.0	0.20	RB	1
78	6	22	7	2.9	22	2.9	17	18.9	18.4	-0.5	D	17.0	0.48	RB	1
78	6	22	8	4.9	80	5.9	76	19.7	19.1	-0.6	D	16.0	0.76	RB	1
78	6	22	9	6.7	83	8.6	80	20.6	19.8	-0.8	C	16.0	1.03	RB	1
78	6	22	10	5.4	70	6.1	65	21.7	21.0	-0.7	D	16.0	1.23	RB	1
78	6	22	11	5.9	96	6.8	94	23.4	22.6	-0.8	C	15.0	1.41	RB	1
78	6	22	12	10.1	228	13.1	222	25.1	23.9	-1.2	A	15.0	1.50	RB	1
78	6	22	13	12.5	193	16.6	196	25.6	24.4	-1.2	A	15.0	1.47	RB	1
78	6	22	14	10.8	201	15.0	203	26.0	24.7	-1.3	A	15.0	1.36	RB	1
78	6	22	15	10.7	198	14.3	202	26.2	25.0	-1.2	A	15.0	1.20	RB	1
78	6	22	16	14.8	191	20.2	199	26.4	25.4	-1.0	A	15.0	0.92	RB	1
78	6	22	17	15.2	199	23.0	201	26.0	25.4	-0.6	D	15.0	0.67	RB	1
78	6	22	18	14.3	193	21.7	201	25.2	24.9	-0.3	D	15.0	0.39	RB	1
78	6	22	19	10.6	200	17.5	207	24.0	23.9	-0.1	E	16.0	0.08	RB	1
78	6	22	20	7.1	215	15.4	210	22.2	22.6	0.4	E	17.0	0.01	RB	1
78	6	22	21	5.3	250	13.2	220	21.4	22.0	0.6	E	17.0	0.01	RB	1
78	6	22	22	8.8	258	13.3	215	20.8	22.7	1.9	F	17.0	0.01	RB	1
78	6	22	23	9.3	260	12.9	213	20.9	22.8	1.9	F	17.0	0.01	RB	1
78	6	22	24	7.8	256	14.9	218	20.4	21.5	1.0	F	17.0	0.01	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER - WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	REL HUMID (%)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	6	19	1	8.2	290	8.7	313	17.3	18.0	0.7	E	18.0	0.01	RB	1
78	6	19	2	5.1	82	6.2	45	13.3	13.2	-0.1	E	20.0	0.01	RB	1
78	6	19	3	3.3	320	5.3	359	12.0	12.1	0.0	E	21.0	0.01	RB	1
78	6	19	4	5.5	292	4.6	329	11.8	11.7	-0.1	E	21.0	0.01	RB	1
78	6	19	5	2.5	252	1.5	299	12.1	12.0	-0.1	E	21.0	0.04	RB	1
78	6	19	6	3.5	219	3.5	194	12.6	12.3	-0.3	D	20.0	0.20	RB	1
78	6	19	7	3.8	153	3.7	169	13.9	13.3	-0.6	D	19.0	0.48	RB	1
78	6	19	8	4.5	116	4.9	130	15.4	14.7	-0.7	D	18.0	0.77	RB	1
78	6	19	9	11.4	281	12.9	278	16.9	15.9	-1.0	A	18.0	1.05	RB	1
78	6	19	10	13.4	270	15.6	268	17.9	16.8	-1.1	A	18.0	1.28	RB	1
78	6	19	11	12.9	277	15.1	273	18.8	17.6	-1.2	A	17.0	1.43	RB	1
78	6	19	12	15.8	272	19.3	268	20.0	18.7	-1.3	A	17.0	1.50	RB	1
78	6	19	13	16.4	303	19.7	296	20.4	19.1	-1.3	A	17.0	1.48	RB	1
78	6	19	14	15.6	299	18.8	295	21.0	19.8	-1.2	A	17.0	1.41	RB	1
78	6	19	15	13.6	292	16.5	290	21.2	20.1	-1.1	A	16.0	1.24	RB	1
78	6	19	16	14.5	303	18.3	299	21.3	20.2	-1.1	A	17.0	0.99	RB	1
78	6	19	17	18.4	304	22.5	300	20.7	19.9	-0.8	C	17.0	0.71	RB	1
78	6	19	18	18.3	303	23.5	300	19.9	19.3	-0.6	D	17.0	0.41	RB	1
78	6	19	19	16.1	301	22.5	298	18.5	18.4	-0.1	E	18.0	0.11	RB	1
78	6	19	20	13.5	293	21.2	296	16.5	17.2	0.7	E	19.0	0.01	RB	1
78	6	19	21	9.1	313	15.9	303	15.3	16.1	0.8	F	19.0	0.01	RB	1
78	6	19	22	7.2	249	10.1	284	14.6	15.1	0.5	E	19.0	0.01	RB	1
78	6	19	23	5.0	311	7.4	8	13.3	14.2	0.9	F	20.0	0.01	RB	1
78	6	19	24	3.2	350	5.6	38	12.9	13.2	0.3	E	20.0	0.01	RB	1
78	6	20	1	4.6	316	7.5	23	11.9	12.6	0.7	E	20.0	0.01	RB	1
78	6	20	2	3.9	300	5.1	29	11.7	12.1	0.4	E	21.0	0.01	RB	1
78	6	20	3	3.6	298	4.2	39	11.5	11.7	0.2	E	21.0	0.01	RB	1
78	6	20	4	3.3	293	4.4	41	11.1	11.4	0.3	E	21.0	0.01	RB	1
78	6	20	5	2.9	306	5.6	37	10.8	11.2	0.4	E	21.0	0.03	RB	1
78	6	20	6	3.1	330	5.4	25	11.0	10.9	-0.1	E	20.0	0.21	RB	1
78	6	20	7	3.9	23	4.2	33	12.3	11.7	-0.6	D	19.0	0.50	RB	1
78	6	20	8	6.3	76	7.6	71	13.4	12.7	-0.7	D	19.0	0.79	RB	1
78	6	20	9	5.7	104	7.0	97	14.2	13.4	-0.7	D	19.0	1.06	RB	1
78	6	20	10	5.2	94	5.8	102	15.8	15.0	-0.8	C	18.0	1.28	RB	1
78	6	20	11	5.4	122	5.3	133	17.4	16.6	-0.8	C	17.0	1.42	RB	1
78	6	20	12	6.0	141	6.3	151	19.2	18.4	-0.8	C	16.0	1.47	RB	1
78	6	20	13	7.1	289	8.4	272	20.5	19.4	-1.0	A	16.0	1.46	RB	1
78	6	20	14	7.8	278	8.8	265	21.3	20.3	-1.1	A	16.0	1.35	RB	1
78	6	20	15	9.4	312	11.0	298	21.5	20.6	-1.0	A	16.0	1.21	RB	1
78	6	20	16	8.5	316	9.2	313	21.9	21.0	-1.0	A	16.0	0.99	RB	1
78	6	20	17	6.3	335	6.7	326	22.1	21.3	-0.8	C	16.0	0.69	RB	1
78	6	20	18	6.5	342	6.9	337	21.8	21.1	-0.7	D	16.0	0.43	RB	1
78	6	20	19	3.6	192	4.4	154	21.2	20.9	-0.2	E	16.0	0.12	RB	1
78	6	20	20	3.8	290	3.7	303	19.3	19.5	0.2	E	17.0	0.01	RB	1
78	6	20	21	4.8	282	3.7	332	18.9	19.2	0.3	E	18.0	0.01	RB	1
78	6	20	22	5.9	274	6.5	282	18.3	18.8	0.6	E	18.0	0.01	RB	1
78	6	20	23	11.0	250	13.0	252	18.4	19.1	0.7	E	18.0	0.01	RB	1
78	6	20	24	10.9	245	12.1	241	19.3	20.0	0.6	E	17.0	0.01	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE		DELTA T		REL	SOLAR		
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	60-10 (C)	SC	HUMID (%)	RAD LY/MIN		
78	6	21	1	9.5	246	9.6	247	20.1	20.3	0.2	E	17.0	0.01	RB	1
78	6	21	2	9.7	236	10.8	224	19.2	19.9	0.7	E	17.0	0.01	RB	1
78	6	21	3	9.8	253	10.2	222	18.5	19.2	0.6	E	18.0	0.01	RB	1
78	6	21	4	6.7	259	6.8	234	18.7	19.1	0.4	E	18.0	0.01	RB	1
78	6	21	5	8.4	269	10.7	238	17.6	18.2	0.6	E	18.0	0.03	RB	1
78	6	21	6	7.7	259	10.8	229	18.0	18.2	0.2	E	18.0	0.20	RB	1
78	6	21	7	5.5	219	9.7	221	20.0	19.4	-0.6	D	17.0	0.48	RB	1
78	6	21	8	8.5	206	12.2	221	21.3	20.2	-1.1	A	16.0	0.79	RB	1
78	6	21	9	8.8	232	10.8	227	22.0	21.1	-0.9	B	16.0	0.94	RB	1
78	6	21	10	8.6	244	10.3	239	22.9	21.9	-1.1	A	16.0	1.28	RB	1
78	6	21	11	9.2	261	11.0	259	24.0	23.0	-1.0	A	15.0	1.46	RB	1
78	6	21	12	9.3	208	11.6	218	24.7	23.6	-1.1	A	15.0	1.37	RB	1
78	6	21	13	8.5	215	11.6	216	25.4	24.1	-1.3	A	14.0	1.49	RB	1
78	6	21	14	10.9	214	14.5	215	25.7	24.4	-1.2	A	15.0	1.40	RB	1
78	6	21	15	13.3	197	17.5	202	25.9	24.7	-1.2	A	15.0	1.23	RB	1
78	6	21	16	13.1	200	18.6	205	25.9	25.0	-1.0	A	15.0	0.99	RB	1
78	6	21	17	12.0	204	17.4	212	25.6	24.9	-0.8	C	15.0	0.71	RB	1
78	6	21	18	10.2	208	17.4	210	24.8	24.4	-0.4	D	15.0	0.36	RB	1
78	6	21	19	6.7	233	13.7	221	23.7	23.7	-0.1	E	16.0	0.11	RB	1
78	6	21	20	6.9	258	13.3	218	22.0	22.7	0.7	E	17.0	0.01	RB	1
78	6	21	21	6.1	250	15.4	215	21.2	22.0	0.8	F	17.0	0.01	RB	1
78	6	21	22	6.3	251	14.8	219	21.0	21.6	0.6	E	17.0	0.01	RB	1
78	6	21	23	10.3	263	15.3	264	21.1	22.0	0.9	F	17.0	0.01	RB	1
78	6	21	24	9.0	278	11.7	310	20.5	22.1	1.5	F	17.0	0.01	RB	1
78	6	22	1	6.0	329	11.3	2	17.6	18.9	1.2	F	18.0	0.01	RB	1
78	6	22	2	5.7	320	10.6	16	16.8	18.0	1.2	F	19.0	0.01	RB	1
78	6	22	3	4.4	309	5.8	15	17.1	17.6	0.5	E	19.0	0.01	RB	1
78	6	22	4	6.0	296	7.0	0	16.9	17.7	0.8	F	19.0	0.01	RB	1
78	6	22	5	5.2	291	5.4	342	17.2	17.6	0.4	E	19.0	0.04	RB	1
78	6	22	6	3.5	295	2.2	358	17.8	17.9	0.0	E	18.0	0.20	RB	1
78	6	22	7	2.9	22	2.9	17	18.9	18.4	-0.5	D	17.0	0.48	RB	1
78	6	22	8	4.9	80	5.9	76	19.7	19.1	-0.6	D	16.0	0.76	RB	1
78	6	22	9	6.7	83	8.6	80	20.5	19.8	-0.8	C	16.0	1.03	RB	1
78	6	22	10	5.4	70	6.1	65	21.7	21.0	-0.7	D	16.0	1.23	RB	1
78	6	22	11	5.9	96	6.8	94	23.4	22.6	-0.8	C	15.0	1.41	RB	1
78	6	22	12	10.1	228	13.1	222	25.1	23.9	-1.2	A	15.0	1.50	RB	1
78	6	22	13	12.5	193	15.6	196	25.6	24.4	-1.2	A	15.0	1.47	RB	1
78	6	22	14	10.8	201	15.0	203	26.0	24.7	-1.3	A	15.0	1.36	RB	1
78	6	22	15	10.7	198	14.3	202	26.2	25.0	-1.2	A	15.0	1.20	RB	1
78	6	22	16	14.8	191	20.2	199	26.4	25.4	-1.0	A	15.0	0.92	RB	1
78	6	22	17	15.2	199	23.0	201	26.0	25.4	-0.6	D	15.0	0.67	RB	1
78	6	22	18	14.3	193	21.7	201	25.2	24.9	-0.3	D	15.0	0.39	RB	1
78	6	22	19	10.6	200	17.5	207	24.0	23.9	-0.1	E	16.0	0.08	RB	1
78	6	22	20	7.1	215	15.4	210	22.2	22.6	0.4	E	17.0	0.01	RB	1
78	6	22	21	5.3	250	13.2	220	21.4	22.0	0.6	E	17.0	0.01	RB	1
78	6	22	22	8.8	258	13.3	215	20.8	22.7	1.9	F	17.0	0.01	RB	1
78	6	22	23	9.3	250	12.9	213	20.9	22.8	1.9	F	17.0	0.01	RB	1
78	6	22	24	7.8	256	14.9	218	20.4	21.5	1.0	F	17.0	0.01	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	REL. HUMID (%)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	6	23	1	9.7	258	15.9	228	20.3	20.6	0.3	E	17.0	0.01	RB	1
78	6	23	2	10.5	258	16.3	246	18.8	20.0	1.2	F	18.0	0.01	RB	1
78	6	23	3	9.5	260	15.0	237	18.2	19.1	0.9	F	18.0	0.01	RB	1
78	6	23	4	10.6	252	17.5	224	18.5	18.6	0.0	E	18.0	0.01	RB	1
78	6	23	5	11.7	258	16.6	241	17.9	18.0	0.2	E	18.0	0.04	RB	1
78	6	23	6	10.1	256	12.5	234	18.4	18.3	-0.1	E	18.0	0.21	RB	1
78	6	23	7	7.1	245	9.3	225	20.3	19.7	-0.6	D	17.0	0.49	RB	1
78	6	23	8	8.3	202	11.2	210	21.9	21.0	-1.0	A	16.0	0.78	RB	1
78	6	23	9	10.3	198	14.2	206	23.0	21.9	-1.1	A	16.0	1.04	RB	1
78	6	23	10	11.4	204	15.2	211	24.1	22.8	-1.2	A	16.0	1.26	RB	1
78	6	23	11	12.0	205	16.7	208	24.8	23.6	-1.3	A	15.0	1.42	RB	1
78	6	23	12	14.0	189	18.2	198	25.4	24.0	-1.4	A	15.0	1.47	RB	1
78	6	23	13	14.3	191	18.8	200	25.8	24.4	-1.3	A	15.0	1.45	RB	1
78	6	23	14	15.0	195	20.6	202	26.4	25.2	-1.2	A	15.0	1.36	RB	1
78	6	23	15	15.9	195	23.4	202	26.0	25.2	-0.8	C	18.0	0.77	RB	1
78	6	23	16	12.8	197	19.7	207	26.0	25.2	-0.8	C	87.0	0.72	RB	1
78	6	23	17	14.7	196	22.3	209	26.3	25.6	-0.7	D	90.0	0.69	RB	1
78	6	23	18	12.5	205	20.8	211	25.1	24.8	-0.3	D	90.0	0.16	RB	1
78	6	23	19	8.5	216	16.0	220	24.4	24.2	-0.3	D	90.0	0.13	RB	1
78	6	23	20	6.7	212	14.4	217	23.1	23.1	0.0	E	90.0	0.01	RB	1
78	6	23	21	9.0	206	18.4	214	22.4	22.5	0.1	E	90.0	0.01	RB	1
78	6	23	22	6.5	213	15.2	218	21.7	21.9	0.2	E	90.0	0.01	RB	1
78	6	23	23	7.2	241	12.6	236	21.3	21.6	0.3	E	90.0	0.01	RB	1
78	6	23	24	10.3	244	14.8	253	20.8	21.6	0.8	F	90.0	0.01	RB	1
78	6	24	1	8.5	252	12.5	270	20.2	20.9	0.7	E	90.0	0.01	RB	1
78	6	24	2	8.9	267	13.0	288	19.7	20.7	0.9	F	90.0	0.01	RB	1
78	6	24	3	8.6	251	11.3	268	19.6	20.4	0.8	F	90.0	0.01	RB	1
78	6	24	4	7.4	235	7.5	213	18.9	19.8	0.9	F	90.0	0.01	RB	1
78	6	24	5	8.1	267	11.2	216	18.8	19.7	0.9	F	90.0	0.02	RB	1
78	6	24	6	5.7	249	13.0	214	18.0	18.6	0.7	E	90.0	0.07	RB	1
78	6	24	7	9.5	206	17.3	218	20.0	19.5	-0.5	D	90.0	0.42	RB	1
78	6	24	8	12.0	212	18.8	220	21.3	20.5	-0.8	C	90.0	0.61	RB	1
78	6	24	9	12.2	211	18.8	220	22.3	21.2	-1.1	A	90.0	1.00	RB	1
78	6	24	10	12.4	206	18.4	212	23.1	21.8	-1.3	A	89.0	1.28	RB	1
78	6	24	11	14.7	194	20.1	206	23.7	22.4	-1.3	A	89.0	1.36	RB	1
78	6	24	12	17.4	195	24.9	206	24.7	23.5	-1.3	A	89.0	1.47	RB	1
78	6	24	13	19.4	191	27.4	198	25.6	24.4	-1.1	A	89.0	1.45	RB	1
78	6	24	14	16.2	204	24.7	209	26.0	24.9	-1.1	A	89.0	1.24	RB	1
78	6	24	15	17.0	198	26.6	206	26.2	25.3	-0.9	B	84.0	1.11	RB	1
78	6	24	16	17.0	204	26.7	208	26.2	25.4	-0.8	C	20.0	0.90	RB	1
78	6	24	17	17.1	200	27.2	208	25.3	24.8	-0.4	D	18.0	0.40	RB	1
78	6	24	18	17.1	204	28.0	210	24.5	24.1	-0.4	D	16.0	0.14	RB	1
78	6	24	19	14.7	205	25.0	213	23.9	23.7	-0.2	E	15.0	0.03	RB	1
78	6	24	20	12.0	203	20.8	211	23.3	23.3	0.0	E	15.0	0.01	RB	1
78	6	24	21	11.0	212	20.4	219	23.2	23.1	-0.1	E	15.0	0.0	RB	1
78	6	24	22	10.4	209	19.0	220	22.8	22.7	-0.1	E	16.0	0.0	RB	1
78	6	24	23	9.8	211	17.8	221	22.1	22.0	0.0	E	16.0	0.0	RB	1
78	6	24	24	8.3	237	14.4	227	21.4	21.3	0.0	E	16.0	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RHOSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE							
				WIND	WIND	WIND	WIND	10 M	60 M	DELTA T		REL	SOLAR		
				SPEED	DIR	SPEED	DIR	TEMP	TEMP	60-10		HUMID	RAD		
YR	MN	DY	HR	MPH	DEG	MPH	DEG	(C)	(C)	(C)	SC	(%)	LY/MIN		
78	6	25	1	6.2	216	14.4	219	19.7	20.0	0.2	E	17.0	0.0	RB	1
78	6	25	2	6.2	216	16.4	219	18.4	18.8	0.4	E	18.0	0.0	RB	1
78	6	25	3	6.1	220	16.8	216	17.5	17.8	0.3	E	18.0	0.0	RB	1
78	6	25	4	7.6	217	17.9	217	16.8	16.9	0.1	E	18.0	0.0	RB	1
78	6	25	5	7.2	235	15.8	218	16.2	16.2	0.0	E	18.0	0.03	RB	1
78	6	25	6	7.6	241	13.2	233	16.8	16.5	-0.4	D	18.0	0.21	RB	1
78	6	25	7	15.4	286	19.8	283	16.5	15.7	-0.8	C	18.0	0.49	RB	1
78	6	25	8	19.7	282	23.9	279	15.9	14.7	-1.2	A	19.0	0.78	RB	1
78	6	25	9	19.9	279	24.0	277	16.6	15.3	-1.3	A	18.0	1.05	RB	1
78	6	25	10	16.4	284	19.3	280	17.7	16.3	-1.4	A	18.0	1.27	RB	1
78	6	25	11	15.1	304	17.6	298	18.5	17.2	-1.3	A	18.0	1.41	RB	1
78	6	25	12	15.1	303	17.8	298	19.5	18.2	-1.3	A	17.0	1.47	RB	1
78	6	25	13	14.4	308	17.4	303	20.2	18.8	-1.3	A	17.0	1.43	RB	1
78	6	25	14	13.5	296	16.1	292	20.6	19.3	-1.3	A	17.0	1.37	RB	1
78	6	25	15	13.5	311	16.2	306	20.6	19.4	-1.2	A	17.0	1.18	RB	1
78	6	25	16	14.5	307	17.1	303	20.4	19.4	-1.0	A	17.0	0.97	RB	1
78	6	25	17	12.4	309	15.1	304	20.1	19.3	-0.8	C	17.0	0.70	RB	1
78	6	25	18	11.5	303	13.8	299	19.6	18.9	-0.7	D	17.0	0.40	RB	1
78	6	25	19	9.9	298	15.1	299	17.7	18.1	0.4	E	18.0	0.10	RB	1
78	6	25	20	9.4	299	16.1	301	16.0	16.8	0.9	F	19.0	0.01	RB	1
78	6	25	21	7.0	329	12.5	313	15.4	15.7	0.3	E	19.0	0.0	RB	1
78	6	25	22	4.5	335	6.9	348	14.8	15.1	0.3	E	19.0	0.01	RB	1
78	6	25	23	4.2	329	7.8	8	13.1	13.2	0.1	E	20.0	0.01	RB	1
78	6	25	24	3.7	337	5.8	13	11.5	11.5	-0.1	E	20.0	0.0	RB	1
78	6	26	1	4.1	354	7.2	17	10.2	10.3	0.1	E	21.0	0.0	RB	1
78	6	26	2	6.0	342	10.5	16	9.0	9.6	0.6	E	21.0	0.0	RB	1
78	6	26	3	5.6	302	8.4	4	8.5	9.1	0.6	E	22.0	0.0	RB	1
78	6	26	4	4.7	306	5.4	12	8.4	8.7	0.3	E	22.0	0.0	RB	1
78	6	26	5	3.4	288	2.8	33	8.5	8.6	0.2	E	22.0	0.04	RB	1
78	6	26	6	2.0	13	2.5	56	9.2	8.8	-0.4	D	21.0	0.20	RB	1
78	6	26	7	3.4	64	3.7	70	10.2	9.6	-0.6	D	20.0	0.48	RB	1
78	6	26	8	4.7	84	5.3	88	11.7	10.9	-0.8	C	19.0	0.77	RB	1
78	6	26	9	4.8	119	4.9	105	13.3	12.7	-0.6	D	19.0	1.04	RB	1
78	6	26	10	5.0	55	5.1	59	15.8	14.9	-0.9	B	18.0	1.25	RB	1
78	6	26	11	5.1	85	5.2	85	18.1	17.3	-0.9	B	17.0	1.41	RB	1
78	6	26	12	9.3	197	12.1	194	20.5	19.4	-1.1	A	16.0	1.38	RB	1
78	6	26	13	11.3	206	15.7	213	21.7	20.4	-1.3	A	16.0	1.48	RB	1
78	6	26	14	15.2	191	19.9	197	22.3	21.1	-1.2	A	16.0	1.40	RB	1
78	6	26	15	12.3	218	18.1	218	22.9	21.7	-1.3	A	16.0	1.17	RB	1
78	6	26	16	11.1	219	16.0	219	22.8	21.8	-1.0	A	16.0	0.81	RB	1
78	6	26	17	9.2	211	14.0	217	22.6	21.8	-0.8	C	16.0	0.62	RB	1
78	6	26	18	8.7	209	13.3	218	22.2	21.6	-0.5	D	16.0	0.40	RB	1
78	6	26	19	5.0	226	10.0	217	20.8	20.9	0.0	E	16.0	0.10	RB	1
78	6	26	20	7.6	247	11.2	208	19.4	20.8	1.4	F	17.0	0.01	RB	1
78	6	26	21	7.5	248	12.4	200	18.5	20.2	1.7	F	18.0	0.0	RB	1
78	6	26	22	6.7	233	8.9	187	18.8	20.1	1.3	F	17.0	0.0	RB	1
78	6	26	23	5.5	223	6.2	186	18.7	19.7	1.0	F	18.0	0.0	RB	1
78	6	26	24	4.6	222	5.6	193	18.6	19.4	0.8	F	18.0	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RHOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	REL HUMID (%)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	6	27	1	7.0	251	14.2	204	17.5	19.2	1.8	F	18.0	0.0	RB	1
78	6	27	2	5.0	298	10.4	223	16.4	17.6	1.2	F	18.0	0.0	RB	1
78	6	27	3	6.8	233	17.9	210	17.0	17.8	0.8	F	18.0	0.0	RB	1
78	6	27	4	10.0	210	20.1	205	17.1	17.4	0.3	E	18.0	0.0	RB	1
78	6	27	5	9.7	206	18.7	202	16.5	16.8	0.3	E	18.0	0.05	RB	1
78	6	27	6	7.8	200	15.5	199	16.1	16.5	0.4	E	18.0	0.09	RB	1
78	6	27	7	8.9	192	13.7	194	18.0	17.5	-0.4	D	18.0	0.46	RB	1
78	6	27	8	10.2	179	13.0	179	19.3	18.5	-0.8	C	17.0	0.54	RB	1
78	6	27	9	9.7	189	13.7	196	20.3	19.4	-1.0	A	17.0	0.78	RB	1
78	6	27	10	14.5	208	20.4	211	21.9	20.7	-1.2	A	16.0	1.17	RB	1
78	6	27	11	14.6	207	21.4	211	22.4	21.2	-1.2	A	16.0	1.31	RB	1
78	6	27	12	14.7	211	19.9	214	23.2	21.9	-1.3	A	16.0	1.52	RB	1
78	6	27	13	13.3	199	18.0	206	23.9	22.5	-1.3	A	15.0	1.47	RB	1
78	6	27	14	12.8	191	17.1	201	24.0	22.8	-1.2	A	15.0	1.25	RB	1
78	6	27	15	14.2	199	20.4	208	24.6	23.4	-1.2	A	15.0	1.14	RB	1
78	6	27	16	11.9	208	17.4	216	24.5	23.4	-1.1	A	15.0	0.91	RB	1
78	6	27	17	11.7	211	17.4	212	24.3	23.5	-0.8	C	15.0	0.64	RB	1
78	6	27	18	9.2	198	13.6	202	23.9	23.4	-0.5	D	15.0	0.41	RB	1
78	6	27	19	6.8	224	12.3	216	22.9	22.8	-0.1	E	16.0	0.13	RB	1
78	6	27	20	8.5	252	10.3	227	21.7	22.6	0.8	F	16.0	0.01	RB	1
78	6	27	21	9.7	249	9.7	233	21.7	22.4	0.7	E	16.0	0.0	RB	1
78	6	27	22	9.4	253	14.5	219	20.0	21.6	1.6	F	17.0	0.0	RB	1
78	6	27	23	5.5	238	15.5	212	19.2	19.8	0.5	E	17.0	0.0	RB	1
78	6	27	24	8.3	211	16.5	202	18.9	19.2	0.3	E	17.0	0.0	RB	1
78	6	28	1	8.8	183	14.9	181	18.8	19.0	0.2	E	17.0	0.0	RB	1
78	6	28	2	3.8	187	8.1	170	17.7	18.1	0.5	E	18.0	0.0	RB	1
78	6	28	3	2.4	282	4.3	163	17.3	17.8	0.4	E	18.0	0.0	RB	1
78	6	28	4	4.9	214	10.8	204	17.4	17.7	0.3	E	18.0	0.0	RB	1
78	6	28	5	8.5	202	16.8	210	18.0	18.1	0.1	E	18.0	0.02	RB	1
78	6	28	6	7.0	207	13.0	205	18.3	18.1	-0.1	E	17.0	0.15	RB	1
78	6	28	7	8.1	227	13.8	218	19.2	18.6	-0.6	D	17.0	0.35	RB	1
78	6	28	8	9.4	204	14.5	217	19.3	18.6	-0.7	D	17.0	0.33	RB	1
78	6	28	9	5.9	177	7.7	191	19.1	18.5	-0.6	D	17.0	0.41	RB	1
78	6	28	10	6.8	203	8.4	211	19.8	19.0	-0.8	C	17.0	0.49	RB	1
78	6	28	11	7.4	170	8.7	178	19.4	18.7	-0.7	D	17.0	0.32	RB	1
78	6	28	12	11.4	239	13.4	239	18.6	17.7	-0.8	C	17.0	0.68	RB	1
78	6	28	13	8.3	252	9.4	248	20.4	19.4	-1.0	A	16.0	1.08	RB	1
78	6	28	14	7.5	241	9.1	236	21.1	20.3	-0.8	C	16.0	0.77	RB	1
78	6	28	15	6.3	263	7.6	244	21.2	20.5	-0.7	D	16.0	0.50	RB	1
78	6	28	16	4.8	218	6.8	216	21.2	20.6	-0.7	D	16.0	0.27	RB	1
78	6	28	17	11.8	134	15.3	134	19.4	18.7	-0.7	D	17.0	0.20	RB	1
78	6	28	18	11.3	111	14.8	109	17.2	16.6	-0.5	D	18.0	0.09	RB	1
78	6	28	19	7.1	107	10.1	110	16.7	16.3	-0.4	D	18.0	0.04	RB	1
78	6	28	20	5.2	77	9.9	80	15.9	15.7	-0.2	E	19.0	0.0	RB	1
78	6	28	21	3.8	75	7.8	94	14.6	14.4	-0.2	E	20.0	0.0	RB	1
78	6	28	22	3.0	309	5.6	61	13.9	14.0	0.1	E	21.0	0.0	RB	1
78	6	28	23	3.9	258	2.4	119	13.5	13.8	0.3	E	22.0	0.0	RB	1
78	6	28	24	4.1	246	2.6	184	13.7	13.8	0.1	E	22.0	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				* 10 METER *		60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	REL HUMID (%)	SOLAR RAD LY/MIN		
78	6	29	1	4.0	256	2.4	216	14.1	14.3	0.2	E	21.0	0.0	RB	1
78	6	29	2	2.9	158	4.2	142	13.9	14.1	0.2	E	20.0	0.0	RB	1
78	6	29	3	3.9	262	3.9	206	13.6	13.8	0.1	E	21.0	0.0	RB	1
78	6	29	4	2.3	247	2.1	177	14.2	14.3	0.1	E	20.0	0.0	RB	1
78	6	29	5	2.6	293	1.6	254	13.7	14.0	0.3	E	20.0	0.01	RB	1
78	6	29	6	2.4	350	2.1	331	13.7	14.3	0.6	E	20.0	0.11	RB	1
78	6	29	7	2.2	247	3.8	304	14.7	14.8	0.1	E	19.0	0.31	RB	1
78	6	29	8	5.1	194	6.8	200	17.7	17.1	-0.6	D	17.0	0.71	RB	1
78	6	29	9	5.4	248	5.8	235	19.1	18.4	-0.7	D	17.0	0.86	RB	1
78	6	29	10	6.5	248	7.0	249	20.4	19.5	-0.9	B	16.0	1.12	RB	1
78	6	29	11	8.6	254	9.9	254	20.0	19.1	-0.8	C	16.0	0.55	RB	1
78	6	29	12	7.6	228	8.4	234	18.7	18.0	-0.7	D	17.0	0.33	RB	1
78	6	29	13	6.7	266	8.1	270	15.4	15.0	-0.4	D	21.0	0.24	RB	1
78	6	29	14	6.1	332	7.5	356	14.2	13.9	-0.2	E	34.0	0.15	RB	1
78	6	29	15	3.9	185	5.7	94	13.8	13.7	-0.1	E	33.0	0.14	RB	1
78	6	29	16	5.3	163	7.1	159	13.2	12.7	-0.5	D	44.0	0.18	RB	1
78	6	29	17	7.5	186	10.3	186	13.2	12.9	-0.3	D	43.0	0.11	RB	1
78	6	29	18	7.5	208	10.7	192	13.4	13.5	0.1	E	35.0	0.07	RB	1
78	6	29	19	6.7	202	9.2	189	13.2	13.3	0.1	E	29.0	0.05	RB	1
78	6	29	20	4.0	244	5.2	178	13.8	13.9	0.1	E	26.0	0.0	RB	1
78	6	29	21	2.4	32	3.3	58	13.1	13.1	0.0	E	29.0	0.0	RB	1
78	6	29	22	1.9	359	2.6	58	11.6	11.5	0.0	E	43.0	0.0	RB	1
78	6	29	23	3.1	276	2.0	345	11.6	11.8	0.2	E	47.0	0.0	RB	1
78	6	29	24	2.6	301	2.7	29	12.0	12.3	0.3	E	40.0	0.0	RB	1
78	6	30	1	2.6	358	2.2	107	12.0	12.2	0.2	E	39.0	0.0	RB	1
78	6	30	2	2.2	309	1.7	211	12.4	13.2	0.8	F	34.0	0.0	RB	1
78	6	30	3	3.5	268	4.7	276	12.1	13.8	1.7	F	28.0	0.0	RB	1
78	6	30	4	2.4	22	3.6	253	12.5	14.1	1.6	F	23.0	0.0	RB	1
78	6	30	5	3.1	231	2.8	272	12.6	13.7	1.1	F	22.0	0.02	RB	1
78	6	30	6	1.8	4	1.9	278	13.6	14.4	0.8	F	20.0	0.18	RB	1
78	6	30	7	2.7	60	2.6	116	13.9	13.8	-0.1	E	19.0	0.45	RB	1
78	6	30	8	3.3	62	3.3	65	15.7	15.2	-0.5	D	18.0	0.73	RB	1
78	6	30	9	4.7	65	5.1	73	17.8	17.1	-0.6	D	17.0	1.00	RB	1
78	6	30	10	4.8	312	5.4	301	19.7	19.0	-0.8	C	16.0	1.22	RB	1
78	6	30	11	5.7	285	6.3	277	20.9	20.0	-0.9	B	16.0	1.43	RB	1
78	6	30	12	8.2	239	10.5	240	20.8	19.8	-0.9	B	16.0	0.81	RB	1
78	6	30	13	10.0	265	11.8	263	21.0	20.1	-0.9	B	16.0	1.01	RB	1
78	6	30	14	9.6	258	11.2	249	20.6	19.7	-0.8	C	16.0	0.90	RB	1
78	6	30	15	8.3	220	10.6	217	21.6	20.6	-1.0	A	16.0	1.08	RB	1
78	6	30	16	8.0	212	10.5	220	22.7	21.7	-1.0	A	15.0	0.96	RB	1
78	6	30	17	7.1	218	8.8	214	22.6	21.8	-0.7	D	15.0	0.55	RB	1
78	6	30	18	4.4	206	5.9	190	22.1	21.7	-0.4	D	16.0	0.20	RB	1
78	6	30	19	3.1	211	4.4	189	21.0	21.0	0.0	E	17.0	0.06	RB	1
78	6	30	20	8.3	257	12.5	223	19.4	20.7	1.3	F	17.0	0.0	RB	1
78	6	30	21	8.8	256	14.6	218	18.8	20.2	1.3	F	17.0	0.0	RB	1
78	6	30	22	9.5	265	15.3	220	17.9	19.5	1.6	F	18.0	0.0	RB	1
78	6	30	23	8.9	261	15.6	221	17.6	19.0	1.4	F	18.0	0.0	RB	1
78	6	30	24	7.3	258	15.6	220	18.0	19.3	1.3	F	18.0	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	REL HUMID (%)	SOLAR RAD LY/MIN		
78	7	1	1	9.2	263	14.2	226	17.9	19.5	1.6	F	18.0	0.0	RB	1
78	7	1	2	8.5	259	15.7	218	17.8	19.3	1.5	F	18.0	0.0	RB	1
78	7	1	3	4.6	337	8.1	283	16.3	17.4	1.1	F	18.0	0.0	RB	1
78	7	1	4	4.0	303	3.1	8	15.6	16.6	1.0	F	19.0	0.0	RB	1
78	7	1	5	3.1	267	2.5	294	15.8	16.3	0.5	E	19.0	0.02	RB	1
78	7	1	6	4.0	231	3.6	290	17.1	17.5	0.4	E	18.0	0.19	RB	1
78	7	1	7	3.2	80	2.7	108	17.8	17.5	-0.3	D	17.0	0.46	RB	1
78	7	1	8	3.8	65	4.0	72	19.3	18.7	-0.6	D	16.0	0.75	RB	1
78	7	1	9	4.9	91	5.4	94	21.1	20.4	-0.7	D	16.0	0.93	RB	1
78	7	1	10	9.2	186	12.2	195	23.0	22.0	-1.0	A	15.0	1.17	RB	1
78	7	1	11	11.8	208	15.5	206	23.8	22.7	-1.2	A	15.0	1.45	RB	1
78	7	1	12	12.2	211	16.4	211	24.3	23.0	-1.3	A	15.0	1.49	RB	1
78	7	1	13	13.1	190	17.8	196	24.5	23.2	-1.4	A	15.0	1.47	RB	1
78	7	1	14	11.9	213	15.6	213	24.9	23.6	-1.3	A	15.0	1.39	RB	1
78	7	1	15	10.9	198	14.9	205	25.2	24.0	-1.3	A	15.0	1.24	RB	1
78	7	1	16	11.3	199	14.3	202	25.0	23.9	-1.1	A	15.0	0.99	RB	1
78	7	1	17	10.9	192	14.3	196	24.9	24.1	-0.8	C	15.0	0.71	RB	1
78	7	1	18	9.0	199	13.2	194	24.4	23.9	-0.5	D	15.0	0.42	RB	1
78	7	1	19	4.9	226	10.2	214	23.1	23.2	0.1	E	15.0	0.11	RB	1
78	7	1	20	9.8	250	13.3	232	21.8	23.0	1.2	F	16.0	0.01	RB	1
78	7	1	21	10.3	252	13.7	219	20.7	22.7	2.0	G	17.0	0.0	RB	1
78	7	1	22	8.2	255	15.2	209	20.0	22.2	2.2	G	17.0	0.0	RB	1
78	7	1	23	9.4	260	15.5	209	19.4	21.4	2.0	G	17.0	0.0	RB	1
78	7	1	24	7.7	257	16.1	212	19.4	21.3	1.8	F	17.0	0.0	RB	1
78	7	2	1	6.6	249	15.8	218	19.3	20.1	0.8	F	17.0	0.0	RB	1
78	7	2	2	8.5	252	15.1	221	19.2	20.7	1.4	F	17.0	0.0	RB	1
78	7	2	3	9.7	254	15.8	222	18.7	20.4	1.7	F	17.0	0.0	RB	1
78	7	2	4	7.0	254	16.3	204	17.7	19.8	2.1	G	18.0	0.0	RB	1
78	7	2	5	6.8	252	15.5	207	17.9	19.7	1.8	F	18.0	0.02	RB	1
78	7	2	6	4.6	231	10.6	212	18.9	19.4	0.5	E	17.0	0.19	RB	1
78	7	2	7	6.4	180	10.2	202	20.9	20.5	-0.4	D	16.0	0.47	RB	1
78	7	2	8	10.5	189	13.6	199	22.6	21.7	-1.0	A	16.0	0.78	RB	1
78	7	2	9	8.3	220	11.2	217	23.6	22.4	-1.2	A	15.0	1.05	RB	1
78	7	2	10	11.3	211	15.9	215	24.6	23.3	-1.3	A	15.0	1.28	RB	1
78	7	2	11	15.1	206	21.8	209	25.0	23.7	-1.3	A	15.0	1.44	RB	1
78	7	2	12	16.1	204	24.8	213	25.1	23.8	-1.3	A	15.0	1.50	RB	1
78	7	2	13	17.6	200	26.1	206	25.5	24.2	-1.2	A	15.0	1.49	RB	1
78	7	2	14	18.9	187	25.8	193	25.7	24.6	-1.1	A	15.0	1.40	RB	1
78	7	2	15	16.5	190	23.5	195	25.8	24.8	-1.0	A	15.0	1.15	RB	1
78	7	2	16	15.6	192	22.4	199	25.8	25.0	-0.9	B	15.0	0.91	RB	1
78	7	2	17	16.1	207	26.0	212	25.7	25.1	-0.6	D	15.0	0.73	RB	1
78	7	2	18	14.2	205	22.8	211	24.9	24.5	-0.4	D	15.0	0.43	RB	1
78	7	2	19	10.0	218	18.1	220	23.7	23.5	-0.2	E	15.0	0.11	RB	1
78	7	2	20	5.1	240	13.6	220	21.7	22.2	0.5	E	17.0	0.0	RB	1
78	7	2	21	7.9	255	14.6	215	20.5	22.3	1.8	F	17.0	0.0	RB	1
78	7	2	22	9.0	248	11.8	208	20.4	22.4	2.0	G	17.0	0.0	RB	1
78	7	2	23	8.8	248	11.8	210	20.6	22.4	1.8	F	17.0	0.0	RB	1
78	7	2	24	7.8	249	15.3	207	20.3	22.1	1.8	F	17.0	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBUSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	REL HUMID (%)	SOLAR RAD LY/MIN		
78	7	3	1	6.6	251	14.8	215	19.8	21.0	1.2	F	17.0	0.0	RB	1
78	7	3	2	6.7	251	16.0	216	19.1	20.3	1.3	F	17.0	0.0	RB	1
78	7	3	3	6.2	253	15.3	219	18.1	18.9	0.9	F	18.0	0.0	RB	1
78	7	3	4	6.4	246	15.3	213	17.6	18.9	1.3	F	18.0	0.0	RB	1
78	7	3	5	5.6	247	15.8	208	16.6	17.7	1.0	F	18.0	0.02	RB	1
78	7	3	6	5.1	220	11.8	201	17.0	17.4	0.3	E	18.0	0.20	RB	1
78	7	3	7	9.5	184	13.4	195	18.7	18.2	-0.5	D	17.0	0.48	RB	1
78	7	3	8	13.5	188	19.0	191	20.2	19.2	-1.0	A	17.0	0.79	RB	1
78	7	3	9	15.0	197	22.1	204	21.5	20.4	-1.1	A	16.0	1.06	RB	1
78	7	3	10	17.3	201	25.0	208	22.4	21.2	-1.1	A	16.0	1.29	RB	1
78	7	3	11	16.9	200	25.5	211	23.1	21.9	-1.2	A	16.0	1.44	RB	1
78	7	3	12	15.7	204	22.6	210	24.0	22.7	-1.3	A	15.0	1.50	RB	1
78	7	3	13	17.2	201	26.3	207	24.5	23.2	-1.3	A	15.0	1.48	RB	1
78	7	3	14	20.0	192	29.2	198	24.8	23.8	-1.0	A	15.0	1.41	RB	1
78	7	3	15	23.4	190	32.8	194	25.2	24.5	-0.7	D	15.0	1.25	RB	1
78	7	3	16	16.5	202	25.6	208	25.4	24.6	-0.8	C	15.0	1.01	RB	1
78	7	3	17	15.2	203	24.5	209	24.9	24.2	-0.7	D	15.0	0.73	RB	1
78	7	3	18	13.3	199	20.8	207	24.2	23.8	-0.4	D	15.0	0.43	RB	1
78	7	3	19	7.7	220	15.7	221	22.8	22.7	-0.1	E	16.0	0.12	RB	1
78	7	3	20	7.1	251	14.2	217	20.6	21.8	1.2	F	17.0	0.01	RB	1
78	7	3	21	8.6	260	13.3	213	20.0	21.7	1.6	F	17.0	0.0	RB	1
78	7	3	22	7.2	251	15.6	206	19.5	21.3	1.8	F	17.0	0.0	RB	1
78	7	3	23	7.2	254	15.7	215	19.1	20.2	1.2	F	18.0	0.0	RB	1
78	7	3	24	5.8	225	16.7	221	18.5	19.1	0.6	E	18.0	0.0	RB	1
78	7	4	1	12.0	265	17.3	270	17.2	18.2	1.0	F	18.0	0.0	RB	1
78	7	4	2	11.6	260	16.1	278	16.3	17.3	1.0	F	19.0	0.0	RB	1
78	7	4	3	11.4	262	14.4	274	15.6	16.7	1.1	F	19.0	0.0	RB	1
78	7	4	4	11.7	255	13.2	252	15.9	17.1	1.2	F	19.0	0.0	RB	1
78	7	4	5	12.9	253	13.9	245	14.7	16.4	1.6	F	19.0	0.03	RB	1
78	7	4	6	8.2	241	12.7	221	15.0	15.5	0.5	E	19.0	0.20	RB	1
78	7	4	7	8.3	204	13.3	218	17.2	16.4	-0.9	B	18.0	0.48	RB	1
78	7	4	8	10.7	242	13.6	234	18.2	17.3	-0.9	B	18.0	0.78	RB	1
78	7	4	9	9.7	263	11.9	257	18.5	17.6	-1.0	A	18.0	1.05	RB	1
78	7	4	10	10.7	245	13.5	239	19.6	18.5	-1.0	A	17.0	1.28	RB	1
78	7	4	11	15.3	207	21.8	213	21.0	19.7	-1.3	A	17.0	1.44	RB	1
78	7	4	12	15.6	218	23.3	220	21.7	20.4	-1.3	A	16.0	1.51	RB	1
78	7	4	13	15.6	208	23.0	215	22.3	21.0	-1.3	A	16.0	1.50	RB	1
78	7	4	14	16.0	204	22.8	211	22.7	21.5	-1.2	A	16.0	1.42	RB	1
78	7	4	15	15.4	200	21.9	209	23.0	21.9	-1.2	A	16.0	1.26	RB	1
78	7	4	16	14.6	204	21.4	211	23.1	22.2	-1.0	A	16.0	1.01	RB	1
78	7	4	17	12.9	201	18.7	210	22.9	22.1	-0.8	C	16.0	0.73	RB	1
78	7	4	18	11.1	206	16.9	214	22.1	21.7	-0.5	D	16.0	0.43	RB	1
78	7	4	19	7.0	216	13.4	217	20.8	20.9	0.1	E	17.0	0.11	RB	1
78	7	4	20	7.8	255	14.0	215	18.8	20.2	1.4	F	18.0	0.01	RB	1
78	7	4	21	10.6	250	13.1	218	18.3	20.2	1.9	F	18.0	0.0	RB	1
78	7	4	22	10.5	250	11.9	229	18.7	20.2	1.6	F	18.0	0.0	RB	1
78	7	4	23	6.6	295	7.2	308	17.9	18.9	1.0	F	18.0	0.0	RB	1
78	7	4	24	10.1	357	16.4	9	14.4	14.8	0.4	E	19.0	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER - WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	REL HUMID (%)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	7	5	1	9.0	356	14.3	13	13.3	13.8	0.5	E	20.0	0.0	RB	1
78	7	5	2	5.9	318	11.0	12	11.9	13.0	1.1	F	20.0	0.0	RB	1
78	7	5	3	3.3	327	6.3	40	12.5	12.8	0.3	E	20.0	0.0	RB	1
78	7	5	4	3.8	291	3.6	42	12.5	12.7	0.2	E	20.0	0.0	RB	1
78	7	5	5	3.1	282	2.8	61	12.2	12.5	0.3	E	20.0	0.02	RB	1
78	7	5	6	2.4	219	2.2	108	12.6	12.6	0.0	E	20.0	0.19	RB	1
78	7	5	7	3.3	70	3.6	73	14.3	13.7	-0.6	D	18.0	0.46	RB	1
78	7	5	8	7.7	44	8.7	43	15.6	14.8	-0.8	C	18.0	0.76	RB	1
78	7	5	9	5.1	69	5.5	71	17.1	16.4	-0.8	C	18.0	1.03	RB	1
78	7	5	10	5.6	137	5.7	146	19.2	18.4	-0.8	C	17.0	1.25	RB	1
78	7	5	11	7.8	146	9.0	153	21.8	20.8	-1.0	A	16.0	1.41	RB	1
78	7	5	12	13.0	202	18.2	207	23.3	21.9	-1.4	A	16.0	1.50	RB	1
78	7	5	13	11.9	197	16.3	203	23.4	22.0	-1.4	A	16.0	1.48	RB	1
78	7	5	14	12.3	191	16.3	200	23.5	22.1	-1.4	A	16.0	1.40	RB	1
78	7	5	15	11.9	196	15.7	199	23.8	22.6	-1.2	A	15.0	1.25	RB	1
78	7	5	16	10.9	214	14.7	213	23.6	22.7	-1.0	A	15.0	0.84	RB	1
78	7	5	17	9.5	220	14.5	219	23.2	22.5	-0.8	C	16.0	0.51	RB	1
78	7	5	18	8.5	244	12.4	227	22.9	22.2	-0.7	D	16.0	0.36	RB	1
78	7	5	19	8.6	254	10.3	235	21.0	21.6	0.5	E	17.0	0.06	RB	1
78	7	5	20	8.7	244	10.5	225	20.6	21.6	1.0	F	17.0	0.0	RB	1
78	7	5	21	15.7	285	23.4	284	18.9	19.4	0.5	E	17.0	0.0	RB	1
78	7	5	22	9.2	340	13.5	344	16.6	16.8	0.2	E	18.0	0.0	RB	1
78	7	5	23	5.6	312	6.7	352	14.8	14.7	-0.1	E	19.0	0.0	RB	1
78	7	5	24	11.0	5	14.2	7	15.0	15.0	0.0	E	19.0	0.0	RB	1
78	7	6	1	3.5	158	5.1	62	13.7	13.7	0.0	E	20.0	0.0	RB	1
78	7	6	2	3.4	282	2.9	345	13.6	13.6	0.0	E	20.0	0.0	RB	1
78	7	6	3	6.6	299	7.1	334	12.7	13.4	0.7	E	20.0	0.0	RB	1
78	7	6	4	4.7	302	5.2	347	12.9	13.1	0.3	E	20.0	0.0	RB	1
78	7	6	5	4.2	269	3.1	301	12.6	12.7	0.1	E	20.0	0.02	RB	1
78	7	6	6	3.6	284	2.7	102	13.3	13.1	-0.1	E	19.0	0.18	RB	1
78	7	6	7	3.4	49	3.6	44	14.4	13.9	-0.5	D	18.0	0.44	RB	1
78	7	6	8	4.5	66	5.4	66	15.7	15.0	-0.7	D	18.0	0.74	RB	1
78	7	6	9	5.7	71	6.7	76	17.3	16.5	-0.8	C	17.0	1.01	RB	1
78	7	6	10	6.2	337	7.0	322	18.9	18.0	-0.9	B	17.0	1.24	RB	1
78	7	6	11	9.0	269	10.5	267	20.2	19.1	-1.1	A	17.0	1.42	RB	1
78	7	6	12	10.2	290	11.3	282	20.6	19.5	-1.1	A	16.0	1.29	RB	1
78	7	6	13	7.9	266	9.1	257	21.2	20.2	-1.0	A	16.0	1.28	RB	1
78	7	6	14	8.4	248	10.3	239	21.9	20.8	-1.1	A	16.0	1.10	RB	1
78	7	6	15	10.1	232	12.3	232	22.2	21.2	-1.0	A	16.0	1.01	RB	1
78	7	6	16	7.5	226	9.9	228	22.0	21.2	-0.7	D	16.0	0.38	RB	1
78	7	6	17	9.2	263	12.1	259	21.8	21.4	-0.5	D	16.0	0.29	RB	1
78	7	6	18	6.0	302	7.2	313	21.0	20.7	-0.3	D	16.0	0.14	RB	1
78	7	6	19	7.9	263	9.6	262	21.0	20.9	-0.2	E	17.0	0.06	RB	1
78	7	6	20	7.4	258	10.6	254	20.5	20.6	0.1	E	17.0	0.01	RB	1
78	7	6	21	17.8	5	21.7	6	17.2	16.7	-0.4	D	18.0	0.0	RB	1
78	7	6	22	9.2	31	13.1	27	15.2	15.1	-0.1	E	19.0	0.0	RB	1
78	7	6	23	4.5	20	7.9	35	13.9	14.1	0.2	E	20.0	0.0	RB	1
78	7	6	24	5.0	298	6.8	1	13.0	13.4	0.4	E	20.0	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBDSC METEOROLOGY TOWER 1

				- 10 METER -		60 METER		TEMPERATURE						
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	REL HUMID (%)	SOLAR RAD LY/MIN	
78	7	7	1	5.9	301	6.5	346	12.6	13.0	0.4	E	20.0	0.0	RB 1
78	7	7	2	3.9	288	2.4	20	12.9	13.1	0.2	E	20.0	0.0	RB 1
78	7	7	3	3.9	236	2.9	152	13.2	13.3	0.1	E	20.0	0.0	RB 1
78	7	7	4	5.7	222	4.9	184	13.3	13.5	0.2	E	20.0	0.0	RB 1
78	7	7	5	4.7	235	2.7	195	14.0	13.9	-0.1	E	20.0	0.02	RB 1
78	7	7	6	1.7	263	1.6	216	14.9	14.6	-0.3	D	19.0	0.18	RB 1
78	7	7	7	3.1	147	2.8	175	15.9	15.4	-0.5	D	18.0	0.44	RB 1
78	7	7	8	4.0	69	4.1	87	17.3	16.7	-0.6	D	17.0	0.74	RB 1
78	7	7	9	6.4	108	7.1	107	19.5	18.7	-0.8	C	17.0	1.03	RB 1
78	7	7	10	6.4	74	8.2	76	21.2	20.4	-0.9	B	16.0	1.24	RB 1
78	7	7	11	6.4	130	7.9	140	23.2	22.3	-0.9	B	15.0	1.40	RB 1
78	7	7	12	9.1	234	11.6	228	24.8	23.5	-1.3	A	15.0	1.48	RB 1
78	7	7	13	15.3	192	20.9	202	25.5	24.2	-1.3	A	15.0	1.48	RB 1
78	7	7	14	13.7	205	18.7	207	25.9	24.6	-1.3	A	15.0	1.42	RB 1
78	7	7	15	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	7	16	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	7	17	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	7	18	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	7	19	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	7	20	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	7	21	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	7	22	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	7	23	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	7	24	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	1	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	2	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	3	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	4	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	5	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	6	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	7	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	8	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	9	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	10	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	11	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	12	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	13	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	14	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	15	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	16	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	17	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	18	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	19	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	20	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	21	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	22	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	23	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1
78	7	8	24	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB 1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE							
				WIND	WIND	WIND	WIND	10 M	60 M	DELTA T		REL	SOLAR		
				SPEED	DIR	SPEED	DIR	TEMP	TEMP	60-10		HUMID	RAD		
YR	MN	DY	HR	MPH	DEG	MPH	DEG	(C)	(C)	(C)	SC	(%)	LY/MIN		
78	7	9	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	9	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	9	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	9	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	9	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	9	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	9	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	9	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	9	9	9.3	246	12.3	237	23.4	22.4	-1.0	A	16.0	1.01	RB	1
78	7	9	10	11.6	228	15.3	220	23.7	22.6	-1.1	A	15.0	1.12	RB	1
78	7	9	11	12.6	234	16.8	230	24.2	22.9	-1.3	A	15.0	1.42	RB	1
78	7	9	12	10.1	257	12.2	259	24.9	23.7	-1.2	A	15.0	1.38	RB	1
78	7	9	13	9.6	279	11.5	278	24.1	23.2	-0.8	C	15.0	0.45	RB	1
78	7	9	14	9.9	263	12.4	260	23.9	23.1	-0.8	C	15.0	0.59	RB	1
78	7	9	15	7.7	272	9.4	268	25.1	24.1	-1.0	A	15.0	0.91	RB	1
78	7	9	16	6.0	282	6.5	266	25.4	24.6	-0.8	C	14.0	0.78	RB	1
78	7	9	17	9.3	316	11.0	310	26.2	25.3	-0.9	B	14.0	0.73	RB	1
78	7	9	18	9.8	286	12.8	283	26.0	25.3	-0.7	D	14.0	0.43	RB	1
78	7	9	19	6.0	257	8.5	252	24.5	24.3	-0.2	E	15.0	0.12	RB	1
78	7	9	20	8.2	264	11.5	242	22.3	22.9	0.6	E	16.0	0.01	RB	1
78	7	9	21	10.1	266	10.5	285	22.0	23.2	1.2	F	16.0	0.0	RB	1
78	7	9	22	9.8	279	9.4	311	21.5	22.9	1.4	F	16.0	0.0	RB	1
78	7	9	23	5.9	311	8.8	357	19.4	20.3	0.9	F	17.0	0.0	RB	1
78	7	9	24	4.5	296	5.3	1	19.2	19.6	0.3	E	18.0	0.0	RB	1
78	7	10	1	2.5	282	4.6	64	18.9	19.4	0.4	E	18.0	0.0	RB	1
78	7	10	2	4.6	277	2.0	329	19.2	19.2	0.0	E	18.0	0.0	RB	1
78	7	10	3	6.3	290	5.6	319	19.3	19.5	0.2	E	17.0	0.0	RB	1
78	7	10	4	4.2	289	4.9	4	18.8	19.4	0.6	E	18.0	0.0	RB	1
78	7	10	5	4.2	238	3.4	138	18.1	18.5	0.4	E	18.0	0.02	RB	1
78	7	10	6	5.2	220	5.4	186	18.7	18.9	0.1	E	17.0	0.16	RB	1
78	7	10	7	5.6	176	7.4	180	20.1	19.6	-0.4	D	17.0	0.39	RB	1
78	7	10	8	8.2	191	11.2	201	22.1	21.0	-1.1	A	16.0	0.72	RB	1
78	7	10	9	10.5	205	14.8	212	23.4	22.2	-1.3	A	16.0	1.00	RB	1
78	7	10	10	11.4	203	14.7	207	24.1	22.8	-1.3	A	15.0	1.26	RB	1
78	7	10	11	10.0	214	13.6	215	24.8	23.6	-1.2	A	15.0	1.13	RB	1
78	7	10	12	12.6	212	15.9	213	24.9	23.8	-1.2	A	15.0	0.94	RB	1
78	7	10	13	12.6	303	16.9	301	19.8	19.6	-0.2	E	17.0	0.70	RB	1
78	7	10	14	7.2	256	8.8	254	24.3	23.4	-0.9	B	15.0	1.26	RB	1
78	7	10	15	11.3	221	14.3	220	26.0	24.9	-1.1	A	14.0	1.17	RB	1
78	7	10	16	8.6	221	12.7	220	25.1	24.3	-0.8	C	15.0	0.45	RB	1
78	7	10	17	10.5	251	13.7	254	21.6	21.4	-0.1	E	16.0	0.17	RB	1
78	7	10	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	10	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	10	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	10	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	10	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	10	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	10	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY TOWER 1

				- 10 METER -		60 METER		TEMPERATURE						
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	REL HUMID (%)	SOLAR RAD LY/MIN	
78	7	11	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	11	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	11	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	11	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	11	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	11	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	11	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	11	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	11	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	11	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	11	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	11	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	11	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	11	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	11	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	11	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	11	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	11	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	11	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	11	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	11	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	11	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	11	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	11	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	12	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	12	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	12	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	12	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	12	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	12	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	12	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	12	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	12	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	12	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	12	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	12	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	12	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	12	14	8.3	191	10.2	195	25.1	24.0	-1.2	A	14.0	1.35	RB 1
78	7	12	15	7.2	203	8.3	207	25.7	24.6	-1.0	A	14.0	1.19	RB 1
78	7	12	16	5.8	229	7.4	225	25.8	24.8	-1.0	A	14.0	0.86	RB 1
78	7	12	17	6.8	231	8.9	230	25.7	24.9	-0.8	C	14.0	0.63	RB 1
78	7	12	18	5.2	206	7.5	207	25.4	24.8	-0.6	D	14.0	0.40	RB 1
78	7	12	19	6.0	208	11.1	215	24.4	24.2	-0.3	D	15.0	0.14	RB 1
78	7	12	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	12	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	12	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	12	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	7	12	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER - WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	REL HUMID (%)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	7	13	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	13	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	13	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	13	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	13	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	13	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	13	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	13	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	13	9	9.3	259	10.2	229	25.2	24.2	-1.0	A	15.0	1.11	RB	1
78	7	13	10	8.3	248	9.9	238	25.2	24.1	-1.1	A	15.0	1.23	RB	1
78	7	13	11	9.5	258	11.2	255	25.8	24.7	-1.1	A	15.0	1.39	RB	1
78	7	13	12	8.1	261	10.3	252	26.8	25.6	-1.2	A	14.0	1.45	RB	1
78	7	13	13	8.8	283	10.2	273	27.4	26.2	-1.1	A	14.0	1.45	RB	1
78	7	13	14	8.3	307	9.7	303	27.8	26.7	-1.1	A	14.0	1.37	RB	1
78	7	13	15	9.1	292	10.5	278	28.3	27.1	-1.2	A	13.0	1.20	RB	1
78	7	13	16	8.0	260	9.5	262	28.3	27.3	-1.0	A	13.0	0.98	RB	1
78	7	13	17	9.4	297	11.5	292	28.0	27.0	-1.0	A	13.0	0.70	RB	1
78	7	13	18	9.5	340	11.5	335	26.5	999.9	0.6	E	14.0	0.40	RB	1
78	7	13	19	10.0	319	13.0	324	25.0	999.9	-0.3	D	15.0	0.12	RB	1
78	7	13	20	10.5	297	14.5	324	22.5	999.9	-2.0	A	16.0	0.0	RB	1
78	7	13	21	10.5	292	12.0	329	22.5	999.9	-2.3	A	16.0	0.0	RB	1
78	7	13	22	10.5	292	11.5	329	22.5	999.9	-2.0	A	16.0	0.0	RB	1
78	7	13	23	4.5	297	5.5	356	22.0	999.9	-1.3	A	16.0	0.0	RB	1
78	7	13	24	5.0	286	8.0	356	21.0	999.9	-1.3	A	17.0	0.0	RB	1
78	7	14	1	4.0	281	4.0	346	22.0	999.9	-0.3	D	16.0	0.0	RB	1
78	7	14	2	2.0	254	1.0	124	22.0	999.9	-0.1	E	17.0	0.0	RB	1
78	7	14	3	2.5	205	3.0	115	21.0	999.9	-0.5	D	18.0	0.0	RB	1
78	7	14	4	3.0	216	3.0	135	21.0	999.9	-0.1	E	17.0	0.0	RB	1
78	7	14	5	4.0	216	4.5	173	20.0	999.9	-0.8	C	18.0	0.04	RB	1
78	7	14	6	3.5	227	3.0	189	21.0	999.9	-0.1	E	17.0	0.16	RB	1
78	7	14	7	2.5	54	999.9	999	21.5	999.9	0.1	E	16.0	0.42	RB	1
78	7	14	8	3.0	113	3.0	146	23.0	999.9	0.6	E	15.0	0.72	RB	1
78	7	14	9	6.0	72	6.0	92	24.5	999.9	0.7	E	14.0	1.00	RB	1
78	7	14	10	6.5	94	8.0	86	25.0	999.9	0.7	E	14.0	1.24	RB	1
78	7	14	11	7.5	50	9.0	56	26.5	999.9	0.9	F	14.0	1.38	RB	1
78	7	14	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	14	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	14	14	6.0	265	6.5	275	28.5	999.9	0.9	F	13.0	1.42	RB	1
78	7	14	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	14	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	14	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	14	18	6.5	29	8.0	40	28.0	999.9	0.4	E	14.0	0.30	RB	1
78	7	14	19	6.0	81	11.5	72	27.0	999.9	0.0	E	13.0	0.12	RB	1
78	7	14	20	3.5	324	5.5	65	25.0	999.9	-0.3	D	16.0	0.0	RB	1
78	7	14	21	2.0	270	3.0	86	24.5	999.9	-0.4	D	16.0	0.0	RB	1
78	7	14	22	1.5	194	3.0	113	24.5	999.9	-0.1	E	16.0	0.0	RB	1
78	7	14	23	6.0	221	5.5	189	24.0	999.9	-0.2	E	18.0	0.0	RB	1
78	7	14	24	4.5	211	4.5	162	23.5	999.9	0.0	E	16.0	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	REL HUMID (%)	SOLAR RAD LY/MIN		
78	7	15	1	3.0	265	2.5	238	23.5	999.9	-0.5	D	16.0	0.0	RB	1
78	7	15	2	5.0	216	4.0	178	23.0	999.9	-0.4	D	16.0	0.0	RB	1
78	7	15	3	5.0	227	5.0	189	22.0	999.9	-0.4	D	16.0	0.0	RB	1
78	7	15	4	3.0	162	5.0	135	22.0	999.9	-0.3	D	17.0	0.0	RB	1
78	7	15	5	3.5	232	5.0	194	21.5	999.9	-0.4	D	17.0	0.0	RB	1
78	7	15	6	4.5	189	7.0	189	21.5	999.9	-0.6	D	16.0	0.16	RB	1
78	7	15	7	3.5	67	3.0	67	21.5	999.9	0.1	E	16.0	0.40	RB	1
78	7	15	8	5.0	167	6.0	173	23.5	999.9	0.6	E	15.0	0.68	RB	1
78	7	15	9	8.5	173	10.0	189	25.0	999.9	1.0	F	14.0	1.00	RB	1
78	7	15	10	8.5	200	12.0	211	25.5	999.9	1.1	F	14.0	0.84	RB	1
78	7	15	11	10.5	248	12.0	243	25.5	999.9	0.9	F	14.0	0.82	RB	1
78	7	15	12	13.0	184	16.0	189	26.5	999.9	1.1	F	14.0	1.22	RB	1
78	7	15	13	12.0	200	16.0	211	26.5	999.9	1.0	F	14.0	0.82	RB	1
78	7	15	14	12.5	248	16.5	238	26.0	999.9	0.9	F	14.0	0.66	RB	1
78	7	15	15	22.0	281	28.0	275	24.0	999.9	1.0	F	16.0	0.60	RB	1
78	7	15	16	15.0	286	21.5	286	24.0	999.9	0.8	F	16.0	0.44	RB	1
78	7	15	17	6.0	211	7.5	221	23.0	999.9	0.6	E	16.0	0.36	RB	1
78	7	15	18	10.5	173	11.0	173	23.5	999.9	0.6	E	15.0	0.32	RB	1
78	7	15	19	10.0	140	13.5	146	22.5	999.9	0.4	E	16.0	0.12	RB	1
78	7	15	20	5.5	119	8.5	130	20.0	999.9	0.1	E	17.0	0.0	RB	1
78	7	15	21	5.0	151	8.0	130	18.5	999.9	-0.1	E	18.0	0.0	RB	1
78	7	15	22	5.5	200	8.5	173	18.0	999.9	-0.6	D	18.0	0.0	RB	1
78	7	15	23	5.5	232	7.5	200	18.5	999.9	-1.0	A	18.0	0.0	RB	1
78	7	15	24	1.5	221	5.5	205	19.0	999.9	-0.5	D	18.0	0.0	RB	1
78	7	16	1	3.0	50	2.5	999	17.0	999.9	-1.3	A	18.0	0.0	RB	1
78	7	16	2	3.0	297	3.0	216	17.5	999.9	-1.3	A	18.0	0.0	RB	1
78	7	16	3	3.5	119	5.0	200	18.0	999.9	-1.3	A	18.0	0.0	RB	1
78	7	16	4	7.0	254	9.5	243	19.0	999.9	-0.7	D	18.0	0.0	RB	1
78	7	16	5	6.0	232	11.0	243	19.0	999.9	-0.9	B	18.0	0.04	RB	1
78	7	16	6	5.0	999	9.0	243	19.0	999.9	-1.1	A	17.0	0.16	RB	1
78	7	16	7	3.0	184	7.0	238	20.0	999.9	-0.1	E	16.0	0.24	RB	1
78	7	16	8	12.0	248	14.5	238	23.0	999.9	0.8	F	16.0	0.68	RB	1
78	7	16	9	10.5	248	13.0	243	23.5	999.9	0.8	F	16.0	0.80	RB	1
78	7	16	10	8.0	216	11.0	221	24.5	999.9	1.0	F	14.0	0.80	RB	1
78	7	16	11	10.0	205	13.5	211	24.5	999.9	1.0	F	14.0	0.80	RB	1
78	7	16	12	14.0	200	20.5	216	24.5	999.9	1.0	F	15.0	0.80	RB	1
78	7	16	13	14.0	200	18.0	216	24.5	999.9	1.2	F	15.0	1.24	RB	1
78	7	16	14	14.5	211	20.0	216	26.0	999.9	1.3	F	14.0	1.42	RB	1
78	7	16	15	12.5	232	15.5	232	26.0	999.9	1.0	F	14.0	1.32	RB	1
78	7	16	16	9.0	232	12.0	227	26.0	999.9	0.9	F	14.0	0.80	RB	1
78	7	16	17	9.0	211	13.5	221	24.0	999.9	0.5	E	16.0	0.16	RB	1
78	7	16	18	7.0	243	11.0	221	22.5	999.9	0.3	E	16.0	0.08	RB	1
78	7	16	19	14.0	221	11.0	221	20.0	999.9	-0.1	E	18.0	0.04	RB	1
78	7	16	20	5.5	194	7.5	178	19.0	999.9	-0.4	D	18.0	0.0	RB	1
78	7	16	21	8.0	211	13.0	189	18.5	999.9	-0.7	D	18.0	0.0	RB	1
78	7	16	22	10.5	184	18.5	194	18.5	999.9	-0.3	D	18.0	0.0	RB	1
78	7	16	23	11.0	151	18.5	189	18.5	999.9	0.1	E	18.0	0.0	RB	1
78	7	16	24	10.0	173	17.0	189	18.0	999.9	0.2	E	18.0	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				* 10 METER *		60 METER		TEMPERATURE							
				WIND	WIND	WIND	WIND	10 M	60 M	DELTA T		REL	SOLAR		
				SPEED	DIR	SPEED	DIR	TEMP	TEMP	60-10		HUMID	RAD		
YR	MN	DY	HR	MPH	DEG	MPH	DEG	(C)	(C)	(C)	SC	(%)	LY/MIN		
78	7	17	1	8.5	151	13.0	151	17.0	999.9	-0.1	E	18.0	0.0	RB	1
78	7	17	2	6.5	184	9.5	178	17.0	999.9	-0.1	E	18.0	0.0	RB	1
78	7	17	3	5.5	297	3.5	308	16.0	999.9	-0.1	E	18.0	0.0	RB	1
78	7	17	4	4.0	194	8.5	227	16.0	999.9	-0.6	D	18.0	0.0	RB	1
78	7	17	5	8.0	254	9.5	221	16.0	999.9	-0.2	E	19.0	0.04	RB	1
78	7	17	6	5.5	238	11.0	238	16.0	999.9	-0.1	E	18.0	0.14	RB	1
78	7	17	7	9.0	248	11.5	232	19.0	999.9	0.6	E	18.0	0.40	RB	1
78	7	17	8	10.5	248	13.0	232	20.5	999.9	0.8	F	17.0	0.72	RB	1
78	7	17	9	12.0	259	14.0	238	21.5	999.9	0.8	F	16.0	0.96	RB	1
78	7	17	10	8.5	248	10.5	227	22.5	999.9	1.0	F	16.0	1.20	RB	1
78	7	17	11	8.5	216	11.0	216	23.5	999.9	1.0	F	15.0	1.20	RB	1
78	7	17	12	10.5	194	12.5	205	23.5	999.9	1.0	F	16.0	0.72	RB	1
78	7	17	13	11.0	221	14.5	227	22.0	999.9	0.8	F	16.0	0.60	RB	1
78	7	17	14	12.5	189	16.5	200	24.5	999.9	1.1	F	15.0	1.34	RB	1
78	7	17	15	15.0	221	20.0	216	22.5	999.9	0.6	E	15.0	0.32	RB	1
78	7	17	16	11.0	275	15.5	886	19.0	999.9	-1.2	A	18.0	0.16	RB	1
78	7	17	17	14.0	275	21.0	275	17.0	999.9	-0.8	C	18.0	0.18	RB	1
78	7	17	18	6.0	208	9.0	200	17.5	999.9	-0.1	E	18.0	0.10	RB	1
78	7	17	19	5.0	162	8.0	146	17.0	999.9	-0.1	E	18.0	0.0	RB	1
78	7	17	20	3.0	119	7.0	119	16.0	999.9	-0.3	D	19.0	0.0	RB	1
78	7	17	21	10.5	157	12.5	151	16.5	999.9	0.3	E	18.0	0.0	RB	1
78	7	17	22	5.0	243	5.5	205	16.0	999.9	-0.2	E	18.0	0.0	RB	1
78	7	17	23	5.0	178	11.0	184	15.0	999.9	-0.9	B	20.0	0.0	RB	1
78	7	17	24	4.0	178	8.0	173	15.0	999.9	-0.4	D	20.0	0.0	RB	1
78	7	18	1	4.5	178	6.5	173	14.5	999.9	-0.5	D	20.0	0.0	RB	1
78	7	18	2	2.5	324	2.5	999	14.0	999.9	-0.6	D	20.0	0.0	RB	1
78	7	18	3	3.0	270	5.5	238	15.5	999.9	-0.4	D	20.0	0.0	RB	1
78	7	18	4	6.0	259	7.0	194	15.0	999.9	-0.7	D	20.0	0.0	RB	1
78	7	18	5	3.0	297	3.0	130	14.0	999.9	-0.9	B	20.0	0.0	RB	1
78	7	18	6	2.5	88	2.5	162	15.0	999.9	-0.2	E	20.0	0.16	RB	1
78	7	18	7	2.5	45	4.0	173	16.0	999.9	0.1	E	18.0	0.40	RB	1
78	7	18	8	7.5	178	8.0	200	18.5	999.9	0.6	E	18.0	0.70	RB	1
78	7	18	9	8.0	238	9.5	216	20.0	999.9	0.8	F	17.0	0.96	RB	1
78	7	18	10	9.0	254	11.0	243	21.0	999.9	1.0	F	16.0	1.26	RB	1
78	7	18	11	7.5	242	9.5	237	21.9	21.0	-1.0	A	16.0	0.77	RB	1
78	7	18	12	8.4	191	10.7	199	23.9	22.7	-1.2	A	15.0	1.48	RB	1
78	7	18	13	10.5	193	14.9	201	24.2	23.0	-1.2	A	15.0	0.79	RB	1
78	7	18	14	10.0	243	14.9	239	22.2	21.4	-0.8	C	16.0	0.27	RB	1
78	7	18	15	10.1	293	12.2	286	21.6	21.0	-0.5	D	16.0	0.28	RB	1
78	7	18	16	8.5	241	12.4	229	20.3	20.8	0.5	E	17.0	0.40	RB	1
78	7	18	17	6.7	197	9.7	186	19.4	20.2	0.8	F	17.0	0.21	RB	1
78	7	18	18	8.5	248	12.7	246	20.8	21.4	0.5	E	17.0	0.13	RB	1
78	7	18	19	12.1	251	17.9	247	19.8	19.9	0.1	E	17.0	0.06	RB	1
78	7	18	20	9.5	247	13.9	232	18.6	19.0	0.4	E	18.0	0.01	RB	1
78	7	18	21	10.8	261	14.5	237	18.8	20.1	1.3	F	18.0	0.0	RB	1
78	7	18	22	13.7	254	21.1	249	18.8	19.5	0.7	E	17.0	0.0	RB	1
78	7	18	23	9.0	243	18.5	227	19.5	999.9	-0.2	E	17.0	0.0	RB	1
78	7	18	24	5.5	270	11.0	254	19.0	999.9	-0.8	C	18.0	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE		DELTA T		REL	SOLAR		
				WIND	WIND	WIND	WIND	10 M	60 M	60-10		HUMID	RAD		
YR	MN	DY	HR	SPEED MPH	DIR DEG	SPEED MPH	DIR DEG	TEMP (C)	TEMP (C)	(C)	SC	(%)	LY/MIN		
78	7	19	1	15.5	259	14.0	265	18.5	999.9	-0.3	D	18.0	0.0	RB	1
78	7	19	2	17.0	265	27.0	265	15.5	999.9	-0.4	D	19.0	0.0	RB	1
78	7	19	3	9.5	281	11.5	286	16.0	999.9	-1.8	A	20.0	0.0	RB	1
78	7	19	4	8.0	205	7.5	221	15.5	999.9	-1.3	A	20.0	0.0	RB	1
78	7	19	5	7.5	205	11.0	189	15.5	999.9	-0.4	D	20.0	0.0	RB	1
78	7	19	6	5.5	216	10.0	184	16.5	999.9	-0.7	D	18.0	0.36	RB	1
78	7	19	7	4.0	157	6.0	167	19.0	999.9	0.3	E	18.0	0.42	RB	1
78	7	19	8	8.5	205	10.0	194	21.0	999.9	0.6	E	16.0	0.70	RB	1
78	7	19	9	9.0	216	13.0	216	23.0	999.9	0.9	F	16.0	0.96	RB	1
78	7	19	10	11.0	270	13.0	248	23.5	999.9	0.8	F	16.0	1.26	RB	1
78	7	19	11	11.0	248	14.0	254	24.5	999.9	1.0	F	15.0	1.50	RB	1
78	7	19	12	14.0	286	19.0	286	21.5	999.9	0.1	E	16.0	0.24	RB	1
78	7	19	13	11.0	286	15.0	281	20.5	999.9	0.1	E	17.0	0.20	RB	1
78	7	19	14	6.0	254	10.0	216	21.0	999.9	0.0	E	16.0	1.36	RB	1
78	7	19	15	13.5	200	18.5	205	25.0	999.9	0.9	F	15.0	1.20	RB	1
78	7	19	16	14.0	189	19.0	205	25.5	999.9	0.8	F	14.0	0.96	RB	1
78	7	19	17	12.0	211	18.0	216	23.5	999.9	0.4	E	16.0	0.24	RB	1
78	7	19	18	5.5	248	9.0	232	24.0	999.9	0.3	E	16.0	0.40	RB	1
78	7	19	19	7.0	205	13.0	216	23.0	999.9	0.3	E	16.0	0.18	RB	1
78	7	19	20	6.0	243	14.0	216	21.0	999.9	-0.4	D	16.0	0.0	RB	1
78	7	19	21	7.5	205	15.5	200	20.0	999.9	-0.3	D	17.0	0.0	RB	1
78	7	19	22	5.5	243	13.0	211	20.5	999.9	-0.6	D	17.0	0.0	RB	1
78	7	19	23	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB	1
78	7	19	24	8.0	227	14.0	221	20.0	999.9	-1.3	A	17.0	0.0	RB	1
78	7	20	1	9.0	232	15.0	227	18.0	999.9	-1.1	A	18.0	0.0	RB	1
78	7	20	2	2.5	200	5.5	151	18.0	999.9	-0.4	D	18.0	0.0	RB	1
78	7	20	3	2.5	119	4.5	135	17.5	999.9	-0.1	E	19.0	0.0	RB	1
78	7	20	4	3.0	259	2.5	189	17.5	999.9	0.0	E	18.0	0.0	RB	1
78	7	20	5	5.0	275	4.0	238	18.0	999.9	-0.3	D	18.0	0.0	RB	1
78	7	20	6	6.0	259	8.5	227	18.5	999.9	-0.3	D	18.0	0.16	RB	1
78	7	20	7	7.0	264	10.0	232	21.0	999.9	0.4	E	16.0	0.52	RB	1
78	7	20	8	8.0	205	11.0	221	22.5	999.9	0.9	F	16.0	0.76	RB	1
78	7	20	9	10.5	205	14.0	216	24.0	999.9	0.9	F	16.0	1.08	RB	1
78	7	20	10	12.5	243	15.5	238	24.5	999.9	1.0	F	15.0	1.24	RB	1
78	7	20	11	15.0	194	19.5	211	25.5	999.9	1.3	F	14.0	1.40	RB	1
78	7	20	12	16.0	227	22.5	221	26.0	999.9	1.1	F	14.0	1.48	RB	1
78	7	20	13	14.3	205	19.8	220	27.2	25.7	-1.4	A	14.0	1.46	RB	1
78	7	20	14	14.2	207	20.4	214	27.5	26.1	-1.5	A	14.0	1.37	RB	1
78	7	20	15	13.8	208	19.6	211	27.7	26.5	-1.2	A	14.0	1.15	RB	1
78	7	20	16	11.5	222	16.9	219	27.6	26.5	-1.1	A	14.0	0.66	RB	1
78	7	20	17	10.7	217	15.3	216	27.6	26.8	-0.9	B	14.0	0.60	RB	1
78	7	20	18	9.4	212	15.9	217	26.4	26.0	-0.4	D	14.0	0.22	RB	1
78	7	20	19	9.3	208	17.1	210	25.2	25.2	0.0	E	15.0	0.06	RB	1
78	7	20	20	6.2	238	14.8	209	23.2	23.8	0.6	E	16.0	0.0	RB	1
78	7	20	21	5.2	251	14.1	209	22.4	23.3	0.9	F	16.0	0.0	RB	1
78	7	20	22	8.3	262	13.7	253	23.4	23.5	0.1	E	16.0	0.0	RB	1
78	7	20	23	6.4	262	9.3	255	22.1	22.9	0.8	F	16.0	0.0	RB	1
78	7	20	24	6.3	234	13.7	208	21.5	22.2	0.7	E	17.0	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	REL HUMID (%)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	7	21	1	4.6	328	5.5	317	20.0	20.9	0.8	F	17.0	0.0	RB	1
78	7	21	2	5.3	305	6.1	39	19.0	19.2	0.2	E	17.0	0.0	RB	1
78	7	21	3	4.1	264	4.7	352	16.9	16.9	-0.1	E	18.0	0.0	RB	1
78	7	21	4	4.7	14	6.3	20	15.3	15.1	-0.2	E	19.0	0.0	RB	1
78	7	21	5	3.7	167	4.1	19	13.6	13.7	0.1	E	21.0	0.01	RB	1
78	7	21	6	5.8	52	7.4	37	12.3	11.9	-0.4	D	24.0	0.14	RB	1
78	7	21	7	7.0	39	7.9	35	13.1	12.5	-0.6	D	21.0	0.40	RB	1
78	7	21	8	6.0	65	6.4	59	14.4	13.7	-0.7	D	19.0	0.69	RB	1
78	7	21	9	4.4	35	4.6	65	16.5	15.7	-0.8	C	18.0	0.96	RB	1
78	7	21	10	12.7	300	15.0	294	19.1	17.8	-1.2	A	17.0	1.21	RB	1
78	7	21	11	12.8	268	15.3	267	19.8	18.5	-1.3	A	17.0	1.38	RB	1
78	7	21	12	13.4	275	16.4	273	20.6	19.3	-1.4	A	16.0	1.45	RB	1
78	7	21	13	13.4	314	15.3	308	21.1	19.8	-1.3	A	16.0	1.43	RB	1
78	7	21	14	12.7	308	15.1	302	22.0	20.7	-1.3	A	16.0	1.34	RB	1
78	7	21	15	14.3	313	17.0	310	22.4	21.2	-1.3	A	16.0	1.18	RB	1
78	7	21	16	16.1	311	19.1	304	22.6	21.5	-1.2	A	16.0	0.97	RB	1
78	7	21	17	14.4	308	17.2	302	22.3	21.3	-0.9	B	16.0	0.63	RB	1
78	7	21	18	12.9	331	15.0	327	21.7	20.9	-0.8	C	16.0	0.39	RB	1
78	7	21	19	11.1	332	14.3	335	20.1	19.9	-0.2	E	17.0	0.10	RB	1
78	7	21	20	12.0	356	16.1	5	16.7	16.8	0.1	E	18.0	0.01	RB	1
78	7	21	21	5.6	349	10.9	14	14.6	15.2	0.6	E	19.0	0.0	RB	1
78	7	21	22	4.2	13	9.9	18	13.4	14.0	0.6	E	20.0	0.0	RB	1
78	7	21	23	3.5	295	6.6	2	13.1	13.1	0.1	E	20.0	0.0	RB	1
78	7	21	24	4.8	357	7.7	7	12.6	12.3	-0.2	E	20.0	0.0	RB	1
78	7	22	1	5.7	337	7.1	360	12.0	12.0	0.0	E	20.0	0.0	RB	1
78	7	22	2	2.7	273	3.6	40	11.3	11.6	0.3	E	21.0	0.0	RB	1
78	7	22	3	3.7	260	3.9	42	10.6	10.8	0.2	E	21.0	0.0	RB	1
78	7	22	4	3.1	233	2.4	114	9.7	9.7	-0.1	E	22.0	0.0	RB	1
78	7	22	5	2.0	255	1.4	209	9.4	9.5	0.1	E	22.0	0.01	RB	1
78	7	22	6	2.4	358	2.0	18	9.7	9.7	0.0	E	21.0	0.13	RB	1
78	7	22	7	2.6	73	2.6	53	11.2	10.7	-0.6	D	19.0	0.41	RB	1
78	7	22	8	3.0	61	2.9	65	13.4	12.8	-0.7	D	18.0	0.71	RB	1
78	7	22	9	5.0	76	5.6	81	15.8	15.0	-0.8	C	18.0	0.99	RB	1
78	7	22	10	5.1	93	5.7	82	17.3	16.5	-0.7	D	17.0	1.20	RB	1
78	7	22	11	5.5	18	5.5	119	19.5	999.9	0.8	F	17.0	1.40	RB	1
78	7	22	12	7.0	324	6.8	259	20.5	999.9	0.9	F	16.0	1.46	RB	1
78	7	22	13	6.5	324	6.5	297	21.5	999.9	0.9	F	16.0	1.44	RB	1
78	7	22	14	7.5	302	7.5	2	22.5	999.9	1.0	F	16.0	1.36	RB	1
78	7	22	15	7.0	324	8.0	340	23.5	999.9	1.0	F	16.0	1.20	RB	1
78	7	22	16	9.5	324	10.0	286	23.5	999.9	1.0	F	16.0	0.96	RB	1
78	7	22	17	10.0	319	12.0	313	23.5	999.9	0.9	F	16.0	0.68	RB	1
78	7	22	18	10.0	324	11.5	313	23.8	999.9	0.8	F	16.0	0.40	RB	1
78	7	22	19	6.5	297	10.5	308	21.0	999.9	-0.9	B	16.0	0.10	RB	1
78	7	22	20	4.5	216	6.5	259	18.5	999.9	-0.9	B	18.0	0.0	RB	1
78	7	22	21	4.0	227	3.0	162	19.5	999.9	-1.2	A	18.0	0.0	RB	1
78	7	22	22	2.5	238	1.5	270	21.0	999.9	-0.4	D	18.0	0.0	RB	1
78	7	22	23	4.0	275	3.0	205	20.0	999.9	-1.5	A	18.0	0.0	RB	1
78	7	22	24	5.0	292	5.0	329	19.0	999.9	-0.6	D	18.0	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	REL HUMID (%)	SOLAR RAD LY/MIN		
78	7	23	1	4.5	292	2.5	340	19.5	999.9	-0.2	E	18.0	0.0	RB	1
78	7	23	2	3.0	275	3.0	351	18.5	999.9	-0.6	D	19.0	0.0	RB	1
78	7	23	3	3.0	297	2.5	7	17.5	999.9	-0.6	D	19.0	0.0	RB	1
78	7	23	4	5.0	308	2.5	13	16.0	999.9	-0.9	B	20.0	0.0	RB	1
78	7	23	5	3.0	216	2.5	13	16.0	999.9	-0.5	D	20.0	0.04	RB	1
78	7	23	6	1.5	265	1.5	259	16.5	999.9	-0.4	D	19.0	0.16	RB	1
78	7	23	7	3.0	56	2.5	29	18.5	999.9	0.5	E	18.0	0.44	RB	1
78	7	23	8	5.0	340	5.0	259	19.5	999.9	0.5	E	17.0	0.74	RB	1
78	7	23	9	6.5	86	7.0	88	21.5	999.9	0.8	F	16.0	1.00	RB	1
78	7	23	10	7.0	281	8.0	351	22.5	999.9	0.8	F	16.0	1.24	RB	1
78	7	23	11	10.0	286	12.0	286	23.5	999.9	1.2	F	16.0	1.40	RB	1
78	7	23	12	10.0	270	10.0	259	24.0	999.9	1.1	F	16.0	1.48	RB	1
78	7	23	13	8.0	281	10.0	270	24.5	999.9	1.1	F	15.0	1.44	RB	1
78	7	23	14	10.5	286	12.0	286	25.5	999.9	1.3	F	15.0	1.36	RB	1
78	7	23	15	10.5	297	12.0	292	25.5	999.9	1.0	F	15.0	1.22	RB	1
78	7	23	16	9.5	324	11.0	313	25.5	999.9	1.0	F	15.0	0.96	RB	1
78	7	23	17	9.0	308	10.0	297	25.5	999.9	0.9	F	14.0	0.68	RB	1
78	7	23	18	10.0	340	11.0	335	25.0	999.9	0.8	F	15.0	0.38	RB	1
78	7	23	19	8.0	313	11.0	335	22.5	999.9	-1.0	A	16.0	0.10	RB	1
78	7	23	20	8.5	286	7.5	335	22.0	999.9	-1.5	A	17.0	0.0	RB	1
78	7	23	21	6.0	292	6.0	340	22.5	999.9	-0.8	C	16.0	0.0	RB	1
78	7	23	22	4.5	259	5.0	324	23.0	999.9	-0.2	E	16.0	0.0	RB	1
78	7	23	23	5.0	232	4.0	205	23.0	999.9	-0.1	E	16.0	0.0	RB	1
78	7	23	24	7.0	265	7.0	270	22.5	999.9	-0.3	D	16.0	0.0	RB	1
78	7	24	1	7.5	243	7.5	254	22.0	999.9	-0.5	D	17.0	0.0	RB	1
78	7	24	2	10.5	254	9.5	265	21.5	999.9	-0.9	B	17.0	0.0	RB	1
78	7	24	3	6.0	286	6.0	297	20.0	999.9	-1.3	A	18.0	0.0	RB	1
78	7	24	4	7.5	281	12.0	259	19.5	999.9	-0.7	D	18.0	0.0	RB	1
78	7	24	5	10.0	254	12.0	243	19.0	999.9	0.1	E	18.0	0.0	RB	1
78	7	24	6	7.5	221	999.9	221	19.5	999.9	0.3	E	18.0	0.16	RB	1
78	7	24	7	5.0	146	999.9	162	20.5	999.9	0.6	E	16.0	0.44	RB	1
78	7	24	8	6.0	189	999.9	162	22.5	999.9	0.8	F	16.0	0.72	RB	1
78	7	24	9	7.5	248	999.9	232	23.0	999.9	0.8	F	16.0	1.00	RB	1
78	7	24	10	8.6	267	10.3	266	24.5	23.4	-1.1	A	15.0	1.21	RB	1
78	7	24	11	10.1	287	11.4	282	25.5	24.3	-1.2	A	15.0	1.38	RB	1
78	7	24	12	9.1	254	10.4	256	26.5	25.4	-1.1	A	14.0	1.48	RB	1
78	7	24	13	8.7	310	9.4	303	27.0	25.9	-1.2	A	14.0	1.48	RB	1
78	7	24	14	9.6	296	11.0	291	27.3	26.2	-1.1	A	14.0	1.21	RB	1
78	7	24	15	9.6	229	11.9	232	27.4	26.2	-1.2	A	14.0	1.06	RB	1
78	7	24	16	6.2	296	6.6	298	27.4	26.5	-0.9	B	14.0	0.75	RB	1
78	7	24	17	6.2	348	6.5	344	27.9	27.1	-0.8	C	13.0	0.70	RB	1
78	7	24	18	6.8	322	7.8	314	27.6	26.8	-0.8	C	14.0	0.37	RB	1
78	7	24	19	4.4	240	6.6	238	25.6	25.4	-0.1	E	15.0	0.11	RB	1
78	7	24	20	8.8	234	11.5	217	23.7	24.4	0.7	E	16.0	0.01	RB	1
78	7	24	21	12.4	250	17.2	245	22.7	24.3	1.6	F	16.0	0.0	RB	1
78	7	24	22	12.8	249	16.7	251	22.7	24.2	1.6	F	16.0	0.0	RB	1
78	7	24	23	12.1	246	16.4	256	22.6	24.2	1.5	F	16.0	0.0	RB	1
78	7	24	24	12.2	249	16.9	257	22.4	24.1	1.7	F	16.0	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				10 METER		60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	RFL HUMID (%)	SOLAR RAD LY/MIN		
78	7	25	1	13.2	248	19.1	253	22.2	24.0	1.8	F	16.0	0.0	RB	1
78	7	25	2	13.3	268	16.6	237	21.3	21.6	0.4	E	17.0	0.01	RB	1
78	7	25	3	13.4	255	18.5	244	20.4	20.3	-0.1	E	17.0	0.0	RB	1
78	7	25	4	14.7	241	22.4	245	19.9	20.0	0.1	E	17.0	0.0	RB	1
78	7	25	5	16.3	240	21.7	248	19.4	19.7	0.3	E	18.0	0.01	RB	1
78	7	25	6	5.4	20	7.9	15	19.0	19.3	0.3	E	17.0	0.12	RB	1
78	7	25	7	4.9	132	5.6	147	21.3	20.7	-0.6	D	16.0	0.40	RB	1
78	7	25	8	9.7	259	10.9	254	22.6	21.7	-0.9	B	16.0	0.66	RB	1
78	7	25	9	6.9	283	8.0	278	23.9	22.8	-1.0	A	16.0	0.96	RB	1
78	7	25	10	8.5	285	9.1	285	24.7	23.7	-1.1	A	15.0	1.14	RB	1
78	7	25	11	6.6	317	7.8	311	26.4	25.2	-1.2	A	14.0	1.35	RB	1
78	7	25	12	7.3	8	8.1	359	27.3	26.2	-1.2	A	14.0	1.44	RB	1
78	7	25	13	10.3	338	11.5	329	28.2	26.9	-1.3	A	14.0	1.36	RB	1
78	7	25	14	10.5	318	12.0	311	28.3	27.2	-1.2	A	14.0	1.33	RB	1
78	7	25	15	8.9	359	10.2	352	28.8	27.6	-1.2	A	13.0	1.15	RB	1
78	7	25	16	8.2	333	9.5	338	28.7	27.8	-1.0	A	13.0	0.86	RB	1
78	7	25	17	8.3	344	9.4	344	28.9	28.0	-0.9	B	13.0	0.68	RB	1
78	7	25	18	7.3	330	8.7	332	27.9	27.3	-0.5	D	14.0	0.23	RB	1
78	7	25	19	9.6	338	12.5	4	26.0	26.4	0.4	E	15.0	0.05	RB	1
78	7	25	20	19.7	24	24.6	27	24.9	24.5	-0.4	D	15.0	0.01	RB	1
78	7	25	21	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	7	25	22	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	7	25	23	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	7	25	24	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	7	26	1	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	7	26	2	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	7	26	3	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	7	26	4	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	7	26	5	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	7	26	6	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	7	26	7	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	7	26	8	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	7	26	9	7.2	80	8.4	76	23.9	23.1	-0.9	B	999.9	0.96	RB	1
78	7	26	10	8.3	62	9.9	58	24.8	23.8	-1.0	A	999.9	1.19	RB	1
78	7	26	11	11.3	353	12.4	347	25.9	24.6	-1.3	A	999.9	1.36	RB	1
78	7	26	12	8.6	356	10.0	353	26.6	25.3	-1.3	A	999.9	1.43	RB	1
78	7	26	13	8.0	11	8.6	358	26.8	25.5	-1.3	A	999.9	1.42	RB	1
78	7	26	14	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	7	26	15	8.6	49	9.9	42	27.8	26.8	-1.0	A	999.9	1.15	RB	1
78	7	26	16	7.4	31	8.2	27	28.2	27.2	-1.0	A	999.9	0.92	RB	1
78	7	26	17	10.7	35	12.3	33	28.1	27.2	-0.9	B	999.9	0.65	RB	1
78	7	26	18	10.6	43	12.9	42	27.6	26.8	-0.7	D	999.9	0.36	RB	1
78	7	26	19	5.7	25	9.0	40	26.3	26.4	0.0	E	999.9	0.09	RB	1
78	7	26	20	4.3	325	9.3	32	24.3	25.3	1.0	F	999.9	0.01	RB	1
78	7	26	21	3.3	317	6.4	35	24.1	24.7	0.7	E	999.9	0.0	RB	1
78	7	26	22	3.5	285	4.4	38	23.4	24.0	0.6	E	999.9	0.0	RB	1
78	7	26	23	3.0	240	2.3	125	23.5	24.0	0.5	E	999.9	0.0	RB	1
78	7	26	24	2.5	250	1.8	999	23.7	24.0	0.3	E	999.9	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY TOWER 1

				* 10 METER *		60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	REL. HUMID (%)	SOLAR RAD LY/MIN		
78	7	27	1	2.3	211	3.4	122	22.6	23.0	0.4	E	999.9	0.0	RB	1
78	7	27	2	4.0	239	3.5	181	21.8	22.2	0.4	E	999.9	0.0	RB	1
78	7	27	3	4.0	224	3.3	178	22.0	22.1	0.0	E	999.9	0.0	RB	1
78	7	27	4	2.5	218	2.9	164	22.0	21.9	0.0	E	999.9	0.0	RB	1
78	7	27	5	2.7	230	3.1	116	20.8	21.1	0.3	E	999.9	0.01	RB	1
78	7	27	6	2.1	29	3.0	31	19.6	20.1	0.5	E	999.9	0.11	RB	1
78	7	27	7	2.2	80	2.3	3	19.9	19.8	-0.1	E	999.9	0.32	RB	1
78	7	27	8	2.5	125	2.5	98	22.3	21.7	-0.6	D	999.9	0.69	RB	1
78	7	27	9	4.4	127	4.9	129	25.0	24.2	-0.8	C	999.9	0.97	RB	1
78	7	27	10	6.0	47	6.0	49	27.0	26.1	-0.8	C	999.9	1.21	RB	1
78	7	27	11	6.2	178	6.8	180	27.8	27.0	-0.9	B	999.9	1.36	RB	1
78	7	27	12	9.1	80	10.7	76	28.7	27.5	-1.2	A	999.9	1.45	RB	1
78	7	27	13	7.0	139	7.6	179	28.9	27.9	-1.0	A	999.9	1.40	RB	1
78	7	27	14	6.9	336	7.3	330	29.5	28.4	-1.1	A	999.9	1.34	RB	1
78	7	27	15	6.9	273	7.5	263	30.4	29.2	-1.2	A	999.9	1.27	RB	1
78	7	27	16	7.4	242	8.8	234	30.2	29.1	-1.0	A	999.9	0.86	RB	1
78	7	27	17	7.9	174	9.2	179	29.5	28.6	-0.9	B	999.9	0.42	RB	1
78	7	27	18	5.7	213	7.0	203	29.1	28.4	-0.7	D	999.9	0.27	RB	1
78	7	27	19	6.3	169	8.7	178	27.7	27.2	-0.5	D	999.9	0.07	RB	1
78	7	27	20	8.6	235	11.3	233	25.5	26.0	0.5	E	999.9	0.01	RB	1
78	7	27	21	12.6	252	19.6	251	24.0	24.9	0.8	F	999.9	0.0	RB	1
78	7	27	22	15.8	270	23.7	268	23.5	23.7	0.3	E	999.9	0.0	RB	1
78	7	27	23	16.6	260	23.7	262	25.1	23.0	-0.1	E	999.9	0.0	RB	1
78	7	27	24	7.5	129	11.6	171	21.9	22.0	0.2	E	999.9	0.01	RB	1
78	7	28	1	4.3	248	4.5	256	21.9	21.8	-0.1	E	999.9	0.01	RB	1
78	7	28	2	4.3	202	4.3	999	21.6	21.6	0.0	E	999.9	0.01	RB	1
78	7	28	3	5.8	235	6.2	220	21.6	21.7	0.1	E	999.9	0.01	RB	1
78	7	28	4	8.6	243	10.8	232	21.0	21.3	0.3	E	999.9	0.0	RB	1
78	7	28	5	11.6	248	14.2	243	20.6	21.5	0.8	F	999.9	0.01	RB	1
78	7	28	6	9.4	247	13.6	259	20.5	20.9	0.4	E	999.9	0.12	RB	1
78	7	28	7	7.1	252	8.0	260	21.8	21.1	-0.7	D	999.9	0.34	RB	1
78	7	28	8	8.5	265	10.6	263	22.0	21.3	-0.7	D	999.9	0.32	RB	1
78	7	28	9	9.7	282	12.0	267	21.3	20.7	-0.6	D	999.9	0.23	RB	1
78	7	28	10	6.7	999	8.4	193	22.1	21.3	-0.8	C	999.9	0.43	RB	1
78	7	28	11	8.5	185	10.8	194	23.6	22.6	-1.0	A	999.9	0.64	RB	1
78	7	28	12	9.9	193	12.4	203	25.5	24.3	-1.2	A	999.9	1.04	RB	1
78	7	28	13	11.5	243	15.0	243	22.9	22.4	-0.4	D	999.9	0.27	RB	1
78	7	28	14	8.0	212	13.4	220	21.9	22.0	0.0	E	999.9	0.47	RB	1
78	7	28	15	8.7	186	10.9	193	26.3	25.2	-1.2	A	999.9	1.16	RB	1
78	7	28	16	9.5	197	12.3	200	27.2	26.1	-1.1	A	999.9	0.75	RB	1
78	7	28	17	9.5	197	12.5	203	27.0	26.0	-0.9	B	999.9	0.43	RB	1
78	7	28	18	11.8	240	15.0	239	23.8	23.4	-0.4	D	999.9	0.09	RB	1
78	7	28	19	5.9	243	7.0	257	22.3	23.0	0.7	E	999.9	0.09	RB	1
78	7	28	20	7.8	265	8.9	274	23.5	24.0	0.5	E	999.9	0.01	RB	1
78	7	28	21	9.7	270	11.5	288	22.9	23.9	1.0	F	999.9	0.0	RB	1
78	7	28	22	10.5	275	15.6	289	22.0	23.3	1.3	F	999.9	0.0	RB	1
78	7	28	23	10.1	343	15.5	341	20.3	20.8	0.5	E	999.9	0.0	RB	1
78	7	28	24	7.0	316	10.3	51	18.3	18.5	0.2	E	999.9	0.01	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE								
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)		DEW POINT (C)	SOLAR RAD LY/MIN		
78	7	29	1	4.6	161	4.9	137	17.2	17.6	0.5	E	999.9	0.0	RB	1
78	7	29	2	4.7	219	5.1	145	16.4	17.0	0.6	E	999.9	0.0	RB	1
78	7	29	3	5.3	219	6.5	182	16.5	17.0	0.5	E	999.9	0.0	RB	1
78	7	29	4	7.5	229	8.1	194	16.8	17.2	0.5	E	999.9	0.0	RB	1
78	7	29	5	8.3	240	6.2	215	18.2	18.4	0.2	E	999.9	0.01	RB	1
78	7	29	6	4.6	268	3.1	286	18.7	19.0	0.4	E	999.9	0.05	RB	1
78	7	29	7	6.6	276	8.1	314	17.0	17.6	0.5	E	999.9	0.06	RB	1
78	7	29	8	3.3	188	3.2	209	17.5	17.3	-0.1	E	999.9	0.31	RB	1
78	7	29	9	3.8	155	4.0	162	20.2	19.6	-0.6	D	999.9	0.84	RB	1
78	7	29	10	5.0	41	4.8	51	22.4	21.7	-0.8	C	999.9	1.10	RB	1
78	7	29	11	9.8	300	11.1	294	24.0	22.8	-1.2	A	999.9	1.24	RB	1
78	7	29	12	12.2	314	14.2	308	24.1	22.8	-1.3	A	999.9	1.21	RB	1
78	7	29	13	12.8	312	15.1	307	24.8	23.3	-1.4	A	999.9	1.37	RB	1
78	7	29	14	10.7	308	11.6	303	25.3	23.9	-1.3	A	999.9	1.37	RB	1
78	7	29	15	6.6	356	7.2	347	25.3	24.3	-0.9	B	999.9	0.82	RB	1
78	7	29	16	7.2	94	8.9	92	24.7	23.8	-0.8	C	999.9	0.40	RB	1
78	7	29	17	6.0	69	7.6	81	24.3	23.5	-0.8	C	999.9	0.28	RB	1
78	7	29	18	7.4	2	9.1	360	24.2	23.6	-0.6	D	999.9	0.12	RB	1
78	7	29	19	5.2	129	6.3	129	23.4	22.9	-0.5	D	999.9	0.07	RB	1
78	7	29	20	8.0	246	9.0	226	22.0	21.7	-0.2	E	999.9	0.0	RB	1
78	7	29	21	14.9	346	18.8	354	18.7	18.7	0.0	E	999.9	0.0	RB	1
78	7	29	22	4.0	310	6.5	32	18.1	18.5	0.5	E	999.9	0.0	RB	1
78	7	29	23	4.3	291	3.5	14	18.0	18.3	0.3	E	999.9	0.0	RB	1
78	7	29	24	2.2	234	1.7	89	18.0	18.1	0.2	E	999.9	0.0	RB	1
78	7	30	1	3.8	237	3.6	162	18.1	18.2	0.1	E	999.9	0.0	RB	1
78	7	30	2	3.2	251	2.3	177	18.5	18.7	0.1	E	999.9	0.0	RB	1
78	7	30	3	2.0	303	2.4	64	17.2	17.6	0.4	E	999.9	0.0	RB	1
78	7	30	4	1.8	210	2.0	32	16.4	16.6	0.2	E	999.9	0.0	RB	1
78	7	30	5	2.2	312	2.9	41	15.4	15.9	0.5	E	999.9	0.01	RB	1
78	7	30	6	2.4	320	3.5	24	15.6	15.5	-0.1	E	999.9	0.09	RB	1
78	7	30	7	4.2	46	4.5	40	16.4	15.8	-0.6	D	999.9	0.37	RB	1
78	7	30	8	4.3	67	5.0	69	17.6	16.9	-0.7	D	999.9	0.67	RB	1
78	7	30	9	4.1	63	4.2	72	19.2	18.5	-0.7	D	999.9	0.94	RB	1
78	7	30	10	4.6	91	5.2	90	21.4	20.5	-0.8	C	999.9	1.19	RB	1
78	7	30	11	6.9	91	7.9	84	22.6	21.6	-1.0	A	999.9	0.95	RB	1
78	7	30	12	7.0	6	7.7	7	23.5	22.5	-1.1	A	999.9	1.36	RB	1
78	7	30	13	7.9	44	9.4	42	24.2	23.1	-1.1	A	999.9	1.08	RB	1
78	7	30	14	7.9	1	8.9	356	25.3	24.1	-1.2	A	999.9	1.26	RB	1
78	7	30	15	10.2	5	10.7	348	26.0	24.9	-1.2	A	999.9	1.08	RB	1
78	7	30	16	6.2	350	6.2	349	25.9	25.0	-0.9	B	-1.1	0.86	RB	1
78	7	30	17	7.7	58	9.0	51	25.7	24.9	-0.8	C	-0.7	0.59	RB	1
78	7	30	18	7.6	44	8.9	46	25.5	24.8	-0.8	C	-0.5	0.34	RB	1
78	7	30	19	7.5	9	9.5	21	24.2	24.3	0.0	E	-0.3	0.07	RB	1
78	7	30	20	4.2	275	4.5	19	22.9	23.8	0.9	F	-0.5	0.01	RB	1
78	7	30	21	3.7	224	2.0	211	23.0	23.4	0.4	E	-1.1	0.01	RB	1
78	7	30	22	2.6	184	3.8	146	22.3	22.8	0.5	E	-1.2	0.01	RB	1
78	7	30	23	3.2	251	3.4	178	21.7	22.2	0.5	E	999.9	0.01	RB	1
78	7	30	24	2.6	250	4.6	202	20.7	21.6	0.9	F	-2.0	0.01	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	7	31	1	3.0	310	4.5	226	20.6	21.5	0.9	F	-2.5	0.01	RB	1
78	7	31	2	6.2	274	7.0	229	20.9	21.9	1.0	F	-2.8	0.01	RB	1
78	7	31	3	10.1	253	12.3	223	21.3	22.2	0.9	F	-2.5	0.01	RB	1
78	7	31	4	8.6	257	13.5	250	20.0	21.0	1.0	F	-2.1	0.01	RB	1
78	7	31	5	4.7	197	8.9	242	18.5	19.9	1.5	F	-1.5	0.01	RB	1
78	7	31	6	1.7	78	2.3	114	18.2	18.8	0.6	E	-1.1	0.10	RB	1
78	7	31	7	2.1	256	1.7	5	19.3	19.5	0.2	E	-0.1	0.20	RB	1
78	7	31	8	10.2	236	14.0	243	21.4	20.9	-0.5	D	0.9	0.50	RB	1
78	7	31	9	11.8	251	15.3	245	23.5	22.6	-0.9	B	1.9	0.74	RB	1
78	7	31	10	17.8	275	22.1	272	24.1	22.8	-1.3	A	2.2	1.16	RB	1
78	7	31	11	19.0	268	23.7	266	24.9	23.4	-1.5	A	999.9	1.33	RB	1
78	7	31	12	18.3	277	22.9	273	24.5	23.1	-1.4	A	2.9	0.84	RB	1
78	7	31	13	19.7	266	24.7	263	24.6	23.3	-1.3	A	3.2	1.08	RB	1
78	7	31	14	14.5	214	21.1	221	23.6	22.5	-1.1	A	3.6	0.72	RB	1
78	7	31	15	11.2	222	14.9	214	24.0	22.9	-1.2	A	4.1	0.85	RB	1
78	7	31	16	9.2	270	10.7	266	23.5	22.6	-0.8	C	5.6	0.43	RB	1
78	7	31	17	9.2	283	11.2	281	23.8	22.9	-0.9	B	3.8	0.60	RB	1
78	7	31	18	10.0	302	12.5	296	23.6	22.9	-0.7	D	3.7	0.32	RB	1
78	7	31	19	7.1	331	10.4	330	21.7	21.7	0.1	E	3.9	0.05	RB	1
78	7	31	20	5.8	348	10.2	1	19.3	19.4	0.1	E	5.3	0.01	RB	1
78	7	31	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	31	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	31	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	7	31	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	1	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	1	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	1	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	1	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	1	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	1	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	1	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	1	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	1	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	1	10	6.4	126	7.6	138	20.5	19.6	-0.9	B	7.4	1.17	RB	1
78	8	1	11	6.7	153	7.4	156	23.1	22.2	-0.9	B	6.1	1.27	RB	1
78	8	1	12	9.0	257	10.3	254	24.4	23.4	-1.0	A	999.9	0.96	RB	1
78	8	1	13	11.7	279	13.9	274	26.0	24.7	-1.3	A	4.2	1.31	RB	1
78	8	1	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	1	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	1	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	1	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	1	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	1	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	1	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	1	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	1	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	1	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	1	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE							
				WIND	WIND	WIND	WIND	10 M	60 M	DELTA T		DEW	SOLAR		
				SPEED	DIR	SPEED	DIR	TEMP	TEMP	60-10		POINT	RAD		
YR	MN	DY	HR	MPH	DEG	MPH	DEG	(C)	(C)	(C)	SC	(C)	LY/MIN		
78	8	2	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	2	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	2	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	2	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	2	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	2	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	2	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	2	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	8	2	9	3.7	67	4.4	66	19.4	18.7	-0.7	D	5.5	0.93	RB	1
78	8	2	10	6.0	83	6.2	93	22.2	21.4	-0.9	B	4.8	1.16	RB	1
78	8	2	11	7.8	329	9.2	328	24.6	23.4	-1.2	A	999.9	1.32	RB	1
78	8	2	12	11.6	303	13.2	299	25.4	24.1	-1.3	A	999.9	1.37	RB	1
78	8	2	13	11.5	277	13.3	282	25.8	24.4	-1.5	A	999.9	1.44	RB	1
78	8	2	14	12.6	310	13.7	310	26.4	25.0	-1.4	A	-5.0	1.14	RB	1
78	8	2	15	10.2	315	11.8	313	26.6	25.5	-1.2	A	-5.9	1.13	RB	1
78	8	2	16	12.7	319	15.1	313	26.8	25.7	-1.1	A	-6.8	0.90	RB	1
78	8	2	17	13.9	321	16.7	317	26.3	25.5	-0.8	C	-6.0	0.47	RB	1
78	8	2	18	9.1	312	12.2	316	25.3	25.0	-0.3	D	-4.6	0.13	RB	1
78	8	2	19	6.9	327	10.4	348	24.3	24.7	0.3	E	-3.6	0.06	RB	1
78	8	2	20	7.6	313	11.0	359	22.4	23.7	1.3	F	-2.6	0.01	RB	1
78	8	2	21	9.4	305	11.5	344	21.0	22.9	1.8	F	-3.4	0.0	RB	1
78	8	2	22	8.2	15	10.9	26	22.2	22.6	0.4	E	-2.8	0.0	RB	1
78	8	2	23	4.5	315	5.9	24	20.8	21.5	0.7	E	-3.5	0.01	RB	1
78	8	2	24	7.6	333	12.8	353	17.8	18.6	0.7	E	1.0	0.0	RB	1
78	8	3	1	4.0	128	5.1	46	15.5	15.4	-0.1	E	6.7	0.01	RB	1
78	8	3	2	3.3	135	3.8	88	13.1	13.7	0.5	E	8.4	0.01	RB	1
78	8	3	3	2.8	163	4.2	50	11.9	12.2	0.2	E	6.5	0.01	RB	1
78	8	3	4	2.2	309	3.3	358	11.5	11.4	-0.1	E	7.0	0.01	RB	1
78	8	3	5	3.6	17	5.4	3	10.7	10.8	0.1	E	7.2	0.01	RB	1
78	8	3	6	2.8	76	4.9	22	10.0	9.9	-0.1	E	7.4	0.10	RB	1
78	8	3	7	3.1	51	3.4	33	11.3	10.7	-0.6	D	7.9	0.36	RB	1
78	8	3	8	3.7	86	4.0	69	13.0	12.4	-0.6	D	8.1	0.65	RB	1
78	8	3	9	4.3	57	4.5	57	15.4	14.6	-0.8	C	8.1	0.93	RB	1
78	8	3	10	5.0	37	5.2	40	17.9	17.0	-0.9	B	7.5	1.17	RB	1
78	8	3	11	6.0	68	7.2	69	19.7	18.7	-0.9	B	5.2	1.33	RB	1
78	8	3	12	8.3	34	8.4	33	21.3	20.3	-1.0	A	2.3	1.41	RB	1
78	8	3	13	8.8	59	10.5	59	22.5	21.3	-1.2	A	0.7	1.36	RB	1
78	8	3	14	9.4	40	10.0	27	23.2	22.1	-1.1	A	0.4	1.32	RB	1
78	8	3	15	7.5	45	8.5	50	23.6	22.6	-0.9	B	999.9	1.14	RB	1
78	8	3	16	14.6	3	16.9	358	23.7	22.6	-1.1	A	-2.4	0.93	RB	1
78	8	3	17	13.1	325	15.4	325	23.2	22.3	-1.0	A	-1.0	0.64	RB	1
78	8	3	18	10.9	364	12.3	353	22.5	21.9	-0.7	D	-0.2	0.27	RB	1
78	8	3	19	5.7	6	8.4	28	21.3	21.2	0.0	E	0.7	0.07	RB	1
78	8	3	20	4.8	305	7.4	9	19.5	20.3	0.8	F	0.7	0.01	RB	1
78	8	3	21	2.9	324	7.6	34	18.7	19.5	0.8	F	0.3	0.01	RB	1
78	8	3	22	2.8	296	3.5	54	18.8	18.9	0.2	E	0.3	0.0	RB	1
78	8	3	23	4.2	289	2.5	33	18.2	18.6	0.4	E	0.3	0.0	RB	1
78	8	3	24	3.7	259	1.5	235	18.2	18.6	0.3	E	0.3	0.01	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RROSC METEOROLOGY TOWER 1

				- 10 METER -		60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	8	4	1	4.3	244	3.1	215	18.6	18.5	-0.1	E	-0.1	0.01	RB	1
78	8	4	2	5.3	239	6.1	195	17.7	18.7	1.0	F	-0.9	0.01	RB	1
78	8	4	3	3.8	335	3.9	29	16.4	17.0	0.6	E	999.9	0.01	RB	1
78	8	4	4	5.3	313	5.6	355	14.7	15.1	0.4	E	-0.1	0.0	RB	1
78	8	4	5	3.1	266	2.5	8	14.4	14.7	0.3	E	0.6	0.01	RB	1
78	8	4	6	1.9	265	1.1	138	14.2	14.3	0.1	E	1.0	0.10	RB	1
78	8	4	7	2.4	202	2.4	197	16.2	15.6	-0.6	D	1.8	0.36	RB	1
78	8	4	8	3.9	65	4.1	69	17.6	17.0	-0.6	D	2.2	0.65	RB	1
78	8	4	9	5.6	71	6.2	67	18.9	18.2	-0.8	C	2.4	0.93	RB	1
78	8	4	10	8.2	48	9.3	50	20.7	19.7	-1.0	A	1.5	1.17	RB	1
78	8	4	11	8.6	15	9.4	6	21.9	20.8	-1.0	A	-0.7	1.34	RB	1
78	8	4	12	9.7	355	11.2	358	22.9	21.6	-1.3	A	-3.3	1.43	RB	1
78	8	4	13	11.1	327	12.6	327	23.5	22.2	-1.3	A	-5.0	1.42	RB	1
78	8	4	14	11.9	335	13.4	334	23.8	22.4	-1.3	A	-3.2	1.33	RB	1
78	8	4	15	12.7	332	14.4	326	24.3	23.1	-1.3	A	-1.9	1.15	RB	1
78	8	4	16	11.6	354	13.5	355	24.5	23.5	-1.0	A	-1.7	0.92	RB	1
78	8	4	17	13.4	15	15.6	13	24.7	23.8	-0.9	B	-6.1	0.64	RB	1
78	8	4	18	12.4	15	14.4	15	24.3	23.7	-0.7	D	-7.0	0.31	RB	1
78	8	4	19	8.9	359	11.8	15	22.9	23.1	0.2	E	-8.8	0.08	RB	1
78	8	4	20	6.6	306	9.5	11	20.4	22.0	1.6	F	-8.6	0.01	RB	1
78	8	4	21	5.1	301	6.2	5	20.4	21.1	0.7	E	-8.4	0.0	RB	1
78	8	4	22	5.2	298	6.6	8	19.8	20.5	0.7	E	-8.4	0.0	RB	1
78	8	4	23	4.5	274	3.0	337	19.7	20.1	0.4	E	-8.3	0.0	RB	1
78	8	4	24	7.0	230	7.5	194	19.4	20.1	0.8	F	-8.3	0.0	RB	1
78	8	5	1	4.9	209	5.7	185	19.3	19.8	0.5	E	-8.8	0.01	RB	1
78	8	5	2	5.7	224	5.6	188	18.8	19.7	0.8	F	-9.2	0.0	RB	1
78	8	5	3	5.8	224	5.6	185	19.3	19.7	0.4	E	-9.5	0.01	RB	1
78	8	5	4	9.1	250	7.5	239	20.0	20.4	0.4	E	999.9	0.0	RB	1
78	8	5	5	3.0	28	4.7	303	17.3	19.2	1.9	F	-7.2	0.01	RB	1
78	8	5	6	2.1	90	2.7	58	15.6	17.1	1.5	F	-7.2	0.10	RB	1
78	8	5	7	2.5	62	2.1	95	16.8	16.8	-0.1	E	-6.4	0.36	RB	1
78	8	5	8	3.2	62	2.9	74	18.8	18.2	-0.6	D	-6.3	0.65	RB	1
78	8	5	9	4.1	56	4.6	64	21.2	20.5	-0.6	D	-5.6	0.93	RB	1
78	8	5	10	5.3	82	6.3	78	23.3	22.5	-0.8	C	-6.0	1.17	RB	1
78	8	5	11	7.4	41	9.1	40	24.8	23.8	-1.0	A	-5.5	1.33	RB	1
78	8	5	12	10.1	344	10.8	342	25.4	24.3	-1.1	A	-5.4	1.41	RB	1
78	8	5	13	7.9	335	7.6	339	26.1	24.9	-1.1	A	-5.1	1.39	RB	1
78	8	5	14	9.9	15	10.8	16	26.8	25.6	-1.2	A	-5.4	1.31	RB	1
78	8	5	15	10.0	22	11.4	14	27.1	26.0	-1.1	A	-7.0	1.14	RB	1
78	8	5	16	10.7	33	11.9	32	27.1	26.1	-1.0	A	999.9	0.91	RB	1
78	8	5	17	6.6	65	7.4	52	26.8	26.0	-0.8	C	-4.4	0.62	RB	1
78	8	5	18	7.6	36	9.2	38	26.6	25.9	-0.7	D	-5.7	0.32	RB	1
78	8	5	19	2.8	15	6.1	58	25.3	25.3	0.0	E	-5.4	0.07	RB	1
78	8	5	20	2.4	286	3.4	71	24.1	24.5	0.4	E	-5.4	0.01	RB	1
78	8	5	21	3.6	225	3.2	168	24.0	24.1	0.1	E	-5.6	0.01	RB	1
78	8	5	22	6.6	232	5.8	194	23.9	24.2	0.2	E	-6.4	0.0	RB	1
78	8	5	23	5.1	223	4.5	183	23.9	24.0	0.1	E	-7.1	0.01	RB	1
78	8	5	24	5.3	247	3.7	230	23.9	23.9	0.0	E	-6.5	0.01	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	8	6	1	8.3	253	6.3	256	23.9	24.1	0.2	E	-6.3	0.0	RB	1
78	8	6	2	4.4	12	5.4	11	19.6	20.3	0.6	E	-6.0	0.01	RB	1
78	8	6	3	2.2	208	1.8	163	18.7	19.1	0.3	E	-6.0	0.01	RB	1
78	8	6	4	2.5	234	1.2	217	20.2	20.6	0.5	E	-6.0	0.01	RB	1
78	8	6	5	4.3	239	2.7	210	21.3	21.4	0.1	E	999.9	0.01	RB	1
78	8	6	6	4.5	236	3.3	280	20.3	21.1	0.8	F	-3.8	0.09	RB	1
78	8	6	7	2.5	132	2.5	227	21.5	21.6	0.1	E	0.0	0.34	RB	1
78	8	6	8	4.1	61	4.0	107	22.6	22.3	-0.3	D	-0.1	0.63	RB	1
78	8	6	9	4.7	64	5.2	73	24.5	23.9	-0.6	D	-0.3	0.89	RB	1
78	8	6	10	6.4	299	7.2	283	26.4	25.4	-1.0	A	0.4	1.14	RB	1
78	8	6	11	9.5	327	11.2	319	27.3	26.0	-1.3	A	-0.1	1.32	RB	1
78	8	6	12	12.1	317	13.9	312	27.8	26.5	-1.3	A	-1.6	1.38	RB	1
78	8	6	13	12.9	305	14.9	303	28.1	26.8	-1.3	A	-1.8	1.42	RB	1
78	8	6	14	14.8	319	17.6	318	28.0	26.8	-1.2	A	-1.6	0.92	RB	1
78	8	6	15	17.3	344	19.8	339	27.0	26.0	-1.0	A	0.6	0.73	RB	1
78	8	6	16	18.2	323	21.9	319	26.7	25.7	-1.0	A	0.6	0.58	RB	1
78	8	6	17	16.0	297	20.3	294	26.0	25.2	-0.8	C	999.9	0.34	RB	1
78	8	6	18	16.6	317	20.1	311	25.6	24.9	-0.7	D	2.6	0.27	RB	1
78	8	6	19	11.1	336	13.8	337	24.2	23.9	-0.3	D	1.0	0.08	RB	1
78	8	6	20	4.7	307	7.4	5	21.5	22.2	0.7	E	2.2	0.01	RB	1
78	8	6	21	4.4	254	2.7	291	21.1	21.4	0.3	E	3.0	0.01	RB	1
78	8	6	22	9.8	258	8.7	250	21.2	21.5	0.2	E	3.4	0.0	RB	1
78	8	6	23	11.1	1	15.0	13	19.8	19.9	0.2	E	5.3	0.01	RB	1
78	8	6	24	4.4	297	5.8	339	19.3	19.4	0.1	E	4.9	0.01	RB	1
78	8	7	1	4.9	286	4.0	326	19.2	19.2	0.1	E	4.6	0.01	RB	1
78	8	7	2	3.1	279	2.5	348	19.3	19.6	0.3	E	4.4	0.01	RB	1
78	8	7	3	1.2	227	2.2	19	18.7	18.8	0.1	E	4.4	0.01	RB	1
78	8	7	4	2.3	282	2.7	346	18.0	18.3	0.3	E	4.4	0.01	RB	1
78	8	7	5	5.0	307	4.6	347	17.4	17.8	0.3	E	4.6	0.01	RB	1
78	8	7	6	3.4	329	3.7	17	17.2	17.4	0.1	E	999.9	0.09	RB	1
78	8	7	7	2.9	2	3.2	350	18.0	17.3	-0.7	D	5.2	0.34	RB	1
78	8	7	8	6.0	48	7.0	46	19.8	19.1	-0.7	D	5.7	0.64	RB	1
78	8	7	9	7.8	51	8.8	47	21.0	20.1	-0.9	B	5.2	0.92	RB	1
78	8	7	10	8.6	33	9.7	39	22.0	21.0	-0.9	B	4.5	1.15	RB	1
78	8	7	11	10.4	40	12.3	39	23.1	22.0	-1.2	A	2.9	1.32	RB	1
78	8	7	12	10.8	37	12.1	40	24.0	22.8	-1.2	A	1.5	1.39	RB	1
78	8	7	13	11.0	45	12.9	44	24.8	23.5	-1.3	A	1.2	1.40	RB	1
78	8	7	14	10.3	39	11.8	38	25.3	24.1	-1.2	A	0.1	1.31	RB	1
78	8	7	15	10.7	19	12.3	17	26.1	24.8	-1.2	A	0.0	1.16	RB	1
78	8	7	16	10.5	33	12.8	27	25.9	25.0	-1.0	A	0.2	0.76	RB	1
78	8	7	17	10.9	41	12.9	40	26.1	25.2	-0.9	B	-2.1	0.61	RB	1
78	8	7	18	11.5	50	13.3	49	25.7	25.0	-0.7	D	-2.5	0.31	RB	1
78	8	7	19	8.7	38	12.5	48	24.4	24.4	0.0	E	999.9	0.05	RB	1
78	8	7	20	4.5	333	9.2	32	22.8	23.5	0.8	F	-1.1	0.0	RB	1
78	8	7	21	3.9	319	7.8	29	22.2	23.0	0.8	F	-0.9	0.0	RB	1
78	8	7	22	3.4	302	4.9	33	22.2	22.6	0.3	E	-0.9	0.0	RB	1
78	8	7	23	4.5	289	2.5	15	21.9	22.5	0.5	E	-0.6	0.0	RB	1
78	8	7	24	3.2	284	1.7	80	21.8	22.2	0.4	E	-0.2	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER - WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	8	8	1	1.7	236	1.4	130	21.5	21.8	0.2	E	-0.2	0.0	RB	1
78	8	8	2	2.7	194	3.3	156	21.1	21.1	0.0	E	-0.3	0.0	RB	1
78	8	8	3	4.4	246	3.0	198	20.7	20.7	0.0	E	-0.2	0.0	RB	1
78	8	8	4	2.1	266	2.1	88	19.8	20.2	0.4	E	-0.1	0.0	RB	1
78	8	8	5	2.6	273	1.7	338	19.2	19.5	0.3	E	-0.2	0.0	RB	1
78	8	8	6	1.9	327	3.1	75	17.4	17.9	0.5	E	-0.3	0.04	RB	1
78	8	8	7	1.9	324	1.4	21	18.1	17.8	-0.3	D	999.9	0.32	RB	1
78	8	8	8	1.4	56	1.1	7	19.4	18.9	-0.5	D	1.4	0.28	RB	1
78	8	8	9	3.5	46	3.2	39	21.8	21.1	-0.6	D	1.8	0.83	RB	1
78	8	8	10	4.9	93	5.6	91	24.1	23.3	-0.8	C	1.7	1.10	RB	1
78	8	8	11	6.8	99	7.8	96	25.1	24.1	-1.0	A	0.1	0.99	RB	1
78	8	8	12	5.5	222	6.6	215	25.6	24.7	-1.0	A	-0.3	1.06	RB	1
78	8	8	13	6.7	225	7.5	221	26.4	25.4	-1.1	A	-0.7	1.09	RB	1
78	8	8	14	8.5	313	9.7	307	26.6	25.5	-1.1	A	-0.3	0.84	RB	1
78	8	8	15	7.5	324	8.3	322	26.2	25.4	-0.8	C	-1.1	0.41	RB	1
78	8	8	16	7.5	100	8.4	94	25.7	25.0	-0.7	D	-0.1	0.23	RB	1
78	8	8	17	4.9	144	6.2	148	25.0	24.5	-0.5	D	1.3	0.15	RB	1
78	8	8	18	5.3	138	7.2	128	23.9	23.5	-0.4	D	2.2	0.09	RB	1
78	8	8	19	6.1	239	5.1	207	23.4	23.4	0.0	E	2.0	0.02	RB	1
78	8	8	20	8.6	278	9.1	276	23.1	23.7	0.6	E	999.9	0.0	RB	1
78	8	8	21	6.9	41	12.0	46	21.7	21.9	0.2	E	2.5	0.0	RB	1
78	8	8	22	4.4	47	8.2	60	20.9	21.0	0.0	E	3.8	0.0	RB	1
78	8	8	23	2.7	164	3.4	120	20.9	20.8	-0.1	E	3.6	0.0	RB	1
78	8	8	24	3.7	210	5.9	182	19.8	20.3	0.4	E	3.6	0.0	RB	1
78	8	9	1	2.4	230	4.4	143	19.4	19.7	0.3	E	3.5	0.0	RB	1
78	8	9	2	2.1	356	4.3	70	18.6	18.9	0.3	E	3.5	0.0	RB	1
78	8	9	3	3.7	233	3.0	141	18.3	18.5	0.2	E	3.7	0.0	RB	1
78	8	9	4	5.6	238	4.3	200	18.5	18.4	0.0	E	3.9	0.0	RB	1
78	8	9	5	4.0	253	3.6	161	18.2	18.4	0.2	E	3.8	0.0	RB	1
78	8	9	6	2.2	304	3.8	93	17.5	17.5	0.1	E	3.9	0.08	RB	1
78	8	9	7	3.1	67	3.2	60	17.8	17.3	-0.5	D	4.2	0.33	RB	1
78	8	9	8	3.5	54	3.7	60	19.5	18.8	-0.6	D	999.9	0.61	RB	1
78	8	9	9	4.9	73	5.6	77	21.6	20.8	-0.8	C	5.9	0.89	RB	1
78	8	9	10	5.1	81	5.6	78	23.5	22.7	-0.8	C	4.8	1.13	RB	1
78	8	9	11	5.1	45	5.6	38	23.8	23.1	-0.7	D	4.3	0.57	RB	1
78	8	9	12	5.4	323	5.6	321	24.6	23.8	-0.9	B	3.8	0.76	RB	1
78	8	9	13	6.1	61	6.5	62	25.0	24.2	-0.8	C	3.2	0.78	RB	1
78	8	9	14	7.9	336	9.0	343	25.4	24.7	-0.7	D	0.5	0.51	RB	1
78	8	9	15	5.2	349	6.1	324	27.4	26.1	-1.2	A	-0.9	1.20	RB	1
78	8	9	16	9.9	342	11.6	338	27.0	25.9	-1.1	A	0.0	0.78	RB	1
78	8	9	17	9.8	8	11.1	9	26.1	25.3	-0.8	C	1.7	0.55	RB	1
78	8	9	18	8.1	7	9.0	8	25.7	25.0	-0.7	D	1.7	0.31	RB	1
78	8	9	19	4.1	41	6.4	61	24.4	24.4	0.0	E	1.8	0.05	RB	1
78	8	9	20	4.6	200	7.1	176	22.0	22.3	0.3	E	3.7	0.01	RB	1
78	8	9	21	8.4	242	9.6	222	22.0	22.4	0.4	E	999.9	0.0	RB	1
78	8	9	22	11.4	246	14.6	259	21.7	22.8	1.2	F	2.8	0.0	RB	1
78	8	9	23	11.5	251	15.5	263	21.5	22.8	1.2	F	2.6	0.0	RB	1
78	8	9	24	12.0	249	15.5	258	21.8	22.9	1.1	F	2.6	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				* 10 METER * WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	8	10	1	10.6	248	14.6	246	21.3	22.2	0.9	F	2.5	0.0	RB	1
78	8	10	2	8.3	230	13.3	252	20.1	21.1	1.0	F	2.6	0.0	RB	1
78	8	10	3	6.4	209	9.8	224	19.0	19.8	0.8	F	3.1	0.0	RB	1
78	8	10	4	2.2	321	4.0	189	18.8	19.0	0.2	E	3.4	0.0	RB	1
78	8	10	5	7.9	251	10.9	227	19.2	19.1	0.0	E	3.4	0.0	RB	1
78	8	10	6	11.9	264	17.9	247	19.7	20.3	0.6	E	3.0	0.07	RB	1
78	8	10	7	8.6	225	14.0	225	21.2	20.6	-0.6	D	3.8	0.35	RB	1
78	8	10	8	9.3	225	13.9	221	23.0	22.0	-1.0	A	4.5	0.62	RB	1
78	8	10	9	13.3	247	17.0	237	23.8	22.8	-1.0	A	4.6	0.90	RB	1
78	8	10	10	14.9	256	17.9	251	24.6	23.5	-1.1	A	999.9	1.13	RB	1
78	8	10	11	10.9	254	12.8	247	25.6	24.5	-1.1	A	4.1	1.26	RB	1
78	8	10	12	10.2	274	11.5	261	25.4	24.5	-0.9	B	5.7	0.83	RB	1
78	8	10	13	12.3	294	14.6	291	26.3	25.2	-1.1	A	1.0	1.16	RB	1
78	8	10	14	14.5	315	16.7	309	27.1	25.9	-1.2	A	-1.1	1.21	RB	1
78	8	10	15	13.0	320	14.9	317	26.9	25.9	-1.0	A	-0.3	0.84	RB	1
78	8	10	16	15.7	310	19.1	304	26.2	25.4	-0.8	C	0.4	0.28	RB	1
78	8	10	17	17.6	299	22.0	296	25.9	25.0	-0.9	B	1.3	0.55	RB	1
78	8	10	18	17.0	312	21.0	306	24.8	24.2	-0.7	D	1.9	0.26	RB	1
78	8	10	19	13.1	303	18.1	303	23.5	23.5	0.0	E	2.2	0.06	RB	1
78	8	10	20	11.3	285	16.0	300	21.5	23.4	1.9	F	2.1	0.0	RB	1
78	8	10	21	6.0	210	6.8	222	21.6	22.3	0.7	E	1.8	0.0	RB	1
78	8	10	22	3.4	228	1.5	213	21.9	22.2	0.3	E	999.9	0.0	RB	1
78	8	10	23	3.3	231	1.8	166	22.1	22.2	0.1	E	1.4	0.0	RB	1
78	8	10	24	4.0	240	2.0	249	22.2	22.2	0.0	E	1.4	0.0	RB	1
78	8	11	1	5.2	228	3.3	213	22.0	22.1	0.1	E	1.5	0.0	RB	1
78	8	11	2	10.9	247	11.0	248	21.5	22.5	1.0	F	1.7	0.0	RB	1
78	8	11	3	11.3	245	11.4	242	21.4	22.2	0.8	F	1.8	0.0	RB	1
78	8	11	4	10.4	250	12.4	233	20.7	21.5	0.8	F	2.7	0.0	RB	1
78	8	11	5	10.6	257	15.0	227	19.6	19.8	0.2	E	3.3	0.0	RB	1
78	8	11	6	11.6	259	16.0	241	19.5	19.5	0.0	E	4.3	0.09	RB	1
78	8	11	7	10.0	246	15.4	249	20.6	20.3	-0.3	D	4.7	0.22	RB	1
78	8	11	8	8.5	249	10.4	250	22.4	21.5	-0.9	B	4.6	0.63	RB	1
78	8	11	9	8.4	257	9.6	248	23.3	22.3	-1.0	A	4.5	0.82	RB	1
78	8	11	10	7.7	258	9.2	255	23.8	22.8	-1.0	A	4.7	0.92	RB	1
78	8	11	11	7.9	282	9.1	256	25.3	24.1	-1.2	A	999.9	1.33	RB	1
78	8	11	12	8.9	255	10.8	250	25.9	24.8	-1.1	A	3.9	0.96	RB	1
78	8	11	13	8.6	215	12.2	215	24.6	23.8	-0.7	D	4.8	0.20	RB	1
78	8	11	14	9.3	243	14.9	234	22.0	22.0	0.0	E	5.5	0.14	RB	1
78	8	11	15	7.3	257	9.8	239	23.3	22.7	-0.6	D	5.0	0.40	RB	1
78	8	11	16	9.7	222	13.6	224	25.4	24.5	-1.0	A	4.6	0.87	RB	1
78	8	11	17	10.7	201	16.2	212	25.9	25.0	-0.9	B	5.5	0.57	RB	1
78	8	11	18	8.6	238	11.8	240	24.9	24.4	-0.5	D	4.0	0.18	RB	1
78	8	11	19	13.3	317	16.6	319	21.7	21.4	-0.3	D	6.5	0.02	RB	1
78	8	11	20	9.2	315	12.4	321	20.8	20.9	0.1	E	6.3	0.0	RB	1
78	8	11	21	5.0	229	4.6	241	21.2	21.4	0.2	E	5.7	0.0	RB	1
78	8	11	22	4.1	183	6.5	159	20.1	20.7	0.7	E	6.1	0.0	RB	1
78	8	11	23	2.9	201	4.2	173	19.6	19.9	0.3	E	999.9	0.0	RB	1
78	8	11	24	5.7	235	7.2	196	19.6	20.1	0.5	E	5.7	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				* 10 METER *		60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	8	12	1	11.5	252	18.2	233	19.4	19.8	0.4	E	5.8	0.0	RB	1
78	8	12	2	11.6	243	18.3	240	19.3	19.4	0.0	E	6.7	0.0	RB	1
78	8	12	3	7.3	192	11.6	195	19.9	20.2	0.3	E	5.8	0.0	RB	1
78	8	12	4	4.5	248	3.1	9	18.4	18.8	0.5	E	6.1	0.0	RB	1
78	8	12	5	2.2	240	2.9	147	18.3	18.4	0.1	E	5.9	0.01	RB	1
78	8	12	6	5.1	253	5.5	233	19.2	19.4	0.2	E	5.9	0.06	RB	1
78	8	12	7	7.3	292	10.4	281	20.0	19.6	-0.4	D	6.6	0.31	RB	1
78	8	12	8	5.7	191	6.0	194	21.5	20.8	-0.7	D	6.8	0.57	RB	1
78	8	12	9	7.4	202	9.5	211	22.0	21.2	-0.8	C	6.9	0.53	RB	1
78	8	12	10	9.9	216	14.1	218	23.8	22.4	-1.4	A	7.3	1.06	RB	1
78	8	12	11	13.8	209	19.5	216	25.0	23.4	-1.6	A	7.2	1.25	RB	1
78	8	12	12	15.7	201	24.6	210	24.6	23.3	-1.4	A	999.9	1.06	RB	1
78	8	12	13	15.5	196	21.9	205	25.6	24.2	-1.5	A	6.3	1.39	RB	1
78	8	12	14	17.4	197	26.5	209	24.4	23.4	-1.1	A	7.1	0.70	RB	1
78	8	12	15	14.5	206	22.8	215	22.5	21.5	-1.0	A	7.5	0.59	RB	1
78	8	12	16	13.1	205	19.4	211	24.0	22.9	-1.0	A	7.0	0.65	RB	1
78	8	12	17	14.4	278	18.4	277	22.5	21.6	-0.9	B	8.4	0.36	RB	1
78	8	12	18	12.4	307	14.4	305	21.0	20.2	-0.8	C	10.0	0.29	RB	1
78	8	12	19	8.3	297	10.9	298	19.8	19.4	-0.4	D	9.8	0.06	RB	1
78	8	12	20	7.8	206	10.1	211	17.8	18.3	0.5	E	9.9	0.01	RB	1
78	8	12	21	5.7	238	5.7	216	16.7	17.5	0.8	F	9.9	0.0	RB	1
78	8	12	22	9.4	282	13.3	296	15.6	16.0	0.4	E	10.5	0.0	RB	1
78	8	12	23	8.8	252	11.9	263	14.9	15.6	0.7	E	10.5	0.0	RB	1
78	8	12	24	14.0	268	21.2	270	12.8	12.9	0.1	E	999.9	0.0	RB	1
78	8	13	1	5.9	250	9.5	274	8.6	8.9	0.3	E	10.5	0.0	RB	1
78	8	13	2	4.0	128	5.3	114	11.4	11.8	0.4	E	10.8	0.0	RB	1
78	8	13	3	3.6	191	4.2	168	11.4	11.1	-0.2	E	11.0	0.0	RB	1
78	8	13	4	5.4	276	4.6	266	11.8	12.1	0.2	E	10.8	0.0	RB	1
78	8	13	5	2.5	233	2.4	104	11.8	12.4	0.6	E	10.5	0.0	RB	1
78	8	13	6	3.3	212	3.9	165	12.1	12.2	0.1	E	10.5	0.07	RB	1
78	8	13	7	3.5	178	3.9	176	13.2	12.8	-0.5	D	10.9	0.32	RB	1
78	8	13	8	5.8	158	7.9	163	15.5	14.9	-0.6	D	11.1	0.49	RB	1
78	8	13	9	12.8	196	19.1	208	18.5	17.7	-0.8	C	10.1	0.86	RB	1
78	8	13	10	15.9	196	21.3	205	19.7	18.6	-1.1	A	9.9	1.04	RB	1
78	8	13	11	17.6	287	23.0	284	14.2	13.4	-0.9	B	11.4	0.33	RB	1
78	8	13	12	15.5	263	21.2	263	12.4	11.8	-0.6	D	10.9	0.23	RB	1
78	8	13	13	11.0	254	14.6	245	15.3	14.6	-0.6	D	999.9	1.31	RB	1
78	8	13	14	12.8	257	15.1	249	18.2	17.3	-0.9	B	10.6	1.24	RB	1
78	8	13	15	6.5	244	8.0	231	19.7	18.8	-0.9	B	10.5	0.95	RB	1
78	8	13	16	8.6	247	10.5	246	20.2	19.4	-0.8	C	9.3	0.42	RB	1
78	8	13	17	12.2	255	15.1	244	19.5	18.9	-0.7	D	7.1	0.38	RB	1
78	8	13	18	7.2	226	10.2	226	19.6	19.1	-0.5	D	6.8	0.27	RB	1
78	8	13	19	8.3	200	14.5	205	18.7	18.8	0.1	E	6.1	0.04	RB	1
78	8	13	20	9.4	246	15.3	241	16.6	16.9	0.2	E	6.5	0.0	RB	1
78	8	13	21	7.4	310	9.4	314	11.8	11.6	-0.2	E	9.1	0.0	RB	1
78	8	13	22	5.3	339	7.8	344	10.0	10.0	0.0	E	9.2	0.0	RB	1
78	8	13	23	4.2	47	5.4	43	8.7	8.4	-0.3	D	8.9	0.0	RB	1
78	8	13	24	3.6	355	4.2	357	8.3	7.8	-0.5	D	9.2	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	8	14	1	4.6	279	4.2	306	8.1	7.9	-0.3	D	999.9	0.0	RB	1
78	8	14	2	5.8	249	5.0	249	8.2	8.0	-0.2	E	8.8	0.0	RB	1
78	8	14	3	4.3	272	4.9	188	8.0	7.9	-0.1	E	9.0	0.0	RB	1
78	8	14	4	3.3	234	2.7	210	8.0	8.1	0.2	E	8.7	0.0	RB	1
78	8	14	5	4.5	280	6.7	282	8.2	8.2	0.0	E	8.4	0.0	RB	1
78	8	14	6	4.1	297	6.5	285	7.9	7.7	-0.2	E	7.5	0.05	RB	1
78	8	14	7	12.9	274	17.7	271	7.5	7.1	-0.4	D	7.3	0.10	RB	1
78	8	14	8	16.0	262	21.5	261	7.0	6.5	-0.5	D	6.6	0.11	RB	1
78	8	14	9	16.7	243	24.0	242	6.5	6.0	-0.4	D	6.2	0.15	RB	1
78	8	14	10	10.6	235	17.3	226	7.9	7.5	-0.4	D	6.2	0.30	RB	1
78	8	14	11	13.3	253	19.9	244	8.6	8.1	-0.5	D	6.3	0.61	RB	1
78	8	14	12	18.5	270	23.0	266	9.4	8.3	-1.1	A	5.7	1.20	RB	1
78	8	14	13	17.2	286	20.6	282	10.7	9.4	-1.3	A	4.9	1.40	RB	1
78	8	14	14	16.1	292	19.7	287	11.3	10.1	-1.2	A	999.9	1.26	RB	1
78	8	14	15	15.4	297	18.6	291	11.8	10.6	-1.2	A	4.4	1.05	RB	1
78	8	14	16	13.5	287	16.9	283	12.2	11.1	-1.1	A	3.2	0.77	RB	1
78	8	14	17	12.7	292	15.9	288	12.2	11.4	-0.8	C	1.2	0.36	RB	1
78	8	14	18	14.7	319	19.2	313	10.9	10.4	-0.5	D	1.7	0.07	RB	1
78	8	14	19	15.3	12	17.6	9	5.7	5.1	-0.6	D	4.2	0.01	RB	1
78	8	14	20	5.5	154	6.7	62	4.9	4.6	-0.4	D	3.8	0.0	RB	1
78	8	14	21	3.2	168	5.4	172	4.0	3.9	0.0	E	3.7	0.0	RB	1
78	8	14	22	5.1	234	6.1	189	3.7	4.4	0.7	E	3.4	0.0	RB	1
78	8	14	23	4.1	262	4.3	192	4.8	5.3	0.5	E	2.1	0.0	RB	1
78	8	14	24	5.3	287	3.8	311	5.7	5.9	0.1	E	0.4	0.0	RB	1
78	8	15	1	4.6	225	4.7	283	4.6	5.6	1.1	F	-0.5	0.0	RB	1
78	8	15	2	5.2	228	7.4	188	4.5	5.4	0.9	F	999.9	0.0	RB	1
78	8	15	3	4.3	262	4.0	170	5.2	6.1	0.9	F	-1.6	0.0	RB	1
78	8	15	4	3.4	182	4.5	144	5.2	5.3	0.1	E	-1.7	0.0	RB	1
78	8	15	5	5.1	228	5.1	186	5.1	5.2	0.1	E	-1.4	0.0	RB	1
78	8	15	6	2.6	209	4.0	174	6.0	5.9	-0.1	E	-1.5	0.07	RB	1
78	8	15	7	2.5	116	3.1	127	7.1	6.6	-0.5	D	-0.7	0.33	RB	1
78	8	15	8	5.1	145	5.6	145	8.3	7.6	-0.7	D	-0.2	0.63	RB	1
78	8	15	9	6.0	132	6.7	139	9.8	9.1	-0.7	D	-0.3	0.92	RB	1
78	8	15	10	5.0	144	5.9	158	12.1	11.2	-0.8	C	-0.7	1.15	RB	1
78	8	15	11	5.5	135	6.5	150	14.1	13.1	-1.0	A	-1.4	1.32	RB	1
78	8	15	12	5.4	172	6.5	186	15.7	14.8	-0.9	B	-2.6	1.38	RB	1
78	8	15	13	6.7	190	7.7	199	17.4	16.4	-1.1	A	-2.8	1.39	RB	1
78	8	15	14	6.2	220	7.2	224	18.4	17.5	-0.9	B	-2.9	1.30	RB	1
78	8	15	15	8.7	216	10.8	218	19.3	18.3	-1.1	A	999.9	1.12	RB	1
78	8	15	16	9.3	213	11.9	212	19.6	18.6	-1.0	A	-5.7	0.88	RB	1
78	8	15	17	10.9	195	15.1	204	19.1	18.3	-0.8	C	-7.8	0.59	RB	1
78	8	15	18	10.9	198	16.2	207	18.6	18.2	-0.4	D	-10.0	0.29	RB	1
78	8	15	19	7.7	200	12.5	209	16.7	16.9	0.1	E	-10.4	0.04	RB	1
78	8	15	20	5.1	243	8.0	226	15.1	15.2	0.2	E	-9.6	0.0	RB	1
78	8	15	21	6.6	251	9.6	235	14.4	14.8	0.4	E	-8.4	0.0	RB	1
78	8	15	22	7.2	242	10.4	224	13.9	14.5	0.5	E	-7.0	0.0	RB	1
78	8	15	23	5.3	235	7.5	235	14.6	14.6	0.0	E	-5.6	0.0	RB	1
78	8	15	24	3.2	230	4.7	242	14.3	14.5	0.2	E	-3.8	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED	WIND DIR	60 METER WIND SPEED	WIND DIR	TEMPERATURE 10 M TEMP	60 M TEMP	DELTA T 60-10	SC	DEW POINT	SOLAR RAD		
YR	MN	DY	HR	MPH	DEG	MPH	DEG	(C)	(C)	(C)		(C)	LY/MIN		
78	8	16	1	4.9	250	7.6	227	14.2	14.7	0.5	E	-1.9	0.0	RB	1
78	8	16	2	5.5	264	12.1	209	13.8	15.4	1.5	F	-1.6	0.0	RB	1
78	8	16	3	4.2	241	12.5	207	14.3	15.1	0.8	F	999.9	0.0	RB	1
78	8	16	4	8.1	215	18.8	208	14.5	15.1	0.6	E	-3.5	0.0	RB	1
78	8	16	5	9.5	210	19.4	209	14.8	15.3	0.5	E	-2.9	0.0	RB	1
78	8	16	6	9.6	209	18.9	213	15.4	15.5	0.1	E	-2.0	0.07	RB	1
78	8	16	7	11.3	203	19.3	215	17.1	16.5	-0.7	D	-1.0	0.32	RB	1
78	8	16	8	15.0	204	24.0	216	18.5	17.6	-1.0	A	-0.8	0.63	RB	1
78	8	16	9	16.7	198	25.6	211	19.7	18.5	-1.1	A	-0.1	0.91	RB	1
78	8	16	10	17.7	195	25.2	206	20.4	19.3	-1.1	A	0.5	1.15	RB	1
78	8	16	11	19.6	191	27.8	203	21.0	19.9	-1.1	A	0.6	1.31	RB	1
78	8	16	12	18.4	198	27.3	208	22.1	20.9	-1.1	A	-0.8	1.38	RB	1
78	8	16	13	19.9	200	30.6	209	22.5	21.4	-1.2	A	-2.4	1.39	RB	1
78	8	16	14	19.5	198	28.2	206	23.2	22.1	-1.1	A	-2.1	1.28	RB	1
78	8	16	15	18.3	205	28.7	209	23.9	23.0	-0.9	B	-4.5	1.12	RB	1
78	8	16	16	16.3	218	24.9	217	23.9	23.0	-0.9	B	999.9	0.87	RB	1
78	8	16	17	17.3	203	27.6	210	23.2	22.7	-0.5	D	-6.0	0.57	RB	1
78	8	16	18	17.6	202	28.7	209	22.2	21.9	-0.3	D	-6.5	0.27	RB	1
78	8	16	19	15.0	201	25.8	211	21.1	21.0	-0.2	E	-6.8	0.04	RB	1
78	8	16	20	15.4	204	25.7	212	20.7	20.5	-0.1	E	-7.4	0.0	RB	1
78	8	16	21	14.9	206	25.6	210	20.7	20.5	-0.2	E	-7.7	0.0	RB	1
78	8	16	22	12.5	206	23.2	211	20.2	20.2	0.0	E	-7.9	0.0	RB	1
78	8	16	23	13.7	203	22.9	211	19.7	19.7	0.0	E	-8.0	0.0	RB	1
78	8	16	24	11.9	205	22.0	212	18.8	18.9	0.1	E	-8.7	0.0	RB	1
78	8	17	1	11.2	209	21.4	213	17.9	18.0	0.1	E	-8.9	0.0	RB	1
78	8	17	2	11.3	208	22.0	216	17.2	17.3	0.1	E	-8.7	0.0	RB	1
78	8	17	3	8.6	216	18.7	218	16.5	16.5	0.1	E	-8.4	0.0	RB	1
78	8	17	4	10.2	210	21.6	216	16.1	16.2	0.1	E	999.9	0.0	RB	1
78	8	17	5	8.2	219	17.5	221	16.0	16.0	0.0	E	-9.9	0.0	RB	1
78	8	17	6	9.2	220	17.0	220	16.3	16.1	-0.2	E	-9.9	0.07	RB	1
78	8	17	7	11.6	214	19.3	216	17.5	16.8	-0.7	D	-7.7	0.32	RB	1
78	8	17	8	14.7	207	23.2	216	18.8	17.8	-0.9	B	-4.8	0.63	RB	1
78	8	17	9	15.7	207	26.4	212	19.7	18.6	-1.1	A	-3.6	0.92	RB	1
78	8	17	10	17.3	196	26.9	207	20.4	19.2	-1.2	A	-3.4	1.15	RB	1
78	8	17	11	16.4	192	24.6	205	21.0	19.7	-1.3	A	-4.2	1.31	RB	1
78	8	17	12	16.5	207	23.8	213	22.0	20.7	-1.3	A	-3.8	1.37	RB	1
78	8	17	13	16.5	213	24.0	216	23.0	21.7	-1.3	A	-4.5	1.39	RB	1
78	8	17	14	15.7	223	22.2	221	23.1	22.0	-1.1	A	-5.4	1.04	RB	1
78	8	17	15	16.6	210	24.3	213	23.3	22.2	-1.0	A	-5.4	0.99	RB	1
78	8	17	16	14.4	207	21.6	213	22.3	21.6	-0.7	D	999.9	0.34	RB	1
78	8	17	17	15.7	14	19.0	11	16.3	15.6	-0.7	D	999.9	0.16	RB	1
78	8	17	18	19.6	12	23.2	13	12.9	12.3	-0.7	D	1.7	0.13	RB	1
78	8	17	19	17.1	18	20.2	15	10.8	10.3	-0.5	D	0.8	0.02	RB	1
78	8	17	20	13.3	31	16.7	31	9.5	9.1	-0.4	D	0.6	0.0	RB	1
78	8	17	21	14.6	39	18.6	37	8.3	7.9	-0.4	D	0.7	0.0	RB	1
78	8	17	22	14.5	41	18.3	40	7.2	6.8	-0.4	D	1.7	0.0	RB	1
78	8	17	23	10.8	41	13.5	38	6.1	5.7	-0.4	D	2.3	0.0	RB	1
78	8	17	24	11.3	23	14.4	25	5.1	4.7	-0.3	D	2.4	0.0	RB	1

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	8	14	1	4.6	279	4.2	306	8.1	7.9	-0.3	D	999.9	0.0	RB	1
78	8	14	2	5.8	249	5.0	249	8.2	8.0	-0.2	E	8.8	0.0	RB	1
78	8	14	3	4.3	272	4.9	188	8.0	7.9	-0.1	E	9.0	0.0	RB	1
78	8	14	4	3.3	234	2.7	210	8.0	8.1	0.2	E	8.7	0.0	RB	1
78	8	14	5	4.5	280	6.7	282	8.2	8.2	0.0	E	8.4	0.0	RB	1
78	8	14	6	4.1	297	6.5	285	7.9	7.7	-0.2	E	7.5	0.05	RB	1
78	8	14	7	12.9	274	17.7	271	7.5	7.1	-0.4	D	7.3	0.10	RB	1
78	8	14	8	16.0	262	21.5	261	7.0	6.5	-0.5	D	6.6	0.11	RB	1
78	8	14	9	16.7	243	24.0	242	6.5	6.0	-0.4	D	6.2	0.15	RB	1
78	8	14	10	10.6	238	17.3	226	7.9	7.5	-0.4	D	6.2	0.30	RB	1
78	8	14	11	13.3	253	19.9	244	8.6	8.1	-0.5	D	6.3	0.61	RB	1
78	8	14	12	18.5	270	23.0	266	9.4	8.3	-1.1	A	5.7	1.20	RB	1
78	8	14	13	17.2	286	20.6	282	10.7	9.4	-1.3	A	4.9	1.40	RB	1
78	8	14	14	16.1	292	19.7	287	11.3	10.1	-1.2	A	999.9	1.26	RB	1
78	8	14	15	15.4	297	18.6	291	11.8	10.6	-1.2	A	4.4	1.05	RB	1
78	8	14	16	13.5	287	16.9	283	12.2	11.1	-1.1	A	3.2	0.77	RB	1
78	8	14	17	12.7	292	15.9	288	12.2	11.4	-0.8	C	1.2	0.36	RB	1
78	8	14	18	14.7	319	19.2	313	10.9	10.4	-0.5	D	1.7	0.07	RB	1
78	8	14	19	15.3	12	17.6	9	5.7	5.1	-0.6	D	4.2	0.01	RB	1
78	8	14	20	5.5	154	6.7	62	4.9	4.6	-0.4	D	3.8	0.0	RB	1
78	8	14	21	3.2	168	5.4	172	4.0	3.9	0.0	E	3.7	0.0	RB	1
78	8	14	22	5.1	234	6.1	189	3.7	4.4	0.7	E	3.4	0.0	RB	1
78	8	14	23	4.1	262	4.3	192	4.8	5.3	0.5	E	2.1	0.0	RB	1
78	8	14	24	5.3	287	3.8	311	5.7	5.9	0.1	E	0.4	0.0	RB	1
78	8	15	1	4.6	225	4.7	283	4.6	5.6	1.1	F	-0.5	0.0	RB	1
78	8	15	2	5.2	228	7.4	188	4.5	5.4	0.9	F	999.9	0.0	RB	1
78	8	15	3	4.3	262	4.0	170	5.2	6.1	0.9	F	-1.6	0.0	RB	1
78	8	15	4	3.4	182	4.5	144	5.2	5.3	0.1	E	-1.7	0.0	RB	1
78	8	15	5	5.1	228	5.1	186	5.1	5.2	0.1	E	-1.4	0.0	RB	1
78	8	15	6	2.6	209	4.0	174	6.0	5.9	-0.1	E	-1.5	0.07	RB	1
78	8	15	7	2.5	116	3.1	127	7.1	6.6	-0.5	D	-0.7	0.33	RB	1
78	8	15	8	5.1	148	5.6	145	8.3	7.6	-0.7	D	-0.2	0.63	RB	1
78	8	15	9	6.0	132	6.7	139	9.8	9.1	-0.7	D	-0.3	0.92	RB	1
78	8	15	10	5.0	144	5.9	158	12.1	11.2	-0.8	C	-0.7	1.15	RB	1
78	8	15	11	5.5	135	6.5	150	14.1	13.1	-1.0	A	-1.4	1.32	RB	1
78	8	15	12	5.4	172	6.5	186	15.7	14.8	-0.9	B	-2.6	1.38	RB	1
78	8	15	13	6.7	190	7.7	199	17.4	16.4	-1.1	A	-2.8	1.39	RB	1
78	8	15	14	6.2	220	7.2	224	18.4	17.5	-0.9	B	-2.9	1.30	RB	1
78	8	15	15	8.7	216	10.8	218	19.3	18.3	-1.1	A	999.9	1.12	RB	1
78	8	15	16	9.3	213	11.9	212	19.6	18.6	-1.0	A	-5.7	0.88	RB	1
78	8	15	17	10.9	195	15.1	204	19.1	18.3	-0.8	C	-7.8	0.59	RB	1
78	8	15	18	10.9	198	16.2	207	18.6	18.2	-0.4	D	-10.0	0.29	RB	1
78	8	15	19	7.7	200	12.5	209	16.7	16.9	0.1	E	-10.4	0.04	RB	1
78	8	15	20	5.1	243	8.0	226	15.1	15.2	0.2	E	-9.6	0.0	RB	1
78	8	15	21	6.6	251	9.6	235	14.4	14.8	0.4	E	-8.4	0.0	RB	1
78	8	15	22	7.2	242	10.4	224	13.9	14.5	0.5	E	-7.0	0.0	RB	1
78	8	15	23	5.3	235	7.5	235	14.6	14.6	0.0	E	-5.6	0.0	RB	1
78	8	15	24	3.2	230	4.7	242	14.3	14.5	0.2	E	-3.8	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	8	16	1	4.9	250	7.6	227	14.2	14.7	0.5	E	-1.9	0.0	RB	1
78	8	16	2	5.5	264	12.1	209	13.8	15.4	1.5	F	-1.6	0.0	RB	1
78	8	16	3	4.2	241	12.5	207	14.3	15.1	0.8	F	999.9	0.0	RB	1
78	8	16	4	8.1	215	18.8	208	14.5	15.1	0.6	E	-3.5	0.0	RB	1
78	8	16	5	9.5	210	19.4	209	14.8	15.3	0.5	E	-2.9	0.0	RB	1
78	8	16	6	9.6	209	18.9	213	15.4	15.5	0.1	E	-2.0	0.07	RB	1
78	8	16	7	11.3	203	19.3	215	17.1	16.5	-0.7	D	-1.0	0.32	RB	1
78	8	16	8	15.0	204	24.0	216	18.5	17.6	-1.0	A	-0.8	0.63	RB	1
78	8	16	9	16.7	198	25.6	211	19.7	18.5	-1.1	A	-0.1	0.91	RB	1
78	8	16	10	17.7	195	25.2	206	20.4	19.3	-1.1	A	0.5	1.15	RB	1
78	8	16	11	19.6	191	27.8	203	21.0	19.9	-1.1	A	0.6	1.31	RB	1
78	8	16	12	18.4	198	27.3	208	22.1	20.9	-1.1	A	-0.8	1.38	RB	1
78	8	16	13	19.9	200	30.6	209	22.5	21.4	-1.2	A	-2.4	1.39	RB	1
78	8	16	14	19.5	198	28.2	206	23.2	22.1	-1.1	A	-2.1	1.28	RB	1
78	8	16	15	18.3	205	28.7	209	23.9	23.0	-0.9	B	-4.5	1.12	RB	1
78	8	16	16	16.3	218	24.9	217	23.9	23.0	-0.9	B	999.9	0.87	RB	1
78	8	16	17	17.3	203	27.6	210	23.2	22.7	-0.5	D	-6.0	0.57	RB	1
78	8	16	18	17.6	202	28.7	209	22.2	21.9	-0.3	D	-6.5	0.27	RB	1
78	8	16	19	15.0	201	25.8	211	21.1	21.0	-0.2	E	-6.8	0.04	RB	1
78	8	16	20	15.4	204	25.7	212	20.7	20.5	-0.1	E	-7.4	0.0	RB	1
78	8	16	21	14.9	206	25.4	210	20.7	20.5	-0.2	E	-7.7	0.0	RB	1
78	8	16	22	12.5	206	23.2	211	20.2	20.2	0.0	E	-7.9	0.0	RB	1
78	8	16	23	13.7	203	22.9	211	19.7	19.7	0.0	E	-8.0	0.0	RB	1
78	8	16	24	11.9	205	22.0	212	18.8	18.9	0.1	E	-8.7	0.0	RB	1
78	8	17	1	11.2	209	21.4	213	17.9	18.0	0.1	E	-8.9	0.0	RB	1
78	8	17	2	11.3	208	22.0	216	17.2	17.3	0.1	E	-8.7	0.0	RB	1
78	8	17	3	8.6	216	18.7	218	16.5	16.5	0.1	E	-8.4	0.0	RB	1
78	8	17	4	10.2	210	21.6	216	16.1	16.2	0.1	E	999.9	0.0	RB	1
78	8	17	5	8.2	219	17.5	221	16.0	16.0	0.0	E	-9.9	0.0	RB	1
78	8	17	6	9.2	220	17.0	220	16.3	16.1	-0.2	E	-9.9	0.07	RB	1
78	8	17	7	11.6	214	19.3	216	17.5	16.8	-0.7	D	-7.7	0.32	RB	1
78	8	17	8	14.7	207	23.2	216	18.8	17.8	-0.9	B	-4.8	0.63	RB	1
78	8	17	9	15.7	207	25.4	212	19.7	18.6	-1.1	A	-3.6	0.92	RB	1
78	8	17	10	17.3	196	26.9	207	20.4	19.2	-1.2	A	-3.4	1.15	RB	1
78	8	17	11	16.4	192	24.6	205	21.0	19.7	-1.3	A	-4.2	1.31	RB	1
78	8	17	12	16.5	207	23.8	213	22.0	20.7	-1.3	A	-3.8	1.37	RB	1
78	8	17	13	16.5	213	24.0	216	23.0	21.7	-1.3	A	-4.5	1.39	RB	1
78	8	17	14	15.7	223	22.2	221	23.1	22.0	-1.1	A	-5.4	1.04	RB	1
78	8	17	15	16.6	210	24.3	213	23.3	22.2	-1.0	A	-5.4	0.99	RB	1
78	8	17	16	14.4	207	21.6	213	22.3	21.6	-0.7	D	999.9	0.34	RB	1
78	8	17	17	15.7	14	19.0	11	16.3	15.6	-0.7	D	999.9	0.16	RB	1
78	8	17	18	19.6	12	23.2	13	12.9	12.3	-0.7	D	1.7	0.13	RB	1
78	8	17	19	17.1	18	20.2	15	10.8	10.3	-0.5	D	0.8	0.02	RB	1
78	8	17	20	13.3	31	16.7	31	9.5	9.1	-0.4	D	0.6	0.0	RB	1
78	8	17	21	14.6	39	18.6	37	8.3	7.9	-0.4	D	0.7	0.0	RB	1
78	8	17	22	14.5	41	18.3	40	7.2	6.8	-0.4	D	1.7	0.0	RB	1
78	8	17	23	10.8	41	13.5	38	6.1	5.7	-0.4	D	2.3	0.0	RB	1
78	8	17	24	11.3	23	14.4	25	5.1	4.7	-0.3	D	2.4	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY TOWER 1

				- 10 METER -		60 METER		TEMPERATURE								
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	8	18	1	3.9	12	6.3	31	4.2	4.0	-0.2	E	2.6	0.0	RB	1
78	8	18	2	2.5	330	5.0	27	3.7	3.6	-0.1	E	2.8	0.0	RB	1
78	8	18	3	2.7	281	2.9	353	4.0	3.7	-0.3	D	3.0	0.0	RB	1
78	8	18	4	3.5	290	3.4	323	4.3	3.9	-0.5	D	3.2	0.0	RB	1
78	8	18	5	4.2	318	4.3	325	4.0	3.5	-0.5	D	999.9	0.0	RB	1
78	8	18	6	4.9	309	5.8	308	2.7	2.3	-0.4	D	3.5	0.01	RB	1
78	8	18	7	4.0	192	4.8	185	3.1	2.7	-0.4	D	3.8	0.05	RB	1
78	8	18	8	3.2	116	3.4	119	3.5	2.9	-0.5	D	4.7	0.23	RB	1
78	8	18	9	4.0	90	4.0	93	4.6	4.0	-0.6	D	5.2	0.63	RB	1
78	8	18	10	4.3	47	4.2	49	6.5	5.8	-0.7	D	4.5	1.12	RB	1
78	8	18	11	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB	1
78	8	18	12	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB	1
78	8	18	13	999.9	999	999.9	999	999.9	999.9	999.9	*	999.9	99.99	RB	1
78	8	18	14	3.7	114	5.1	119	11.5	10.9	-0.7	D	1.3	0.81	RB	1
78	8	18	15	5.6	73	5.3	61	12.6	11.7	-0.8	C	1.2	1.02	RB	1
78	8	18	16	6.7	336	6.9	333	13.4	12.5	-0.9	B	0.4	0.85	RB	1
78	8	18	17	4.6	331	4.0	324	13.8	13.1	-0.7	D	-1.5	0.56	RB	1
78	8	18	18	4.8	50	5.0	40	13.5	12.9	-0.6	D	999.9	0.26	RB	1
78	8	18	19	4.2	8	6.6	43	11.8	11.8	0.0	E	0.6	0.03	RB	1
78	8	18	20	3.1	309	4.1	27	10.7	10.8	0.1	E	0.6	0.0	RB	1
78	8	18	21	3.4	274	1.6	36	10.4	10.6	0.2	E	0.3	0.0	RB	1
78	8	18	22	3.6	212	3.9	145	10.3	10.6	0.2	E	-0.3	0.0	RB	1
78	8	18	23	4.4	226	3.7	189	10.3	10.3	0.0	E	-1.7	0.0	RB	1
78	8	18	24	5.7	228	5.9	195	10.1	10.3	0.3	E	-2.4	0.0	RB	1
78	8	19	1	4.6	214	4.6	178	9.9	10.1	0.2	E	-2.7	0.0	RB	1
78	8	19	2	4.4	227	3.7	187	10.3	10.3	0.0	E	-2.8	0.0	RB	1
78	8	19	3	3.4	230	2.3	195	10.3	10.3	0.0	E	-2.8	0.0	RB	1
78	8	19	4	1.6	343	1.1	188	9.3	10.0	0.7	E	-3.2	0.0	RB	1
78	8	19	5	2.4	349	2.2	343	8.3	9.1	0.7	E	-4.2	0.0	RB	1
78	8	19	6	2.7	266	2.2	314	7.9	8.7	0.8	F	999.9	0.07	RB	1
78	8	19	7	2.2	87	2.0	162	10.6	10.6	0.0	E	-3.9	0.32	RB	1
78	8	19	8	4.3	69	4.1	83	12.6	12.0	-0.6	D	-2.7	0.62	RB	1
78	8	19	9	5.2	76	5.6	81	13.9	13.3	-0.7	D	-3.6	0.91	RB	1
78	8	19	10	5.4	109	6.0	117	16.7	15.9	-0.8	C	-3.2	1.14	RB	1
78	8	19	11	7.8	216	10.1	213	19.3	18.2	-1.1	A	-4.2	1.28	RB	1
78	8	19	12	10.2	247	12.2	240	19.7	18.8	-0.9	B	-3.5	1.00	RB	1
78	8	19	13	10.7	241	13.6	237	20.9	19.8	-1.1	A	-2.9	1.38	RB	1
78	8	19	14	13.8	223	19.3	225	22.1	20.8	-1.3	A	-2.5	1.28	RB	1
78	8	19	15	13.5	202	17.8	208	22.0	20.8	-1.2	A	-2.3	1.06	RB	1
78	8	19	16	12.1	208	18.1	212	21.9	20.8	-1.1	A	-2.4	0.84	RB	1
78	8	19	17	9.1	220	13.3	218	21.8	21.0	-0.8	C	-3.8	0.52	RB	1
78	8	19	18	8.6	200	14.1	208	20.8	20.5	-0.3	D	999.9	0.26	RB	1
78	8	19	19	7.2	267	8.0	288	19.0	19.0	-0.1	E	999.9	0.03	RB	1
78	8	19	20	7.1	249	7.5	244	18.4	18.9	0.4	E	-2.6	0.0	RB	1
78	8	19	21	10.7	247	9.6	241	18.4	18.9	0.4	E	-5.2	0.0	RB	1
78	8	19	22	9.2	248	7.6	247	18.5	18.7	0.2	E	-4.6	0.0	RB	1
78	8	19	23	9.9	248	9.9	245	17.7	18.1	0.4	E	-5.9	0.0	RB	1
78	8	19	24	9.0	247	10.3	243	17.7	18.2	0.6	E	-5.2	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	8	20	1	8.0	255	14.6	212	15.8	17.1	1.2	F	-3.4	0.0	RB	1
78	8	20	2	4.7	311	10.1	249	14.9	16.0	1.1	F	2.2	0.0	RB	1
78	8	20	3	2.5	356	2.4	39	13.7	15.0	1.3	F	0.4	0.0	RB	1
78	8	20	4	3.3	313	3.2	308	14.4	15.1	0.6	E	4.0	0.0	RB	1
78	8	20	5	2.6	43	3.3	321	14.3	14.6	0.3	E	5.5	0.0	RB	1
78	8	20	6	2.7	23	3.0	63	14.3	14.8	0.5	E	5.9	0.06	RB	1
78	8	20	7	4.4	103	4.5	117	15.3	15.4	0.1	E	999.9	0.24	RB	1
78	8	20	8	8.9	180	13.3	185	16.4	15.9	-0.5	D	5.5	0.25	RB	1
78	8	20	9	8.5	174	10.3	179	18.2	17.3	-0.9	B	6.1	0.62	RB	1
78	8	20	10	11.6	199	15.3	210	20.5	19.1	-1.4	A	6.5	1.12	RB	1
78	8	20	11	12.8	244	16.5	239	21.4	20.2	-1.2	A	4.9	1.19	RB	1
78	8	20	12	13.6	238	17.7	234	22.3	21.0	-1.3	A	3.7	1.23	RB	1
78	8	20	13	13.9	255	17.7	250	21.2	20.0	-1.3	A	6.2	1.08	RB	1
78	8	20	14	11.8	251	14.4	238	21.8	20.8	-1.1	A	5.4	0.84	RB	1
78	8	20	15	12.1	230	16.6	229	21.8	20.8	-1.0	A	5.4	0.58	RB	1
78	8	20	16	10.0	213	14.5	216	22.5	21.6	-0.9	B	4.1	0.45	RB	1
78	8	20	17	11.6	201	18.8	209	21.4	20.7	-0.6	D	5.6	0.14	RB	1
78	8	20	18	11.0	200	17.5	209	20.7	20.2	-0.5	D	5.5	0.08	RB	1
78	8	20	19	8.4	218	14.2	221	18.8	18.4	-0.4	D	999.9	0.05	RB	1
78	8	20	20	6.3	217	12.7	221	17.6	17.5	-0.1	E	5.1	0.0	RB	1
78	8	20	21	8.5	252	13.5	231	17.9	17.9	0.0	E	4.9	0.0	RB	1
78	8	20	22	7.7	261	11.2	231	17.5	17.8	0.2	E	5.7	0.0	RB	1
78	8	20	23	7.3	248	9.9	232	17.9	18.1	0.2	E	5.9	0.0	RB	1
78	8	20	24	8.0	250	9.5	241	18.0	18.3	0.3	E	6.2	0.0	RB	1
78	8	21	1	8.9	258	14.3	241	16.6	17.5	0.9	F	6.5	0.0	RB	1
78	8	21	2	10.1	258	15.7	237	16.6	16.9	0.3	E	6.2	0.0	RB	1
78	8	21	3	5.8	210	9.2	193	16.1	16.4	0.3	E	5.6	0.0	RB	1
78	8	21	4	5.9	251	8.9	244	16.0	16.5	0.5	E	5.4	0.0	RB	1
78	8	21	5	5.1	211	7.3	250	16.3	17.3	1.0	F	5.6	0.0	RB	1
78	8	21	6	4.5	212	5.3	226	15.1	15.9	0.8	F	6.3	0.07	RB	1
78	8	21	7	4.5	189	6.1	214	17.8	17.4	-0.4	D	7.3	0.31	RB	1
78	8	21	8	8.3	192	9.8	202	19.6	18.8	-0.8	C	999.9	0.60	RB	1
78	8	21	9	9.2	231	10.3	228	20.8	19.8	-1.0	A	7.6	0.89	RB	1
78	8	21	10	8.1	217	10.5	223	21.3	20.3	-1.0	A	7.2	0.80	RB	1
78	8	21	11	13.3	203	18.7	212	22.7	21.5	-1.2	A	6.3	1.05	RB	1
78	8	21	12	13.7	199	18.8	207	23.5	22.1	-1.4	A	5.8	1.21	RB	1
78	8	21	13	12.8	217	18.2	218	23.4	22.1	-1.2	A	5.4	0.92	RB	1
78	8	21	14	11.9	216	17.6	222	23.7	22.5	-1.2	A	3.8	0.82	RB	1
78	8	21	15	12.6	202	17.8	206	23.4	22.3	-1.0	A	4.4	0.71	RB	1
78	8	21	16	10.5	208	14.9	211	23.4	22.5	-0.9	B	3.4	0.50	RB	1
78	8	21	17	11.2	202	16.9	209	23.4	22.6	-0.8	C	3.8	0.39	RB	1
78	8	21	18	10.5	197	16.1	206	22.5	22.1	-0.4	D	4.4	0.16	RB	1
78	8	21	19	5.2	228	10.9	208	21.4	21.5	0.2	E	4.6	0.03	RB	1
78	8	21	20	4.7	239	10.9	200	20.2	21.0	0.8	F	999.9	0.0	RB	1
78	8	21	21	5.5	199	12.3	195	18.6	19.6	1.0	F	4.7	0.0	RB	1
78	8	21	22	7.1	192	11.6	196	19.1	19.2	0.1	E	6.1	0.0	RB	1
78	8	21	23	9.4	155	14.6	161	18.0	18.7	0.7	E	7.0	0.0	RB	1
78	8	21	24	10.8	190	16.1	189	18.1	18.0	0.0	E	7.5	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	8	22	1	14.6	185	20.9	184	17.5	17.1	-0.3	D	8.0	0.0	RB	1
78	8	22	2	14.4	214	23.7	209	16.2	16.2	0.0	E	9.1	0.0	RB	1
78	8	22	3	4.8	202	10.9	196	14.9	15.6	0.6	E	10.0	0.0	RB	1
78	8	22	4	6.8	198	13.5	207	15.8	15.8	0.1	E	9.7	0.0	RB	1
78	8	22	5	9.3	181	14.5	191	15.5	15.3	-0.2	E	10.0	0.0	RB	1
78	8	22	6	7.6	186	14.0	190	14.7	14.5	-0.2	E	10.5	0.01	RB	1
78	8	22	7	11.9	169	16.8	180	14.4	14.1	-0.3	D	11.0	0.09	RB	1
78	8	22	8	10.0	161	14.1	171	14.8	14.3	-0.5	D	10.8	0.19	RB	1
78	8	22	9	10.6	174	14.0	178	16.1	15.3	-0.8	C	999.9	0.42	RB	1
78	8	22	10	13.6	184	17.9	188	16.5	15.7	-0.8	C	10.4	0.37	RB	1
78	8	22	11	17.8	188	24.5	198	18.4	17.4	-1.1	A	9.8	1.14	RB	1
78	8	22	12	13.5	209	21.1	213	20.5	19.3	-1.2	A	9.1	0.99	RB	1
78	8	22	13	14.7	202	21.8	212	20.2	19.2	-1.0	A	8.9	0.67	RB	1
78	8	22	14	13.6	195	20.8	209	19.2	18.3	-0.9	B	8.6	0.54	RB	1
78	8	22	15	16.0	194	22.6	202	21.1	20.0	-1.1	A	8.5	0.99	RB	1
78	8	22	16	17.2	191	24.4	197	21.3	20.4	-0.9	B	8.3	0.82	RB	1
78	8	22	17	16.1	190	23.3	198	21.2	20.5	-0.7	D	8.0	0.50	RB	1
78	8	22	18	14.7	180	20.7	184	20.1	19.7	-0.5	D	8.6	0.17	RB	1
78	8	22	19	11.5	192	17.8	194	19.3	19.1	-0.2	E	8.1	0.03	RB	1
78	8	22	20	11.6	193	19.7	201	18.6	18.4	-0.1	E	7.5	0.0	RB	1
78	8	22	21	14.1	194	22.1	196	18.0	17.8	-0.1	E	999.9	0.0	RB	1
78	8	22	22	14.0	195	23.1	198	17.4	17.2	-0.2	E	8.1	0.0	RB	1
78	8	22	23	10.3	203	17.8	203	17.0	17.0	0.1	E	7.9	0.0	RB	1
78	8	22	24	5.5	238	12.3	209	16.3	16.5	0.3	E	7.5	0.0	RB	1
78	8	23	1	6.8	218	14.4	205	16.1	16.4	0.3	E	7.2	0.0	RB	1
78	8	23	2	6.3	216	13.8	206	15.8	16.1	0.4	E	7.1	0.0	RB	1
78	8	23	3	6.6	217	14.8	209	15.8	16.1	0.3	E	7.1	0.0	RB	1
78	8	23	4	7.5	214	15.4	208	15.7	15.9	0.2	E	7.2	0.0	RB	1
78	8	23	5	7.0	211	13.9	203	15.2	15.4	0.2	E	7.5	0.0	RB	1
78	8	23	6	5.0	178	10.6	189	14.6	15.2	0.6	E	7.4	0.05	RB	1
78	8	23	7	7.8	146	10.4	158	15.7	15.4	-0.3	D	7.1	0.31	RB	1
78	8	23	8	14.6	186	19.3	192	18.5	17.7	-0.8	C	5.1	0.59	RB	1
78	8	23	9	15.0	200	23.4	208	20.3	19.1	-1.1	A	2.0	0.89	RB	1
78	8	23	10	16.9	199	24.3	209	21.2	20.0	-1.2	A	999.9	1.13	RB	1
78	8	23	11	19.5	198	28.3	207	21.8	20.6	-1.2	A	2.1	1.29	RB	1
78	8	23	12	18.9	198	27.5	211	22.4	21.0	-1.3	A	0.9	1.35	RB	1
78	8	23	13	18.0	193	24.7	203	22.8	21.5	-1.3	A	0.2	1.36	RB	1
78	8	23	14	16.8	192	23.3	202	23.7	22.4	-1.3	A	-2.3	1.24	RB	1
78	8	23	15	14.9	199	21.8	208	24.0	22.9	-1.1	A	-4.5	1.08	RB	1
78	8	23	16	15.5	198	22.2	205	23.8	22.9	-0.9	B	-4.1	0.83	RB	1
78	8	23	17	12.5	207	18.5	210	23.3	22.6	-0.7	D	-5.0	0.54	RB	1
78	8	23	18	9.0	206	14.4	214	22.4	22.0	-0.4	D	-5.0	0.23	RB	1
78	8	23	19	6.4	231	12.4	218	20.5	20.6	0.2	E	-4.6	0.02	RB	1
78	8	23	20	7.5	245	10.7	206	19.2	20.4	1.2	F	-4.6	0.0	RB	1
78	8	23	21	7.6	242	11.2	197	18.7	20.3	1.6	F	-4.4	0.0	RB	1
78	8	23	22	8.3	252	13.4	206	18.3	20.3	1.9	F	999.9	0.0	RB	1
78	8	23	23	7.1	247	14.0	205	18.5	20.3	1.7	F	-3.6	0.0	RB	1
78	8	23	24	6.9	251	14.2	210	18.5	19.8	1.3	F	-3.8	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR ROBOSC METEOROLOGY TOWER 1

				10 METER		60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	8	24	1	6.0	243	16.1	213	18.6	19.4	0.8	F	-5.9	0.0	RB	1
78	8	24	2	6.1	249	16.2	207	18.0	19.2	1.2	F	-5.6	0.0	RB	1
78	8	24	3	6.5	236	16.8	207	17.8	18.5	0.8	F	-2.4	0.0	RB	1
78	8	24	4	6.6	224	17.3	206	17.4	18.1	0.8	F	0.2	0.0	RB	1
78	8	24	5	6.5	232	16.7	209	17.3	18.0	0.8	F	1.8	0.0	RB	1
78	8	24	6	6.0	230	15.4	218	17.2	17.5	0.2	E	3.0	0.04	RB	1
78	8	24	7	8.6	209	13.3	223	19.0	18.3	-0.7	D	4.1	0.30	RB	1
78	8	24	8	10.8	206	15.9	218	20.6	19.5	-1.1	A	1.9	0.58	RB	1
78	8	24	9	12.4	193	16.3	209	21.5	20.4	-1.1	A	1.4	0.84	RB	1
78	8	24	10	13.8	191	18.2	205	22.3	21.1	-1.2	A	999.9	1.12	RB	1
78	8	24	11	14.5	198	20.8	210	23.0	21.5	-1.5	A	999.9	1.28	RB	1
78	8	24	12	15.7	194	22.5	207	23.7	22.1	-1.5	A	0.7	1.35	RB	1
78	8	24	13	16.0	189	21.4	199	23.8	22.5	-1.3	A	0.0	1.36	RB	1
78	8	24	14	14.0	220	18.2	218	24.4	23.1	-1.3	A	-1.8	1.24	RB	1
78	8	24	15	12.8	244	15.6	240	24.4	23.3	-1.2	A	-2.4	1.08	RB	1
78	8	24	16	11.3	242	13.9	238	24.4	23.3	-1.0	A	-3.0	0.83	RB	1
78	8	24	17	8.3	242	10.7	233	24.2	23.4	-0.8	C	-4.6	0.53	RB	1
78	8	24	18	6.9	230	10.2	230	23.4	22.9	-0.5	D	-5.0	0.23	RB	1
78	8	24	19	6.5	233	14.0	205	21.1	22.0	1.0	F	-5.4	0.02	RB	1
78	8	24	20	9.1	259	11.2	253	20.7	21.5	0.8	F	-5.7	0.0	RB	1
78	8	24	21	9.0	256	8.3	264	21.3	21.6	0.3	E	-4.7	0.0	RB	1
78	8	24	22	9.6	252	8.8	252	21.0	21.4	0.5	E	-4.6	0.0	RB	1
78	8	24	23	10.1	251	9.8	245	20.4	21.2	0.8	F	999.9	0.0	RB	1
78	8	24	24	9.2	252	12.4	213	19.3	20.9	1.6	F	-3.7	0.0	RB	1
78	8	25	1	9.5	256	13.9	217	18.6	20.4	1.8	F	-3.4	0.0	RB	1
78	8	25	2	10.4	258	15.4	240	18.6	20.0	1.4	F	-3.4	0.0	RB	1
78	8	25	3	10.4	254	14.3	248	19.1	20.2	1.0	F	-2.9	0.0	RB	1
78	8	25	4	7.4	222	11.8	223	18.0	19.1	1.1	F	-2.4	0.0	RB	1
78	8	25	5	5.2	213	4.2	260	16.1	17.3	1.2	F	-1.9	0.0	RB	1
78	8	25	6	2.4	262	2.3	294	16.2	16.8	0.6	E	-1.8	0.04	RB	1
78	8	25	7	3.1	337	4.8	266	18.2	17.8	-0.4	D	0.1	0.29	RB	1
78	8	25	8	12.9	255	15.8	246	19.6	18.7	-0.9	B	1.3	0.62	RB	1
78	8	25	9	10.3	254	12.9	244	19.6	18.7	-0.9	B	2.1	0.43	RB	1
78	8	25	10	6.3	215	7.8	209	20.4	19.5	-0.9	B	2.4	0.68	RB	1
78	8	25	11	6.8	130	8.3	126	21.8	20.9	-0.8	C	999.9	0.78	RB	1
78	8	25	12	7.2	134	8.3	140	21.6	20.8	-0.8	C	2.2	0.54	RB	1
78	8	25	13	6.1	50	7.5	317	22.3	21.4	-0.9	B	2.0	0.67	RB	1
78	8	25	14	7.9	246	9.3	243	23.1	22.2	-0.9	B	0.3	0.74	RB	1
78	8	25	15	8.1	253	9.2	246	22.9	22.1	-0.8	C	-0.5	0.43	RB	1
78	8	25	16	6.4	292	7.1	282	23.0	22.3	-0.7	D	-0.8	0.38	RB	1
78	8	25	17	6.5	269	7.8	260	22.9	22.3	-0.6	D	-0.2	0.23	RB	1
78	8	25	18	6.8	255	9.8	239	22.2	21.9	-0.2	E	-0.5	0.09	RB	1
78	8	25	19	7.5	256	11.8	232	21.0	21.4	0.3	E	0.1	0.01	RB	1
78	8	25	20	9.7	257	12.8	231	19.9	20.9	1.0	F	-0.9	0.0	RB	1
78	8	25	21	9.7	253	10.4	251	20.4	20.6	0.2	E	-1.1	0.0	RB	1
78	8	25	22	11.3	255	14.1	240	19.0	19.8	0.8	F	-1.0	0.0	RB	1
78	8	25	23	12.0	247	13.0	236	19.1	20.2	1.1	F	-0.3	0.0	RB	1
78	8	25	24	10.9	258	13.9	249	18.4	19.4	0.9	F	999.9	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER - WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	8	26	1	11.3	257	14.6	234	18.3	19.4	1.1	F	-2.6	0.0	RB	1
78	8	26	2	10.5	259	13.8	229	17.6	19.1	1.4	F	-2.6	0.0	RB	1
78	8	26	3	8.7	233	11.4	239	17.4	18.9	1.5	F	-2.3	0.0	RB	1
78	8	26	4	3.6	190	2.6	9	15.8	16.3	0.5	E	-2.1	0.0	RB	1
78	8	26	5	2.8	239	1.7	249	15.5	16.2	0.7	E	-2.0	0.0	RB	1
78	8	26	6	2.7	246	3.7	193	15.8	16.5	0.8	F	-2.3	0.05	RB	1
78	8	26	7	2.6	160	2.3	143	17.5	17.1	-0.3	D	-1.9	0.28	RB	1
78	8	26	8	3.5	98	3.2	90	18.6	18.1	-0.5	D	-0.7	0.58	RB	1
78	8	26	9	5.6	146	6.3	147	20.9	20.0	-0.9	B	-1.8	0.87	RB	1
78	8	26	10	9.6	235	12.8	232	22.5	21.3	-1.2	A	-4.3	1.12	RB	1
78	8	26	11	10.7	233	13.2	234	23.1	21.8	-1.2	A	-5.6	1.28	RB	1
78	8	26	12	9.9	234	12.8	232	23.1	22.0	-1.1	A	999.9	1.17	RB	1
78	8	26	13	11.5	194	14.7	196	23.8	22.4	-1.4	A	-3.5	1.34	RB	1
78	8	26	14	9.0	203	10.8	206	23.9	22.6	-1.3	A	-5.3	1.23	RB	1
78	8	26	15	8.8	208	10.4	209	24.1	22.9	-1.2	A	-5.1	1.05	RB	1
78	8	26	16	9.9	193	11.8	200	23.9	22.9	-1.0	A	-5.9	0.75	RB	1
78	8	26	17	9.0	198	13.2	203	23.4	22.6	-0.8	C	-5.2	0.40	RB	1
78	8	26	18	7.2	203	11.8	213	22.5	22.0	-0.5	D	-4.6	0.16	RB	1
78	8	26	19	5.5	237	12.3	216	20.8	21.0	0.2	E	-5.7	0.02	RB	1
78	8	26	20	9.2	252	14.5	219	19.2	20.6	1.4	F	-7.1	0.0	RB	1
78	8	26	21	10.0	251	15.7	223	18.8	20.5	1.7	F	-8.2	0.0	RB	1
78	8	26	22	9.8	247	13.7	234	18.5	19.6	1.1	F	-10.2	0.0	RB	1
78	8	26	23	9.2	256	11.2	243	19.0	19.5	0.5	E	-11.1	0.0	RB	1
78	8	26	24	9.6	258	12.5	240	18.4	19.3	0.9	F	999.9	0.0	RB	1
78	8	27	1	8.9	262	13.4	236	17.6	19.0	1.4	F	-12.6	0.0	RB	1
78	8	27	2	12.7	249	14.9	251	17.6	19.1	1.5	F	-13.9	0.0	RB	1
78	8	27	3	12.4	244	12.5	243	17.9	18.9	0.9	F	-13.5	0.0	RB	1
78	8	27	4	9.0	267	9.8	267	17.6	18.9	1.3	F	-11.9	0.0	RB	1
78	8	27	5	4.3	315	4.3	329	14.9	16.5	1.7	F	-12.2	0.0	RB	1
78	8	27	6	5.7	308	7.3	335	15.6	16.4	0.8	F	-11.9	0.05	RB	1
78	8	27	7	3.2	7	3.9	354	16.8	16.8	0.0	E	-10.4	0.28	RB	1
78	8	27	8	4.0	105	3.7	135	18.0	17.6	-0.4	D	-9.2	0.59	RB	1
78	8	27	9	4.8	32	5.1	30	19.7	19.1	-0.7	D	-9.7	0.88	RB	1
78	8	27	10	9.9	292	10.6	288	20.9	19.8	-1.1	A	-9.5	1.12	RB	1
78	8	27	11	8.5	265	9.4	262	21.6	20.5	-1.0	A	-10.5	1.27	RB	1
78	8	27	12	7.5	260	9.0	255	22.4	21.3	-1.1	A	-10.1	1.35	RB	1
78	8	27	13	9.2	251	11.2	253	23.1	21.9	-1.1	A	999.9	1.34	RB	1
78	8	27	14	11.8	302	13.6	298	23.3	22.0	-1.2	A	-6.2	1.23	RB	1
78	8	27	15	11.4	305	13.2	301	23.4	22.2	-1.3	A	-6.2	1.06	RB	1
78	8	27	16	10.0	310	12.3	306	23.3	22.3	-1.0	A	-6.1	0.80	RB	1
78	8	27	17	9.9	304	12.0	302	23.2	22.3	-0.9	B	-6.0	0.50	RB	1
78	8	27	18	9.6	314	12.7	309	22.2	21.8	-0.4	D	-6.0	0.19	RB	1
78	8	27	19	9.5	294	14.0	304	19.9	20.9	0.9	F	-6.0	0.01	RB	1
78	8	27	20	11.7	284	17.6	293	18.8	20.0	1.1	F	-4.7	0.0	RB	1
78	8	27	21	11.9	271	18.6	277	18.1	18.8	0.7	E	-2.8	0.0	RB	1
78	8	27	22	5.4	333	9.3	15	16.5	17.2	0.7	E	-2.3	0.0	RB	1
78	8	27	23	2.8	80	6.2	54	15.4	15.7	0.2	E	-1.9	0.0	RB	1
78	8	27	24	3.0	321	6.7	45	14.2	14.7	0.5	E	-1.5	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	8	28	1	3.3	305	5.5	40	13.6	14.1	0.5	E	999.9	0.0	RB	1
78	8	28	2	3.5	270	4.8	37	13.1	13.7	0.5	E	-1.6	0.0	RB	1
78	8	28	3	2.1	306	5.5	56	12.6	12.9	0.3	E	-1.7	0.0	RB	1
78	8	28	4	5.0	297	6.5	341	11.5	11.7	0.2	E	0.0	0.0	RB	1
78	8	28	5	4.4	307	5.5	337	11.0	11.1	0.1	E	2.0	0.0	RB	1
78	8	28	6	2.7	260	3.7	11	10.8	10.6	-0.1	E	3.7	0.05	RB	1
78	8	28	7	2.1	85	2.7	26	10.8	10.4	-0.5	D	4.8	0.23	RB	1
78	8	28	8	3.5	56	3.6	45	12.4	11.9	-0.6	D	6.1	0.59	RB	1
78	8	28	9	5.8	69	6.1	59	14.6	13.8	-0.8	C	5.7	0.87	RB	1
78	8	28	10	9.0	25	10.9	30	16.9	15.9	-1.0	A	3.2	1.11	RB	1
78	8	28	11	7.5	71	8.9	68	17.4	16.4	-1.0	A	2.2	1.15	RB	1
78	8	28	12	6.7	71	8.1	77	18.8	17.8	-1.0	A	1.5	1.32	RB	1
78	8	28	13	6.4	42	6.7	34	20.1	19.2	-0.9	B	1.4	1.31	RB	1
78	8	28	14	7.7	356	8.7	355	21.1	20.1	-1.0	A	999.9	1.19	RB	1
78	8	28	15	7.3	345	7.8	335	21.8	20.8	-1.0	A	-0.1	1.03	RB	1
78	8	28	16	6.6	335	6.9	319	22.2	21.3	-0.9	B	-2.9	0.78	RB	1
78	8	28	17	7.4	327	8.4	323	22.1	21.2	-0.9	B	-3.0	0.49	RB	1
78	8	28	18	6.4	341	7.4	342	21.2	20.7	-0.5	D	-2.6	0.18	RB	1
78	8	28	19	6.9	308	9.3	1	17.9	19.3	1.3	F	-1.2	0.01	RB	1
78	8	28	20	6.7	305	11.3	5	16.4	18.2	1.8	F	0.1	0.0	RB	1
78	8	28	21	4.4	300	7.4	14	16.4	17.2	0.8	F	0.6	0.0	RB	1
78	8	28	22	5.1	307	6.5	5	16.1	16.6	0.5	E	0.7	0.0	RB	1
78	8	28	23	3.7	283	3.2	42	15.9	16.3	0.4	E	0.6	0.0	RB	1
78	8	28	24	2.0	235	1.6	90	16.0	16.2	0.2	E	0.6	0.0	RB	1
78	8	29	1	3.1	236	1.8	191	16.3	16.2	-0.1	E	0.4	0.0	RB	1
78	8	29	2	2.9	270	1.5	237	16.2	16.2	0.0	E	999.9	0.0	RB	1
78	8	29	3	3.9	300	3.5	9	15.1	15.5	0.4	E	0.2	0.0	RB	1
78	8	29	4	3.7	279	2.2	326	15.2	15.4	0.2	E	0.1	0.0	RB	1
78	8	29	5	4.2	287	2.7	291	15.7	16.0	0.3	E	-0.3	0.0	RB	1
78	8	29	6	3.0	38	4.5	36	12.6	13.5	0.8	F	-0.2	0.04	RB	1
78	8	29	7	3.2	360	3.5	4	12.9	12.6	-0.3	D	0.2	0.26	RB	1
78	8	29	8	4.1	46	4.5	45	15.6	14.4	-0.6	D	0.7	0.56	RB	1
78	8	29	9	5.9	47	6.9	40	16.8	16.0	-0.8	C	1.0	0.85	RB	1
78	8	29	10	6.1	52	7.1	53	18.3	17.5	-0.8	C	0.9	1.08	RB	1
78	8	29	11	5.8	52	6.6	57	19.7	18.8	-0.9	B	0.5	1.23	RB	1
78	8	29	12	7.6	69	7.8	61	21.0	19.9	-1.0	A	0.4	1.34	RB	1
78	8	29	13	6.9	62	7.5	51	22.0	20.9	-1.0	A	0.2	1.18	RB	1
78	8	29	14	6.2	345	6.4	346	22.0	21.1	-1.0	A	0.2	0.67	RB	1
78	8	29	15	9.2	15	10.0	12	22.2	21.3	-0.9	B	999.9	0.79	RB	1
78	8	29	16	11.2	316	13.2	309	22.8	21.7	-1.1	A	-0.3	0.64	RB	1
78	8	29	17	11.5	302	14.1	298	21.7	21.0	-0.7	D	-1.0	0.26	RB	1
78	8	29	18	10.3	302	13.8	299	20.6	20.4	-0.2	E	-1.8	0.14	RB	1
78	8	29	19	8.6	278	11.5	298	18.4	19.6	1.2	F	-3.4	0.01	RB	1
78	8	29	20	9.9	278	12.8	299	17.8	19.3	1.5	F	-2.9	0.0	RB	1
78	8	29	21	11.3	286	14.6	308	17.1	19.0	1.9	F	-2.1	0.0	RB	1
78	8	29	22	10.9	273	14.2	295	17.4	18.9	1.5	F	-1.4	0.0	RB	1
78	8	29	23	9.2	291	12.3	324	15.8	18.0	2.2	G	-0.6	0.0	RB	1
78	8	29	24	5.9	290	8.6	355	15.5	17.4	2.0	G	-0.5	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	8	30	1	3.5	281	1.8	335	16.8	17.0	0.2	E	-0.6	0.0	RB	1
78	8	30	2	4.4	270	3.3	291	17.3	17.2	-0.2	E	0.0	0.0	RB	1
78	8	30	3	3.6	319	4.1	351	15.6	16.3	0.7	E	999.9	0.0	RB	1
78	8	30	4	3.9	306	5.6	337	15.4	15.6	0.2	E	-1.2	0.0	RB	1
78	8	30	5	3.1	309	4.6	344	14.6	15.2	0.6	E	-1.7	0.0	RB	1
78	8	30	6	3.2	301	3.6	337	14.4	14.9	0.5	E	-1.8	0.04	RB	1
78	8	30	7	2.6	69	2.3	33	15.1	14.9	-0.2	E	-0.9	0.26	RB	1
78	8	30	8	3.2	119	3.1	108	16.8	16.2	-0.6	D	-0.8	0.56	RB	1
78	8	30	9	6.8	224	7.2	222	19.2	18.4	-0.8	C	-0.3	0.85	RB	1
78	8	30	10	7.8	271	8.3	259	20.5	19.5	-1.0	A	-0.5	1.08	RB	1
78	8	30	11	9.9	261	11.9	256	21.8	20.5	-1.3	A	-1.4	1.24	RB	1
78	8	30	12	10.8	261	13.2	256	22.7	21.5	-1.3	A	-0.9	1.31	RB	1
78	8	30	13	12.4	271	15.3	266	22.8	21.7	-1.1	A	-1.6	0.98	RB	1
78	8	30	14	13.0	294	15.8	289	23.9	22.6	-1.3	A	-1.7	1.23	RB	1
78	8	30	15	12.3	286	14.4	283	24.2	23.1	-1.2	A	999.9	0.97	RB	1
78	8	30	16	9.6	251	12.6	245	23.7	22.7	-1.0	A	999.9	0.51	RB	1
78	8	30	17	9.3	245	11.9	239	23.6	22.8	-0.8	C	0.0	0.47	RB	1
78	8	30	18	5.7	239	8.0	237	22.8	22.4	-0.4	D	-0.3	0.12	RB	1
78	8	30	19	6.7	242	10.5	212	21.1	21.9	0.8	F	-0.6	0.01	RB	1
78	8	30	20	4.9	248	6.8	196	20.4	20.7	0.3	E	-0.6	0.0	RB	1
78	8	30	21	6.6	263	10.2	223	20.2	20.8	0.6	E	-1.0	0.0	RB	1
78	8	30	22	9.5	265	13.7	237	19.5	20.6	1.1	F	-0.9	0.0	RB	1
78	8	30	23	9.0	250	11.2	214	18.9	20.3	1.4	F	-0.3	0.0	RB	1
78	8	30	24	5.8	246	13.6	209	18.6	19.7	1.1	F	0.3	0.0	RB	1
78	8	31	1	5.2	229	14.4	213	18.8	19.4	0.6	E	0.7	0.0	RB	1
78	8	31	2	4.0	231	12.5	218	18.3	18.8	0.4	E	0.7	0.0	RB	1
78	8	31	3	5.5	255	10.8	221	18.1	18.8	0.6	E	0.5	0.0	RB	1
78	8	31	4	4.8	221	12.6	215	18.0	18.3	0.3	E	999.9	0.0	RB	1
78	8	31	5	6.8	234	14.0	219	17.9	17.9	0.0	E	0.1	0.0	RB	1
78	8	31	6	6.9	224	15.0	215	17.6	17.7	0.1	E	0.8	0.03	RB	1
78	8	31	7	9.6	199	16.0	204	18.6	18.4	-0.2	E	1.7	0.17	RB	1
78	8	31	8	12.2	201	18.4	210	19.8	19.1	-0.7	D	1.9	0.29	RB	1
78	8	31	9	10.7	203	16.8	209	20.3	19.5	-0.7	D	2.4	0.34	RB	1
78	8	31	10	13.5	225	19.2	229	20.3	19.5	-0.9	B	2.2	0.58	RB	1
78	8	31	11	17.2	190	23.8	197	21.2	20.1	-1.1	A	2.5	1.18	RB	1
78	8	31	12	16.1	195	22.9	202	22.9	21.5	-1.4	A	1.0	1.31	RB	1
78	8	31	13	15.8	210	23.7	214	23.7	22.4	-1.3	A	0.7	1.29	RB	1
78	8	31	14	15.9	212	25.4	215	23.9	22.7	-1.2	A	0.5	1.09	RB	1
78	8	31	15	13.9	232	19.9	230	22.9	22.1	-0.8	C	0.5	0.40	RB	1
78	8	31	16	12.9	231	19.5	229	22.4	21.9	-0.5	D	999.9	0.24	RB	1
78	8	31	17	13.4	211	21.7	215	22.7	22.2	-0.6	D	0.8	0.36	RB	1
78	8	31	18	9.0	206	15.1	211	21.4	21.1	-0.3	D	0.4	0.14	RB	1
78	8	31	19	5.7	211	12.0	220	20.4	20.5	0.1	E	-0.1	0.0	RB	1
78	8	31	20	6.0	247	12.0	233	19.9	20.3	0.4	E	-0.5	0.0	RB	1
78	8	31	21	8.7	275	12.3	284	20.2	20.7	0.5	E	-1.2	0.0	RB	1
78	8	31	22	8.8	283	12.4	296	19.4	20.1	0.7	E	-2.3	0.0	RB	1
78	8	31	23	8.0	257	9.1	278	19.6	20.0	0.3	E	-3.0	0.0	RB	1
78	8	31	24	9.0	246	7.4	250	19.8	19.8	0.1	E	-3.3	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	9	1	1	9.0	242	7.9	240	19.4	19.7	0.3	E	-3.8	0.0	RB	1
78	9	1	2	8.8	245	7.5	236	19.3	19.5	0.2	E	-3.0	0.0	RB	1
78	9	1	3	10.0	246	8.3	242	19.0	19.3	0.3	E	-3.2	0.0	RB	1
78	9	1	4	10.5	244	10.5	231	18.8	18.8	0.8	F	-2.4	0.0	RB	1
78	9	1	5	11.3	247	13.6	236	17.2	17.9	0.7	E	999.9	0.0	RB	1
78	9	1	6	11.5	246	13.5	240	16.5	17.5	1.0	F	-1.2	0.03	RB	1
78	9	1	7	9.3	248	12.4	244	17.7	17.8	0.1	E	-0.1	0.25	RB	1
78	9	1	8	10.6	258	11.6	246	19.5	18.8	-0.8	C	-1.6	0.56	RB	1
78	9	1	9	8.8	256	9.8	243	20.8	19.8	-1.0	A	-1.8	0.84	RB	1
78	9	1	10	10.3	264	12.3	256	21.7	20.6	-1.1	A	-3.8	1.04	RB	1
78	9	1	11	11.6	265	14.8	261	22.4	21.2	-1.2	A	-3.5	1.16	RB	1
78	9	1	12	12.2	272	14.8	267	23.1	21.9	-1.2	A	-2.8	1.30	RB	1
78	9	1	13	10.2	273	12.3	269	23.6	22.3	-1.3	A	-2.7	1.30	RB	1
78	9	1	14	11.7	262	14.4	256	24.1	22.9	-1.2	A	-0.2	0.98	RB	1
78	9	1	15	11.5	251	14.1	249	24.0	23.0	-1.1	A	0.7	0.81	RB	1
78	9	1	16	10.7	217	13.9	225	24.1	23.1	-1.0	A	0.9	0.60	RB	1
78	9	1	17	6.4	220	8.8	218	23.5	22.9	-0.6	D	999.9	0.23	RB	1
78	9	1	18	6.1	230	9.5	226	23.1	22.7	-0.4	D	1.4	0.15	RB	1
78	9	1	19	5.9	250	10.2	224	21.7	21.7	0.0	E	2.4	0.01	RB	1
78	9	1	20	7.7	259	12.4	219	20.2	20.9	0.7	E	2.2	0.0	RB	1
78	9	1	21	8.4	260	14.3	224	19.8	20.6	0.8	F	1.8	0.0	RB	1
78	9	1	22	8.7	263	13.5	224	19.5	19.9	0.4	E	2.0	0.0	RB	1
78	9	1	23	9.5	263	13.3	235	18.9	19.3	0.4	E	2.5	0.0	RB	1
78	9	1	24	11.4	281	17.7	251	18.9	20.0	1.0	F	3.0	0.0	RB	1
78	9	2	1	12.6	249	18.9	248	18.8	19.8	1.0	F	3.1	0.0	RB	1
78	9	2	2	5.5	31	7.8	354	17.3	18.1	0.8	F	2.6	0.0	RB	1
78	9	2	3	4.3	283	4.4	350	17.2	17.6	0.4	E	2.3	0.0	RB	1
78	9	2	4	2.9	260	2.1	315	17.2	17.7	0.5	E	2.5	0.0	RB	1
78	9	2	5	3.0	223	1.3	211	17.7	18.0	0.3	E	2.4	0.0	RB	1
78	9	2	6	2.7	205	2.0	149	17.6	17.6	0.1	E	999.9	0.04	RB	1
78	9	2	7	2.3	280	2.3	168	18.1	17.9	-0.2	E	2.2	0.23	RB	1
78	9	2	8	2.9	56	2.4	116	18.5	18.2	-0.3	D	3.1	0.33	RB	1
78	9	2	9	3.6	70	3.7	104	19.2	18.7	-0.5	D	3.0	0.58	RB	1
78	9	2	10	3.6	83	4.1	83	21.2	20.6	-0.6	D	2.0	0.76	RB	1
78	9	2	11	6.7	65	8.1	65	23.1	22.2	-0.9	B	0.8	1.23	RB	1
78	9	2	12	8.5	70	9.4	69	24.1	23.0	-1.1	A	0.3	1.29	RB	1
78	9	2	13	6.7	111	7.1	107	24.2	23.4	-0.8	C	0.1	0.85	RB	1
78	9	2	14	5.4	190	5.7	188	24.4	23.5	-0.9	B	0.3	0.63	RB	1
78	9	2	15	7.4	126	8.8	126	24.6	23.8	-0.8	C	0.4	0.58	RB	1
78	9	2	16	6.3	79	8.2	82	24.5	23.8	-0.8	C	0.6	0.46	RB	1
78	9	2	17	6.0	84	7.5	86	24.6	23.9	-0.7	D	0.4	0.34	RB	1
78	9	2	18	3.5	81	5.6	78	23.8	23.4	-0.4	D	999.9	0.10	RB	1
78	9	2	19	3.5	235	6.3	102	22.5	22.8	0.2	E	0.8	0.0	RB	1
78	9	2	20	4.6	184	8.6	163	20.5	20.7	0.5	E	1.6	0.0	RB	1
78	9	2	21	5.4	333	4.6	204	19.3	19.6	0.3	E	2.7	0.0	RB	1
78	9	2	22	4.0	226	4.5	206	19.8	19.8	0.1	E	4.3	0.0	RB	1
78	9	2	23	2.0	211	3.8	129	19.5	19.6	0.2	E	4.4	0.0	RB	1
78	9	2	24	4.3	208	4.9	173	18.4	18.4	0.0	E	4.4	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE						
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN	
78	9	3	1	4.3	247	4.5	204	18.4	19.0	0.6	E	4.2	0.0	RB 1
78	9	3	2	3.0	169	3.8	154	18.6	18.8	0.2	E	4.2	0.0	RB 1
78	9	3	3	2.1	327	2.0	95	16.7	17.3	0.6	E	4.2	0.0	RB 1
78	9	3	4	4.7	286	1.5	253	17.2	17.4	0.2	E	4.4	0.0	RB 1
78	9	3	5	3.1	242	2.1	240	17.5	17.8	0.3	E	4.5	0.0	RB 1
78	9	3	6	2.0	183	2.2	201	17.0	18.0	1.0	F	999.9	0.03	RB 1
78	9	3	7	2.4	21	2.5	92	17.4	17.4	0.1	E	999.9	0.23	RB 1
78	9	3	8	3.5	92	3.5	99	19.0	18.4	-0.6	D	4.3	0.52	RB 1
78	9	3	9	4.8	99	5.5	101	21.2	20.4	-0.7	D	4.6	0.81	RB 1
78	9	3	10	5.9	196	6.4	189	23.0	22.3	-0.8	C	4.5	0.99	RB 1
78	9	3	11	6.8	225	7.0	225	23.8	22.9	-0.9	B	3.4	0.92	RB 1
78	9	3	12	7.7	325	8.1	309	24.1	23.2	-0.9	B	3.3	0.70	RB 1
78	9	3	13	5.7	354	6.2	344	24.0	23.3	-0.7	D	3.5	0.36	RB 1
78	9	3	14	5.7	10	5.7	4	24.5	23.7	-0.8	C	3.4	0.51	RB 1
78	9	3	15	4.4	333	4.8	322	24.5	23.8	-0.7	D	3.5	0.35	RB 1
78	9	3	16	6.9	352	7.7	351	24.5	23.8	-0.6	D	3.4	0.20	RB 1
78	9	3	17	6.2	13	6.7	7	24.8	24.2	-0.7	D	3.4	0.33	RB 1
78	9	3	18	5.5	315	5.8	319	24.4	24.1	-0.4	D	3.6	0.12	RB 1
78	9	3	19	4.7	257	3.2	283	23.4	23.6	0.2	E	999.9	0.0	RB 1
78	9	3	20	8.8	258	11.3	252	22.4	22.9	0.5	E	2.6	0.0	RB 1
78	9	3	21	10.4	253	12.4	243	22.1	22.8	0.7	E	2.0	0.0	RB 1
78	9	3	22	12.1	247	11.4	243	22.1	23.4	1.2	F	1.8	0.0	RB 1
78	9	3	23	11.4	245	13.8	244	21.6	22.9	1.4	F	1.4	0.0	RB 1
78	9	3	24	9.9	247	12.6	247	21.5	22.9	1.4	F	1.1	0.0	RB 1
78	9	4	1	4.7	231	10.4	251	19.3	22.0	2.7	G	1.1	0.0	RB 1
78	9	4	2	10.1	250	11.6	255	21.2	22.3	1.1	F	1.5	0.0	RB 1
78	9	4	3	5.5	161	7.2	262	19.2	21.3	2.1	G	2.1	0.0	RB 1
78	9	4	4	3.1	252	3.3	317	19.1	20.2	1.1	F	1.8	0.0	RB 1
78	9	4	5	5.8	277	5.6	247	20.4	21.5	1.1	F	1.8	0.0	RB 1
78	9	4	6	4.0	267	3.6	292	19.7	20.8	1.1	F	2.2	0.02	RB 1
78	9	4	7	3.7	338	2.7	243	20.6	21.2	0.6	E	999.9	0.23	RB 1
78	9	4	8	3.4	69	2.2	32	21.1	21.2	0.2	E	3.2	0.52	RB 1
78	9	4	9	5.4	78	5.9	84	22.6	22.1	-0.5	D	2.9	0.81	RB 1
78	9	4	10	5.5	111	6.6	94	24.2	23.4	-0.8	C	2.8	0.62	RB 1
78	9	4	11	5.5	263	5.8	269	25.2	24.3	-0.9	B	1.6	0.91	RB 1
78	9	4	12	6.9	1	7.1	355	25.3	24.4	-0.9	B	2.3	0.65	RB 1
78	9	4	13	5.0	283	5.1	282	25.4	24.6	-0.8	C	2.2	0.52	RB 1
78	9	4	14	5.3	13	5.5	5	25.9	25.2	-0.7	D	2.1	0.54	RB 1
78	9	4	15	4.7	148	5.1	147	26.3	25.5	-0.8	C	2.0	0.54	RB 1
78	9	4	16	4.2	186	5.5	183	26.0	25.5	-0.6	D	1.5	0.29	RB 1
78	9	4	17	5.1	169	6.4	176	26.4	25.8	-0.5	D	0.9	0.32	RB 1
78	9	4	18	6.3	199	9.5	186	25.6	25.5	-0.1	E	0.9	0.14	RB 1
78	9	4	19	8.8	248	9.6	239	24.7	25.1	0.4	E	-0.2	0.0	RB 1
78	9	4	20	10.9	255	12.7	258	23.5	24.7	1.2	F	999.9	0.0	RB 1
78	9	4	21	9.8	266	11.8	279	23.5	24.6	1.2	F	-0.3	0.0	RB 1
78	9	4	22	9.9	265	11.5	284	23.2	24.4	1.2	F	-0.6	0.0	RB 1
78	9	4	23	10.4	260	11.6	270	23.4	24.4	1.0	F	-0.5	0.0	RB 1
78	9	4	24	10.5	258	15.4	271	22.9	24.0	1.1	F	0.2	0.0	RB 1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	9	5	1	11.4	265	15.5	280	22.0	23.4	1.4	F	0.3	0.0	RB	1
78	9	5	2	7.7	230	11.7	237	21.1	22.7	1.6	F	0.3	0.0	RB	1
78	9	5	3	4.0	185	5.1	145	20.3	21.1	0.8	F	0.3	0.0	RB	1
78	9	5	4	4.0	238	4.5	176	20.0	21.5	1.4	F	0.3	0.0	RB	1
78	9	5	5	3.2	237	3.1	191	20.5	21.3	0.8	F	0.5	0.0	RB	1
78	9	5	6	2.2	206	2.0	178	20.9	21.3	0.3	E	0.7	0.04	RB	1
78	9	5	7	2.7	165	4.3	199	21.5	21.5	0.1	E	1.6	0.26	RB	1
78	9	5	8	5.0	129	6.4	142	23.2	22.7	-0.6	D	999.9	0.55	RB	1
78	9	5	9	7.8	142	10.0	154	25.0	24.0	-1.0	A	2.5	0.81	RB	1
78	9	5	10	12.0	200	17.4	212	26.5	25.1	-1.4	A	1.9	1.05	RB	1
78	9	5	11	11.9	225	16.5	224	27.1	25.7	-1.4	A	2.3	1.20	RB	1
78	9	5	12	11.9	211	16.3	216	27.1	25.6	-1.5	A	2.5	1.21	RB	1
78	9	5	13	11.7	217	16.3	217	27.2	25.8	-1.5	A	2.5	1.26	RB	1
78	9	5	14	10.7	222	14.8	221	27.3	26.0	-1.4	A	2.4	1.14	RB	1
78	9	5	15	10.1	212	13.8	213	27.5	26.3	-1.2	A	2.5	0.96	RB	1
78	9	5	16	12.3	197	16.9	201	27.4	26.3	-1.1	A	2.8	0.71	RB	1
78	9	5	17	8.6	204	12.7	205	26.6	25.9	-0.8	C	3.0	0.40	RB	1
78	9	5	18	5.3	226	9.7	222	25.5	25.2	-0.3	D	3.0	0.15	RB	1
78	9	5	19	8.3	252	11.5	231	23.7	24.4	0.7	E	3.0	0.0	RB	1
78	9	5	20	10.9	250	13.6	246	22.9	24.2	1.3	F	999.9	0.0	RB	1
78	9	5	21	10.4	254	12.4	237	22.4	24.0	1.6	F	4.9	0.0	RB	1
78	9	5	22	7.1	265	11.8	227	21.7	22.8	1.1	F	3.8	0.0	RB	1
78	9	5	23	4.9	252	12.0	221	21.3	22.1	0.8	F	2.6	0.0	RB	1
78	9	5	24	7.0	253	13.6	223	21.0	22.2	1.2	F	1.8	0.0	RB	1
78	9	6	1	8.5	259	11.4	226	21.1	22.4	1.3	F	1.8	0.0	RB	1
78	9	6	2	6.4	255	12.0	219	20.7	22.1	1.4	F	1.9	0.0	RB	1
78	9	6	3	4.5	228	11.9	208	21.3	21.8	0.5	E	2.4	0.0	RB	1
78	9	6	4	4.6	222	12.0	212	20.3	20.7	0.5	E	2.7	0.0	RB	1
78	9	6	5	6.9	219	16.5	210	19.6	20.0	0.4	E	3.4	0.0	RB	1
78	9	6	6	6.1	221	15.6	215	19.3	19.4	0.1	E	3.9	0.03	RB	1
78	9	6	7	11.2	205	19.4	211	20.8	20.2	-0.6	D	4.4	0.23	RB	1
78	9	6	8	14.1	202	22.7	218	22.0	21.0	-1.0	A	4.9	0.52	RB	1
78	9	6	9	12.6	213	19.1	218	23.2	21.9	-1.3	A	999.9	0.80	RB	1
78	9	6	10	13.5	198	17.9	207	24.1	22.8	-1.3	A	7.2	1.03	RB	1
78	9	6	11	14.1	199	20.5	213	25.1	23.7	-1.5	A	6.6	1.19	RB	1
78	9	6	12	14.0	208	19.9	214	25.5	23.9	-1.6	A	6.2	1.25	RB	1
78	9	6	13	10.7	208	13.9	212	25.6	24.3	-1.3	A	6.6	1.15	RB	1
78	9	6	14	9.3	182	11.9	185	25.1	24.1	-1.0	A	6.5	0.50	RB	1
78	9	6	15	10.1	202	13.3	207	26.0	24.8	-1.2	A	6.3	0.83	RB	1
78	9	6	16	8.0	200	10.4	203	26.0	25.0	-1.0	A	5.6	0.64	RB	1
78	9	6	17	8.2	226	10.5	223	25.9	25.2	-0.8	C	4.8	0.40	RB	1
78	9	6	18	7.3	239	10.6	239	24.8	24.4	-0.4	D	4.9	0.12	RB	1
78	9	6	19	8.5	256	11.4	232	23.0	23.7	0.7	E	5.6	0.0	RB	1
78	9	6	20	9.4	252	11.3	237	22.4	23.1	0.7	E	6.2	0.0	RB	1
78	9	6	21	9.6	250	11.9	242	22.3	22.8	0.5	E	999.9	0.0	RB	1
78	9	6	22	11.0	249	13.1	238	22.0	23.1	1.1	F	6.1	0.0	RB	1
78	9	6	23	7.9	247	9.6	230	21.9	22.5	0.6	E	5.8	0.0	RB	1
78	9	6	24	3.5	243	7.0	205	21.3	21.8	0.5	E	5.8	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED	WIND DIR	- 60 METER - WIND SPEED	WIND DIR	TEMPERATURE 10 M TEMP	60 M TEMP	DELTA T 60-10	SC	DEW POINT	SOLAR RAD		
YR	MN	DY	HR	MPH	DEG	MPH	DEG	(C)	(C)	(C)		(C)	LY/MIN		
78	9	7	1	6.6	250	12.2	217	20.9	21.7	0.8	F	6.1	0.0	RB	1
78	9	7	2	6.8	254	13.8	218	20.4	21.2	0.8	F	6.7	0.0	RB	1
78	9	7	3	8.6	261	13.3	225	20.0	19.9	-0.1	E	7.5	0.0	RB	1
78	9	7	4	7.1	224	14.1	222	19.6	19.5	-0.2	E	7.5	0.0	RB	1
78	9	7	5	6.2	221	11.8	216	18.6	18.6	-0.1	E	7.7	0.0	RB	1
78	9	7	6	4.1	231	9.4	224	18.0	17.8	-0.2	E	8.4	0.03	RB	1
78	9	7	7	5.4	178	8.6	216	18.6	18.2	-0.4	D	8.7	0.11	RB	1
78	9	7	8	5.4	193	6.3	195	19.5	18.9	-0.6	D	8.6	0.32	RB	1
78	9	7	9	8.0	210	9.8	224	21.3	20.1	-1.2	A	8.7	0.90	RB	1
78	9	7	10	10.0	207	12.3	214	21.6	20.4	-1.2	A	999.9	1.02	RB	1
78	9	7	11	9.6	247	11.3	243	21.9	20.8	-1.0	A	8.5	0.94	RB	1
78	9	7	12	11.4	194	14.8	202	23.0	21.6	-1.4	A	8.4	1.09	RB	1
78	9	7	13	10.2	206	14.6	209	24.2	22.7	-1.6	A	8.5	1.25	RB	1
78	9	7	14	14.1	235	18.1	236	24.2	22.9	-1.3	A	8.6	1.09	RB	1
78	9	7	15	14.1	227	19.1	230	23.9	22.8	-1.1	A	8.7	0.80	RB	1
78	9	7	16	22.0	187	31.7	194	20.1	19.5	-0.6	D	9.2	0.20	RB	1
78	9	7	17	13.3	131	20.3	123	14.0	13.6	-0.4	D	10.1	0.01	RB	1
78	9	7	18	4.8	98	7.3	93	12.8	12.5	-0.2	E	11.3	0.01	RB	1
78	9	7	19	5.1	251	7.7	216	13.0	13.0	0.1	E	10.8	0.0	RB	1
78	9	7	20	6.8	159	12.2	260	14.3	14.2	0.0	E	9.4	0.0	RB	1
78	9	7	21	7.7	31	10.7	30	11.8	11.5	-0.2	E	11.9	0.0	RB	1
78	9	7	22	4.1	213	3.1	164	11.1	10.8	-0.2	E	999.9	0.0	RB	1
78	9	7	23	6.2	245	4.2	210	11.5	11.5	0.1	E	10.7	0.0	RB	1
78	9	7	24	4.0	220	5.2	177	11.9	12.0	0.1	E	9.8	0.0	RB	1
78	9	8	1	3.1	284	4.0	190	12.5	13.3	0.7	E	8.7	0.0	RB	1
78	9	8	2	3.5	240	9.0	213	13.1	14.2	1.1	F	6.7	0.01	RB	1
78	9	8	3	10.1	210	20.6	205	14.5	15.0	0.5	E	4.5	0.01	RB	1
78	9	8	4	11.7	226	19.1	223	14.2	14.6	0.4	E	2.8	0.0	RB	1
78	9	8	5	12.5	268	18.4	275	12.4	13.3	0.9	F	6.6	0.0	RB	1
78	9	8	6	11.9	256	17.9	266	13.3	13.8	0.5	E	6.6	0.01	RB	1
78	9	8	7	9.8	217	13.6	221	13.6	13.5	-0.2	E	7.5	0.21	RB	1
78	9	8	8	4.4	127	4.7	114	15.4	14.8	-0.6	D	7.4	0.46	RB	1
78	9	8	9	4.8	114	5.7	132	16.7	16.1	-0.6	D	5.9	0.50	RB	1
78	9	8	10	6.6	83	7.8	89	17.7	16.9	-0.8	C	6.3	0.59	RB	1
78	9	8	11	10.1	193	12.8	202	20.0	18.7	-1.3	A	999.9	1.25	RB	1
78	9	8	12	13.3	195	18.7	203	20.6	19.2	-1.4	A	4.7	1.17	RB	1
78	9	8	13	13.8	218	18.7	221	20.9	19.7	-1.2	A	3.5	1.01	RB	1
78	9	8	14	9.0	238	10.6	241	20.3	19.2	-1.1	A	5.7	0.96	RB	1
78	9	8	15	7.0	235	8.6	244	20.7	19.7	-1.0	A	5.3	0.72	RB	1
78	9	8	16	9.1	228	11.5	233	20.0	19.3	-0.7	D	4.3	0.10	RB	1
78	9	8	17	11.9	285	15.5	279	17.9	17.3	-0.6	D	5.0	0.21	RB	1
78	9	8	18	4.2	234	5.6	226	18.9	18.7	-0.3	D	4.6	0.11	RB	1
78	9	8	19	7.4	250	9.8	216	17.9	18.5	0.7	E	4.7	0.0	RB	1
78	9	8	20	7.4	250	12.6	206	17.1	18.4	1.3	F	5.0	0.0	RB	1
78	9	8	21	7.3	246	8.8	209	17.1	17.9	0.8	F	5.4	0.0	RB	1
78	9	8	22	8.2	264	7.5	243	16.9	17.5	0.6	E	5.2	0.0	RB	1
78	9	8	23	4.0	306	4.1	17	14.7	15.4	0.7	E	999.9	0.0	RB	1
78	9	8	24	3.0	240	2.1	244	15.4	15.9	0.5	E	4.7	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBU8C METEOROLOGY TOWER 1

				- 10 METER -		60 METER		TEMPERATURE							
				WIND	WIND	WIND	WIND	10 M	60 M	DELTA T		DEW	SOLAR		
YR	MN	DY	HR	SPEED MPH	DIR DEG	SPEED MPH	DIR DEG	TEMP (C)	TEMP (C)	60-10 (C)	SC	POINT (C)	RAD LY/MIN		
78	9	9	1	2.1	287	2.2	152	15.1	15.9	0.8	F	4.4	0.0	RB	1
78	9	9	2	2.1	262	2.8	165	15.3	15.9	0.6	E	3.8	0.0	RB	1
78	9	9	3	2.3	340	1.4	138	14.9	15.3	0.4	E	3.8	0.0	RB	1
78	9	9	4	2.1	307	0.8	91	14.7	15.2	0.4	E	4.2	0.0	RB	1
78	9	9	5	2.0	248	4.1	188	14.9	15.2	0.2	E	4.2	0.0	RB	1
78	9	9	6	2.6	248	4.7	192	13.7	14.8	1.1	F	4.2	0.02	RB	1
78	9	9	7	3.3	94	4.1	150	14.2	14.8	0.5	E	4.7	0.21	RB	1
78	9	9	8	3.4	68	3.5	96	16.5	16.0	-0.5	D	5.0	0.45	RB	1
78	9	9	9	10.1	180	12.0	188	19.8	18.8	-1.0	A	4.4	0.77	RB	1
78	9	9	10	8.7	203	10.9	207	20.7	19.8	-0.9	B	4.3	0.64	RB	1
78	9	9	11	14.2	204	20.4	211	21.5	20.5	-1.0	A	3.9	0.77	RB	1
78	9	9	12	16.8	193	23.0	205	22.8	21.5	-1.3	A	999.9	1.30	RB	1
78	9	9	13	14.6	205	19.7	208	23.0	21.7	-1.3	A	3.1	1.22	RB	1
78	9	9	14	13.5	212	19.2	215	23.1	21.8	-1.3	A	3.0	1.02	RB	1
78	9	9	15	11.6	207	16.9	213	23.1	21.9	-1.2	A	2.7	0.81	RB	1
78	9	9	16	12.0	199	17.0	207	22.6	21.7	-1.0	A	3.3	0.55	RB	1
78	9	9	17	10.5	203	16.4	213	22.0	21.3	-0.7	D	4.0	0.34	RB	1
78	9	9	18	8.3	202	13.7	211	20.8	20.5	-0.3	D	4.2	0.07	RB	1
78	9	9	19	5.0	230	12.7	215	19.4	19.7	0.2	E	4.1	0.0	RB	1
78	9	9	20	4.8	245	12.2	213	18.5	19.2	0.7	E	3.9	0.0	RB	1
78	9	9	21	6.0	261	12.8	218	18.0	18.9	0.9	F	3.2	0.0	RB	1
78	9	9	22	6.7	252	12.6	215	17.6	18.9	1.2	F	2.4	0.0	RB	1
78	9	9	23	4.0	232	10.8	214	17.1	18.1	1.0	F	1.6	0.0	RB	1
78	9	9	24	3.0	236	10.6	219	17.4	17.8	0.4	E	999.9	0.0	RB	1
78	9	10	1	4.6	216	13.2	215	17.1	17.6	0.5	E	2.3	0.0	RB	1
78	9	10	2	5.2	241	11.2	215	17.2	17.4	0.2	E	2.6	0.0	RB	1
78	9	10	3	4.6	226	8.6	199	16.3	16.6	0.3	E	2.6	0.0	RB	1
78	9	10	4	4.9	217	11.2	197	15.8	16.7	0.9	F	3.3	0.0	RB	1
78	9	10	5	5.3	205	11.8	204	15.8	16.5	0.7	E	4.0	0.0	RB	1
78	9	10	6	6.8	196	13.0	208	15.9	16.1	0.2	E	4.4	0.05	RB	1
78	9	10	7	8.9	189	14.0	202	17.1	16.6	-0.5	D	4.2	0.26	RB	1
78	9	10	8	10.5	186	14.2	196	17.7	16.9	-0.8	C	4.7	0.36	RB	1
78	9	10	9	15.2	199	23.2	206	19.1	18.0	-1.1	A	4.5	0.77	RB	1
78	9	10	10	17.9	201	27.6	209	19.5	18.5	-1.0	A	2.6	0.77	RB	1
78	9	10	11	17.5	202	27.9	210	19.2	18.3	-0.9	B	0.9	0.69	RB	1
78	9	10	12	20.0	201	30.8	205	20.6	19.6	-1.0	A	999.9	1.04	RB	1
78	9	10	13	20.9	196	31.3	206	21.8	20.7	-1.1	A	-2.6	1.26	RB	1
78	9	10	14	20.6	196	30.4	206	21.8	20.8	-1.0	A	-2.3	1.12	RB	1
78	9	10	15	17.8	198	25.1	203	21.6	20.7	-0.9	B	-0.3	0.82	RB	1
78	9	10	16	15.1	196	23.2	207	21.4	20.5	-0.9	B	0.6	0.58	RB	1
78	9	10	17	13.9	199	22.1	209	21.1	20.5	-0.6	D	1.2	0.30	RB	1
78	9	10	18	12.3	206	20.7	213	20.5	20.1	-0.4	D	-0.8	0.04	RB	1
78	9	10	19	10.3	206	18.5	217	19.9	19.6	-0.3	D	-1.4	0.0	RB	1
78	9	10	20	12.8	202	20.5	206	19.5	19.2	-0.3	D	0.1	0.0	RB	1
78	9	10	21	11.3	191	17.4	192	17.5	17.5	-0.1	E	2.4	0.0	RB	1
78	9	10	22	10.6	264	16.4	258	16.3	16.2	0.0	E	0.2	0.0	RB	1
78	9	10	23	19.1	285	26.9	284	14.0	13.6	-0.4	D	-0.6	0.0	RB	1
78	9	10	24	27.2	266	36.2	266	10.3	9.8	-0.5	D	1.0	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	9	11	1	25.5	265	34.9	267	8.0	7.6	-0.4	D	999.9	0.0	RB	1
78	9	11	2	5.0	162	5.9	155	7.8	7.5	-0.4	D	0.1	0.0	RB	1
78	9	11	3	2.9	183	3.1	152	7.9	7.6	-0.3	D	0.2	0.0	RB	1
78	9	11	4	10.4	277	14.6	271	5.6	5.2	-0.4	D	2.1	0.0	RB	1
78	9	11	5	7.5	180	10.4	192	2.1	1.0	-1.1	A	2.6	0.0	RB	1
78	9	11	6	4.2	17	4.6	12	2.3	1.9	-0.4	D	2.4	0.01	RB	1
78	9	11	7	2.9	262	3.9	285	3.3	2.8	-0.5	D	2.8	0.13	RB	1
78	9	11	8	3.2	192	4.0	216	4.3	2.9	-1.4	A	3.1	0.27	RB	1
78	9	11	9	5.4	249	6.4	243	5.7	4.8	-1.0	A	0.6	0.44	RB	1
78	9	11	10	7.5	251	9.3	243	6.7	5.9	-0.8	C	-0.1	0.47	RB	1
78	9	11	11	9.5	259	11.7	254	7.8	7.0	-0.8	C	-1.1	0.50	RB	1
78	9	11	12	13.3	263	15.4	260	9.2	8.2	-1.1	A	-1.4	1.05	RB	1
78	9	11	13	14.3	257	17.5	254	10.2	9.2	-1.0	A	999.9	1.09	RB	1
78	9	11	14	14.7	263	17.5	260	11.1	10.0	-1.1	A	-3.3	1.10	RB	1
78	9	11	15	14.2	274	17.3	270	11.6	10.5	-1.0	A	-6.3	0.89	RB	1
78	9	11	16	14.6	296	18.3	291	11.5	10.7	-0.8	C	-7.5	0.47	RB	1
78	9	11	17	11.3	321	14.8	315	10.1	9.5	-0.6	D	-4.6	0.11	RB	1
78	9	11	18	10.8	36	13.3	30	5.6	5.0	-0.6	D	1.7	0.02	RB	1
78	9	11	19	6.4	30	7.3	31	4.4	3.8	-0.6	D	1.4	0.0	RB	1
78	9	11	20	2.8	54	3.2	50	4.0	3.5	-0.5	D	1.4	0.0	RB	1
78	9	11	21	3.6	172	3.9	163	3.6	3.3	-0.3	D	1.3	0.0	RB	1
78	9	11	22	2.9	185	4.1	203	3.5	3.2	-0.3	D	1.5	0.0	RB	1
78	9	11	23	2.2	258	2.7	233	3.5	3.6	0.1	E	1.3	0.0	RB	1
78	9	11	24	2.3	221	2.4	168	4.2	4.1	-0.2	E	0.1	0.0	RB	1
78	9	12	1	3.4	182	3.4	145	4.3	4.0	-0.3	D	-0.6	0.0	RB	1
78	9	12	2	4.0	224	4.4	216	3.8	3.7	-0.1	E	999.9	0.0	RB	1
78	9	12	3	2.7	238	1.4	321	3.1	3.4	0.3	E	-1.9	0.0	RB	1
78	9	12	4	5.0	283	4.0	290	2.8	3.1	0.3	E	-3.5	0.0	RB	1
78	9	12	5	4.2	225	3.6	234	2.5	2.7	0.2	E	-3.6	0.0	RB	1
78	9	12	6	2.8	303	3.3	171	1.9	2.0	0.1	E	-3.9	0.02	RB	1
78	9	12	7	4.9	61	5.3	65	2.9	2.5	-0.3	D	-3.6	0.18	RB	1
78	9	12	8	8.3	253	10.4	248	4.5	3.7	-0.8	C	-3.5	0.51	RB	1
78	9	12	9	9.2	260	11.1	242	5.6	4.6	-0.9	B	-3.8	0.84	RB	1
78	9	12	10	10.3	272	11.9	265	6.8	5.7	-1.1	A	-4.5	1.03	RB	1
78	9	12	11	11.2	251	13.6	248	8.2	7.0	-1.1	A	-5.6	1.19	RB	1
78	9	12	12	12.8	262	15.8	258	9.5	8.3	-1.2	A	-7.0	1.31	RB	1
78	9	12	13	13.8	269	17.1	262	10.5	9.3	-1.2	A	-8.2	1.26	RB	1
78	9	12	14	11.5	271	14.0	264	11.1	9.9	-1.3	A	999.9	1.13	RB	1
78	9	12	15	11.2	270	13.2	267	11.3	10.3	-1.1	A	-8.2	0.98	RB	1
78	9	12	16	9.5	287	10.7	278	11.5	10.5	-1.0	A	-8.1	0.69	RB	1
78	9	12	17	8.1	277	9.8	276	11.3	10.5	-0.8	C	-8.1	0.34	RB	1
78	9	12	18	7.4	318	9.8	321	9.9	9.8	-0.1	E	-7.8	0.07	RB	1
78	9	12	19	6.8	280	9.0	313	8.1	9.1	0.9	F	-7.9	0.0	RB	1
78	9	12	20	6.7	245	6.6	294	8.3	9.1	0.8	F	-8.4	0.0	RB	1
78	9	12	21	10.3	273	16.4	285	7.2	8.0	0.8	F	-6.8	0.0	RB	1
78	9	12	22	5.4	321	7.8	326	6.1	6.5	0.5	E	-5.7	0.0	RB	1
78	9	12	23	5.0	257	5.4	276	6.0	6.1	0.1	E	-5.6	0.0	RB	1
78	9	12	24	5.8	263	7.2	271	5.4	5.5	0.1	E	-5.3	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	9	13	1	11.0	265	15.1	275	5.1	5.3	0.1	E	-3.9	0.0	RB	1
78	9	13	2	8.9	266	12.9	275	4.8	5.1	0.3	E	-4.1	0.0	RB	1
78	9	13	3	7.7	259	10.5	275	4.2	4.5	0.3	E	999.9	0.0	RB	1
78	9	13	4	5.3	232	7.5	259	4.0	4.1	0.2	E	-3.9	0.0	RB	1
78	9	13	5	5.8	231	8.0	231	3.5	3.8	0.3	E	-4.1	0.0	RB	1
78	9	13	6	9.4	244	14.5	243	3.7	4.3	0.6	E	-4.4	0.02	RB	1
78	9	13	7	8.1	244	12.4	239	5.3	4.7	-0.6	D	-3.8	0.20	RB	1
78	9	13	8	10.9	253	13.4	244	6.4	5.5	-0.8	C	-3.4	0.52	RB	1
78	9	13	9	9.4	252	11.1	241	8.0	7.2	-0.8	C	-2.7	0.80	RB	1
78	9	13	10	8.7	256	10.4	246	9.2	8.2	-1.0	A	-2.7	1.02	RB	1
78	9	13	11	11.2	257	13.5	252	10.6	9.4	-1.1	A	-3.4	1.18	RB	1
78	9	13	12	12.3	256	14.4	254	12.1	10.9	-1.2	A	-3.9	1.25	RB	1
78	9	13	13	12.6	274	15.0	270	13.2	11.8	-1.3	A	-4.3	1.22	RB	1
78	9	13	14	9.5	271	11.3	258	13.9	12.8	-1.1	A	-3.9	1.11	RB	1
78	9	13	15	7.1	279	8.4	266	14.5	13.6	-0.9	B	999.9	0.90	RB	1
78	9	13	16	7.1	231	7.9	233	14.7	13.7	-0.9	B	-3.5	0.66	RB	1
78	9	13	17	8.3	302	9.3	293	14.0	13.2	-0.8	C	-3.3	0.36	RB	1
78	9	13	18	6.2	277	7.0	262	13.3	13.0	-0.3	D	-3.5	0.08	RB	1
78	9	13	19	5.2	217	5.8	198	12.0	12.3	0.3	E	-3.7	0.0	RB	1
78	9	13	20	3.0	211	3.9	147	11.0	11.2	0.2	E	-3.6	0.0	RB	1
78	9	13	21	4.6	200	4.8	158	10.9	11.1	0.2	E	-3.6	0.0	RB	1
78	9	13	22	5.0	204	5.3	171	10.2	10.6	0.5	E	-4.2	0.0	RB	1
78	9	13	23	5.0	220	4.3	184	10.4	10.7	0.3	E	-3.4	0.0	RB	1
78	9	13	24	4.6	237	2.6	197	10.8	10.8	0.0	E	-3.0	0.0	RB	1
78	9	14	1	4.3	288	2.4	318	10.6	10.6	-0.1	E	-3.0	0.0	RB	1
78	9	14	2	1.9	199	2.7	26	8.0	8.6	0.6	E	-3.3	0.0	RB	1
78	9	14	3	2.1	237	2.6	4	7.6	8.1	0.4	E	999.9	0.0	RB	1
78	9	14	4	3.8	295	1.6	5	7.3	7.7	0.4	E	-2.5	0.0	RB	1
78	9	14	5	3.5	267	1.1	261	7.9	7.9	0.0	E	-3.8	0.0	RB	1
78	9	14	6	2.6	211	1.3	239	8.5	8.3	-0.1	E	-3.2	0.02	RB	1
78	9	14	7	2.1	92	1.7	95	8.7	8.3	-0.4	D	-3.0	0.20	RB	1
78	9	14	8	3.7	66	3.7	71	9.6	9.1	-0.5	D	-3.5	0.50	RB	1
78	9	14	9	4.1	65	4.0	72	11.5	10.8	-0.7	D	-4.6	0.78	RB	1
78	9	14	10	7.2	88	7.4	96	14.7	14.0	-0.7	D	-5.3	0.98	RB	1
78	9	14	11	8.3	192	10.4	194	16.0	15.2	-0.8	C	-5.6	0.41	RB	1
78	9	14	12	11.1	215	15.9	211	16.8	15.7	-1.1	A	-3.5	0.72	RB	1
78	9	14	13	12.0	203	16.9	212	18.2	16.7	-1.4	A	-2.4	1.10	RB	1
78	9	14	14	9.6	213	13.9	218	17.5	16.5	-1.0	A	-2.3	0.48	RB	1
78	9	14	15	9.1	214	14.3	219	17.5	16.5	-1.0	A	-2.0	0.47	RB	1
78	9	14	16	8.5	212	12.6	219	17.5	16.5	-1.0	A	999.9	0.39	RB	1
78	9	14	17	7.4	200	11.1	209	16.8	16.2	-0.7	D	-1.5	0.12	RB	1
78	9	14	18	5.8	188	8.7	196	15.8	15.5	-0.4	D	-0.7	0.03	RB	1
78	9	14	19	11.8	172	16.7	171	13.9	13.5	-0.4	D	2.2	0.0	RB	1
78	9	14	20	11.0	176	16.3	175	12.7	12.3	-0.4	D	4.2	0.0	RB	1
78	9	14	21	8.3	160	11.9	162	12.0	11.7	-0.4	D	4.6	0.0	RB	1
78	9	14	22	5.3	186	10.0	182	10.9	11.1	0.2	E	4.5	0.0	RB	1
78	9	14	23	6.2	190	10.6	197	11.7	11.8	0.0	E	4.3	0.0	RB	1
78	9	14	24	2.5	350	3.2	246	11.4	11.5	0.1	E	4.2	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER - WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	9	15	1	6.8	215	13.1	207	11.8	11.8	0.0	E	4.3	0.0	RB	1
78	9	15	2	5.0	234	9.5	195	10.8	11.3	0.5	E	4.4	0.0	RB	1
78	9	15	3	2.7	195	5.7	197	10.1	10.6	0.5	E	4.3	0.0	RB	1
78	9	15	4	2.1	179	5.1	164	10.0	10.4	0.4	E	999.9	0.0	RB	1
78	9	15	5	3.2	181	7.6	173	10.1	10.9	0.8	F	4.7	0.0	RB	1
78	9	15	6	3.1	202	8.0	186	10.3	11.2	0.9	F	4.9	0.02	RB	1
78	9	15	7	7.1	191	11.7	207	12.6	12.5	-0.1	E	5.8	0.19	RB	1
78	9	15	8	8.6	188	10.7	202	14.6	13.7	-0.8	C	6.0	0.46	RB	1
78	9	15	9	10.2	216	14.2	216	16.1	15.0	-1.1	A	5.8	0.76	RB	1
78	9	15	10	12.4	225	17.1	224	17.0	15.9	-1.1	A	4.5	0.80	RB	1
78	9	15	11	14.3	211	20.1	217	17.5	16.5	-1.0	A	3.6	0.78	RB	1
78	9	15	12	12.6	220	18.7	220	18.3	17.2	-1.1	A	2.8	0.85	RB	1
78	9	15	13	13.8	214	19.8	221	19.4	18.1	-1.3	A	1.8	1.18	RB	1
78	9	15	14	14.3	215	20.7	220	19.9	18.5	-1.4	A	1.9	1.07	RB	1
78	9	15	15	12.8	212	18.7	218	20.1	18.8	-1.3	A	2.0	0.87	RB	1
78	9	15	16	12.8	202	19.9	214	19.0	18.2	-0.9	B	999.9	0.41	RB	1
78	9	15	17	11.7	200	18.7	214	18.1	17.5	-0.6	D	999.9	0.25	RB	1
78	9	15	18	9.8	206	16.7	214	16.9	16.7	-0.3	D	0.7	0.06	RB	1
78	9	15	19	8.3	206	15.1	223	15.7	15.6	-0.1	E	-0.2	0.0	RB	1
78	9	15	20	8.0	201	14.8	213	14.8	14.8	0.0	E	0.6	0.0	RB	1
78	9	15	21	7.4	203	14.6	213	13.9	13.9	0.0	E	1.0	0.0	RB	1
78	9	15	22	8.2	199	15.4	215	13.4	13.4	0.0	E	0.0	0.0	RB	1
78	9	15	23	4.3	230	7.7	233	13.0	13.0	0.1	E	-0.9	0.0	RB	1
78	9	15	24	3.6	248	5.9	235	12.8	12.7	-0.1	E	-0.6	0.0	RB	1
78	9	16	1	4.5	234	6.5	246	12.8	12.8	0.0	E	-0.3	0.0	RB	1
78	9	16	2	4.9	255	8.3	251	12.0	12.2	0.2	E	1.2	0.0	RB	1
78	9	16	3	2.6	303	3.7	278	11.0	11.1	0.1	E	2.7	0.0	RB	1
78	9	16	4	2.8	256	3.0	242	10.6	10.7	0.1	E	3.4	0.0	RB	1
78	9	16	5	5.3	211	4.9	193	10.5	10.6	0.1	E	999.9	0.0	RB	1
78	9	16	6	7.1	229	6.5	220	10.6	10.9	0.3	E	3.5	0.02	RB	1
78	9	16	7	5.9	262	7.2	269	12.1	11.9	-0.2	E	4.5	0.19	RB	1
78	9	16	8	5.8	245	6.5	229	13.6	12.9	-0.7	D	5.3	0.49	RB	1
78	9	16	9	7.5	243	8.6	237	14.3	13.5	-0.8	C	4.0	0.77	RB	1
78	9	16	10	9.3	247	11.3	239	15.7	14.6	-1.1	A	2.5	1.00	RB	1
78	9	16	11	12.0	268	14.5	256	16.9	15.9	-1.1	A	1.5	1.15	RB	1
78	9	16	12	8.8	250	10.6	241	18.1	16.9	-1.2	A	1.3	1.11	RB	1
78	9	16	13	11.4	255	13.4	247	18.8	17.6	-1.1	A	1.5	0.77	RB	1
78	9	16	14	10.1	234	12.8	235	19.1	18.1	-1.0	A	1.7	0.56	RB	1
78	9	16	15	11.7	252	14.8	252	19.7	18.7	-1.0	A	1.4	0.74	RB	1
78	9	16	16	10.4	239	13.8	236	19.9	18.9	-1.0	A	1.5	0.57	RB	1
78	9	16	17	9.6	201	13.6	207	19.0	18.3	-0.7	D	999.9	0.25	RB	1
78	9	16	18	7.9	202	13.1	205	17.7	17.5	-0.2	E	1.4	0.06	RB	1
78	9	16	19	5.3	226	13.9	206	15.9	16.1	0.3	E	1.4	0.0	RB	1
78	9	16	20	5.7	247	13.9	213	15.0	15.3	0.3	E	1.4	0.0	RB	1
78	9	16	21	5.0	228	14.4	215	14.8	15.0	0.3	E	1.6	0.0	RB	1
78	9	16	22	8.2	261	12.0	233	14.7	14.9	0.2	E	2.1	0.0	RB	1
78	9	16	23	10.7	264	15.5	273	14.8	15.1	0.3	E	1.8	0.0	RB	1
78	9	16	24	10.2	272	14.3	286	14.1	14.8	0.7	E	1.1	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RHOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	9	17	1	13.6	301	18.9	302	13.2	13.0	-0.1	E	0.7	0.0	RB	1
78	9	17	2	12.8	289	18.2	289	11.1	11.0	-0.2	E	5.0	0.0	RB	1
78	9	17	3	4.9	151	7.2	145	10.6	10.4	-0.2	E	5.5	0.0	RB	1
78	9	17	4	4.4	231	4.9	205	9.8	9.9	0.1	E	5.1	0.0	RB	1
78	9	17	5	2.9	230	4.2	190	9.1	9.2	0.1	E	6.9	0.0	RB	1
78	9	17	6	2.3	252	2.5	155	8.6	8.6	0.0	E	999.9	0.0	RB	1
78	9	17	7	4.0	112	4.8	110	7.8	7.7	-0.1	E	6.9	0.08	RB	1
78	9	17	8	3.7	174	4.6	164	8.2	7.9	-0.4	D	6.4	0.29	RB	1
78	9	17	9	7.8	183	11.0	198	11.1	10.4	-0.7	D	7.4	0.68	RB	1
78	9	17	10	11.9	194	15.7	209	13.5	12.3	-1.2	A	6.7	1.01	RB	1
78	9	17	11	14.5	189	18.8	201	14.3	13.1	-1.2	A	5.7	1.13	RB	1
78	9	17	12	17.0	193	23.4	206	15.5	14.3	-1.2	A	4.9	1.20	RB	1
78	9	17	13	16.0	203	23.9	209	15.8	14.8	-1.1	A	4.6	0.87	RB	1
78	9	17	14	20.1	196	33.1	208	16.3	15.5	-0.8	C	3.6	0.81	RB	1
78	9	17	15	19.1	200	30.8	209	16.2	15.6	-0.7	D	2.6	0.50	RB	1
78	9	17	16	18.4	203	28.8	207	16.0	15.5	-0.5	D	1.5	0.17	RB	1
78	9	17	17	17.3	201	26.8	210	15.8	15.3	-0.5	D	0.0	0.07	RB	1
78	9	17	18	15.6	201	24.8	210	15.2	14.8	-0.4	D	999.9	0.02	RB	1
78	9	17	19	13.7	194	21.8	197	14.3	14.1	-0.2	E	0.5	0.0	RB	1
78	9	17	20	15.0	187	22.6	191	14.2	13.9	-0.3	D	1.0	0.0	RB	1
78	9	17	21	19.1	189	29.3	195	14.1	13.7	-0.4	D	0.2	0.0	RB	1
78	9	17	22	24.5	192	36.7	194	13.9	13.5	-0.4	D	1.3	0.0	RB	1
78	9	17	23	26.6	191	41.5	196	13.9	13.6	-0.3	D	1.3	0.0	RB	1
78	9	17	24	22.3	197	35.4	201	13.8	13.4	-0.4	D	1.2	0.0	RB	1
78	9	18	1	20.9	196	32.0	200	13.6	13.2	-0.4	D	1.0	0.0	RB	1
78	9	18	2	19.4	269	26.9	266	6.5	6.2	-0.3	D	1.3	0.01	RB	1
78	9	18	3	19.7	276	28.3	276	2.2	1.8	-0.4	D	0.7	0.0	RB	1
78	9	18	4	18.4	270	25.8	271	0.7	0.5	-0.2	E	-0.2	0.0	RB	1
78	9	18	5	18.7	273	26.3	274	0.7	0.4	-0.2	E	-0.3	0.0	RB	1
78	9	18	6	18.9	265	25.8	268	0.4	0.0	-0.4	D	999.9	0.0	RB	1
78	9	18	7	20.7	265	28.8	265	0.0	-0.5	-0.5	D	-0.3	0.12	RB	1
78	9	18	8	19.2	262	27.4	260	0.1	-0.3	-0.4	D	-1.1	0.25	RB	1
78	9	18	9	9.9	238	15.2	233	0.3	0.0	-0.3	D	-0.6	0.14	RB	1
78	9	18	10	9.1	260	13.6	251	1.2	0.8	-0.4	D	-0.8	0.37	RB	1
78	9	18	11	9.0	300	11.1	296	0.6	-0.1	-0.6	D	-1.4	0.51	RB	1
78	9	18	12	9.2	286	11.4	279	0.7	-0.1	-0.8	C	-1.4	0.51	RB	1
78	9	18	13	9.5	271	13.3	272	0.6	0.1	-0.5	D	-1.6	0.28	RB	1
78	9	18	14	8.2	277	12.2	284	1.8	1.4	-0.4	D	-3.5	0.22	RB	1
78	9	18	15	5.6	286	7.5	290	2.6	2.2	-0.5	D	-6.0	0.21	RB	1
78	9	18	16	7.1	314	8.8	307	3.7	3.1	-0.6	D	-8.7	0.40	RB	1
78	9	18	17	7.4	316	9.2	304	4.0	3.3	-0.6	D	-9.6	0.34	RB	1
78	9	18	18	5.5	304	8.8	320	1.8	2.3	0.5	E	-8.9	0.06	RB	1
78	9	18	19	6.6	283	7.7	328	0.6	1.5	1.0	F	999.9	0.0	RB	1
78	9	18	20	8.9	282	10.4	311	0.5	1.8	1.3	F	-10.6	0.0	RB	1
78	9	18	21	9.7	277	13.6	296	0.4	1.5	1.1	F	-11.0	0.0	RB	1
78	9	18	22	7.0	270	8.8	284	0.3	0.2	-0.1	E	-9.9	0.0	RB	1
78	9	18	23	7.2	316	7.8	327	0.6	0.9	0.3	E	-10.8	0.0	RB	1
78	9	18	24	5.1	288	6.3	309	0.6	-0.2	-0.2	E	-10.4	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE							
				WIND	WIND	WIND	WIND	10 M	60 M	DELTA T		DEW	SOLAR		
				SPEED	DIR	SPEED	DIR	TEMP	TEMP	60-10		POINT	RAD		
YR	MN	DY	HR	MPH	DEG	MPH	DEG	(C)	(C)	(C)	SC	(C)	LY/MIN		
78	9	19	1	7.3	327	11.2	336	-0.9	-0.8	0.1	E	-8.9	0.0	RB	1
78	9	19	2	8.2	7	11.6	9	-1.1	-1.4	-0.4	D	-6.2	0.0	RB	1
78	9	19	3	9.0	16	12.0	15	-1.4	-1.8	-0.4	D	-6.0	0.0	RB	1
78	9	19	4	6.5	19	9.4	20	-1.5	-1.9	-0.4	D	-6.3	0.0	RB	1
78	9	19	5	4.6	6	7.5	19	-1.8	-2.0	-0.2	E	-6.4	0.0	RB	1
78	9	19	6	5.9	1	8.4	5	-1.9	-2.3	-0.3	D	-6.3	0.01	RB	1
78	9	19	7	9.3	11	11.6	10	-1.7	-2.3	-0.6	D	999.9	0.19	RB	1
78	9	19	8	11.1	27	12.9	26	-0.8	-1.6	-0.8	C	-5.3	0.40	RB	1
78	9	19	9	10.0	32	11.2	32	-0.8	-1.5	-0.7	D	-5.3	0.28	RB	1
78	9	19	10	8.1	17	9.1	18	-1.2	-1.8	-0.6	D	-4.2	0.20	RB	1
78	9	19	11	8.1	14	8.9	12	-1.7	-2.3	-0.7	D	-2.4	0.30	RB	1
78	9	19	12	9.2	2	10.2	1	-1.0	-1.7	-0.7	D	-1.9	0.52	RB	1
78	9	19	13	10.4	1	11.5	357	-0.6	-1.3	-0.7	D	-2.0	0.17	RB	1
78	9	19	14	12.3	347	14.1	342	-1.0	-1.6	-0.6	D	-2.8	0.13	RB	1
78	9	19	15	10.0	334	11.1	332	-1.3	-2.0	-0.6	D	-2.4	0.19	RB	1
78	9	19	16	4.7	353	5.6	354	-1.6	-2.2	-0.6	D	-2.1	0.10	RB	1
78	9	19	17	5.8	42	7.2	38	-1.7	-2.3	-0.6	D	-1.9	0.07	RB	1
78	9	19	18	3.4	17	4.1	0	-1.6	-2.2	-0.6	D	-2.3	0.01	RB	1
78	9	19	19	3.0	203	2.9	190	-1.9	-2.1	-0.3	D	-2.7	0.0	RB	1
78	9	19	20	5.2	269	5.9	263	-2.3	-2.1	0.2	E	999.9	0.0	RB	1
78	9	19	21	5.6	288	7.8	314	-2.6	-2.2	0.4	E	-4.2	0.0	RB	1
78	9	19	22	5.1	295	8.6	339	-2.5	-1.9	0.7	E	-4.2	0.0	RB	1
78	9	19	23	2.8	270	4.6	359	-1.8	-1.7	0.1	E	-3.2	0.0	RB	1
78	9	19	24	3.3	317	5.0	2	-1.8	-1.8	-0.1	E	-2.7	0.0	RB	1
78	9	20	1	3.2	343	5.0	14	-1.7	-2.0	-0.2	E	-2.6	0.0	RB	1
78	9	20	2	2.1	68	3.8	3	-2.2	-2.3	-0.2	E	-2.3	0.0	RB	1
78	9	20	3	4.5	347	6.8	358	-1.8	-2.1	-0.3	D	-2.5	0.0	RB	1
78	9	20	4	5.7	11	8.3	14	-1.8	-2.2	-0.4	D	-2.4	0.0	RB	1
78	9	20	5	4.0	58	6.1	43	-2.1	-2.5	-0.4	D	-2.0	0.0	RB	1
78	9	20	6	4.8	41	6.5	37	-2.2	-2.6	-0.5	D	-2.1	0.0	RB	1
78	9	20	7	2.9	301	3.7	316	-1.8	-2.4	-0.5	D	-2.6	0.05	RB	1
78	9	20	8	2.8	357	3.4	3	-1.1	-1.6	-0.5	D	999.9	0.17	RB	1
78	9	20	9	5.0	28	5.5	22	-0.6	-1.2	-0.6	D	-3.7	0.44	RB	1
78	9	20	10	4.9	360	5.9	359	-0.2	-0.9	-0.7	D	-4.1	0.35	RB	1
78	9	20	11	4.9	19	6.8	18	0.6	-0.1	-0.7	D	-5.9	0.61	RB	1
78	9	20	12	4.1	68	5.5	67	1.7	0.9	-0.8	C	-6.2	0.63	RB	1
78	9	20	13	3.6	346	4.6	349	2.0	1.3	-0.8	C	-6.2	0.44	RB	1
78	9	20	14	4.4	70	5.2	55	2.6	1.9	-0.7	D	-6.2	0.71	RB	1
78	9	20	15	3.6	300	4.1	294	3.6	2.8	-0.8	C	-7.5	0.57	RB	1
78	9	20	16	4.4	323	5.0	313	3.6	3.0	-0.7	D	-6.8	0.34	RB	1
78	9	20	17	5.8	336	6.7	336	3.7	3.0	-0.6	D	-6.8	0.24	RB	1
78	9	20	18	3.4	323	4.7	346	3.0	2.9	-0.1	E	-6.8	0.05	RB	1
78	9	20	19	4.1	284	3.7	332	2.5	2.7	0.2	E	-7.5	0.0	RB	1
78	9	20	20	2.5	292	2.4	23	2.4	2.5	0.0	E	999.9	0.0	RB	1
78	9	20	21	2.0	239	3.3	123	2.1	2.2	0.1	E	-6.9	0.0	RB	1
78	9	20	22	3.2	187	4.9	151	1.9	1.8	0.0	E	-7.4	0.0	RB	1
78	9	20	23	4.9	214	6.0	183	1.0	1.4	0.3	E	-7.1	0.0	RB	1
78	9	20	24	5.6	227	5.6	187	1.0	1.3	0.3	E	-7.4	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	9	21	1	3.9	216	3.7	178	1.4	1.5	0.2	E	-7.7	0.0	RB	1
78	9	21	2	4.1	224	3.4	183	1.8	1.6	-0.2	E	-8.0	0.0	RB	1
78	9	21	3	2.6	185	2.0	161	1.0	1.5	0.5	E	-8.0	0.0	RB	1
78	9	21	4	2.9	291	1.6	305	-0.1	0.9	1.1	F	-8.0	0.0	RB	1
78	9	21	5	1.8	52	1.9	44	-0.6	-0.1	0.6	E	-7.7	0.0	RB	1
78	9	21	6	1.6	105	2.1	25	-0.6	-0.3	0.3	E	-7.9	0.01	RB	1
78	9	21	7	1.6	281	2.2	225	1.2	1.7	0.4	E	-7.8	0.18	RB	1
78	9	21	8	3.2	88	2.6	82	3.4	2.9	-0.4	D	-7.1	0.48	RB	1
78	9	21	9	4.6	73	4.7	78	4.3	3.8	-0.6	D	999.9	0.77	RB	1
78	9	21	10	5.4	76	5.8	80	5.0	4.4	-0.7	D	-6.9	1.00	RB	1
78	9	21	11	4.9	49	4.8	48	6.9	6.2	-0.7	D	-7.0	1.14	RB	1
78	9	21	12	4.8	89	4.8	90	8.7	8.1	-0.6	D	-7.2	1.22	RB	1
78	9	21	13	4.4	154	4.5	147	10.9	10.2	-0.8	C	-6.6	1.17	RB	1
78	9	21	14	5.6	83	6.2	89	12.4	11.6	-0.8	C	-7.0	1.07	RB	1
78	9	21	15	5.0	125	5.6	120	13.7	12.9	-0.7	D	-8.3	0.86	RB	1
78	9	21	16	5.5	204	6.0	200	14.3	13.5	-0.7	D	-7.7	0.61	RB	1
78	9	21	17	5.4	232	7.4	226	13.6	12.9	-0.6	D	-6.8	0.32	RB	1
78	9	21	18	6.1	226	14.0	217	11.2	11.7	0.4	E	-12.1	0.05	RB	1
78	9	21	19	5.7	248	13.0	221	9.6	10.3	0.7	E	-11.9	0.0	RB	1
78	9	21	20	8.8	261	13.3	220	9.6	10.7	1.1	F	-12.0	0.0	RB	1
78	9	21	21	4.4	248	5.8	218	9.0	9.6	0.7	E	999.9	0.0	RB	1
78	9	21	22	2.4	299	3.7	203	8.1	8.9	0.8	F	-11.0	0.0	RB	1
78	9	21	23	7.5	243	8.7	238	9.4	10.2	0.8	F	-11.9	0.0	RB	1
78	9	21	24	10.3	256	11.8	262	9.4	10.2	0.9	F	-12.3	0.0	RB	1
78	9	22	1	8.2	226	11.4	256	7.9	9.2	1.3	F	-11.3	0.0	RB	1
78	9	22	2	3.2	206	4.5	225	8.0	8.6	0.5	E	-11.6	0.0	RB	1
78	9	22	3	3.3	247	3.0	217	7.6	8.2	0.6	E	-11.3	0.0	RB	1
78	9	22	4	4.9	227	4.0	196	8.5	9.0	0.4	E	-11.4	0.0	RB	1
78	9	22	5	2.1	207	2.7	243	8.7	8.9	0.3	E	-9.7	0.0	RB	1
78	9	22	6	3.2	232	4.5	227	8.4	8.5	0.1	E	-6.9	0.01	RB	1
78	9	22	7	3.8	146	5.0	189	8.9	9.3	0.4	E	-6.1	0.17	RB	1
78	9	22	8	3.5	88	3.8	103	11.1	10.7	-0.5	D	-5.0	0.46	RB	1
78	9	22	9	7.4	177	10.1	195	14.1	13.2	-0.9	B	999.9	0.74	RB	1
78	9	22	10	9.5	213	12.7	213	15.5	14.3	-1.2	A	999.9	0.97	RB	1
78	9	22	11	9.3	240	10.9	226	16.3	15.3	-1.0	A	-0.5	1.10	RB	1
78	9	22	12	11.0	247	12.7	238	16.9	15.8	-1.1	A	-1.8	1.19	RB	1
78	9	22	13	11.1	243	13.7	236	17.7	16.5	-1.1	A	-2.6	1.16	RB	1
78	9	22	14	9.7	239	12.1	237	17.9	16.8	-1.1	A	-3.2	1.05	RB	1
78	9	22	15	8.1	253	9.6	252	18.0	17.1	-1.0	A	-2.1	0.85	RB	1
78	9	22	16	6.9	251	8.1	244	18.0	17.2	-0.8	C	-2.0	0.59	RB	1
78	9	22	17	5.9	235	8.0	236	17.8	17.2	-0.6	D	-1.9	0.29	RB	1
78	9	22	18	6.7	238	11.7	219	15.8	15.9	0.1	E	-1.8	0.04	RB	1
78	9	22	19	8.8	251	13.8	223	14.6	15.4	0.8	F	-2.4	0.0	RB	1
78	9	22	20	9.6	259	13.4	230	13.6	14.5	1.0	F	-3.8	0.0	RB	1
78	9	22	21	10.6	254	14.1	243	14.0	14.8	0.8	F	-5.9	0.0	RB	1
78	9	22	22	9.8	251	13.3	254	14.7	15.8	1.0	F	999.9	0.0	RB	1
78	9	22	23	6.0	265	8.6	252	14.3	14.6	0.3	E	-8.2	0.0	RB	1
78	9	22	24	3.4	246	6.0	259	13.2	13.5	0.2	E	-8.4	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE						
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN	
78	9	23	1	5.9	251	11.9	254	12.1	13.3	1.2	F	-8.0	0.0	RB 1
78	9	23	2	3.6	254	5.4	242	12.1	12.6	0.5	E	-8.6	0.0	RB 1
78	9	23	3	2.5	298	2.6	334	12.4	12.9	0.5	E	-9.0	0.0	RB 1
78	9	23	4	1.4	224	1.7	51	12.5	12.9	0.4	E	-8.8	0.0	RB 1
78	9	23	5	2.6	275	0.8	266	12.4	12.9	0.5	E	-9.6	0.0	RB 1
78	9	23	6	2.6	276	0.9	130	12.7	13.1	0.5	E	-9.9	0.01	RB 1
78	9	23	7	3.2	320	1.4	52	13.3	13.8	0.6	E	-8.7	0.17	RB 1
78	9	23	8	3.2	74	2.8	93	12.9	12.6	-0.2	E	-6.8	0.46	RB 1
78	9	23	9	3.9	78	3.9	88	14.8	14.2	-0.6	D	-6.9	0.73	RB 1
78	9	23	10	5.2	68	5.6	62	17.0	16.3	-0.7	D	999.9	0.96	RB 1
78	9	23	11	6.1	65	7.1	62	18.2	17.5	-0.8	C	-6.1	1.10	RB 1
78	9	23	12	7.3	61	8.5	56	19.4	18.4	-1.0	A	-6.6	1.18	RB 1
78	9	23	13	8.4	52	9.9	44	19.8	18.8	-1.0	A	-6.4	1.14	RB 1
78	9	23	14	7.3	70	8.7	69	20.1	19.1	-1.0	A	-6.1	1.04	RB 1
78	9	23	15	6.9	51	7.8	49	20.1	19.4	-0.8	C	-5.9	0.84	RB 1
78	9	23	16	8.1	35	9.0	31	20.2	19.4	-0.8	C	-6.5	0.59	RB 1
78	9	23	17	8.0	25	9.2	28	19.6	19.1	-0.5	D	-6.9	0.29	RB 1
78	9	23	18	6.9	352	11.0	18	17.5	18.4	0.8	F	-5.9	0.04	RB 1
78	9	23	19	6.8	309	13.2	11	15.2	17.3	2.1	G	-5.5	0.0	RB 1
78	9	23	20	4.8	295	10.2	15	14.7	16.5	1.8	F	-6.1	0.0	RB 1
78	9	23	21	3.8	307	7.9	22	15.3	16.3	1.0	F	-6.4	0.0	RB 1
78	9	23	22	4.1	304	5.1	21	15.4	15.9	0.5	E	-6.4	0.0	RB 1
78	9	23	23	4.4	298	4.6	10	15.4	15.9	0.6	E	999.9	0.0	RB 1
78	9	23	24	4.6	302	5.7	20	14.6	15.4	0.8	F	-6.5	0.0	RB 1
78	9	24	1	5.5	302	5.6	358	14.0	14.7	0.7	E	-6.2	0.0	RB 1
78	9	24	2	3.5	324	5.2	23	13.8	14.1	0.2	E	-5.7	0.0	RB 1
78	9	24	3	4.9	289	2.4	322	13.0	13.4	0.4	E	-5.2	0.0	RB 1
78	9	24	4	5.4	300	4.6	341	12.7	13.3	0.5	E	-5.1	0.0	RB 1
78	9	24	5	3.3	306	3.3	2	12.7	13.2	0.5	E	-5.1	0.0	RB 1
78	9	24	6	2.9	297	2.1	357	12.2	12.8	0.6	E	-5.2	0.01	RB 1
78	9	24	7	2.5	314	1.4	301	13.5	13.5	0.0	E	-5.0	0.16	RB 1
78	9	24	8	2.9	47	2.5	21	14.6	14.1	-0.5	D	-3.6	0.44	RB 1
78	9	24	9	4.6	80	4.8	73	15.3	14.8	-0.5	D	-2.8	0.68	RB 1
78	9	24	10	5.1	75	5.6	67	16.8	16.0	-0.7	D	-2.6	0.96	RB 1
78	9	24	11	5.6	82	6.5	79	18.3	17.5	-0.8	C	999.9	0.63	RB 1
78	9	24	12	5.8	97	6.7	85	18.1	17.5	-0.6	D	-2.3	0.48	RB 1
78	9	24	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	9	24	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	9	24	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	9	24	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	9	24	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	9	24	18	7.1	247	6.8	294	17.7	18.1	0.3	E	-1.5	99.99	RB 1
78	9	24	19	7.2	240	8.8	226	17.3	17.6	0.3	E	-1.1	0.0	RB 1
78	9	24	20	5.5	173	7.2	163	16.3	16.8	0.5	E	-0.5	0.0	RB 1
78	9	24	21	3.9	168	4.5	164	15.8	15.8	0.0	E	-0.1	0.0	RB 1
78	9	24	22	2.9	86	3.8	113	15.0	15.0	0.0	E	-0.1	0.0	RB 1
78	9	24	23	4.9	187	7.7	184	13.7	14.1	0.4	E	999.9	0.0	RB 1
78	9	24	24	3.0	218	3.9	143	12.7	13.1	0.4	E	0.8	0.0	RB 1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY TOWER 1

				- 10 METER -		60 METER		TEMPERATURE		DELTA T		DEW	SOLAR		
				WIND SPEED	WIND DIR	WIND SPEED	WIND DIR	10 M TEMP	60 M TEMP	60-10	SC	POINT	RAD		
YR	MN	DY	HR	MPH	DEG	MPH	DEG	(C)	(C)	(C)		(C)	LY/MIN		
78	9	25	1	2.5	235	5.3	133	11.8	12.2	0.4	E	0.5	0.0	RB	1
78	9	25	2	3.0	197	5.1	185	11.8	12.2	0.4	E	0.7	0.0	RB	1
78	9	25	3	4.7	227	5.8	191	12.8	13.0	0.2	E	0.7	0.0	RB	1
78	9	25	4	4.1	279	3.8	124	12.1	12.8	0.7	E	0.6	0.0	RB	1
78	9	25	5	4.2	310	3.6	35	10.9	11.4	0.6	E	0.6	0.0	RB	1
78	9	25	6	4.5	303	2.4	352	10.8	11.2	0.4	E	0.5	0.01	RB	1
78	9	25	7	3.0	360	3.7	15	11.2	11.3	0.1	E	0.5	0.15	RB	1
78	9	25	8	3.8	55	3.7	43	12.8	12.4	-0.4	D	0.7	0.43	RB	1
78	9	25	9	5.1	76	6.2	70	14.7	14.1	-0.7	D	0.7	0.70	RB	1
78	9	25	10	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	9	25	11	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	9	25	12	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	9	25	13	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	9	25	14	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	9	25	15	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	9	25	16	10.2	32	11.4	31	20.0	19.3	-0.7	D	-4.8	0.50	RB	1
78	9	25	17	11.7	8	13.2	6	19.7	19.1	-0.6	D	-5.5	0.28	RB	1
78	9	25	18	9.0	339	11.8	3	17.7	18.4	0.7	E	-3.7	0.04	RB	1
78	9	25	19	7.9	299	10.0	352	15.3	17.5	2.2	G	-3.2	0.01	RB	1
78	9	25	20	6.6	297	9.2	357	15.5	17.3	1.9	F	-3.0	0.0	RB	1
78	9	25	21	6.9	297	8.2	353	15.6	17.2	1.6	F	-2.8	0.0	RB	1
78	9	25	22	5.6	294	6.2	352	16.2	17.2	0.9	F	-2.8	0.0	RB	1
78	9	25	23	7.9	286	7.7	324	16.1	17.0	0.9	F	-3.4	0.0	RB	1
78	9	25	24	9.9	282	10.9	317	15.1	17.2	2.1	G	999.9	0.0	RB	1
78	9	26	1	6.6	290	7.3	338	15.0	16.4	1.4	F	999.9	0.0	RB	1
78	9	26	2	4.4	280	2.8	358	15.4	15.8	0.4	E	-1.4	0.0	RB	1
78	9	26	3	2.8	268	1.7	316	15.7	16.1	0.3	E	-2.3	0.0	RB	1
78	9	26	4	4.3	291	4.1	321	15.6	15.6	0.0	E	-2.3	0.0	RB	1
78	9	26	5	3.2	295	3.1	339	14.9	15.1	0.2	E	-1.6	0.0	RB	1
78	9	26	6	1.9	243	2.5	54	13.0	13.6	0.6	E	-1.6	0.01	RB	1
78	9	26	7	2.7	284	1.9	317	13.5	13.5	0.0	E	-1.6	0.16	RB	1
78	9	26	8	3.3	135	2.5	136	15.2	14.8	-0.4	D	-0.8	0.43	RB	1
78	9	26	9	4.7	84	4.9	92	16.5	15.8	-0.7	D	-0.8	0.71	RB	1
78	9	26	10	5.5	76	6.3	72	17.8	17.0	-0.8	C	-1.7	0.93	RB	1
78	9	26	11	7.7	57	9.8	53	19.1	18.3	-0.9	B	-2.8	1.08	RB	1
78	9	26	12	7.8	56	9.1	53	19.9	19.1	-0.9	B	999.9	1.15	RB	1
78	9	26	13	6.9	44	7.8	47	20.3	19.4	-0.8	C	-1.7	1.07	RB	1
78	9	26	14	8.3	42	9.2	39	20.8	19.9	-1.0	A	-3.6	0.87	RB	1
78	9	26	15	9.1	1	10.5	356	20.8	19.8	-1.0	A	-4.6	0.65	RB	1
78	9	26	16	9.1	13	11.2	9	20.4	19.6	-0.7	D	-4.1	0.46	RB	1
78	9	26	17	8.0	27	9.7	28	20.1	19.5	-0.6	D	-4.4	0.25	RB	1
78	9	26	18	3.9	8	7.1	41	18.9	19.0	0.1	E	-4.2	0.03	RB	1
78	9	26	19	4.8	306	7.4	20	17.5	18.5	0.9	F	-3.6	0.0	RB	1
78	9	26	20	7.0	333	12.3	12	15.7	17.2	1.5	F	-3.4	0.0	RB	1
78	9	26	21	3.3	314	5.8	27	16.0	16.6	0.6	E	-3.5	0.0	RB	1
78	9	26	22	4.2	295	3.5	25	16.8	16.5	0.5	E	-3.7	0.0	RB	1
78	9	26	23	2.9	255	2.3	75	15.7	16.1	0.4	E	-3.8	0.0	RB	1
78	9	26	24	3.5	287	1.4	42	15.5	15.8	0.3	E	-4.1	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	9	27	1	5.2	286	1.7	313	15.4	15.7	0.3	E	999.9	0.0	RB	1
78	9	27	2	2.5	240	1.9	213	15.8	15.8	0.0	E	-5.0	0.0	RB	1
78	9	27	3	5.0	247	2.8	217	16.1	16.0	-0.1	E	-5.5	0.0	RB	1
78	9	27	4	3.5	232	1.9	192	16.4	16.3	-0.1	E	-6.2	0.0	RB	1
78	9	27	5	3.0	25	3.0	99	13.4	14.6	1.1	F	-5.4	0.0	RB	1
78	9	27	6	2.3	337	3.1	29	12.2	12.5	0.3	E	-5.2	0.01	RB	1
78	9	27	7	1.6	356	1.7	345	12.2	12.5	0.3	E	-4.6	0.15	RB	1
78	9	27	8	1.8	138	1.1	119	14.1	13.6	-0.5	D	-4.2	0.41	RB	1
78	9	27	9	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	9	27	10	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	9	27	11	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	9	27	12	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	9	27	13	9.8	279	10.6	262	21.3	20.3	-1.0	A	999.9	0.97	RB	1
78	9	27	14	12.0	314	13.9	306	20.9	19.9	-1.0	A	-3.4	0.70	RB	1
78	9	27	15	11.8	306	14.0	298	20.9	20.1	-0.9	B	-4.1	0.54	RB	1
78	9	27	16	11.2	305	13.3	299	21.4	20.5	-0.9	B	-4.7	0.60	RB	1
78	9	27	17	8.8	296	11.2	296	20.5	20.1	-0.4	D	-4.4	0.20	RB	1
78	9	27	18	7.3	284	8.5	296	19.4	19.6	0.3	E	-4.6	0.03	RB	1
78	9	27	19	7.9	249	8.7	239	18.9	19.3	0.4	E	-5.5	0.0	RB	1
78	9	27	20	9.6	256	12.6	222	17.0	17.9	1.0	F	-3.9	0.0	RB	1
78	9	27	21	10.5	253	13.2	239	17.3	18.0	0.7	E	-3.7	0.0	RB	1
78	9	27	22	11.9	251	13.6	245	17.6	18.7	1.1	F	-3.8	0.0	RB	1
78	9	27	23	12.3	250	14.5	253	17.2	18.5	1.3	F	-4.2	0.0	RB	1
78	9	27	24	13.8	247	17.5	244	16.5	17.8	1.3	F	-4.3	0.0	RB	1
78	9	28	1	13.6	249	18.5	253	15.9	17.3	1.4	F	-4.3	0.0	RB	1
78	9	28	2	11.4	250	13.7	260	16.5	17.3	0.7	E	999.9	0.0	RB	1
78	9	28	3	8.6	249	9.5	255	17.0	17.0	0.1	E	-4.3	0.0	RB	1
78	9	28	4	8.4	238	9.4	223	16.1	16.8	0.6	E	-4.6	0.0	RB	1
78	9	28	5	11.6	248	12.8	245	15.6	17.0	1.4	F	-4.8	0.0	RB	1
78	9	28	6	12.8	247	16.5	236	15.3	16.5	1.2	F	-4.2	0.01	RB	1
78	9	28	7	10.8	248	15.4	243	16.3	16.5	0.2	E	-2.6	0.16	RB	1
78	9	28	8	10.9	244	16.9	235	18.1	17.4	-0.7	D	-2.0	0.43	RB	1
78	9	28	9	13.5	251	16.7	242	19.2	18.3	-0.8	C	-2.1	0.67	RB	1
78	9	28	10	11.8	249	14.8	243	20.4	19.3	-1.1	A	-2.5	0.92	RB	1
78	9	28	11	13.3	263	15.7	259	21.2	20.2	-1.0	A	-2.6	1.06	RB	1
78	9	28	12	16.1	262	19.8	262	21.8	20.6	-1.1	A	-2.8	1.13	RB	1
78	9	28	13	14.8	287	17.8	282	21.9	20.7	-1.2	A	-3.2	1.02	RB	1
78	9	28	14	13.1	282	15.6	276	22.3	21.2	-1.1	A	999.9	0.99	RB	1
78	9	28	15	12.8	261	15.4	258	22.6	21.7	-0.9	B	-4.1	0.71	RB	1
78	9	28	16	10.3	234	13.7	229	22.3	21.6	-0.8	C	-2.8	0.40	RB	1
78	9	28	17	8.0	211	13.9	213	21.1	20.7	-0.5	D	-1.8	0.20	RB	1
78	9	28	18	7.2	248	11.3	228	19.5	19.5	0.0	E	-2.3	0.02	RB	1
78	9	28	19	9.0	243	12.0	235	18.6	19.2	0.6	E	-3.2	0.0	RB	1
78	9	28	20	10.0	243	12.0	243	18.6	19.1	0.5	E	-3.8	0.0	RB	1
78	9	28	21	9.1	255	12.8	267	18.0	18.6	0.6	E	-4.8	0.0	RB	1
78	9	28	22	10.2	244	12.6	253	17.3	17.9	0.5	E	-4.6	0.0	RB	1
78	9	28	23	11.0	243	11.6	247	16.9	17.6	0.6	E	-4.4	0.0	RB	1
78	9	28	24	11.5	246	13.5	248	16.1	17.1	1.0	F	-3.8	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				10 METER		60 METER		TEMPERATURE						
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN	
78	9	29	1	11.4	245	15.6	256	15.3	16.5	1.2	F	-5.6	0.0	RB 1
78	9	29	2	12.3	244	15.5	252	15.1	16.3	1.1	F	999.9	0.0	RB 1
78	9	29	3	8.2	260	12.9	274	14.3	15.4	1.1	F	999.9	0.0	RB 1
78	9	29	4	8.4	283	12.6	291	13.2	14.4	1.2	F	-3.4	0.0	RB 1
78	9	29	5	2.9	214	3.1	20	12.3	12.8	0.6	E	-3.5	0.0	RB 1
78	9	29	6	2.1	174	2.4	101	12.3	12.5	0.2	E	-3.8	0.01	RB 1
78	9	29	7	2.1	179	3.0	94	12.0	11.9	0.0	E	-3.7	0.14	RB 1
78	9	29	8	3.6	102	3.8	85	12.7	12.2	-0.5	D	-3.3	0.41	RB 1
78	9	29	9	4.6	82	5.4	85	13.9	13.2	-0.7	D	-2.9	0.69	RB 1
78	9	29	10	7.0	96	8.1	97	15.2	14.3	-0.9	B	-2.9	0.92	RB 1
78	9	29	11	7.7	83	9.2	83	15.9	15.0	-0.9	B	-3.2	1.07	RB 1
78	9	29	12	6.4	104	7.5	105	17.1	16.3	-0.8	C	-3.6	1.14	RB 1
78	9	29	13	7.5	112	8.6	106	18.2	17.3	-0.9	B	-4.7	1.10	RB 1
78	9	29	14	9.0	54	10.5	54	18.6	17.7	-0.9	B	-7.8	0.99	RB 1
78	9	29	15	9.7	65	12.3	64	18.5	17.6	-0.9	B	999.9	0.80	RB 1
78	9	29	16	9.0	52	10.9	53	18.4	17.6	-0.8	C	-7.3	0.54	RB 1
78	9	29	17	8.6	45	10.4	44	17.5	17.0	-0.5	D	-6.9	0.24	RB 1
78	9	29	18	4.4	17	8.5	44	15.7	15.9	0.2	E	-7.0	0.02	RB 1
78	9	29	19	4.4	322	9.1	25	14.1	15.0	0.9	F	-6.8	0.0	RB 1
78	9	29	20	6.2	325	12.6	16	12.8	14.6	1.8	F	-7.5	0.0	RB 1
78	9	29	21	7.6	345	13.7	16	12.3	13.7	1.4	F	-8.3	0.0	RB 1
78	9	29	22	3.8	302	7.6	23	12.1	12.8	0.7	E	-8.8	0.0	RB 1
78	9	29	23	5.2	302	5.6	15	11.9	12.6	0.6	E	-9.0	0.0	RB 1
78	9	29	24	4.1	296	4.7	20	12.0	12.5	0.5	E	-8.6	0.0	RB 1
78	9	30	1	1.9	249	1.2	135	12.5	12.5	0.0	E	-8.3	0.0	RB 1
78	9	30	2	3.3	294	2.2	45	11.6	12.0	0.4	E	-8.0	0.0	RB 1
78	9	30	3	3.6	297	2.4	28	11.0	11.5	0.5	E	999.9	0.0	RB 1
78	9	30	4	3.8	294	2.4	338	11.0	11.2	0.2	E	-7.3	0.0	RB 1
78	9	30	5	4.0	306	3.1	3	10.3	10.9	0.6	E	-7.2	0.0	RB 1
78	9	30	6	5.2	303	5.0	8	9.8	10.2	0.4	E	-7.8	0.01	RB 1
78	9	30	7	3.7	304	2.6	348	10.5	10.4	-0.1	E	-7.5	0.14	RB 1
78	9	30	8	2.6	57	2.5	68	11.9	11.3	-0.6	D	-6.9	0.42	RB 1
78	9	30	9	3.6	52	3.8	63	13.4	12.8	-0.6	D	-7.0	0.70	RB 1
78	9	30	10	5.2	86	6.0	94	15.2	14.4	-0.7	D	-6.6	0.92	RB 1
78	9	30	11	6.1	134	6.6	144	17.3	16.4	-0.8	C	-6.9	1.07	RB 1
78	9	30	12	10.8	258	12.4	255	18.6	17.6	-1.1	A	-9.0	1.16	RB 1
78	9	30	13	11.7	272	13.7	267	19.4	18.1	-1.3	A	-8.1	1.11	RB 1
78	9	30	14	12.0	258	14.1	253	20.0	18.9	-1.1	A	-9.0	1.01	RB 1
78	9	30	15	11.5	265	14.3	262	20.2	19.2	-1.0	A	999.9	0.81	RB 1
78	9	30	16	11.5	293	13.7	287	19.8	19.0	-0.9	B	-10.9	0.55	RB 1
78	9	30	17	7.5	267	9.4	265	19.5	19.0	-0.5	D	-14.4	0.25	RB 1
78	9	30	18	6.5	277	6.8	289	18.3	18.4	0.1	E	-15.0	0.02	RB 1
78	9	30	19	6.5	247	6.9	231	17.4	18.1	0.8	F	-13.3	0.0	RB 1
78	9	30	20	10.8	253	13.5	226	16.1	17.4	1.2	F	-9.5	0.0	RB 1
78	9	30	21	12.6	245	15.0	233	16.4	17.4	1.0	F	-10.4	0.0	RB 1
78	9	30	22	13.1	248	15.0	249	15.6	17.1	1.5	F	-10.6	0.0	RB 1
78	9	30	23	12.5	251	14.3	248	15.6	17.0	1.4	F	-11.5	0.0	RB 1
78	9	30	24	13.0	244	13.9	245	15.5	16.6	1.0	F	-11.9	0.0	RB 1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBU8C METEOROLOGY TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	10	1	1	13.4	244	15.3	246	15.0	16.2	1.2	F	-12.0	0.0	RB	1
78	10	1	2	13.3	247	17.0	241	14.5	16.0	1.6	F	-11.5	0.0	RB	1
78	10	1	3	12.1	243	14.3	239	14.5	15.8	1.3	F	-10.6	0.0	RB	1
78	10	1	4	12.0	245	14.5	244	14.2	15.6	1.4	F	999.9	0.0	RB	1
78	10	1	5	12.4	246	14.2	240	14.4	15.7	1.3	F	-11.4	0.0	RB	1
78	10	1	6	12.2	245	15.5	237	14.5	15.8	1.3	F	-10.6	0.01	RB	1
78	10	1	7	9.8	246	12.4	234	15.6	15.9	0.3	E	-11.0	0.14	RB	1
78	10	1	8	7.4	206	9.6	215	17.7	16.9	-0.8	C	-10.2	0.42	RB	1
78	10	1	9	10.2	195	11.7	208	19.1	18.3	-0.8	C	-8.4	0.68	RB	1
78	10	1	10	12.3	248	15.0	234	20.3	19.4	-0.9	B	-6.4	0.85	RB	1
78	10	1	11	13.7	257	16.7	250	21.1	20.0	-1.1	A	-6.5	1.03	RB	1
78	10	1	12	17.1	268	21.4	265	21.1	20.0	-1.1	A	-5.4	0.93	RB	1
78	10	1	13	17.2	272	21.8	271	21.8	20.5	-1.3	A	-5.3	1.00	RB	1
78	10	1	14	17.2	280	22.0	278	21.3	20.4	-1.0	A	-5.5	0.58	RB	1
78	10	1	15	15.5	263	20.0	258	21.7	20.8	-0.9	B	-5.3	0.65	RB	1
78	10	1	16	14.8	280	18.7	272	21.0	20.3	-0.7	D	999.9	0.33	RB	1
78	10	1	17	16.5	293	20.9	289	20.1	19.6	-0.5	D	-5.5	0.18	RB	1
78	10	1	18	16.6	296	23.0	292	18.3	18.2	-0.1	E	-6.5	0.02	RB	1
78	10	1	19	13.6	284	20.3	286	16.6	16.9	0.3	E	-5.2	0.0	RB	1
78	10	1	20	12.4	281	18.1	286	15.6	16.0	0.4	E	-5.1	0.0	RB	1
78	10	1	21	8.7	270	12.8	280	14.9	15.5	0.6	E	-5.3	0.0	RB	1
78	10	1	22	4.6	215	6.9	34	13.1	13.4	0.3	E	-5.2	0.0	RB	1
78	10	1	23	3.5	170	5.8	78	11.2	11.2	0.1	E	-4.3	0.0	RB	1
78	10	1	24	3.5	339	6.1	26	10.1	10.2	0.1	E	-5.0	0.0	RB	1
78	10	2	1	5.8	312	8.5	6	8.9	9.6	0.8	F	-6.0	0.0	RB	1
78	10	2	2	4.2	306	6.6	23	8.3	8.9	0.5	E	-5.6	0.0	RB	1
78	10	2	3	3.2	302	3.6	18	8.3	8.4	0.1	E	-6.5	0.0	RB	1
78	10	2	4	3.8	284	2.5	38	8.1	8.4	0.3	E	-8.6	0.0	RB	1
78	10	2	5	4.4	287	1.3	356	8.2	8.5	0.3	E	999.9	0.0	RB	1
78	10	2	6	5.2	298	5.9	354	7.6	8.2	0.6	E	-10.2	0.01	RB	1
78	10	2	7	5.4	331	8.6	1	7.0	7.2	0.2	E	-9.9	0.14	RB	1
78	10	2	8	5.3	38	5.5	40	8.9	8.4	-0.5	D	-9.6	0.42	RB	1
78	10	2	9	4.9	72	5.8	70	10.0	9.3	-0.7	D	-8.8	0.69	RB	1
78	10	2	10	6.2	62	7.5	55	10.7	10.0	-0.8	C	-8.6	0.88	RB	1
78	10	2	11	5.7	47	6.1	38	11.7	10.9	-0.8	C	-8.6	0.98	RB	1
78	10	2	12	7.1	33	7.6	24	12.9	12.0	-0.9	B	-8.3	1.12	RB	1
78	10	2	13	8.3	10	9.0	3	14.0	12.9	-1.1	A	-10.5	1.09	RB	1
78	10	2	14	7.2	343	7.8	345	14.6	13.5	-1.1	A	-13.1	0.99	RB	1
78	10	2	15	6.6	321	7.3	320	14.8	13.8	-1.0	A	-13.4	0.78	RB	1
78	10	2	16	6.5	330	7.4	327	14.8	13.9	-0.8	C	-12.2	0.52	RB	1
78	10	2	17	6.8	339	7.8	333	13.9	13.4	-0.5	D	999.9	0.22	RB	1
78	10	2	18	4.8	302	6.9	347	11.6	12.2	0.7	E	-10.6	0.02	RB	1
78	10	2	19	5.7	297	8.1	356	10.0	11.1	1.1	F	-11.1	0.0	RB	1
78	10	2	20	5.0	276	8.5	357	9.2	10.2	1.0	F	-13.0	0.0	RB	1
78	10	2	21	3.3	236	4.6	26	8.9	9.3	0.4	E	-13.2	0.0	RB	1
78	10	2	22	7.2	308	11.5	359	7.6	9.4	1.8	F	-14.5	0.0	RB	1
78	10	2	23	8.5	320	13.4	356	6.8	9.1	2.4	G	-15.2	0.0	RB	1
78	10	2	24	5.8	317	9.2	20	6.5	8.0	1.5	F	-15.9	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	10	3	1	5.0	309	7.7	19	6.2	7.2	1.1	F	-16.2	0.0	RB	1
78	10	3	2	4.1	284	4.2	347	5.8	6.1	0.3	E	-15.5	0.0	RB	1
78	10	3	3	3.7	285	2.6	326	5.8	5.7	-0.1	E	-14.2	0.0	RB	1
78	10	3	4	3.8	299	2.9	325	5.5	5.3	-0.2	E	-12.9	0.0	RB	1
78	10	3	5	4.6	305	4.0	336	5.3	5.2	-0.1	E	999.9	0.0	RB	1
78	10	3	6	5.3	302	4.3	344	4.7	5.0	0.3	E	-9.5	0.01	RB	1
78	10	3	7	2.4	334	1.9	22	5.1	5.2	0.1	E	-10.1	0.13	RB	1
78	10	3	8	2.3	77	2.3	71	6.5	6.0	-0.5	D	-10.1	0.41	RB	1
78	10	3	9	4.8	70	5.0	74	7.8	7.2	-0.6	D	-10.9	0.69	RB	1
78	10	3	10	5.4	90	5.9	103	9.2	8.5	-0.7	D	-13.2	0.91	RB	1
78	10	3	11	5.6	85	5.6	81	11.0	10.2	-0.8	C	-14.0	1.06	RB	1
78	10	3	12	5.9	66	5.9	63	12.7	11.9	-0.8	C	-15.8	1.12	RB	1
78	10	3	13	5.4	15	6.0	347	14.1	13.2	-0.9	B	-13.9	1.08	RB	1
78	10	3	14	7.5	306	8.5	298	15.2	14.2	-0.9	B	-18.2	0.98	RB	1
78	10	3	15	7.0	268	7.8	261	15.6	14.8	-0.9	B	-19.8	0.78	RB	1
78	10	3	16	6.3	268	7.7	268	15.4	14.6	-0.8	C	-23.2	0.52	RB	1
78	10	3	17	4.7	278	5.5	273	14.9	14.4	-0.5	D	-20.0	0.22	RB	1
78	10	3	18	5.2	255	4.8	253	13.8	13.7	-0.1	E	999.9	0.02	RB	1
78	10	3	19	5.3	221	4.9	192	12.6	13.2	0.6	E	999.9	0.0	RB	1
78	10	3	20	2.9	208	3.8	161	12.6	13.0	0.4	E	-22.9	0.0	RB	1
78	10	3	21	7.4	251	6.9	239	12.7	13.1	0.4	E	-20.7	0.0	RB	1
78	10	3	22	11.5	246	10.9	235	12.4	13.2	0.8	F	-17.6	0.0	RB	1
78	10	3	23	12.4	247	14.2	236	11.1	12.6	1.5	F	-16.9	0.0	RB	1
78	10	3	24	13.1	248	17.1	241	10.8	12.3	1.5	F	-16.6	0.0	RB	1
78	10	4	1	12.8	247	18.5	252	10.1	11.8	1.7	F	-16.6	0.0	RB	1
78	10	4	2	12.2	248	18.4	261	9.8	11.1	1.3	F	-16.3	0.0	RB	1
78	10	4	3	9.8	247	17.1	261	9.5	10.8	1.3	F	-16.3	0.0	RB	1
78	10	4	4	9.9	251	17.9	261	9.8	11.0	1.2	F	-16.2	0.0	RB	1
78	10	4	5	13.8	263	21.1	272	10.4	11.3	0.9	F	-15.8	0.0	RB	1
78	10	4	6	14.5	263	21.6	271	10.2	11.3	1.1	F	999.9	0.01	RB	1
78	10	4	7	13.2	264	17.7	263	11.1	11.5	0.4	E	-14.6	0.14	RB	1
78	10	4	8	11.0	257	13.1	265	12.3	11.6	-0.7	D	-14.3	0.41	RB	1
78	10	4	9	7.2	347	8.3	330	12.9	12.1	-0.8	C	-14.1	0.68	RB	1
78	10	4	10	7.6	327	8.8	313	14.3	13.3	-1.0	A	-15.1	0.90	RB	1
78	10	4	11	11.6	353	12.5	348	15.1	14.0	-1.1	A	-14.5	1.05	RB	1
78	10	4	12	8.6	359	9.3	353	15.8	14.7	-1.0	A	-13.6	1.12	RB	1
78	10	4	13	7.7	337	8.6	335	16.5	15.5	-1.0	A	-13.3	1.08	RB	1
78	10	4	14	7.6	302	8.5	296	16.8	15.8	-1.0	A	-13.5	0.97	RB	1
78	10	4	15	8.1	300	9.4	296	16.9	15.9	-1.0	A	-12.9	0.77	RB	1
78	10	4	16	8.7	316	10.4	306	16.7	15.8	-0.9	B	-12.4	0.51	RB	1
78	10	4	17	6.6	295	8.5	297	16.1	15.7	-0.4	D	-13.0	0.21	RB	1
78	10	4	18	6.9	286	7.0	304	14.8	15.2	0.4	E	999.9	0.02	RB	1
78	10	4	19	7.6	288	7.3	320	14.0	14.7	0.7	E	-11.5	0.0	RB	1
78	10	4	20	9.1	289	9.7	316	13.3	14.9	1.6	F	-12.4	0.0	RB	1
78	10	4	21	4.2	276	6.1	17	12.0	13.3	1.3	F	-12.1	0.0	RB	1
78	10	4	22	4.9	300	5.9	17	12.0	12.6	0.6	E	-12.4	0.0	RB	1
78	10	4	23	4.3	311	6.6	21	11.0	11.7	0.7	E	-11.9	0.0	RB	1
78	10	4	24	3.4	316	6.0	33	10.7	11.1	0.4	E	-11.0	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEUROLOGY
TOWER 1

				← 10 METER →		← 60 METER →		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	10	5	1	2.6	334	6.8	50	9.8	10.3	0.5	E	-10.5	0.0	RB	1
78	10	5	2	3.4	338	7.2	32	8.9	9.3	0.4	E	-10.1	0.0	RB	1
78	10	5	3	3.4	337	6.3	30	7.8	7.9	0.2	E	-10.6	0.0	RB	1
78	10	5	4	3.8	299	4.5	15	7.0	7.1	0.1	E	-9.7	0.0	RB	1
78	10	5	5	4.2	296	4.7	21	7.0	7.5	0.5	E	-8.6	0.0	RB	1
78	10	5	6	5.2	304	5.8	358	6.8	7.1	0.3	E	-7.0	0.01	RB	1
78	10	5	7	4.0	328	4.5	6	7.1	7.2	0.0	E	999.9	0.13	RB	1
78	10	5	8	3.7	56	4.4	49	8.4	7.9	-0.5	D	-8.6	0.40	RB	1
78	10	5	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	5	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	5	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	5	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	5	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	5	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	5	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	5	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	5	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	5	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	5	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	5	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	5	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	5	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	5	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	5	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	6	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	6	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	6	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	6	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	6	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	6	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	6	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	6	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	6	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	6	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	6	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	10	6	12	6.9	264	7.7	244	16.5	15.5	-1.0	A	-10.6	1.11	RB	1
78	10	6	13	7.9	227	8.8	228	17.1	16.1	-1.0	A	-11.3	1.07	RB	1
78	10	6	14	5.9	250	6.4	243	17.5	16.6	-0.9	B	-12.4	0.97	RB	1
78	10	6	15	7.8	255	8.8	247	17.5	16.7	-0.8	C	-12.8	0.79	RB	1
78	10	6	16	6.7	243	8.1	238	17.4	16.7	-0.7	D	-12.8	0.53	RB	1
78	10	6	17	5.6	257	6.7	250	16.7	16.2	-0.5	D	-11.5	0.24	RB	1
78	10	6	18	6.8	279	7.6	298	14.8	15.1	0.3	E	-10.9	0.02	RB	1
78	10	6	19	6.6	234	5.2	265	13.4	14.7	1.3	F	-10.9	0.0	RB	1
78	10	6	20	4.1	216	5.2	168	13.3	14.0	0.7	E	999.9	0.0	RB	1
78	10	6	21	7.9	228	5.8	193	13.6	13.8	0.2	E	-11.2	0.0	RB	1
78	10	6	22	6.0	227	4.3	187	13.8	14.0	0.2	E	-11.8	0.0	RB	1
78	10	6	23	5.3	232	3.8	190	14.2	14.2	0.0	E	-12.3	0.0	RB	1
78	10	6	24	5.1	224	4.3	180	14.2	14.2	0.0	E	-12.3	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE							
				WIND	WIND	WIND	WIND	10 M	60 M	DELTA T		DEW	SOLAR		
YR	MN	DY	HR	SPEED MPH	DIR DEG	SPEED MPH	DIR DEG	TEMP (C)	TEMP (C)	60-10 (C)	SC	POINT (C)	RAD LY/MIN		
78	10	7	1	5.1	223	4.3	179	13.9	13.9	0.0	E	-11.8	0.0	RB	1
78	10	7	2	7.0	252	5.6	251	14.1	14.0	-0.1	E	-11.9	0.0	RB	1
78	10	7	3	4.3	335	3.7	354	12.2	12.7	0.6	E	-11.5	0.0	RB	1
78	10	7	4	1.6	18	2.3	66	10.1	10.7	0.7	E	-11.8	0.0	RB	1
78	10	7	5	3.7	318	2.4	214	10.0	10.5	0.5	E	-11.5	0.0	RB	1
78	10	7	6	4.5	261	5.4	283	10.6	11.9	1.3	F	-11.3	0.0	RB	1
78	10	7	7	2.4	219	1.4	234	10.8	11.6	0.8	F	-10.9	0.09	RB	1
78	10	7	8	2.8	51	1.5	54	11.6	11.5	-0.1	E	-10.6	0.34	RB	1
78	10	7	9	3.9	66	3.5	70	12.7	12.3	-0.4	D	999.9	0.61	RB	1
78	10	7	10	6.3	87	6.8	78	14.5	13.8	-0.7	D	-10.8	0.87	RB	1
78	10	7	11	6.8	78	7.8	75	15.9	15.1	-0.8	C	-10.6	1.01	RB	1
78	10	7	12	6.4	322	7.3	313	17.0	16.0	-1.0	A	-8.6	1.06	RB	1
78	10	7	13	7.9	291	9.2	280	17.4	16.4	-1.1	A	-9.3	1.05	RB	1
78	10	7	14	8.0	306	8.7	300	17.4	16.4	-1.0	A	-10.6	0.93	RB	1
78	10	7	15	7.8	291	8.5	289	17.7	16.8	-0.9	B	-11.8	0.74	RB	1
78	10	7	16	5.5	303	6.0	300	17.6	16.8	-0.8	C	-15.1	0.47	RB	1
78	10	7	17	5.2	323	6.0	327	16.8	16.5	-0.3	D	-13.1	0.17	RB	1
78	10	7	18	7.3	283	6.8	302	15.7	15.7	0.0	E	-12.2	0.01	RB	1
78	10	7	19	4.6	289	3.1	330	15.2	15.4	0.2	E	-11.0	0.0	RB	1
78	10	7	20	3.9	264	1.8	279	15.3	15.3	0.0	E	-10.6	0.0	RB	1
78	10	7	21	4.4	223	3.5	197	15.2	15.3	0.1	E	999.9	0.0	RB	1
78	10	7	22	6.8	233	6.7	201	14.8	15.1	0.4	E	-12.2	0.0	RB	1
78	10	7	23	9.4	249	8.3	237	15.1	15.7	0.6	E	-10.6	0.0	RB	1
78	10	7	24	11.3	248	10.1	244	15.1	15.9	0.8	F	-9.7	0.0	RB	1
78	10	8	1	12.0	249	11.1	246	14.7	15.6	0.9	F	-9.5	0.0	RB	1
78	10	8	2	12.0	247	13.0	250	14.1	15.1	0.9	F	-9.2	0.0	RB	1
78	10	8	3	12.1	248	15.1	251	12.8	14.5	1.6	F	-9.1	0.0	RB	1
78	10	8	4	9.1	284	13.8	257	12.1	13.9	1.7	F	-9.0	0.0	RB	1
78	10	8	5	3.1	17	4.0	11	10.0	11.4	1.4	F	-9.1	0.0	RB	1
78	10	8	6	4.8	289	8.3	297	10.0	10.8	0.8	F	-8.8	0.0	RB	1
78	10	8	7	10.3	274	16.3	201	11.1	11.9	0.8	F	-8.4	0.11	RB	1
78	10	8	8	9.6	253	13.1	253	13.9	13.3	-0.6	D	-8.3	0.38	RB	1
78	10	8	9	10.6	253	11.6	244	15.3	14.5	-0.9	B	999.9	0.68	RB	1
78	10	8	10	11.0	248	12.3	243	15.9	15.0	-0.9	B	-6.4	0.82	RB	1
78	10	8	11	11.0	273	12.5	264	16.5	15.5	-1.0	A	-6.1	0.89	RB	1
78	10	8	12	9.6	264	11.7	260	16.9	16.0	-0.9	B	-7.4	0.76	RB	1
78	10	8	13	10.4	264	12.4	264	17.1	16.3	-0.9	B	-8.0	0.63	RB	1
78	10	8	14	12.1	285	14.6	285	17.8	16.9	-0.9	B	-7.7	0.62	RB	1
78	10	8	15	15.9	302	19.8	297	18.0	17.1	-0.9	B	-7.9	0.61	RB	1
78	10	8	16	12.4	293	15.4	290	18.2	17.3	-0.9	B	-8.1	0.49	RB	1
78	10	8	17	8.9	283	11.6	283	17.6	17.1	-0.5	D	-8.0	0.17	RB	1
78	10	8	18	7.3	257	9.8	271	16.3	16.4	0.1	E	-8.1	0.01	RB	1
78	10	8	19	7.3	254	8.0	269	15.9	16.0	0.1	E	-8.1	0.0	RB	1
78	10	8	20	4.6	266	4.0	284	15.9	15.7	-0.2	E	-7.8	0.0	RB	1
78	10	8	21	4.3	297	3.2	353	13.8	14.4	0.6	E	-8.1	0.0	RB	1
78	10	8	22	3.4	272	1.1	319	14.0	14.1	0.1	E	999.9	0.0	RB	1
78	10	8	23	4.1	319	5.3	10	12.7	13.3	0.6	E	-8.4	0.0	RB	1
78	10	8	24	4.7	324	10.4	20	10.7	11.7	1.0	F	-7.7	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	10	9	1	3.7	299	4.8	3	10.8	11.1	0.3	E	-6.4	0.0	RB	1
78	10	9	2	4.5	289	3.5	337	10.6	10.7	0.0	E	-5.5	0.0	RB	1
78	10	9	3	4.2	276	1.5	308	10.4	10.6	0.1	E	-4.6	0.0	RB	1
78	10	9	4	2.4	282	1.7	24	10.1	10.2	0.1	E	-4.5	0.0	RB	1
78	10	9	5	3.4	290	2.4	335	9.9	9.9	0.0	E	-4.2	0.0	RB	1
78	10	9	6	4.4	284	1.3	327	10.0	10.3	0.2	E	-3.9	0.0	RB	1
78	10	9	7	2.8	288	1.0	325	10.5	10.6	0.1	E	-4.5	0.10	RB	1
78	10	9	8	2.8	96	2.8	100	11.6	11.1	-0.5	D	-4.2	0.37	RB	1
78	10	9	9	4.0	85	4.2	85	12.3	11.7	-0.6	D	-3.6	0.63	RB	1
78	10	9	10	5.3	88	6.2	81	13.1	12.4	-0.7	D	999.9	0.84	RB	1
78	10	9	11	6.2	89	6.8	93	14.4	13.5	-0.8	C	-3.5	0.98	RB	1
78	10	9	12	4.5	47	4.5	52	15.7	14.9	-0.8	C	-3.6	1.03	RB	1
78	10	9	13	6.1	42	6.2	38	16.8	16.0	-0.8	C	-3.5	1.01	RB	1
78	10	9	14	7.4	317	8.1	321	17.7	16.8	-1.0	A	-5.4	0.90	RB	1
78	10	9	15	8.0	304	9.0	295	17.8	16.8	-0.9	B	-6.6	0.71	RB	1
78	10	9	16	7.4	318	8.4	310	17.6	16.7	-0.9	B	-6.6	0.45	RB	1
78	10	9	17	6.5	313	8.2	312	16.6	16.3	-0.3	D	-6.5	0.16	RB	1
78	10	9	18	7.8	291	9.9	321	14.2	15.6	1.4	F	-6.5	0.01	RB	1
78	10	9	19	4.7	265	3.6	303	15.1	15.6	0.5	E	-6.1	0.0	RB	1
78	10	9	20	6.1	283	3.5	310	15.3	15.5	0.2	E	-5.6	0.0	RB	1
78	10	9	21	4.6	268	2.9	298	15.4	15.6	0.2	E	-5.3	0.0	RB	1
78	10	9	22	8.5	282	6.3	305	15.1	15.6	0.5	E	999.9	0.0	RB	1
78	10	9	23	9.4	285	9.0	307	15.1	15.7	0.6	E	999.9	0.0	RB	1
78	10	9	24	7.7	293	10.2	320	12.6	14.4	1.8	F	-5.1	0.0	RB	1
78	10	10	1	8.2	289	10.4	333	12.1	13.8	1.7	F	-5.9	0.0	RB	1
78	10	10	2	5.1	295	5.6	350	12.3	12.8	0.4	E	-5.9	0.0	RB	1
78	10	10	3	6.1	297	5.2	331	12.2	12.4	0.1	E	-5.5	0.0	RB	1
78	10	10	4	5.9	293	5.4	337	11.7	12.1	0.4	E	-6.1	0.0	RB	1
78	10	10	5	4.4	290	2.3	338	11.9	12.1	0.3	E	-6.0	0.0	RB	1
78	10	10	6	2.3	240	0.9	295	11.8	12.0	0.1	E	-6.0	0.0	RB	1
78	10	10	7	3.1	213	2.5	199	12.1	12.1	0.0	E	-6.0	0.10	RB	1
78	10	10	8	3.5	137	2.1	127	13.2	12.8	-0.4	D	-6.2	0.34	RB	1
78	10	10	9	3.6	80	3.3	46	14.6	14.0	-0.6	D	-6.8	0.65	RB	1
78	10	10	10	9.0	8	9.7	3	16.0	15.1	-0.9	B	-8.3	0.85	RB	1
78	10	10	11	12.0	348	13.5	341	16.6	15.4	-1.1	A	999.9	0.99	RB	1
78	10	10	12	11.0	326	12.6	330	17.0	15.9	-1.2	A	-8.4	1.05	RB	1
78	10	10	13	12.2	355	13.7	351	17.4	16.3	-1.1	A	-8.0	1.02	RB	1
78	10	10	14	9.7	335	10.7	323	17.5	16.5	-1.0	A	-7.5	0.90	RB	1
78	10	10	15	11.0	279	12.4	274	17.8	16.9	-0.9	B	-8.2	0.70	RB	1
78	10	10	16	9.6	295	11.4	288	17.8	17.0	-0.8	C	-8.8	0.43	RB	1
78	10	10	17	7.7	275	9.7	276	17.1	16.8	-0.3	D	-9.2	0.15	RB	1
78	10	10	18	7.2	263	8.5	277	16.2	16.4	0.2	E	-7.8	0.01	RB	1
78	10	10	19	7.4	252	7.9	268	16.3	16.3	0.0	E	-6.9	0.0	RB	1
78	10	10	20	10.4	259	14.0	265	15.4	15.6	0.3	E	-5.6	0.0	RB	1
78	10	10	21	12.8	269	18.2	273	14.0	14.3	0.3	E	-4.2	0.0	RB	1
78	10	10	22	13.7	265	19.3	269	13.0	13.4	0.4	E	-3.9	0.0	RB	1
78	10	10	23	11.9	258	16.5	272	12.7	13.4	0.7	E	999.9	0.0	RB	1
78	10	10	24	10.5	262	15.7	273	12.2	12.8	0.6	E	-4.2	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	10	11	1	11.6	264	13.7	269	12.1	13.1	1.0	F	-6.1	0.0	RB	1
78	10	11	2	9.9	253	9.4	271	12.3	13.1	0.8	F	-6.8	0.0	RB	1
78	10	11	3	11.1	252	10.7	261	12.1	12.7	0.6	E	-6.5	0.0	RB	1
78	10	11	4	10.9	255	14.3	259	11.1	12.1	1.0	F	-6.3	0.0	RB	1
78	10	11	5	10.0	255	15.0	260	11.0	11.6	0.6	E	-5.7	0.0	RB	1
78	10	11	6	9.3	251	13.2	259	10.6	11.0	0.4	E	-6.0	0.0	RB	1
78	10	11	7	5.8	227	8.4	240	10.8	10.8	0.0	E	-5.9	0.10	RB	1
78	10	11	8	6.1	245	7.4	251	12.7	12.1	-0.6	D	-5.5	0.36	RB	1
78	10	11	9	8.1	273	9.1	268	14.3	13.5	-0.8	C	-5.5	0.62	RB	1
78	10	11	10	8.9	260	9.8	253	15.9	14.9	-1.0	A	-5.4	0.83	RB	1
78	10	11	11	8.6	332	9.5	331	16.9	15.9	-1.1	A	-4.7	0.97	RB	1
78	10	11	12	8.2	283	8.8	274	17.1	16.2	-0.9	B	999.9	1.08	RB	1
78	10	11	13	8.6	275	9.9	267	17.7	16.7	-1.0	A	-5.3	1.04	RB	1
78	10	11	14	9.5	261	11.3	260	18.3	17.3	-1.0	A	-5.4	0.87	RB	1
78	10	11	15	10.5	261	12.0	258	18.6	17.6	-0.9	B	-5.6	0.69	RB	1
78	10	11	16	10.5	266	12.4	258	18.3	17.6	-0.7	D	-5.6	0.43	RB	1
78	10	11	17	9.5	276	12.7	272	17.4	17.0	-0.4	D	-4.1	0.17	RB	1
78	10	11	18	7.9	259	11.1	265	15.9	16.2	0.2	E	-3.8	0.01	RB	1
78	10	11	19	10.2	248	14.4	242	15.0	15.7	0.7	E	-4.1	0.0	RB	1
78	10	11	20	11.2	244	16.6	254	14.1	14.6	0.5	E	-3.7	0.0	RB	1
78	10	11	21	13.9	270	20.5	271	13.6	13.7	0.1	E	-1.1	0.0	RB	1
78	10	11	22	14.4	263	21.3	266	12.9	12.8	-0.1	E	-1.0	0.0	RB	1
78	10	11	23	11.5	249	16.9	256	12.1	12.3	0.2	E	-1.1	0.0	RB	1
78	10	11	24	12.4	251	16.7	248	11.1	12.2	1.0	F	999.9	0.0	RB	1
78	10	12	1	13.5	252	19.9	256	11.3	11.8	0.5	E	-2.0	0.0	RB	1
78	10	12	2	13.0	258	19.6	261	11.1	11.4	0.3	E	-2.1	0.0	RB	1
78	10	12	3	13.2	257	19.6	261	10.7	10.9	0.2	E	-1.9	0.0	RB	1
78	10	12	4	12.3	258	18.3	260	10.4	10.5	0.1	E	-1.8	0.0	RB	1
78	10	12	5	14.1	259	20.0	259	10.2	10.1	-0.1	E	-1.6	0.0	RB	1
78	10	12	6	12.4	267	17.6	268	9.7	9.6	-0.1	E	-1.7	0.0	RB	1
78	10	12	7	16.3	259	22.5	259	10.3	10.0	-0.3	D	-1.9	0.10	RB	1
78	10	12	8	11.1	256	14.8	252	11.3	10.7	-0.6	D	-1.9	0.36	RB	1
78	10	12	9	8.5	288	9.8	208	12.3	11.5	-0.8	C	-2.4	0.63	RB	1
78	10	12	10	6.6	81	7.6	81	12.6	11.8	-0.8	C	-1.9	0.83	RB	1
78	10	12	11	7.4	213	8.1	214	14.6	13.8	-0.8	C	-3.8	0.98	RB	1
78	10	12	12	9.6	259	11.3	253	15.7	14.6	-1.0	A	999.9	1.04	RB	1
78	10	12	13	10.1	268	12.1	261	16.6	15.5	-1.1	A	999.9	1.02	RB	1
78	10	12	14	12.7	274	14.9	269	17.2	16.1	-1.0	A	-7.2	0.90	RB	1
78	10	12	15	13.2	302	15.6	296	17.1	16.1	-1.0	A	-7.7	0.69	RB	1
78	10	12	16	13.1	312	16.0	307	16.6	15.9	-0.7	D	-7.1	0.43	RB	1
78	10	12	17	11.8	314	15.1	309	15.7	15.3	-0.3	D	-6.5	0.14	RB	1
78	10	12	18	7.8	309	11.9	321	13.2	14.5	1.3	F	-6.6	0.01	RB	1
78	10	12	19	7.9	336	11.9	3	11.8	12.8	1.0	F	-8.0	0.0	RB	1
78	10	12	20	4.8	243	9.1	57	10.4	11.6	1.2	F	-9.2	0.0	RB	1
78	10	12	21	4.2	30	8.3	34	9.5	10.1	0.6	E	-9.6	0.0	RB	1
78	10	12	22	4.4	34	9.7	40	8.5	9.0	0.5	E	-10.6	0.0	RB	1
78	10	12	23	7.4	33	12.7	30	6.6	7.0	0.4	E	-10.6	0.0	RB	1
78	10	12	24	4.0	11	8.8	32	4.8	5.0	0.3	E	-9.1	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	10	13	1	3.3	278	5.5	25	3.7	4.2	0.4	E	999.9	0.0	RB	1
78	10	13	2	3.2	314	5.1	31	3.4	3.9	0.5	E	-8.1	0.0	RB	1
78	10	13	3	4.7	347	9.9	7	1.7	2.2	0.5	E	-6.9	0.0	RB	1
78	10	13	4	3.9	338	6.5	21	1.4	1.8	0.4	E	-6.2	0.0	RB	1
78	10	13	5	4.8	327	6.0	13	1.3	1.8	0.4	E	-6.3	0.0	RB	1
78	10	13	6	2.8	255	2.8	34	1.7	1.7	-0.1	E	-6.6	0.0	RB	1
78	10	13	7	4.3	256	2.8	261	2.2	2.2	0.0	E	-7.5	0.08	RB	1
78	10	13	8	2.6	200	2.5	198	3.8	3.4	-0.4	D	-8.5	0.23	RB	1
78	10	13	9	4.4	165	4.8	175	5.1	4.5	-0.6	D	-10.4	0.39	RB	1
78	10	13	10	4.7	121	5.0	120	6.5	5.9	-0.7	D	-12.6	0.67	RB	1
78	10	13	11	5.7	90	6.7	87	8.0	7.3	-0.8	C	-12.9	0.97	RB	1
78	10	13	12	5.3	92	6.0	84	9.1	8.4	-0.7	D	-13.5	1.01	RB	1
78	10	13	13	5.5	84	6.0	81	10.6	9.8	-0.8	C	999.9	0.99	RB	1
78	10	13	14	4.9	70	5.1	65	11.9	11.1	-0.7	D	-15.0	0.89	RB	1
78	10	13	15	5.9	78	7.0	75	12.6	11.8	-0.7	D	-15.5	0.68	RB	1
78	10	13	16	6.1	76	7.1	72	12.4	11.7	-0.7	D	-15.0	0.43	RB	1
78	10	13	17	4.0	64	4.9	59	11.6	11.2	-0.4	D	-17.0	0.16	RB	1
78	10	13	18	2.6	267	2.7	56	10.4	10.4	0.0	E	-17.2	0.01	RB	1
78	10	13	19	2.2	231	1.5	186	10.1	10.1	0.0	E	-16.7	0.0	RB	1
78	10	13	20	3.4	214	2.0	185	9.9	10.1	0.1	E	-16.9	0.0	RB	1
78	10	13	21	3.5	206	3.8	181	9.6	9.9	0.2	E	-16.6	0.0	RB	1
78	10	13	22	2.5	235	2.6	182	9.4	9.7	0.3	E	-15.6	0.0	RB	1
78	10	13	23	2.1	250	1.9	159	9.2	9.7	0.4	E	-15.3	0.0	RB	1
78	10	13	24	2.5	268	0.7	208	9.1	9.3	0.2	E	-15.0	0.0	RB	1
78	10	14	1	5.6	289	2.2	298	8.6	9.3	0.7	E	-12.2	0.0	RB	1
78	10	14	2	5.0	296	3.6	12	7.8	8.6	0.7	E	999.9	0.0	RB	1
78	10	14	3	3.3	278	2.5	334	7.6	7.8	0.1	E	-11.5	0.0	RB	1
78	10	14	4	3.3	281	1.3	321	8.1	8.2	0.1	E	-11.2	0.0	RB	1
78	10	14	5	2.6	292	2.1	343	7.8	8.0	0.3	E	-11.0	0.0	RB	1
78	10	14	6	2.8	280	2.1	18	6.8	7.3	0.5	E	-11.0	0.0	RB	1
78	10	14	7	2.5	297	1.6	4	7.3	7.6	0.3	E	-10.8	0.09	RB	1
78	10	14	8	2.3	54	2.2	64	8.7	8.2	-0.5	D	-10.1	0.34	RB	1
78	10	14	9	3.8	77	3.6	86	9.8	9.1	-0.6	D	-9.9	0.61	RB	1
78	10	14	10	5.0	74	6.0	71	10.8	10.1	-0.8	C	-9.9	0.82	RB	1
78	10	14	11	6.0	95	6.9	92	12.0	11.3	-0.8	C	-9.9	0.96	RB	1
78	10	14	12	5.2	50	5.5	52	13.9	13.1	-0.8	C	-9.7	1.01	RB	1
78	10	14	13	4.5	22	4.2	18	15.9	15.0	-0.8	C	-9.5	0.98	RB	1
78	10	14	14	5.7	282	6.1	279	16.9	16.0	-0.9	B	999.9	0.87	RB	1
78	10	14	15	6.9	242	7.6	240	16.9	16.1	-0.8	C	-11.1	0.68	RB	1
78	10	14	16	7.8	256	8.7	247	16.5	15.8	-0.7	D	-11.8	0.42	RB	1
78	10	14	17	6.8	255	8.6	252	15.7	15.3	-0.4	D	-11.6	0.13	RB	1
78	10	14	18	5.7	232	8.8	256	13.6	14.6	1.0	F	-11.3	0.01	RB	1
78	10	14	19	5.7	203	5.9	200	12.4	13.4	0.9	F	-11.0	0.0	RB	1
78	10	14	20	4.2	248	2.6	241	13.2	13.5	0.4	E	-10.8	0.0	RB	1
78	10	14	21	4.1	267	1.4	205	13.5	13.8	0.3	E	-10.8	0.0	RB	1
78	10	14	22	5.6	246	3.8	241	13.1	13.3	0.3	E	-11.0	0.0	RB	1
78	10	14	23	9.4	242	10.1	266	12.2	13.8	1.6	F	-11.1	0.0	RB	1
78	10	14	24	3.6	220	4.1	289	11.2	11.9	0.8	F	-11.1	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				* 10 METER *		60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	10	15	1	3.3	248	2.4	325	11.2	11.7	0.5	E	-11.2	0.0	RB	1
78	10	15	2	3.6	277	2.2	345	9.9	10.6	0.7	E	999.9	0.0	RB	1
78	10	15	3	3.6	293	2.4	341	10.6	10.7	0.2	E	-10.1	0.0	RB	1
78	10	15	4	3.0	296	2.5	1	10.5	10.7	0.2	E	-10.8	0.0	RB	1
78	10	15	5	4.4	289	2.5	345	10.0	10.3	0.3	E	-10.6	0.0	RB	1
78	10	15	6	2.4	263	1.0	305	10.6	10.6	0.1	E	-10.6	0.0	RB	1
78	10	15	7	3.3	252	1.2	257	10.8	11.0	0.2	E	-10.4	0.09	RB	1
78	10	15	8	2.9	83	2.7	95	11.8	11.4	-0.4	D	-9.3	0.34	RB	1
78	10	15	9	4.5	66	4.4	75	12.3	11.7	-0.6	D	-8.8	0.61	RB	1
78	10	15	10	5.1	54	5.3	66	13.3	12.6	-0.7	D	-8.6	0.81	RB	1
78	10	15	11	5.6	71	6.1	68	14.4	13.6	-0.7	D	-8.7	0.96	RB	1
78	10	15	12	5.5	38	5.5	31	15.7	14.9	-0.8	C	-8.7	1.01	RB	1
78	10	15	13	5.9	54	5.9	50	16.9	16.1	-0.8	C	-8.7	0.98	RB	1
78	10	15	14	6.7	22	7.6	30	17.6	16.9	-0.7	D	-8.7	0.79	RB	1
78	10	15	15	5.7	52	6.2	48	17.9	17.1	-0.8	C	999.9	0.65	RB	1
78	10	15	16	6.1	13	6.6	15	17.6	16.9	-0.7	D	-10.0	0.40	RB	1
78	10	15	17	5.6	333	6.6	345	16.2	16.0	-0.2	E	-10.6	0.12	RB	1
78	10	15	18	4.0	296	3.2	351	14.7	15.1	0.4	E	-11.4	0.0	RB	1
78	10	15	19	1.9	231	1.2	81	14.5	14.6	0.1	E	-11.0	0.0	RB	1
78	10	15	20	4.8	212	4.0	180	14.0	14.2	0.2	E	-10.6	0.0	RB	1
78	10	15	21	6.4	230	5.4	185	13.8	14.1	0.2	E	-10.2	0.0	RB	1
78	10	15	22	5.2	231	3.9	185	13.9	14.0	0.1	E	-11.0	0.0	RB	1
78	10	15	23	5.4	227	4.5	184	13.6	13.8	0.1	E	-11.2	0.0	RB	1
78	10	15	24	4.2	222	3.2	187	13.8	13.9	0.2	E	-11.1	0.0	RB	1
78	10	16	1	4.6	203	4.4	205	12.5	13.7	1.2	F	-10.6	0.0	RB	1
78	10	16	2	4.2	223	4.5	213	12.2	13.0	0.8	F	-10.6	0.0	RB	1
78	10	16	3	4.8	225	5.0	218	11.8	12.3	0.4	E	999.9	0.0	RB	1
78	10	16	4	3.4	190	4.1	204	10.8	11.7	0.9	F	-11.0	0.0	RB	1
78	10	16	5	4.8	211	5.4	212	11.2	11.6	0.4	E	-11.8	0.0	RB	1
78	10	16	6	4.9	176	6.1	195	11.2	11.4	0.2	E	-11.8	0.0	RB	1
78	10	16	7	2.8	134	3.1	182	11.4	11.5	0.1	E	-11.8	0.09	RB	1
78	10	16	8	3.1	76	3.6	203	11.8	12.5	0.7	E	-11.3	0.30	RB	1
78	10	16	9	6.2	179	9.9	208	15.3	14.8	-0.5	D	-11.6	0.46	RB	1
78	10	16	10	10.3	200	14.9	210	16.5	15.5	-1.0	A	-11.5	0.59	RB	1
78	10	16	11	12.3	195	17.6	206	16.7	15.8	-0.9	B	-11.5	0.47	RB	1
78	10	16	12	13.2	201	18.5	208	18.1	16.9	-1.2	A	-11.2	0.92	RB	1
78	10	16	13	13.4	214	19.3	214	19.1	18.0	-1.1	A	-11.0	0.98	RB	1
78	10	16	14	17.2	192	24.6	203	18.9	17.8	-1.0	A	-11.0	0.87	RB	1
78	10	16	15	15.7	208	21.0	211	18.7	17.8	-1.0	A	999.9	0.70	RB	1
78	10	16	16	12.6	204	20.2	211	17.9	17.3	-0.6	D	-9.1	0.41	RB	1
78	10	16	17	9.3	203	15.0	212	16.6	16.4	-0.2	E	-10.6	0.11	RB	1
78	10	16	18	5.5	223	13.0	209	14.7	15.1	0.4	E	-10.9	0.0	RB	1
78	10	16	19	6.1	259	12.8	216	13.6	14.4	0.8	F	-11.1	0.0	RB	1
78	10	16	20	8.8	269	12.1	231	13.2	13.7	0.5	E	-11.0	0.0	RB	1
78	10	16	21	10.1	263	13.5	243	13.2	13.8	0.6	E	-11.1	0.0	RB	1
78	10	16	22	10.0	267	14.3	227	12.5	13.5	1.0	F	-11.2	0.0	RB	1
78	10	16	23	10.2	265	15.5	235	12.7	13.9	1.2	F	-11.0	0.0	RB	1
78	10	16	24	11.0	258	15.2	241	12.9	14.3	1.4	F	-11.0	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED	WIND DIR	60 METER WIND SPEED	WIND DIR	TEMPERATURE 10 M TEMP	60 M TEMP	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR	MPH	DEG	MPH	DEG	(C)	(C)	(C)					
78	10	17	1	10.7	261	15.8	242	12.7	14.3	1.6	F	-11.0	0.0	RB	1
78	10	17	2	4.9	279	7.1	246	12.0	12.4	0.4	E	-10.8	0.0	RB	1
78	10	17	3	4.0	277	7.0	221	11.9	12.6	0.7	E	-10.5	0.0	RB	1
78	10	17	4	6.6	268	11.4	223	12.8	13.3	0.5	E	999.9	0.0	RB	1
78	10	17	5	7.7	262	11.6	232	12.4	12.8	0.4	E	-10.0	0.0	RB	1
78	10	17	6	10.2	249	13.3	242	12.2	13.1	0.9	F	-9.8	0.0	RB	1
78	10	17	7	8.7	247	12.7	233	12.2	12.6	0.5	E	-9.5	0.06	RB	1
78	10	17	8	6.0	253	9.5	229	13.0	12.7	-0.3	D	-9.0	0.14	RB	1
78	10	17	9	5.8	227	7.9	229	14.3	13.7	-0.6	D	-7.8	0.30	RB	1
78	10	17	10	9.3	199	12.7	208	15.4	14.6	-0.8	C	-5.5	0.59	RB	1
78	10	17	11	12.5	204	16.0	210	16.1	15.1	-1.0	A	-6.2	0.67	RB	1
78	10	17	12	11.4	203	15.2	211	16.8	15.7	-1.1	A	-7.1	0.72	RB	1
78	10	17	13	10.4	222	14.4	219	17.3	16.3	-1.0	A	-6.8	0.70	RB	1
78	10	17	14	9.9	235	13.8	233	16.4	15.5	-0.8	C	-6.5	0.36	RB	1
78	10	17	15	8.8	255	11.0	249	15.8	15.1	-0.7	D	-6.2	0.32	RB	1
78	10	17	16	12.2	268	16.0	265	15.2	14.5	-0.6	D	999.9	0.16	RB	1
78	10	17	17	8.5	229	12.6	233	14.6	14.2	-0.4	D	-5.3	0.05	RB	1
78	10	17	18	6.4	213	9.9	218	14.0	13.9	-0.1	E	-5.2	0.0	RB	1
78	10	17	19	7.4	212	13.1	216	15.9	15.7	-0.1	E	-6.1	0.0	RB	1
78	10	17	20	4.7	241	7.1	246	13.5	13.5	-0.1	E	-6.8	0.0	RB	1
78	10	17	21	6.0	252	8.9	245	13.4	13.6	0.1	E	-7.1	0.0	RB	1
78	10	17	22	8.7	258	13.5	238	13.0	12.9	-0.1	E	-5.2	0.0	RB	1
78	10	17	23	9.7	212	14.7	220	12.6	12.3	-0.3	D	-3.5	0.0	RB	1
78	10	17	24	8.5	205	15.0	202	11.7	11.4	-0.3	D	-2.8	0.0	RB	1
78	10	18	1	7.8	182	11.6	178	10.3	10.2	-0.2	E	-1.4	0.0	RB	1
78	10	18	2	3.2	298	3.4	90	9.5	9.5	0.1	E	-1.1	0.0	RB	1
78	10	18	3	3.7	267	3.6	24	9.4	9.7	0.3	E	-1.2	0.0	RB	1
78	10	18	4	3.0	191	3.6	91	9.0	9.3	0.3	E	-1.4	0.0	RB	1
78	10	18	5	2.5	195	2.8	128	8.5	9.0	0.5	E	999.9	0.0	RB	1
78	10	18	6	4.5	274	5.3	281	9.2	9.5	0.3	E	-2.3	0.0	RB	1
78	10	18	7	7.4	283	10.3	285	9.1	9.0	-0.1	E	-2.0	0.03	RB	1
78	10	18	8	4.9	196	7.0	209	9.5	9.0	-0.5	D	-0.8	0.11	RB	1
78	10	18	9	3.6	106	3.5	124	9.3	9.0	-0.4	D	-1.1	0.15	RB	1
78	10	18	10	4.9	68	5.2	62	9.3	8.7	-0.6	D	-0.9	0.41	RB	1
78	10	18	11	5.5	81	6.7	74	10.2	9.5	-0.7	D	0.0	0.59	RB	1
78	10	18	12	5.3	78	6.0	75	11.8	11.0	-0.8	C	-0.1	0.78	RB	1
78	10	18	13	5.2	128	5.6	129	12.5	11.7	-0.7	D	-0.7	0.39	RB	1
78	10	18	14	6.2	354	6.5	353	12.3	11.6	-0.7	D	-0.2	0.22	RB	1
78	10	18	15	7.2	261	7.8	260	12.0	11.4	-0.7	D	0.3	0.24	RB	1
78	10	18	16	3.7	151	3.7	141	12.6	12.0	-0.5	D	-0.2	0.31	RB	1
78	10	18	17	4.5	128	5.9	123	12.2	11.8	-0.4	D	999.9	0.09	RB	1
78	10	18	18	3.0	180	4.5	161	10.8	10.8	0.0	E	0.3	0.0	RB	1
78	10	18	19	4.6	214	4.4	181	9.8	10.0	0.2	E	0.6	0.0	RB	1
78	10	18	20	4.8	234	5.5	185	10.4	10.2	-0.1	E	0.8	0.0	RB	1
78	10	18	21	3.4	225	2.4	182	10.2	10.3	0.1	E	0.7	0.0	RB	1
78	10	18	22	3.0	265	1.3	235	10.1	10.1	0.0	E	0.5	0.0	RB	1
78	10	18	23	4.0	250	2.4	237	10.0	10.3	0.2	E	0.2	0.0	RB	1
78	10	18	24	2.1	281	0.8	107	9.2	9.9	0.7	E	-0.6	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEUROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE		DELTA T		DEW	SOLAR		
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	60-10 (C)	SC	POINT (C)	RAD LY/MIN		
78	10	19	1	1.7	311	1.0	61	8.8	9.0	0.3	E	0.0	0.0	RB	1
78	10	19	2	1.6	274	1.2	74	8.6	8.9	0.3	E	0.5	0.0	RB	1
78	10	19	3	2.8	276	1.1	35	8.6	8.9	0.3	E	0.4	0.0	RB	1
78	10	19	4	2.2	248	1.2	153	8.6	8.8	0.1	E	0.5	0.0	RB	1
78	10	19	5	4.0	267	3.6	210	9.0	9.4	0.4	E	999.9	0.0	RB	1
78	10	19	6	1.8	223	2.6	167	8.1	8.8	0.7	E	-0.6	0.0	RB	1
78	10	19	7	1.8	212	1.4	194	8.9	9.2	0.3	E	-1.2	0.07	RB	1
78	10	19	8	2.6	93	2.0	125	9.8	9.6	-0.2	E	-0.8	0.30	RB	1
78	10	19	9	3.7	63	2.9	72	10.9	10.5	-0.4	D	-0.5	0.56	RB	1
78	10	19	10	5.1	66	5.1	74	13.3	12.6	-0.7	D	-0.8	0.76	RB	1
78	10	19	11	7.2	130	9.3	138	16.1	15.1	-1.0	A	-3.0	0.91	RB	1
78	10	19	12	9.1	218	11.7	213	17.6	16.4	-1.1	A	-4.7	0.94	RB	1
78	10	19	13	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	19	14	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	19	15	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	19	16	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	19	17	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	19	18	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	19	19	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	19	20	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	19	21	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	19	22	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	19	23	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	19	24	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	1	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	2	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	3	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	4	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	5	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	6	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	7	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	8	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	9	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	10	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	11	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	12	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	13	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	14	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	15	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	16	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	17	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	18	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	19	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	20	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	21	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	22	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	23	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	20	24	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				10 METER		60 METER		TEMPERATURE						
				WIND	WIND	WIND	WIND	10 M	60 M	DELTA T		DEW	SOLAR	
				SPEED	DIR	SPEED	DIR	TEMP	TEMP	60-10		POINT	RAD	
YR	MN	DY	HR	MPH	DEG	MPH	DEG	(C)	(C)	(C)	SC	(C)	LY/MIN	
78	10	21	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	21	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	21	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	21	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	21	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	21	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	21	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	21	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	21	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	21	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	21	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	21	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	21	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	21	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	21	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	21	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	21	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	21	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	21	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	21	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	21	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	21	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	21	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	21	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	22	1	12.0	351	15.0	351	6.0	999.9	0.6	E	4.0	0.0	RB 1
78	10	22	2	17.5	2	21.0	2	5.5	999.9	0.8	F	3.0	0.0	RB 1
78	10	22	3	18.5	13	22.0	13	4.5	999.9	0.8	F	3.0	0.0	RB 1
78	10	22	4	18.5	2	21.5	2	3.5	999.9	0.8	F	2.0	0.0	RB 1
78	10	22	5	20.0	2	24.0	2	3.0	999.9	0.8	F	1.5	0.0	RB 1
78	10	22	6	22.0	2	26.0	2	3.0	999.9	0.8	F	1.0	0.0	RB 1
78	10	22	7	21.0	7	24.5	7	2.5	999.9	0.8	F	1.0	0.0	RB 1
78	10	22	8	19.5	7	22.0	2	1.5	999.9	0.8	F	0.5	0.04	RB 1
78	10	22	9	19.0	351	22.0	351	1.0	999.9	0.8	F	0.0	0.10	RB 1
78	10	22	10	15.5	351	18.0	351	1.5	999.9	0.8	F	-0.6	0.16	RB 1
78	10	22	11	15.5	351	17.5	351	1.5	999.9	0.8	F	0.0	0.24	RB 1
78	10	22	12	16.5	356	18.5	356	2.0	999.9	0.8	F	0.0	0.26	RB 1
78	10	22	13	17.0	351	20.0	351	2.5	999.9	0.6	E	0.0	0.22	RB 1
78	10	22	14	19.0	356	22.0	351	3.0	999.9	0.6	E	0.0	0.28	RB 1
78	10	22	15	17.5	356	20.0	356	3.0	999.9	0.6	E	-0.6	0.28	RB 1
78	10	22	16	14.0	2	16.0	2	3.0	999.9	0.5	E	0.0	0.12	RB 1
78	10	22	17	13.5	356	16.5	2	3.0	999.9	0.4	E	-1.1	0.06	RB 1
78	10	22	18	12.5	351	15.5	356	2.5	999.9	0.3	E	-1.7	0.0	RB 1
78	10	22	19	10.5	351	14.5	356	2.0	999.9	-0.1	E	-1.7	0.0	RB 1
78	10	22	20	9.5	346	14.0	356	1.5	999.9	-0.2	E	-2.3	0.0	RB 1
78	10	22	21	7.0	346	13.0	2	1.0	999.9	-0.4	D	-2.3	0.0	RB 1
78	10	22	22	3.0	335	5.0	7	1.0	999.9	0.0	E	-2.8	0.0	RB 1
78	10	22	23	3.0	319	5.0	351	0.5	999.9	0.2	E	-3.4	0.0	RB 1
78	10	22	24	2.5	2	5.5	13	0.5	999.9	0.1	E	-3.9	0.0	RB 1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	10	23	1	3.0	335	5.5	356	0.5	999.9	0.1	E	-3.9	0.0	RB	1
78	10	23	2	2.5	324	7.5	7	0.0	999.9	-0.3	D	-3.9	0.0	RB	1
78	10	23	3	3.5	340	6.0	351	0.0	999.9	0.1	E	-4.5	0.0	RB	1
78	10	23	4	4.0	302	5.0	351	-0.5	999.9	-0.2	E	-4.5	0.0	RB	1
78	10	23	5	4.5	319	6.0	351	0.0	999.9	-0.3	D	-4.5	0.0	RB	1
78	10	23	6	3.0	313	6.0	2	0.0	999.9	-0.3	D	-4.5	0.0	RB	1
78	10	23	7	2.0	259	3.0	23	0.0	999.9	-0.3	D	-4.5	0.16	RB	1
78	10	23	8	1.5	81	2.0	45	1.0	999.9	0.4	E	-3.9	0.44	RB	1
78	10	23	9	2.5	45	3.0	56	2.5	999.9	0.5	E	-3.9	0.64	RB	1
78	10	23	10	4.0	61	4.5	61	4.0	999.9	0.6	E	-3.4	0.80	RB	1
78	10	23	11	5.0	94	5.0	72	5.0	999.9	0.6	E	-3.9	0.92	RB	1
78	10	23	12	3.5	13	4.0	40	6.5	999.9	0.6	E	-3.9	0.96	RB	1
78	10	23	13	3.5	97	3.5	34	8.0	999.9	0.6	E	-3.9	0.96	RB	1
78	10	23	14	5.0	999	5.0	40	9.0	999.9	0.7	E	-3.4	0.84	RB	1
78	10	23	15	5.5	13	6.0	7	9.5	999.9	0.7	E	-3.4	0.64	RB	1
78	10	23	16	6.5	18	7.0	18	9.0	999.9	0.6	E	-1.7	0.36	RB	1
78	10	23	17	4.0	94	4.5	56	7.5	999.9	0.2	E	-1.7	0.10	RB	1
78	10	23	18	3.5	324	3.5	50	6.0	999.9	-0.1	E	-1.7	0.0	RB	1
78	10	23	19	5.5	232	3.0	211	6.0	999.9	0.0	E	-2.8	0.0	RB	1
78	10	23	20	5.0	238	2.0	211	6.5	999.9	-0.1	E	-2.3	0.0	RB	1
78	10	23	21	6.0	221	5.5	189	6.0	999.9	-0.3	D	-2.3	0.0	RB	1
78	10	23	22	3.0	232	3.5	167	5.5	999.9	-0.5	D	-2.8	0.0	RB	1
78	10	23	23	3.0	194	3.0	140	5.5	999.9	0.0	E	-3.4	0.0	RB	1
78	10	23	24	2.5	297	1.5	351	5.0	999.9	-0.1	E	-3.9	0.0	RB	1
78	10	24	1	2.0	254	1.0	77	5.0	999.9	-0.3	D	-3.9	0.0	RB	1
78	10	24	2	1.5	205	2.0	99	4.5	999.9	-0.1	E	-3.9	0.0	RB	1
78	10	24	3	4.0	200	3.0	178	4.0	999.9	-0.1	E	-3.9	0.0	RB	1
78	10	24	4	3.0	254	2.0	194	4.0	999.9	-0.2	E	-3.9	0.0	RB	1
78	10	24	5	3.5	248	2.0	211	4.5	999.9	-0.3	D	-3.9	0.0	RB	1
78	10	24	6	3.5	200	2.5	216	5.5	999.9	-0.7	D	-2.8	0.0	RB	1
78	10	24	7	3.5	238	5.5	189	4.5	999.9	-0.8	C	-2.8	0.04	RB	1
78	10	24	8	3.5	276	3.0	243	6.0	999.9	-0.5	D	-1.7	0.18	RB	1
78	10	24	9	4.5	173	6.0	205	8.0	999.9	0.0	E	-0.6	0.40	RB	1
78	10	24	10	4.5	103	5.0	151	9.5	999.9	0.2	E	-1.1	0.68	RB	1
78	10	24	11	7.0	248	8.5	238	10.0	999.9	0.4	E	-0.6	0.56	RB	1
78	10	24	12	9.0	259	10.0	248	10.5	999.9	0.7	E	-1.7	0.56	RB	1
78	10	24	13	8.0	243	9.0	238	11.0	999.9	0.8	F	0.0	0.64	RB	1
78	10	24	14	10.0	254	11.5	248	11.5	999.9	0.8	F	0.0	0.70	RB	1
78	10	24	15	9.5	248	12.0	248	11.5	999.9	0.8	F	0.5	0.60	RB	1
78	10	24	16	10.0	259	12.5	254	11.5	999.9	0.6	E	0.5	0.36	RB	1
78	10	24	17	7.5	238	12.0	248	10.0	999.9	0.1	E	0.5	0.08	RB	1
78	10	24	18	7.0	243	11.0	232	8.0	999.9	0.1	E	0.5	0.0	RB	1
78	10	24	19	10.0	238	15.0	238	8.0	999.9	0.2	E	0.5	0.0	RB	1
78	10	24	20	16.0	248	24.0	248	8.5	999.9	0.3	E	0.5	0.0	RB	1
78	10	24	21	16.5	248	24.0	254	8.0	999.9	0.3	E	0.5	0.0	RB	1
78	10	24	22	14.0	254	21.0	254	8.0	999.9	0.3	E	0.0	0.0	RB	1
78	10	24	23	8.0	254	13.0	254	8.0	999.9	0.1	E	-0.6	0.0	RB	1
78	10	24	24	11.0	243	17.5	248	7.5	999.9	-0.1	E	-0.6	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	10	25	1	12.0	248	18.0	248	7.0	999.9	-0.2	E	-0.6	0.0	RB	1
78	10	25	2	12.0	243	17.5	248	6.5	999.9	-0.4	D	-1.1	0.0	RB	1
78	10	25	3	10.0	243	15.5	254	6.0	999.9	-0.3	D	-1.1	0.0	RB	1
78	10	25	4	4.5	29	6.0	13	4.0	999.9	0.1	E	-1.1	0.0	RB	1
78	10	25	5	4.5	34	5.0	351	2.0	999.9	0.1	E	-3.9	0.0	RB	1
78	10	25	6	8.0	34	7.0	29	1.0	999.9	0.3	E	-3.9	0.0	RB	1
78	10	25	7	12.0	18	14.0	18	-0.5	999.9	0.4	E	-4.5	0.0	RB	1
78	10	25	8	12.5	23	14.0	18	-1.0	999.9	0.6	E	-4.5	0.12	RB	1
78	10	25	9	13.0	29	15.0	29	-2.0	999.9	0.6	E	-5.6	0.16	RB	1
78	10	25	10	11.5	34	14.0	34	-1.0	999.9	0.7	E	-6.2	0.32	RB	1
78	10	25	11	13.0	40	15.5	40	0.0	999.9	0.8	F	-5.1	0.62	RB	1
78	10	25	12	14.5	34	16.5	29	2.0	999.9	0.8	F	-7.3	1.04	RB	1
78	10	25	13	19.0	18	21.5	13	2.5	999.9	0.9	F	-8.4	1.04	RB	1
78	10	25	14	15.5	7	17.0	7	2.5	999.9	0.8	F	-9.0	0.90	RB	1
78	10	25	15	13.5	7	15.0	7	3.0	999.9	0.8	F	-10.1	0.64	RB	1
78	10	25	16	11.5	23	13.0	23	3.0	999.9	0.5	E	-10.6	0.36	RB	1
78	10	25	17	8.0	40	11.0	40	2.5	999.9	0.1	E	-10.6	0.08	RB	1
78	10	25	18	2.0	346	6.0	56	1.0	999.9	-0.1	E	-10.6	0.0	RB	1
78	10	25	19	2.0	243	2.5	72	1.0	999.9	0.0	E	-10.6	0.0	RB	1
78	10	25	20	2.5	232	1.5	200	1.5	999.9	0.1	E	-10.6	0.0	RB	1
78	10	25	21	4.0	221	3.5	184	1.0	999.9	-0.2	E	-10.6	0.0	RB	1
78	10	25	22	5.5	221	7.0	189	0.5	999.9	-0.5	D	-10.6	0.0	RB	1
78	10	25	23	5.5	221	6.0	184	1.0	999.9	-0.1	E	-11.2	0.0	RB	1
78	10	25	24	5.0	221	5.0	184	1.5	999.9	0.0	E	-11.2	0.0	RB	1
78	10	26	1	3.5	238	4.0	189	2.0	999.9	0.1	E	-10.6	0.0	RB	1
78	10	26	2	3.5	211	4.0	189	2.5	999.9	-0.4	D	-10.1	0.0	RB	1
78	10	26	3	2.5	259	2.0	211	3.0	999.9	-0.1	E	-10.1	0.0	RB	1
78	10	26	4	2.5	211	2.0	189	2.5	999.9	-0.4	D	-10.1	0.0	RB	1
78	10	26	5	1.5	205	1.0	200	2.5	999.9	-0.2	E	-9.6	0.0	RB	1
78	10	26	6	2.0	146	2.5	200	1.5	999.9	-0.9	B	-9.6	0.0	RB	1
78	10	26	7	2.0	162	2.0	221	1.5	999.9	-0.9	B	-10.1	0.04	RB	1
78	10	26	8	2.5	76	2.0	135	3.0	999.9	0.1	E	-8.4	0.28	RB	1
78	10	26	9	4.0	81	4.0	103	4.5	999.9	0.5	E	-9.0	0.54	RB	1
78	10	26	10	5.0	97	5.0	103	6.0	999.9	0.6	E	-9.6	0.76	RB	1
78	10	26	11	5.5	81	6.5	103	8.0	999.9	0.6	E	-9.0	0.90	RB	1
78	10	26	12	5.5	270	5.0	265	10.0	999.9	0.7	E	-10.1	0.96	RB	1
78	10	26	13	5.0	254	6.0	243	11.0	999.9	0.7	E	-9.6	0.90	RB	1
78	10	26	14	6.0	265	7.0	254	12.0	999.9	0.7	E	-9.0	0.80	RB	1
78	10	26	15	9.0	259	9.5	254	12.0	999.9	0.6	E	-9.6	0.62	RB	1
78	10	26	16	7.0	248	9.0	232	12.0	999.9	0.5	E	-8.4	0.36	RB	1
78	10	26	17	5.5	248	8.0	238	11.0	999.9	0.1	E	-7.9	0.06	RB	1
78	10	26	18	7.0	221	8.5	205	9.0	999.9	-0.7	D	-8.4	0.0	RB	1
78	10	26	19	4.5	205	5.5	232	8.5	999.9	-0.6	D	-9.6	0.0	RB	1
78	10	26	20	10.0	243	9.5	232	10.0	999.9	-0.8	C	-10.6	0.0	RB	1
78	10	26	21	6.0	268	5.5	243	9.0	999.9	-0.7	D	-10.6	0.0	RB	1
78	10	26	22	6.0	275	3.0	259	8.5	999.9	-0.5	D	-10.1	0.0	RB	1
78	10	26	23	3.5	270	2.5	216	7.0	999.9	-0.9	B	-10.1	0.0	RB	1
78	10	26	24	8.0	238	7.5	216	8.5	999.9	-0.7	D	-9.6	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				* 10 METER *		60 METER		TEMPERATURE							
				WIND SPEED	WIND DIR	WIND SPEED	WIND DIR	10 M TEMP	60 M TEMP	DELTA T 60-10		DEW POINT	SOLAR RAD		
YR	MN	DY	HR	MPH	DEG	MPH	DEG	(C)	(C)	(C)	SC	(C)	LY/MIN		
78	10	27	1	2.5	324	4.5	351	6.5	999.9	-1.0	A	-9.0	0.0	RB	1
78	10	27	2	2.5	281	3.0	275	7.0	999.9	-0.7	D	-9.0	0.0	RB	1
78	10	27	3	3.0	308	5.0	270	6.0	999.9	-0.8	C	-9.0	0.0	RB	1
78	10	27	4	2.5	297	3.0	45	6.0	999.9	-0.5	D	-9.0	0.0	RB	1
78	10	27	5	2.5	270	2.0	18	5.5	999.9	-0.3	D	-9.0	0.0	RB	1
78	10	27	6	3.0	297	1.0	324	5.0	999.9	-0.6	D	-9.0	0.0	RB	1
78	10	27	7	3.0	227	3.0	200	6.5	999.9	-0.1	E	-9.0	0.06	RB	1
78	10	27	8	3.0	151	3.5	151	7.5	999.9	0.1	E	-8.4	0.28	RB	1
78	10	27	9	4.0	59	3.0	72	7.5	999.9	0.3	E	-7.3	0.56	RB	1
78	10	27	10	3.0	92	3.5	119	10.0	999.9	0.5	E	-7.9	0.76	RB	1
78	10	27	11	6.0	92	7.0	108	12.0	999.9	0.6	E	-8.4	0.92	RB	1
78	10	27	12	5.0	243	6.5	232	13.5	999.9	0.7	E	-11.2	0.92	RB	1
78	10	27	13	7.0	238	8.5	227	14.5	999.9	0.8	F	-11.8	0.92	RB	1
78	10	27	14	7.5	259	9.0	254	14.5	999.9	0.8	F	-10.6	0.80	RB	1
78	10	27	15	9.0	248	10.0	254	14.0	999.9	0.6	E	-10.6	0.60	RB	1
78	10	27	16	7.5	254	8.0	248	13.5	999.9	0.4	E	-11.2	0.36	RB	1
78	10	27	17	2.5	221	3.5	205	12.5	999.9	0.2	E	-12.3	0.06	RB	1
78	10	27	18	6.5	232	7.0	200	11.5	999.9	-0.5	D	-11.2	0.0	RB	1
78	10	27	19	10.0	243	8.5	221	11.0	999.9	-0.8	C	-10.1	0.0	RB	1
78	10	27	20	9.5	243	11.0	232	11.0	999.9	-0.5	D	-10.6	0.0	RB	1
78	10	27	21	999.9	243	10.0	232	10.5	999.9	-0.4	D	-11.8	0.0	RB	1
78	10	27	22	4.0	227	5.0	211	10.0	999.9	-0.4	D	-11.8	0.0	RB	1
78	10	27	23	3.0	292	5.0	270	9.5	999.9	-0.5	D	-12.3	0.0	RB	1
78	10	27	24	3.0	232	5.0	227	9.5	999.9	0.0	E	-11.8	0.0	RB	1
78	10	28	1	2.0	189	4.5	216	8.5	999.9	-0.1	E	-11.2	0.0	RB	1
78	10	28	2	5.0	232	7.5	243	8.5	999.9	-0.2	E	-11.2	0.0	RB	1
78	10	28	3	5.0	200	6.0	227	8.0	999.9	-0.1	E	-11.2	0.0	RB	1
78	10	28	4	2.0	162	3.5	184	8.0	999.9	-0.1	E	-11.8	0.0	RB	1
78	10	28	5	2.5	189	4.0	211	7.5	999.9	-0.2	E	-12.3	0.0	RB	1
78	10	28	6	4.0	216	4.5	216	7.5	999.9	-0.3	D	-12.3	0.0	RB	1
78	10	28	7	3.0	232	3.0	216	8.5	999.9	0.0	E	-12.9	0.04	RB	1
78	10	28	8	3.0	173	4.0	194	9.5	999.9	0.3	E	-11.8	0.28	RB	1
78	10	28	9	5.0	162	7.0	205	11.0	999.9	0.6	E	-11.8	0.56	RB	1
78	10	28	10	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	28	11	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	28	12	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	28	13	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	28	14	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	28	15	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	28	16	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	28	17	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	28	18	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	28	19	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	28	20	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	28	21	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	28	22	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	28	23	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	10	28	24	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE						
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN	
78	10	29	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	29	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	29	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	29	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	29	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	29	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	29	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	29	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	29	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	29	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	29	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	29	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	29	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	29	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	29	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	29	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	29	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	29	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	29	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	29	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	29	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	29	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	29	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	29	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	30	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE						
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN	
78	10	31	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	31	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	31	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	31	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	31	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	31	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	31	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	31	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	31	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	31	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	31	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	31	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	31	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	31	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	31	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	31	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	31	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	31	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	31	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	31	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	31	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	31	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	31	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	10	31	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	1	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY TOWER 1

				10 METER		60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	11	2	1	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	2	2	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	2	3	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	2	4	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	2	5	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	2	6	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	2	7	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	2	8	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	2	9	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	2	10	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	2	11	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	2	12	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	2	13	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	2	14	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	2	15	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	2	16	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	2	17	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	2	18	12.1	250	10.4	254	11.6	11.9	0.3	E	-2.9	0.01	RB	1
78	11	2	19	12.1	257	16.1	255	9.6	9.6	0.0	E	-0.2	0.0	RB	1
78	11	2	20	18.1	269	24.2	269	6.7	6.3	-0.4	D	1.4	0.01	RB	1
78	11	2	21	17.7	264	24.3	264	5.4	4.9	-0.4	D	1.2	0.01	RB	1
78	11	2	22	12.4	275	17.2	272	4.8	4.5	-0.3	D	1.0	0.0	RB	1
78	11	2	23	4.3	322	6.4	353	4.0	4.1	0.1	E	0.8	0.0	RB	1
78	11	2	24	3.3	309	4.0	38	3.5	3.8	0.3	E	0.6	0.0	RB	1
78	11	3	1	3.7	215	3.1	121	3.4	3.9	0.5	E	0.6	0.0	RB	1
78	11	3	2	2.6	215	2.1	331	4.0	3.9	-0.1	E	0.8	0.0	RB	1
78	11	3	3	3.2	310	2.9	30	3.2	3.3	0.1	E	0.6	0.0	RB	1
78	11	3	4	4.7	275	3.1	310	3.3	3.5	0.2	E	0.7	0.0	RB	1
78	11	3	5	4.4	279	3.6	332	3.6	3.9	0.2	E	999.9	0.0	RB	1
78	11	3	6	4.6	300	5.9	14	3.2	3.9	0.7	E	0.4	0.0	RB	1
78	11	3	7	5.3	304	8.8	352	2.9	3.7	0.8	F	0.4	0.02	RB	1
78	11	3	8	6.2	340	8.8	354	4.3	4.2	-0.1	E	0.2	0.24	RB	1
78	11	3	9	10.1	36	11.1	33	6.4	5.7	-0.7	D	0.3	0.47	RB	1
78	11	3	10	13.9	28	15.9	26	7.7	6.9	-0.8	C	-0.9	0.67	RB	1
78	11	3	11	11.0	45	12.8	43	8.8	7.9	-0.9	B	-0.8	0.81	RB	1
78	11	3	12	12.9	40	15.0	36	10.1	9.1	-1.0	A	-1.2	0.87	RB	1
78	11	3	13	16.8	32	19.5	31	11.9	10.9	-1.0	A	-2.5	0.84	RB	1
78	11	3	14	17.8	26	20.7	25	13.0	12.1	-0.9	B	-4.3	0.72	RB	1
78	11	3	15	15.4	18	18.1	20	14.0	13.3	-0.7	D	-6.0	0.52	RB	1
78	11	3	16	14.4	17	17.1	18	14.0	13.5	-0.5	D	-6.8	0.25	RB	1
78	11	3	17	12.0	356	15.3	1	12.5	12.6	0.1	E	999.9	0.02	RB	1
78	11	3	18	12.9	343	17.6	353	10.9	11.5	0.5	E	-5.7	0.01	RB	1
78	11	3	19	12.8	338	17.1	350	10.5	10.9	0.4	E	-4.8	0.01	RB	1
78	11	3	20	11.5	329	15.8	347	9.3	10.5	1.2	F	-4.8	0.01	RB	1
78	11	3	21	9.5	327	14.7	351	8.2	9.9	1.7	F	-4.5	0.01	RB	1
78	11	3	22	4.3	296	8.3	2	8.0	9.3	1.3	F	-3.9	0.0	RB	1
78	11	3	23	3.3	319	6.0	29	8.1	8.5	0.4	E	-3.7	0.0	RB	1
78	11	3	24	4.5	281	3.8	315	8.3	8.2	-0.1	E	-3.7	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	11	4	1	5.3	294	4.7	332	8.3	8.5	0.1	E	-3.6	0.0	RB	1
78	11	4	2	5.4	294	5.5	333	8.0	8.3	0.3	E	-3.5	0.0	RB	1
78	11	4	3	4.4	281	3.7	312	7.9	7.9	0.1	E	-3.5	0.0	RB	1
78	11	4	4	1.9	242	0.9	153	7.5	7.8	0.3	E	-3.5	0.0	RB	1
78	11	4	5	3.8	253	2.1	218	7.6	7.6	0.0	E	999.9	0.0	RB	1
78	11	4	6	5.3	230	3.7	209	8.0	8.1	0.1	E	-5.0	0.0	RB	1
78	11	4	7	4.0	214	2.2	221	6.9	7.6	0.7	E	-5.0	0.05	RB	1
78	11	4	8	2.9	151	3.5	163	7.0	7.0	0.0	E	-4.2	0.24	RB	1
78	11	4	9	4.9	160	5.5	186	9.8	9.2	-0.6	D	-4.6	0.44	RB	1
78	11	4	10	8.6	225	10.7	225	13.0	12.1	-0.9	B	-7.2	0.72	RB	1
78	11	4	11	9.9	250	11.8	239	13.1	12.2	-0.9	B	-7.3	0.70	RB	1
78	11	4	12	9.4	226	12.1	223	14.2	13.1	-1.1	A	-6.9	0.87	RB	1
78	11	4	13	9.9	240	12.6	237	14.9	13.8	-1.0	A	-7.2	0.84	RB	1
78	11	4	14	11.0	248	13.4	239	14.7	13.9	-0.9	B	-7.3	0.58	RB	1
78	11	4	15	9.5	208	13.1	216	14.6	13.8	-0.9	B	-7.0	0.51	RB	1
78	11	4	16	7.9	209	10.6	216	13.3	12.8	-0.6	D	-5.7	0.24	RB	1
78	11	4	17	5.8	221	11.0	217	11.3	11.2	-0.1	E	-5.3	0.03	RB	1
78	11	4	18	10.0	246	13.2	234	9.9	10.5	0.5	E	999.9	0.01	RB	1
78	11	4	19	9.9	242	14.7	248	10.1	10.4	0.3	E	-5.5	0.01	RB	1
78	11	4	20	5.2	209	7.4	212	10.1	9.9	-0.2	E	-5.4	0.01	RB	1
78	11	4	21	4.5	152	5.9	155	9.6	9.3	-0.3	D	-5.4	0.01	RB	1
78	11	4	22	3.9	124	4.0	142	9.2	9.0	-0.2	E	-5.6	0.01	RB	1
78	11	4	23	6.5	251	8.7	262	8.6	8.5	-0.2	E	-6.4	0.01	RB	1
78	11	4	24	8.3	253	11.8	260	8.3	8.1	-0.2	E	-7.7	0.01	RB	1
78	11	5	1	8.1	248	10.8	251	7.7	7.5	-0.3	D	-8.6	0.01	RB	1
78	11	5	2	5.9	301	8.2	286	6.8	6.7	-0.1	E	-8.3	0.01	RB	1
78	11	5	3	4.7	46	5.4	18	6.1	6.2	0.1	E	-7.8	0.0	RB	1
78	11	5	4	4.5	220	5.3	227	6.0	5.8	-0.2	E	-6.5	0.0	RB	1
78	11	5	5	3.5	320	3.8	304	5.7	5.6	0.0	E	-6.3	0.01	RB	1
78	11	5	6	4.1	231	5.0	230	5.3	5.2	-0.1	E	999.9	0.0	RB	1
78	11	5	7	2.8	235	2.5	167	4.7	4.6	0.0	E	-6.1	0.01	RB	1
78	11	5	8	4.5	333	4.9	340	5.0	4.8	-0.2	E	-6.0	0.20	RB	1
78	11	5	9	4.9	115	5.3	126	6.1	5.5	-0.6	D	-6.0	0.47	RB	1
78	11	5	10	8.0	263	9.3	254	7.2	6.3	-0.9	B	-7.0	0.68	RB	1
78	11	5	11	9.5	252	11.6	248	7.8	6.9	-0.9	B	-7.5	0.81	RB	1
78	11	5	12	13.0	274	16.0	267	8.9	7.8	-1.0	A	-8.1	0.84	RB	1
78	11	5	13	17.5	279	21.8	276	9.0	7.8	-1.2	A	-8.2	0.84	RB	1
78	11	5	14	18.2	271	22.3	267	8.9	7.8	-1.1	A	-8.7	0.71	RB	1
78	11	5	15	17.8	268	22.0	265	8.6	7.7	-0.8	C	-8.7	0.50	RB	1
78	11	5	16	12.5	289	16.0	286	7.9	7.3	-0.6	D	-8.8	0.23	RB	1
78	11	5	17	7.9	294	11.8	305	6.0	6.6	0.6	E	-8.9	0.02	RB	1
78	11	5	18	6.7	289	8.5	326	4.7	5.9	1.2	F	999.9	0.01	RB	1
78	11	5	19	4.2	324	6.6	14	4.0	4.3	0.3	E	-7.9	0.0	RB	1
78	11	5	20	2.4	349	4.8	41	3.2	3.3	0.1	E	-10.6	0.0	RB	1
78	11	5	21	2.7	337	5.9	34	2.4	2.6	0.2	E	-12.8	0.0	RB	1
78	11	5	22	1.2	283	3.6	58	2.5	2.5	0.0	E	-13.9	0.0	RB	1
78	11	5	23	2.7	22	5.9	48	2.1	2.1	0.0	E	-13.9	0.0	RB	1
78	11	5	24	2.6	359	5.0	43	1.6	1.6	0.0	E	-13.8	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBUSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	STBC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	11	6	1	4.7	312	5.8	4	0.6	0.9	0.3	E	-13.9	0.0	RB	1
78	11	6	2	3.5	309	4.5	19	0.4	0.5	0.1	E	-13.9	0.0	RB	1
78	11	6	3	3.3	296	3.5	42	-0.1	0.0	0.2	E	-14.0	0.0	RB	1
78	11	6	4	4.6	299	4.5	15	-0.7	-0.3	0.4	E	-13.9	0.0	RB	1
78	11	6	5	3.5	288	1.7	41	-0.6	-0.5	0.1	E	-13.9	0.0	RB	1
78	11	6	6	2.8	234	1.1	165	-0.4	-0.6	-0.1	E	-13.8	0.0	RB	1
78	11	6	7	4.8	236	1.2	218	-0.1	-0.3	-0.2	E	999.9	0.02	RB	1
78	11	6	8	4.2	195	3.6	184	0.6	0.2	-0.4	D	-13.8	0.23	RB	1
78	11	6	9	4.4	171	4.8	171	1.7	1.0	-0.6	D	-13.9	0.35	RB	1
78	11	6	10	3.6	119	3.3	137	3.2	2.6	-0.6	D	-14.3	0.65	RB	1
78	11	6	11	6.6	287	7.1	233	5.0	4.2	-0.8	C	-13.8	0.79	RB	1
78	11	6	12	7.5	261	8.5	254	6.1	5.2	-0.9	B	-13.1	0.85	RB	1
78	11	6	13	7.3	268	8.9	254	7.2	6.3	-1.0	A	-13.0	0.80	RB	1
78	11	6	14	7.9	239	9.0	234	7.7	6.8	-0.9	B	-12.9	0.65	RB	1
78	11	6	15	8.2	278	9.4	271	7.5	6.8	-0.8	C	-12.6	0.40	RB	1
78	11	6	16	6.6	286	8.3	281	6.7	6.2	-0.5	D	-13.0	0.14	RB	1
78	11	6	17	6.4	235	9.7	250	5.7	5.8	0.0	E	-15.0	0.03	RB	1
78	11	6	18	9.7	247	13.1	252	5.1	5.7	0.5	E	-14.3	0.0	RB	1
78	11	6	19	8.3	254	13.3	261	4.8	5.5	0.7	E	999.9	0.0	RB	1
78	11	6	20	9.4	252	10.7	272	5.0	5.9	0.9	F	-13.1	0.0	RB	1
78	11	6	21	7.2	283	8.9	299	4.3	5.6	1.2	F	-13.2	0.0	RB	1
78	11	6	22	4.0	315	4.3	6	2.9	3.6	0.7	E	-13.3	0.0	RB	1
78	11	6	23	3.3	308	4.0	31	3.5	3.7	0.2	E	-13.1	0.0	RB	1
78	11	6	24	3.8	278	2.2	19	3.4	3.5	0.1	E	-12.6	0.0	RB	1
78	11	7	1	3.3	259	1.3	272	3.3	3.3	0.0	E	-12.6	0.0	RB	1
78	11	7	2	4.2	210	5.8	176	2.4	2.6	0.2	E	-12.8	0.0	RB	1
78	11	7	3	4.1	211	4.6	165	2.3	2.5	0.2	E	-12.2	0.0	RB	1
78	11	7	4	5.3	227	4.5	186	2.3	2.5	0.2	E	-11.1	0.0	RB	1
78	11	7	5	4.0	224	3.7	179	2.3	2.6	0.3	E	-10.0	0.0	RB	1
78	11	7	6	4.2	243	1.7	215	3.1	2.9	-0.2	E	-9.6	0.0	RB	1
78	11	7	7	4.8	221	5.0	190	2.6	2.8	0.2	E	999.9	0.02	RB	1
78	11	7	8	4.4	218	5.1	204	4.0	3.6	-0.4	D	-9.0	0.21	RB	1
78	11	7	9	5.2	145	5.6	150	6.1	5.5	-0.6	D	-9.9	0.48	RB	1
78	11	7	10	5.7	92	6.4	104	7.2	6.5	-0.7	D	-9.9	0.64	RB	1
78	11	7	11	7.0	101	7.8	99	8.4	7.7	-0.7	D	-9.8	0.79	RB	1
78	11	7	12	5.5	98	6.1	108	10.1	9.4	-0.7	D	-9.0	0.84	RB	1
78	11	7	13	4.6	83	5.0	84	11.6	11.0	-0.6	D	-8.2	0.80	RB	1
78	11	7	14	5.6	70	6.5	65	12.1	11.4	-0.7	D	-8.1	0.62	RB	1
78	11	7	15	4.8	55	5.2	55	12.2	11.6	-0.6	D	-8.2	0.36	RB	1
78	11	7	16	3.9	104	4.4	104	12.0	11.5	-0.5	D	-8.2	0.21	RB	1
78	11	7	17	7.0	215	6.0	195	10.4	10.5	0.1	E	-8.7	0.02	RB	1
78	11	7	18	9.1	248	9.1	219	10.1	10.8	0.7	E	-8.3	0.0	RB	1
78	11	7	19	10.8	248	11.7	229	10.9	11.8	0.8	F	-7.8	0.0	RB	1
78	11	7	20	8.0	255	8.2	249	10.7	10.8	0.1	E	999.9	0.01	RB	1
78	11	7	21	4.6	281	2.8	294	9.2	9.5	0.4	E	-8.3	0.01	RB	1
78	11	7	22	2.8	343	2.4	135	7.1	7.7	0.6	E	-8.6	0.01	RB	1
78	11	7	23	3.8	253	2.5	207	6.1	7.1	1.0	F	-8.7	0.01	RB	1
78	11	7	24	2.4	259	2.2	244	7.3	8.0	0.7	E	-8.4	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	11	8	1	3.4	201	5.4	170	7.6	8.5	0.9	F	-8.5	0.0	RB	1
78	11	8	2	4.4	244	7.3	231	8.2	8.7	0.5	E	-8.4	0.0	RB	1
78	11	8	3	4.6	152	7.5	318	7.3	8.1	0.7	E	-8.7	0.01	RB	1
78	11	8	4	2.2	28	2.3	330	7.4	8.5	1.1	F	-9.6	0.01	RB	1
78	11	8	5	2.9	197	3.1	160	7.3	8.8	1.5	F	-10.8	0.0	RB	1
78	11	8	6	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	8	7	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	8	8	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	8	9	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	8	10	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	8	11	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	8	12	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	8	13	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	8	14	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	8	15	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	8	16	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	8	17	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	8	18	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	8	19	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	8	20	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	8	21	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	8	22	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	8	23	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	8	24	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	1	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	2	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	3	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	4	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	5	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	6	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	7	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	8	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	9	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	10	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	11	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	12	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	13	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	14	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	15	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	16	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	17	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	18	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	19	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	20	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	21	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	22	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	23	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	9	24	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE						
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN	
78	11	10	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	10	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	10	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	10	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	10	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	10	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	10	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	10	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	10	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	10	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	10	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	10	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	10	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	10	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	10	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	10	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	10	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	10	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	10	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	10	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	10	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	10	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	10	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	10	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	11	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	11	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	11	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	11	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	11	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	11	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	11	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	11	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	11	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	11	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	11	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	11	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	11	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	11	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	11	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	11	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
78	11	11	17	1.4	72	2.8	7	-2.9	-1.5	1.4	F	-2.5	0.01	RB 1
78	11	11	18	2.5	44	2.5	37	-3.8	-3.5	0.3	E	-3.5	0.01	RB 1
78	11	11	19	3.0	187	6.8	190	-1.4	-0.3	1.1	F	-1.5	0.0	RB 1
78	11	11	20	2.1	122	9.2	178	1.0	1.9	0.9	F	0.7	0.01	RB 1
78	11	11	21	1.7	331	7.7	165	0.8	1.3	1.4	F	0.3	0.01	RB 1
78	11	11	22	4.2	184	9.2	199	0.4	0.4	0.1	E	0.6	0.01	RB 1
78	11	11	23	3.7	118	5.8	138	0.1	0.0	-0.1	E	999.9	0.01	RB 1
78	11	11	24	1.0	76	2.8	127	-0.1	0.1	0.2	E	0.4	0.01	RB 1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				10 METER		60 METER		TEMPERATURE							
				WIND	WIND	WIND	WIND	10 M	60 M	DELTA T		DEW	SOLAR		
				SPEED	DIR	SPEED	DIR	TEMP	TEMP	60-10		POINT	RAD		
YR	MN	DY	HR	MPH	DEG	MPH	DEG	(C)	(C)	(C)	SC	(C)	LY/MIN		
78	11	12	1	0.8	125	5.7	137	0.2	0.6	0.4	E	0.5	0.01	RB	1
78	11	12	2	0.9	67	5.2	161	0.2	0.7	0.4	E	0.5	0.01	RB	1
78	11	12	3	0.9	46	3.5	158	0.2	0.4	0.2	E	0.6	0.01	RB	1
78	11	12	4	7.3	199	13.6	204	0.3	0.3	-0.1	E	0.5	0.01	RB	1
78	11	12	5	13.2	199	22.6	208	1.0	0.9	-0.1	E	0.2	0.0	RB	1
78	11	12	6	11.1	218	18.7	222	1.0	0.8	-0.2	E	0.0	0.0	RB	1
78	11	12	7	12.6	247	19.0	248	-0.2	-0.5	-0.3	D	-0.5	0.01	RB	1
78	11	12	8	9.4	235	14.6	241	-1.4	-1.8	-0.4	D	-1.7	0.03	RB	1
78	11	12	9	8.8	197	14.2	209	-0.6	-0.8	-0.2	E	-2.6	0.12	RB	1
78	11	12	10	13.8	186	20.0	193	-0.3	-0.3	0.0	E	-3.0	0.18	RB	1
78	11	12	11	13.4	199	20.7	208	0.0	-0.2	-0.3	D	999.9	0.59	RB	1
78	11	12	12	12.6	203	20.1	211	-1.2	-1.7	-0.5	D	-2.5	0.20	RB	1
78	11	12	13	12.5	199	19.5	212	-0.7	-1.1	-0.4	D	-3.0	0.56	RB	1
78	11	12	14	10.0	228	16.0	220	-0.7	-1.2	-0.5	D	-3.9	0.35	RB	1
78	11	12	15	9.7	229	15.1	225	-1.4	-1.8	-0.5	D	-3.6	0.21	RB	1
78	11	12	16	14.3	244	22.6	238	-2.8	-3.3	-0.5	D	-3.8	0.05	RB	1
78	11	12	17	13.3	249	17.9	251	-3.1	-3.6	-0.5	D	-4.4	0.01	RB	1
78	11	12	18	7.3	233	10.7	243	-3.7	-4.1	-0.4	D	-4.3	0.0	RB	1
78	11	12	19	10.9	255	14.8	256	-4.1	-4.5	-0.4	D	-4.5	0.0	RB	1
78	11	12	20	9.3	242	13.6	242	-4.2	-4.6	-0.4	D	-5.2	0.0	RB	1
78	11	12	21	11.1	238	17.1	234	-4.4	-4.6	-0.2	E	-7.1	0.0	RB	1
78	11	12	22	11.3	239	18.7	229	-4.5	-4.7	-0.2	E	-8.4	0.0	RB	1
78	11	12	23	5.9	230	13.0	222	-5.5	-5.6	0.0	E	-8.7	0.0	RB	1
78	11	12	24	7.6	214	16.5	219	-5.6	-5.6	0.0	E	999.9	0.0	RB	1
78	11	13	1	6.6	212	13.8	222	-5.8	-5.7	0.0	E	-8.7	0.0	RB	1
78	11	13	2	8.2	217	16.3	215	-5.8	-5.7	0.0	E	-8.4	0.0	RB	1
78	11	13	3	7.3	233	15.7	221	-5.9	-6.0	-0.1	E	-8.7	0.0	RB	1
78	11	13	4	7.8	228	17.3	222	-5.8	-5.9	-0.1	E	-9.0	0.0	RB	1
78	11	13	5	8.8	238	17.3	226	-5.8	-6.0	-0.1	E	-9.6	0.0	RB	1
78	11	13	6	4.9	124	7.2	161	-6.4	-6.4	0.0	E	-9.6	0.0	RB	1
78	11	13	7	3.6	147	5.8	162	-6.2	-6.3	-0.1	E	-8.8	0.02	RB	1
78	11	13	8	1.9	250	4.3	201	-5.5	-5.7	-0.2	E	-8.3	0.15	RB	1
78	11	13	9	3.8	183	5.6	178	-4.4	-4.9	-0.5	D	-7.4	0.29	RB	1
78	11	13	10	7.0	193	10.0	203	-4.0	-4.6	-0.6	D	-6.9	0.35	RB	1
78	11	13	11	8.1	191	11.1	204	-3.5	-4.2	-0.6	D	-7.0	0.44	RB	1
78	11	13	12	7.1	192	9.3	208	-3.1	-3.7	-0.6	D	999.9	0.47	RB	1
78	11	13	13	6.6	212	9.3	216	-2.0	-2.8	-0.8	C	-6.8	0.84	RB	1
78	11	13	14	8.0	195	10.5	211	-2.3	-3.0	-0.8	C	-7.1	0.68	RB	1
78	11	13	15	4.6	205	6.2	214	-2.9	-3.4	-0.5	D	-6.9	0.32	RB	1
78	11	13	16	3.4	193	5.2	195	-3.6	-4.0	-0.4	D	-7.4	0.13	RB	1
78	11	13	17	4.5	216	5.8	211	-4.3	-4.5	-0.3	D	-7.9	0.02	RB	1
78	11	13	18	4.3	265	5.3	184	-5.3	-5.0	0.3	E	-8.4	0.0	RB	1
78	11	13	19	3.0	270	1.9	166	-5.2	-4.9	0.3	E	-8.4	0.0	RB	1
78	11	13	20	2.9	230	2.8	197	-5.3	-4.8	0.5	E	-8.3	0.0	RB	1
78	11	13	21	2.0	293	2.2	74	-5.1	-4.9	0.1	E	-8.3	0.0	RB	1
78	11	13	22	2.8	293	2.0	322	-5.5	-5.7	-0.1	E	-7.7	0.0	RB	1
78	11	13	23	3.5	293	2.4	313	-5.9	-5.9	0.0	E	-6.8	0.0	RB	1
78	11	13	24	3.3	227	2.1	256	-6.2	-6.1	0.1	E	999.9	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER - WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	11	14	1	4.0	240	2.5	203	-5.9	-5.9	-0.1	E	-6.8	0.0	RB	1
78	11	14	2	3.5	280	2.3	299	-5.5	-5.6	-0.1	E	-7.1	0.0	RB	1
78	11	14	3	2.4	277	2.2	57	-5.7	-5.6	0.1	E	-7.4	0.0	RB	1
78	11	14	4	2.6	215	3.2	163	-6.3	-6.2	0.1	E	-7.5	0.0	RB	1
78	11	14	5	3.1	288	2.4	282	-6.3	-6.4	-0.1	E	-7.3	0.0	RB	1
78	11	14	6	2.3	343	3.6	28	-7.1	-7.2	-0.1	E	-7.7	0.0	RB	1
78	11	14	7	2.0	59	2.5	73	-7.3	-7.4	-0.1	E	-7.2	0.0	RB	1
78	11	14	8	2.1	157	2.1	126	-7.0	-7.2	-0.2	E	-7.0	0.05	RB	1
78	11	14	9	1.6	33	1.4	40	-6.6	-6.7	-0.2	E	-6.4	0.19	RB	1
78	11	14	10	3.0	90	2.5	54	-6.2	-6.3	-0.1	E	-6.4	0.24	RB	1
78	11	14	11	3.0	58	3.0	62	-6.0	-5.9	0.0	E	-6.4	0.29	RB	1
78	11	14	12	3.3	53	3.5	48	-5.9	-5.9	0.0	E	-6.4	0.29	RB	1
78	11	14	13	3.3	84	3.3	56	-5.8	-5.7	0.1	E	-6.5	0.30	RB	1
78	11	14	14	3.8	78	3.8	54	-5.8	-5.8	-0.1	E	-7.1	0.25	RB	1
78	11	14	15	3.0	108	3.1	89	-5.9	-6.0	-0.1	E	-7.0	0.14	RB	1
78	11	14	16	3.7	79	3.4	76	-6.2	-6.4	-0.2	E	-7.2	0.06	RB	1
78	11	14	17	3.4	999	3.5	999	-6.6	-6.1	0.5	E	-7.3	0.01	RB	1
78	11	14	18	2.7	999	3.0	999	-6.8	-6.4	0.4	E	-7.5	0.0	RB	1
78	11	14	19	3.0	83	2.9	81	-7.1	-7.3	-0.2	E	-7.9	0.0	RB	1
78	11	14	20	2.9	86	2.6	70	-7.3	-7.6	-0.2	E	-8.1	0.0	RB	1
78	11	14	21	2.9	3	2.7	9	-7.4	-7.7	-0.3	D	-8.3	0.0	RB	1
78	11	14	22	2.8	49	2.7	52	-7.5	-7.8	-0.3	D	-8.6	0.0	RB	1
78	11	14	23	1.4	27	1.2	33	-7.5	-7.8	-0.3	D	-7.9	0.0	RB	1
78	11	14	24	1.4	300	1.1	5	-7.5	-7.8	-0.3	D	-7.9	0.0	RB	1
78	11	15	1	2.1	285	1.3	333	-7.5	-7.8	-0.3	D	-8.8	0.0	RB	1
78	11	15	2	1.1	3	1.4	23	-7.5	-7.9	-0.4	D	-8.1	0.0	RB	1
78	11	15	3	2.0	70	1.8	86	-7.6	-8.0	-0.3	D	-8.2	0.0	RB	1
78	11	15	4	3.1	144	2.5	134	-7.8	-8.1	-0.3	D	-8.2	0.0	RB	1
78	11	15	5	2.5	30	1.7	295	-8.0	-8.3	-0.3	D	-8.4	0.0	RB	1
78	11	15	6	2.9	71	2.1	84	-8.2	-8.5	-0.3	D	-8.6	0.0	RB	1
78	11	15	7	3.6	253	2.4	241	-8.4	-8.7	-0.2	E	-8.8	0.01	RB	1
78	11	15	8	2.1	296	1.5	29	-8.1	-8.3	-0.2	E	-8.3	0.05	RB	1
78	11	15	9	2.8	136	2.3	143	-7.7	-7.8	-0.1	E	-8.0	0.13	RB	1
78	11	15	10	2.4	113	2.0	137	-7.3	-7.3	0.0	E	-7.5	0.21	RB	1
78	11	15	11	3.1	293	2.1	277	-6.9	-6.7	0.2	E	-7.5	0.28	RB	1
78	11	15	12	999.9	338	999.9	334	-6.5	-6.3	0.2	E	-7.5	0.33	RB	1
78	11	15	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	11	15	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	11	15	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	11	15	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	11	15	17	3.9	70	4.5	62	-7.4	-7.7	-0.3	D	-7.8	0.03	RB	1
78	11	15	18	3.7	53	4.2	53	-7.9	-8.2	-0.3	D	-8.2	0.0	RB	1
78	11	15	19	2.4	5	2.5	16	-8.3	-8.6	-0.3	D	-8.4	0.0	RB	1
78	11	15	20	3.0	305	2.9	315	-8.6	-8.9	-0.3	D	-8.8	0.0	RB	1
78	11	15	21	2.3	313	2.6	309	-8.8	-9.1	-0.3	D	-8.8	0.0	RB	1
78	11	15	22	3.0	243	2.4	215	-9.1	-9.4	-0.3	D	-9.1	0.0	RB	1
78	11	15	23	4.5	317	4.1	313	-9.8	-10.1	-0.3	D	-10.0	0.0	RB	1
78	11	15	24	2.7	254	2.7	274	-10.0	-10.3	-0.3	D	-10.0	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR KBOSC METEOROLOGY TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	11	16	1	2.8	241	2.7	253	-10.0	-10.3	-0.3	D	999.9	0.0	RB	1
78	11	16	2	3.3	276	3.2	278	-10.2	-10.6	-0.3	D	-10.0	0.0	RB	1
78	11	16	3	3.7	324	3.3	306	-10.6	-10.9	-0.3	D	-10.6	0.0	RB	1
78	11	16	4	2.0	339	1.9	230	-10.5	-10.8	-0.3	D	-10.4	0.0	RB	1
78	11	16	5	2.3	347	1.7	340	-10.7	-10.9	-0.3	D	-10.6	0.0	RB	1
78	11	16	6	2.7	243	2.6	222	-10.8	-11.0	-0.3	D	-10.6	0.0	RB	1
78	11	16	7	3.2	256	2.5	235	-11.2	-11.5	-0.3	D	-11.2	0.01	RB	1
78	11	16	8	3.8	278	2.5	222	-11.7	-11.2	0.5	E	-11.9	0.08	RB	1
78	11	16	9	1.6	195	1.4	191	-9.9	-9.9	0.0	E	-10.0	0.20	RB	1
78	11	16	10	1.9	173	1.9	180	-8.4	-8.2	0.2	E	-9.1	0.36	RB	1
78	11	16	11	1.9	192	1.8	166	-7.9	-7.6	0.3	E	-8.7	0.40	RB	1
78	11	16	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	11	16	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	11	16	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	11	16	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	11	16	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	11	16	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	11	16	18	2.2	98	2.1	99	-7.6	-7.9	0.1	E	-8.4	0.0	RB	1
78	11	16	19	1.7	120	2.0	151	-8.4	-8.6	-0.2	E	-8.3	0.0	RB	1
78	11	16	20	2.4	202	2.4	193	-9.4	-9.7	-0.3	D	-9.2	0.0	RB	1
78	11	16	21	3.0	237	3.0	181	-10.6	-10.7	-0.1	E	-10.6	0.0	RB	1
78	11	16	22	2.4	230	2.5	126	-11.7	-11.5	0.1	E	-11.5	0.0	RB	1
78	11	16	23	1.8	222	1.9	194	-12.8	-12.8	0.0	E	-12.9	0.0	RB	1
78	11	16	24	1.4	229	1.3	164	-13.6	-12.7	0.9	F	-14.0	0.0	RB	1
78	11	17	1	1.0	171	0.8	203	-13.6	-12.9	0.7	E	-14.1	0.0	RB	1
78	11	17	2	1.0	287	0.7	111	-13.9	-13.1	0.8	F	999.9	0.0	RB	1
78	11	17	3	1.0	332	0.7	21	-14.3	-13.3	1.1	F	-14.8	0.0	RB	1
78	11	17	4	1.1	290	0.7	37	-14.1	-13.8	0.3	E	-14.3	0.0	RB	1
78	11	17	5	0.8	16	0.9	259	-14.5	-13.1	1.3	F	-14.6	0.0	RB	1
78	11	17	6	0.9	101	1.7	261	-12.6	-10.9	1.7	F	-12.6	0.0	RB	1
78	11	17	7	0.9	83	1.3	42	-12.9	-11.9	1.0	F	-13.0	0.01	RB	1
78	11	17	8	1.0	82	1.6	227	-12.4	-10.1	2.4	G	-12.3	0.18	RB	1
78	11	17	9	2.7	307	4.5	246	-8.8	-7.3	1.5	F	-9.1	0.44	RB	1
78	11	17	10	2.2	85	2.1	160	-7.3	-6.7	0.6	E	-8.8	0.54	RB	1
78	11	17	11	1.7	73	1.5	118	-6.6	-6.0	0.5	E	-8.2	0.51	RB	1
78	11	17	12	2.3	58	1.8	81	-5.4	-4.5	1.0	F	-7.4	0.58	RB	1
78	11	17	13	2.0	52	1.7	47	-5.0	-4.4	0.6	E	-6.8	0.48	RB	1
78	11	17	14	1.5	115	1.7	86	-4.2	-3.7	0.5	E	-6.2	0.65	RB	1
78	11	17	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	11	17	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	11	17	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
78	11	17	18	1.0	123	2.0	162	999.9	999.9	999.9	-	-8.2	0.0	RB	1
78	11	17	19	2.5	190	4.7	192	999.9	999.9	999.9	-	-7.9	0.0	RB	1
78	11	17	20	3.5	214	6.5	218	999.9	999.9	999.9	-	-7.8	0.0	RB	1
78	11	17	21	3.9	320	6.9	221	999.9	999.9	999.9	-	-8.0	0.0	RB	1
78	11	17	22	2.2	310	2.0	115	999.9	999.9	999.9	-	-9.6	0.0	RB	1
78	11	17	23	2.2	27	4.3	231	999.9	999.9	999.9	-	-9.2	0.0	RB	1
78	11	17	24	2.7	144	7.7	220	999.9	999.9	999.9	-	-8.9	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	11	18	1	4.0	188	6.1	250	999.9	999.9	999.9	=	999.9	0.01	RB	1
78	11	18	2	1.6	350	3.2	224	999.9	999.9	999.9	=	-10.2	0.0	RB	1
78	11	18	3	1.6	30	1.8	219	999.9	999.9	999.9	=	-9.3	0.0	RB	1
78	11	18	4	2.2	163	3.5	186	999.9	999.9	999.9	=	-8.7	0.0	RB	1
78	11	18	5	2.6	312	2.8	233	999.9	999.9	999.9	=	-8.8	0.0	RB	1
78	11	18	6	2.1	54	1.9	33	999.9	999.9	999.9	=	-9.9	0.0	RB	1
78	11	18	7	2.4	187	1.7	234	999.9	999.9	999.9	=	-10.5	0.04	RB	1
78	11	18	8	2.0	356	1.6	115	999.9	999.9	999.9	=	-9.1	0.26	RB	1
78	11	18	9	1.7	149	2.5	196	999.9	999.9	999.9	=	-7.9	0.42	RB	1
78	11	18	10	1.4	64	2.5	182	999.9	999.9	999.9	=	-6.3	0.55	RB	1
78	11	18	11	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	18	12	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	18	13	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	18	14	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	18	15	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	18	16	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	18	17	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	18	18	3.2	234	4.7	201	999.9	999.9	999.9	=	-5.7	0.01	RB	1
78	11	18	19	4.4	221	8.9	204	999.9	999.9	999.9	=	-8.3	0.0	RB	1
78	11	18	20	2.1	178	6.6	188	999.9	999.9	999.9	=	-10.1	0.0	RB	1
78	11	18	21	2.3	143	4.1	174	999.9	999.9	999.9	=	-8.9	0.0	RB	1
78	11	18	22	2.1	343	5.4	212	999.9	999.9	999.9	=	-9.6	0.0	RB	1
78	11	18	23	5.2	235	13.6	213	999.9	999.9	999.9	=	-8.9	0.0	RB	1
78	11	18	24	6.7	232	13.4	214	999.9	999.9	999.9	=	-8.2	0.0	RB	1
78	11	19	1	7.0	221	10.9	213	999.9	999.9	999.9	=	-7.4	0.0	RB	1
78	11	19	2	3.9	194	8.3	200	999.9	999.9	999.9	=	-7.4	0.0	RB	1
78	11	19	3	3.9	169	6.6	170	999.9	999.9	999.9	=	999.9	0.0	RB	1
78	11	19	4	3.6	187	5.7	167	999.9	999.9	999.9	=	-7.8	0.0	RB	1
78	11	19	5	3.6	169	6.0	153	999.9	999.9	999.9	=	-8.0	0.0	RB	1
78	11	19	6	2.8	154	3.9	161	999.9	999.9	999.9	=	-8.2	0.0	RB	1
78	11	19	7	2.7	253	3.9	125	999.9	999.9	999.9	=	-8.3	0.01	RB	1
78	11	19	8	4.2	169	6.7	160	999.9	999.9	999.9	=	-7.9	0.15	RB	1
78	11	19	9	2.5	151	3.5	152	999.9	999.9	999.9	=	-7.1	0.37	RB	1
78	11	19	10	2.9	72	3.0	123	999.9	999.9	999.9	=	-6.0	0.51	RB	1
78	11	19	11	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	19	12	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	19	13	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	19	14	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	19	15	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	19	16	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	19	17	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	11	19	18	3.3	184	5.9	169	999.9	999.9	999.9	=	-6.9	0.0	RB	1
78	11	19	19	3.2	210	4.9	173	999.9	999.9	999.9	=	-6.9	0.0	RB	1
78	11	19	20	2.7	249	3.3	174	999.9	999.9	999.9	=	-6.8	0.0	RB	1
78	11	19	21	3.2	200	4.5	175	999.9	999.9	999.9	=	-6.8	0.0	RB	1
78	11	19	22	3.6	205	4.5	188	999.9	999.9	999.9	=	-6.5	0.0	RB	1
78	11	19	23	4.1	176	6.6	170	999.9	999.9	999.9	=	-6.5	0.0	RB	1
78	11	19	24	3.0	192	5.1	172	999.9	999.9	999.9	=	-6.6	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	11	20	1	2.1	191	3.1	160	999.9	999.9	999.9	-	-7.0	0.0	RB	1
78	11	20	2	1.7	239	2.4	170	999.9	999.9	999.9	-	-7.7	0.0	RB	1
78	11	20	3	2.6	153	4.1	163	999.9	999.9	999.9	-	999.9	0.0	RB	1
78	11	20	4	1.6	248	2.6	154	999.9	999.9	999.9	-	-6.5	0.0	RB	1
78	11	20	5	2.1	251	3.1	159	999.9	999.9	999.9	-	-7.3	0.0	RB	1
78	11	20	6	3.1	175	4.7	158	999.9	999.9	999.9	-	-7.4	0.0	RB	1
78	11	20	7	2.9	271	2.8	49	999.9	999.9	999.9	-	-7.5	0.01	RB	1
78	11	20	8	1.8	325	1.8	39	999.9	999.9	999.9	-	-7.3	0.14	RB	1
78	11	20	9	2.4	111	3.4	153	999.9	999.9	999.9	-	-6.9	0.37	RB	1
78	11	20	10	3.0	127	3.6	139	999.9	999.9	999.9	-	-6.2	0.58	RB	1
78	11	20	11	6.4	191	9.0	204	999.9	999.9	999.9	-	-5.5	0.71	RB	1
78	11	20	12	7.4	206	9.3	212	999.9	999.9	999.9	-	-5.3	0.76	RB	1
78	11	20	13	8.8	198	13.8	210	999.9	999.9	999.9	-	-5.4	0.71	RB	1
78	11	20	14	9.4	197	14.1	207	999.9	999.9	999.9	-	-5.7	0.61	RB	1
78	11	20	15	7.7	200	11.8	211	999.9	999.9	999.9	-	-6.0	0.42	RB	1
78	11	20	16	4.6	193	6.4	243	999.9	999.9	999.9	-	999.9	0.14	RB	1
78	11	20	17	3.9	217	6.1	198	999.9	999.9	999.9	-	-5.7	0.01	RB	1
78	11	20	18	3.2	178	5.5	163	999.9	999.9	999.9	-	-6.8	0.01	RB	1
78	11	20	19	2.8	185	4.9	167	2.7	3.1	0.4	E	-6.6	0.0	RB	1
78	11	20	20	3.7	213	5.5	182	2.8	3.1	0.3	E	-6.8	0.0	RB	1
78	11	20	21	2.7	174	3.6	194	1.4	3.0	1.6	F	-6.5	0.0	RB	1
78	11	20	22	1.6	34	2.8	222	1.0	2.0	1.1	F	-6.5	0.0	RB	1
78	11	20	23	2.5	166	3.5	207	1.3	2.2	0.9	F	-6.9	0.0	RB	1
78	11	20	24	2.4	221	5.0	154	1.4	1.6	0.3	E	-6.6	0.0	RB	1
78	11	21	1	2.4	206	5.4	151	1.0	1.5	0.6	E	-6.3	0.0	RB	1
78	11	21	2	3.4	167	5.9	166	1.4	2.0	0.6	E	-6.3	0.0	RB	1
78	11	21	3	3.3	173	4.5	161	1.4	2.0	0.7	E	-6.6	0.0	RB	1
78	11	21	4	2.0	323	2.0	145	0.8	1.6	0.8	F	999.9	0.0	RB	1
78	11	21	5	2.2	332	1.6	23	0.4	0.7	0.3	E	-7.0	0.0	RB	1
78	11	21	6	2.9	317	3.2	17	-0.6	0.1	0.6	E	-7.0	0.0	RB	1
78	11	21	7	2.4	282	3.1	89	-0.2	0.0	0.2	E	-7.0	0.01	RB	1
78	11	21	8	3.2	217	3.9	161	0.5	1.3	0.8	F	-7.0	0.08	RB	1
78	11	21	9	2.5	231	4.6	178	1.7	1.7	0.0	E	-6.4	0.22	RB	1
78	11	21	10	4.2	152	6.0	153	4.1	3.7	-0.5	D	-5.7	0.50	RB	1
78	11	21	11	7.6	167	9.2	169	5.8	5.1	-0.7	D	-5.9	0.67	RB	1
78	11	21	12	8.9	180	11.3	188	6.4	5.6	-0.8	C	-5.9	0.77	RB	1
78	11	21	13	9.1	183	11.3	198	6.5	5.8	-0.7	D	-5.6	0.74	RB	1
78	11	21	14	8.5	192	12.7	200	6.7	5.9	-0.8	C	-5.6	0.62	RB	1
78	11	21	15	7.9	193	11.6	200	6.5	5.9	-0.6	D	-5.9	0.43	RB	1
78	11	21	16	8.4	198	14.6	206	5.5	5.5	0.0	E	999.9	0.16	RB	1
78	11	21	17	6.9	206	14.0	203	4.4	4.8	0.5	E	-6.3	0.01	RB	1
78	11	21	18	5.8	217	14.1	199	3.7	4.5	0.8	F	-6.5	0.0	RB	1
78	11	21	19	4.9	233	15.7	204	3.2	4.1	0.9	F	-6.8	0.0	RB	1
78	11	21	20	5.5	222	16.0	203	2.9	3.9	1.0	F	-7.1	0.0	RB	1
78	11	21	21	6.8	219	17.0	199	3.2	4.1	0.9	F	-7.3	0.0	RB	1
78	11	21	22	6.3	212	14.2	190	3.1	4.3	1.2	F	-6.5	0.0	RB	1
78	11	21	23	6.9	213	15.3	200	4.1	4.7	0.6	E	-5.6	0.0	RB	1
78	11	21	24	8.5	203	16.1	202	4.3	4.5	0.3	E	-4.6	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RADSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	11	22	1	8.5	207	16.5	204	3.5	3.8	0.3	E	-3.6	0.0	RB	1
78	11	22	2	8.6	202	16.1	201	2.9	3.4	0.5	E	-3.5	0.0	RB	1
78	11	22	3	10.9	201	19.4	202	2.5	2.7	0.2	E	-3.6	0.0	RB	1
78	11	22	4	13.2	202	23.1	208	2.1	2.1	0.0	E	999.9	0.0	RB	1
78	11	22	5	9.5	216	18.7	221	1.5	1.4	-0.1	E	-4.2	0.0	RB	1
78	11	22	6	8.4	226	16.5	218	0.9	0.8	-0.1	E	-5.6	0.0	RB	1
78	11	22	7	11.4	215	22.4	215	0.7	0.6	-0.2	E	-5.6	0.01	RB	1
78	11	22	8	13.8	214	23.6	212	0.6	0.3	-0.4	D	-4.6	0.10	RB	1
78	11	22	9	12.1	218	22.0	218	0.6	0.0	-0.6	D	-3.2	0.37	RB	1
78	11	22	10	12.2	222	20.3	219	1.9	1.1	-0.8	C	-4.1	0.64	RB	1
78	11	22	11	13.6	209	22.8	217	1.8	1.2	-0.6	D	-5.5	0.52	RB	1
78	11	22	12	11.5	263	15.0	253	0.7	0.2	-0.5	D	-5.3	0.24	RB	1
78	11	22	13	10.8	266	13.8	264	0.3	-0.2	-0.5	D	-5.1	0.20	RB	1
78	11	22	14	14.0	275	18.5	273	0.4	0.0	-0.4	D	-6.9	0.24	RB	1
78	11	22	15	13.5	260	17.5	259	0.7	0.4	-0.3	D	-7.9	0.26	RB	1
78	11	22	16	12.1	255	15.7	255	0.5	0.3	-0.2	E	-8.1	0.12	RB	1
78	11	22	17	11.0	254	15.8	260	-0.4	-0.2	0.1	E	999.9	0.01	RB	1
78	11	22	18	11.9	263	16.9	271	-0.9	-0.4	0.5	E	-8.4	0.0	RB	1
78	11	22	19	11.2	264	16.0	270	-1.1	-0.7	0.4	E	-8.0	0.0	RB	1
78	11	22	20	12.9	262	18.0	271	-1.5	-1.1	0.4	E	-8.6	0.0	RB	1
78	11	22	21	11.4	257	17.0	269	-1.8	-1.4	0.4	E	-9.1	0.0	RB	1
78	11	22	22	11.2	263	16.7	274	-2.1	-1.5	0.7	E	-9.2	0.0	RB	1
78	11	22	23	10.6	257	17.0	265	-2.2	-1.8	0.4	E	-9.5	0.0	RB	1
78	11	22	24	8.6	248	15.0	260	-2.7	-2.1	0.6	E	-9.2	0.0	RB	1
78	11	23	1	8.9	244	15.3	256	-3.1	-2.3	0.8	F	-9.2	0.0	RB	1
78	11	23	2	8.9	245	13.7	252	-3.1	-2.3	0.8	F	-9.6	0.0	RB	1
78	11	23	3	9.2	238	15.1	248	-3.2	-2.5	0.7	E	-10.0	0.0	RB	1
78	11	23	4	8.1	245	14.1	251	-3.5	-3.0	0.5	E	-10.4	0.0	RB	1
78	11	23	5	7.7	241	13.6	253	-4.0	-3.4	0.6	E	999.9	0.0	RB	1
78	11	23	6	2.8	27	6.0	24	-5.0	-4.2	0.8	F	-10.8	0.0	RB	1
78	11	23	7	2.0	207	3.0	136	-4.0	-3.6	0.3	E	-11.0	0.0	RB	1
78	11	23	8	3.6	176	4.7	158	-3.5	-3.2	0.3	E	-10.9	0.12	RB	1
78	11	23	9	4.3	198	5.4	203	-2.0	-2.4	-0.4	D	-10.5	0.36	RB	1
78	11	23	10	5.5	227	6.6	223	-1.1	-1.6	-0.5	D	-9.8	0.57	RB	1
78	11	23	11	6.0	248	7.1	238	-0.3	-0.9	-0.6	D	-10.1	0.71	RB	1
78	11	23	12	7.0	246	8.3	230	0.4	-0.3	-0.7	D	-9.8	0.79	RB	1
78	11	23	13	8.0	273	8.8	262	0.2	-0.5	-0.7	D	-9.9	0.76	RB	1
78	11	23	14	9.1	262	10.7	256	0.2	-0.4	-0.6	D	-10.2	0.60	RB	1
78	11	23	15	8.1	255	9.9	252	0.1	-0.4	-0.5	D	-10.2	0.43	RB	1
78	11	23	16	6.7	252	8.3	252	-0.4	-0.6	-0.3	D	-10.0	0.16	RB	1
78	11	23	17	8.8	270	10.0	272	-1.2	-1.1	0.1	E	999.9	0.01	RB	1
78	11	23	18	7.6	207	9.7	304	-2.1	-1.4	0.8	F	-9.9	0.0	RB	1
78	11	23	19	2.6	252	4.0	115	-3.7	-3.0	0.7	E	-9.9	0.0	RB	1
78	11	23	20	3.5	201	5.4	161	-3.5	-3.0	0.4	E	-9.5	0.0	RB	1
78	11	23	21	3.9	214	4.4	186	-3.0	-2.8	0.2	E	-9.7	0.0	RB	1
78	11	23	22	2.7	201	4.3	182	-3.0	-2.3	0.7	E	-9.9	0.0	RB	1
78	11	23	23	2.9	216	3.5	177	-3.1	-2.5	0.5	E	-9.9	0.0	RB	1
78	11	23	24	2.9	280	4.0	195	-3.3	-2.8	0.5	E	-10.1	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	11	24	1	2.7	223	3.2	161	-3.2	-3.0	0.2	E	-10.1	0.0	RB	1
78	11	24	2	3.5	327	1.7	97	-4.4	-3.6	0.7	E	-10.0	0.0	RB	1
78	11	24	3	2.6	305	1.9	17	-4.0	-3.9	0.1	E	-9.9	0.0	RB	1
78	11	24	4	2.9	266	3.5	324	-4.7	-4.2	0.5	E	-9.8	0.0	RB	1
78	11	24	5	2.3	15	2.0	326	-4.7	-3.8	0.9	F	-9.6	0.0	RB	1
78	11	24	6	2.3	97	2.4	11	-4.9	-4.2	0.6	E	999.9	0.0	RB	1
78	11	24	7	3.0	13	4.2	355	-4.8	-3.9	0.9	F	-9.3	0.0	RB	1
78	11	24	8	4.5	207	4.9	183	-6.2	-5.8	0.4	E	-9.3	0.10	RB	1
78	11	24	9	2.3	303	2.5	295	-3.3	-3.6	-0.2	E	-8.6	0.34	RB	1
78	11	24	10	2.5	71	2.3	33	-1.3	-1.4	-0.1	E	-7.7	0.55	RB	1
78	11	24	11	3.0	67	2.7	48	-0.3	-0.3	-0.1	E	-7.1	0.65	RB	1
78	11	24	12	5.6	82	6.1	94	-0.2	-0.5	-0.4	D	-6.9	0.71	RB	1
78	11	24	13	4.6	87	5.3	79	-0.4	-0.8	-0.5	D	-7.0	0.44	RB	1
78	11	24	14	3.6	84	3.9	67	-0.5	-0.9	-0.4	D	-6.8	0.43	RB	1
78	11	24	15	3.2	89	3.4	83	0.1	-0.3	-0.4	D	-7.0	0.40	RB	1
78	11	24	16	3.1	148	3.1	152	-0.5	-0.8	-0.3	D	-7.3	0.13	RB	1
78	11	24	17	2.1	141	2.1	337	-1.2	-1.1	0.1	E	-7.1	0.02	RB	1
78	11	24	18	2.8	256	1.4	301	-1.7	-1.6	0.1	E	999.9	0.0	RB	1
78	11	24	19	4.1	274	3.4	300	-0.9	-0.8	0.0	E	-7.8	0.0	RB	1
78	11	24	20	3.4	322	5.0	351	-0.6	-0.5	0.1	E	-7.9	0.0	RB	1
78	11	24	21	3.6	51	6.3	32	-3.0	-2.9	0.1	E	-7.0	0.0	RB	1
78	11	24	22	3.1	184	2.9	342	-3.8	-3.6	-0.1	E	-7.2	0.0	RB	1
78	11	24	23	4.8	289	5.3	317	-2.8	-2.7	0.1	E	-7.5	0.0	RB	1
78	11	24	24	3.1	350	4.2	358	-2.2	-2.2	0.0	E	-8.0	0.0	RB	1
78	11	25	1	3.2	176	3.9	323	-3.2	-2.7	0.4	E	-7.4	0.0	RB	1
78	11	25	2	3.8	262	4.9	228	-1.6	-0.7	0.9	F	-7.7	0.0	RB	1
78	11	25	3	3.9	134	4.9	89	-3.0	-3.0	0.0	E	-7.1	0.0	RB	1
78	11	25	4	2.6	168	2.1	160	-5.4	-5.6	-0.2	E	-6.1	0.0	RB	1
78	11	25	5	3.1	201	3.3	210	-5.3	-5.5	-0.1	E	-5.6	0.0	RB	1
78	11	25	6	2.6	199	3.6	224	-5.1	-4.5	0.6	E	999.9	0.0	RB	1
78	11	25	7	2.5	229	3.3	184	-4.4	-3.7	0.7	E	-4.5	0.0	RB	1
78	11	25	8	5.6	227	9.0	215	-1.1	-0.8	0.3	E	-2.0	0.02	RB	1
78	11	25	9	3.8	90	6.3	180	-1.8	-0.8	1.0	F	-2.9	0.06	RB	1
78	11	25	10	3.3	144	6.8	158	-1.1	-0.7	0.4	E	-2.4	0.06	RB	1
78	11	25	11	4.0	127	5.6	151	0.1	-0.2	-0.3	D	-2.0	0.15	RB	1
78	11	25	12	8.5	190	11.3	206	1.9	1.2	-0.8	C	-1.6	0.66	RB	1
78	11	25	13	8.2	207	10.7	210	1.6	0.9	-0.7	D	-1.6	0.59	RB	1
78	11	25	14	5.9	221	8.2	212	1.3	0.6	-0.7	D	-2.3	0.44	RB	1
78	11	25	15	4.8	187	6.1	194	0.6	0.1	-0.5	D	-3.0	0.15	RB	1
78	11	25	16	5.1	206	8.4	208	-0.6	-1.0	-0.4	D	-2.0	0.07	RB	1
78	11	25	17	3.6	217	7.4	218	-1.0	-1.2	-0.2	E	-3.3	0.01	RB	1
78	11	25	18	3.4	202	7.0	207	-1.1	-1.4	-0.3	D	999.9	0.0	RB	1
78	11	25	19	2.0	163	3.8	194	-1.5	-1.6	-0.1	E	-1.9	0.0	RB	1
78	11	25	20	2.2	79	3.8	118	-2.4	-2.2	0.2	E	-2.1	0.0	RB	1
78	11	25	21	1.5	269	2.0	42	-2.6	-2.5	0.1	E	-2.3	0.0	RB	1
78	11	25	22	4.5	164	6.0	165	-2.7	-2.8	-0.1	E	-2.6	0.0	RB	1
78	11	25	23	5.9	21	8.1	6	-4.5	-4.8	-0.3	D	-4.5	0.0	RB	1
78	11	25	24	5.0	358	6.0	346	-5.3	-5.7	-0.4	D	-5.6	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				10 METER		60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	11	26	1	5.6	14	7.1	6	-6.1	-6.5	-0.4	D	-6.4	0.0	RB	1
78	11	26	2	5.8	340	7.8	335	-6.6	-6.9	-0.3	D	-7.4	0.0	RB	1
78	11	26	3	4.6	28	6.1	19	-7.2	-7.6	-0.3	D	-7.9	0.0	RB	1
78	11	26	4	2.1	336	4.2	350	-7.6	-7.8	-0.2	E	-8.6	0.0	RB	1
78	11	26	5	2.3	128	3.1	329	-7.9	-8.2	-0.3	D	-8.7	0.0	RB	1
78	11	26	6	1.8	299	2.1	73	-7.9	-8.1	-0.2	E	-9.2	0.0	RB	1
78	11	26	7	3.5	297	3.0	343	-8.1	-8.2	-0.1	E	999.9	0.0	RB	1
78	11	26	8	3.8	316	4.3	339	-8.0	-8.2	-0.3	D	-9.5	0.02	RB	1
78	11	26	9	3.1	12	4.0	19	-7.3	-7.7	-0.4	D	-8.9	0.07	RB	1
78	11	26	10	4.3	54	4.9	51	-6.8	-7.1	-0.3	D	-8.9	0.12	RB	1
78	11	26	11	3.9	71	5.4	63	-6.6	-7.0	-0.4	D	-8.6	0.11	RB	1
78	11	26	12	3.4	72	4.5	66	-6.1	-6.5	-0.4	D	-8.1	0.48	RB	1
78	11	26	13	3.7	79	4.2	72	-5.9	-6.2	-0.4	D	-7.9	0.48	RB	1
78	11	26	14	4.6	78	5.6	69	-5.5	-6.0	-0.4	D	-7.4	0.50	RB	1
78	11	26	15	4.5	86	5.7	78	-6.1	-6.6	-0.5	D	-7.5	0.18	RB	1
78	11	26	16	4.9	73	7.0	68	-6.5	-7.0	-0.5	D	-7.8	0.06	RB	1
78	11	26	17	3.0	78	5.2	64	-6.9	-7.3	-0.4	D	-7.8	0.01	RB	1
78	11	26	18	5.1	52	7.1	46	-7.3	-7.6	-0.3	D	-7.7	0.0	RB	1
78	11	26	19	5.6	19	8.4	22	-7.7	-7.9	-0.2	E	999.9	0.0	RB	1
78	11	26	20	6.6	36	8.5	29	-7.6	-7.9	-0.3	D	-8.1	0.0	RB	1
78	11	26	21	7.2	26	8.7	23	-7.8	-8.1	-0.4	D	-8.4	0.0	RB	1
78	11	26	22	8.3	18	10.4	17	-8.1	-8.4	-0.3	D	-8.7	0.0	RB	1
78	11	26	23	6.4	21	8.7	19	-8.2	-8.5	-0.3	D	-8.9	0.0	RB	1
78	11	26	24	7.5	20	9.4	18	-8.3	-8.7	-0.3	D	-9.0	0.0	RB	1
78	11	27	1	7.4	25	9.0	19	-8.5	-8.9	-0.4	D	-9.1	0.0	RB	1
78	11	27	2	8.0	7	9.5	5	-8.9	-9.3	-0.5	D	-9.9	0.0	RB	1
78	11	27	3	6.4	15	7.4	12	-9.4	-9.8	-0.4	D	-10.5	0.0	RB	1
78	11	27	4	7.9	352	9.5	352	-9.8	-10.2	-0.4	D	-11.0	0.0	RB	1
78	11	27	5	6.1	5	7.6	359	-9.8	-10.3	-0.5	D	-11.1	0.0	RB	1
78	11	27	6	6.0	355	7.1	357	-10.0	-10.3	-0.4	D	-11.2	0.0	RB	1
78	11	27	7	5.3	21	6.1	15	-10.1	-10.5	-0.4	D	999.9	0.0	RB	1
78	11	27	8	4.5	356	5.6	356	-10.1	-10.5	-0.4	D	-11.3	0.06	RB	1
78	11	27	9	3.9	37	4.7	28	-9.7	-10.2	-0.5	D	-11.5	0.18	RB	1
78	11	27	10	2.5	104	2.9	115	-8.5	-8.9	-0.4	D	-11.3	0.40	RB	1
78	11	27	11	3.2	34	3.3	38	-7.9	-8.3	-0.4	D	-11.9	0.53	RB	1
78	11	27	12	2.3	317	2.6	349	-7.0	-7.5	-0.5	D	-11.9	0.69	RB	1
78	11	27	13	2.2	36	2.3	52	-5.9	-6.2	-0.4	D	-11.4	0.72	RB	1
78	11	27	14	2.6	166	3.0	157	-5.3	-5.7	-0.4	D	-11.3	0.57	RB	1
78	11	27	15	4.4	240	4.4	236	-5.4	-5.8	-0.4	D	-10.0	0.39	RB	1
78	11	27	16	4.9	258	3.9	248	-6.0	-6.3	-0.2	E	-10.0	0.14	RB	1
78	11	27	17	3.6	237	2.7	216	-6.4	-6.5	0.0	E	-10.2	0.01	RB	1
78	11	27	18	3.8	201	3.9	153	-7.1	-6.8	0.3	E	-10.8	0.0	RB	1
78	11	27	19	3.2	227	2.4	185	-7.1	-7.1	0.0	E	999.9	0.0	RB	1
78	11	27	20	5.3	218	5.4	190	-6.7	-6.5	0.2	E	-10.5	0.0	RB	1
78	11	27	21	3.8	199	6.3	198	-7.4	-6.1	1.3	F	-11.4	0.0	RB	1
78	11	27	22	3.5	229	4.8	220	-6.0	-5.6	0.4	E	-13.1	0.0	RB	1
78	11	27	23	2.4	353	3.9	149	-7.3	-6.1	1.2	F	-12.2	0.0	RB	1
78	11	27	24	4.0	271	4.8	263	-6.5	-5.8	0.7	E	-11.9	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	11	28	1	3.2	218	5.2	206	-6.5	-5.9	0.6	E	-11.1	0.0	RB	1
78	11	28	2	3.9	187	6.3	194	-6.7	-6.1	0.6	E	-10.6	0.0	RB	1
78	11	28	3	4.0	168	7.1	182	-7.2	-6.9	0.2	E	-10.6	0.0	RB	1
78	11	28	4	4.5	214	8.1	200	-6.5	-5.9	0.6	E	-11.8	0.0	RB	1
78	11	28	5	6.8	208	11.3	204	-5.6	-5.4	0.2	E	-11.5	0.0	RB	1
78	11	28	6	6.2	173	8.9	182	-5.3	-5.3	0.1	E	-10.8	0.0	RB	1
78	11	28	7	5.1	148	7.8	161	-5.6	-5.3	0.2	E	-10.2	0.0	RB	1
78	11	28	8	2.2	0	4.2	172	-5.6	-4.9	0.7	E	999.9	0.02	RB	1
78	11	28	9	4.6	189	8.0	190	-4.6	-4.7	-0.1	E	-8.6	0.10	RB	1
78	11	28	10	7.8	169	9.8	174	-3.1	-3.6	-0.5	D	-6.4	0.29	RB	1
78	11	28	11	9.8	166	11.8	175	-1.8	-2.3	-0.5	D	-8.2	0.33	RB	1
78	11	28	12	11.4	160	13.3	164	-1.9	-2.6	-0.7	D	-9.0	0.49	RB	1
78	11	28	13	8.2	182	9.9	188	-1.3	-2.1	-0.7	D	-9.2	0.47	RB	1
78	11	28	14	4.5	260	5.8	183	-0.6	-1.1	-0.5	D	-9.0	0.36	RB	1
78	11	28	15	7.5	227	10.4	231	-0.5	-1.1	-0.6	D	-8.4	0.34	RB	1
78	11	28	16	15.2	258	21.6	257	-1.4	-1.7	-0.3	D	-7.9	0.06	RB	1
78	11	28	17	16.3	252	22.6	249	-1.5	-1.8	-0.3	D	-7.3	0.01	RB	1
78	11	28	18	19.7	258	26.3	258	-1.9	-2.2	-0.3	D	-7.1	0.0	RB	1
78	11	28	19	9.6	291	14.0	286	-3.0	-3.2	-0.3	D	-6.3	0.0	RB	1
78	11	28	20	9.4	278	12.9	276	-3.6	-3.6	0.0	E	999.9	0.0	RB	1
78	11	28	21	6.5	307	10.9	288	-3.0	-2.8	0.2	E	-6.4	0.0	RB	1
78	11	28	22	2.7	141	4.3	104	-3.5	-3.4	0.1	E	-6.2	0.0	RB	1
78	11	28	23	3.4	223	4.8	197	-3.2	-3.2	0.0	E	-6.5	0.0	RB	1
78	11	28	24	10.6	241	16.0	246	-3.3	-3.3	0.0	E	-7.0	0.0	RB	1
78	11	29	1	8.6	237	13.2	247	-3.4	-3.4	0.0	E	-7.1	0.0	RB	1
78	11	29	2	7.4	234	12.8	244	-3.5	-3.6	0.0	E	-7.1	0.0	RB	1
78	11	29	3	9.9	235	15.1	248	-3.4	-3.3	0.1	E	-7.2	0.0	RB	1
78	11	29	4	6.1	207	9.5	201	-4.0	-3.6	0.4	E	-7.5	0.0	RB	1
78	11	29	5	6.0	192	8.6	201	-3.9	-3.4	0.5	E	-8.1	0.0	RB	1
78	11	29	6	4.2	184	7.8	200	-3.7	-3.3	0.4	E	-8.3	0.0	RB	1
78	11	29	7	3.4	194	5.1	208	-3.2	-2.8	0.4	E	-8.7	0.0	RB	1
78	11	29	8	5.7	221	7.9	219	-2.5	-2.5	0.0	E	999.9	0.05	RB	1
78	11	29	9	12.3	247	17.2	245	-3.2	-3.6	-0.4	D	-6.2	0.17	RB	1
78	11	29	10	10.0	244	15.6	240	-2.6	-3.1	-0.4	D	-5.1	0.25	RB	1
78	11	29	11	4.9	289	5.3	269	-1.6	-2.1	-0.5	D	-4.7	0.32	RB	1
78	11	29	12	6.9	250	8.1	247	-2.0	-2.5	-0.6	D	-4.5	0.26	RB	1
78	11	29	13	6.0	254	7.4	250	-1.9	-2.5	-0.6	D	-4.2	0.19	RB	1
78	11	29	14	5.6	250	6.7	242	-1.7	-2.2	-0.5	D	-3.8	0.24	RB	1
78	11	29	15	6.4	248	8.0	237	-1.5	-2.1	-0.5	D	-3.9	0.21	RB	1
78	11	29	16	9.6	256	13.6	257	-1.5	-1.8	-0.3	D	-4.8	0.09	RB	1
78	11	29	17	10.3	260	14.5	263	-1.3	-1.5	-0.2	E	-4.8	0.01	RB	1
78	11	29	18	4.7	229	7.2	238	-1.2	-1.5	-0.3	D	-4.5	0.0	RB	1
78	11	29	19	6.7	249	10.0	253	-1.4	-1.6	-0.3	D	-4.7	0.0	RB	1
78	11	29	20	5.9	275	8.7	281	-2.3	-2.3	0.0	E	999.9	0.0	RB	1
78	11	29	21	6.4	255	9.5	264	-2.5	-2.5	0.1	E	-5.0	0.0	RB	1
78	11	29	22	9.1	247	13.8	249	-2.2	-2.1	0.1	E	-5.4	0.0	RB	1
78	11	29	23	8.7	238	14.4	244	-2.8	-2.6	0.1	E	-6.3	0.0	RB	1
78	11	29	24	9.9	242	15.5	241	-2.9	-2.8	0.1	E	-6.6	0.0	RB	1

* NUS CORPORATION-ENVIRONMENTAL SAFEGUARDS DIVISION *

DATA LISTING FOR RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE								
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	11	30	1	9.8	239	15.0	238	-2.7	-2.5	0.2	E	-6.5	0.0	RB	1
78	11	30	2	5.6	207	10.7	205	-2.9	-2.8	0.2	E	-6.5	0.0	RB	1
78	11	30	3	6.1	189	9.1	209	-3.4	-3.5	-0.1	E	-4.5	0.0	RB	1
78	11	30	4	4.0	180	7.0	197	-3.4	-3.5	-0.1	E	-3.6	0.0	RB	1
78	11	30	5	7.9	236	12.5	227	-2.4	-2.7	-0.3	D	-3.7	0.0	RB	1
78	11	30	6	7.9	248	13.5	231	-2.0	-2.4	-0.3	D	-3.8	0.0	RB	1
78	11	30	7	16.3	248	23.2	251	-1.6	-1.9	-0.3	D	-4.3	0.0	RB	1
78	11	30	8	13.3	265	18.5	266	-1.3	-1.6	-0.3	D	999.9	0.03	RB	1
78	11	30	9	13.8	262	19.8	265	-1.1	-1.5	-0.4	D	-3.7	0.09	RB	1
78	11	30	10	14.4	254	18.8	258	-0.2	-0.7	-0.4	D	-4.3	0.30	RB	1
78	11	30	11	13.4	253	17.1	254	0.8	0.3	-0.5	D	-4.3	0.65	RB	1
78	11	30	12	18.5	265	24.0	262	1.7	1.2	-0.6	D	-5.1	0.72	RB	1
78	11	30	13	18.9	259	23.8	258	2.1	1.8	-0.3	D	-6.3	0.69	RB	1
78	11	30	14	21.2	267	28.4	267	1.5	1.1	-0.4	D	-6.5	0.42	RB	1
78	11	30	15	14.8	252	19.9	255	1.3	1.0	-0.4	D	-6.5	0.22	RB	1
78	11	30	16	4.8	234	7.6	244	1.2	0.8	-0.4	D	-6.1	0.13	RB	1
78	11	30	17	4.3	195	6.2	220	-0.4	-0.5	-0.1	E	-5.0	0.01	RB	1
78	11	30	18	3.1	196	5.4	216	-0.7	-0.7	0.0	E	-5.0	0.0	RB	1
78	11	30	19	2.8	207	6.3	209	-1.0	-1.0	0.0	E	-5.6	0.0	RB	1
78	11	30	20	5.0	236	10.0	228	0.3	0.2	-0.1	E	-6.5	0.0	RB	1
78	11	30	21	7.5	197	12.8	226	0.8	0.6	-0.2	E	999.9	0.0	RB	1
78	11	30	22	12.7	248	18.7	232	1.2	0.8	-0.3	D	-4.6	0.0	RB	1
78	11	30	23	13.3	244	20.6	228	0.7	0.5	-0.3	D	-4.1	0.0	RB	1
78	11	30	24	13.5	255	18.7	223	0.6	0.3	-0.3	D	-3.7	0.0	RB	1

APPENDIX 2-2.2

METEOROLOGICAL DATA - SITES 2 & 3*

*Missing data indicated by 999

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	6	1	1	6.4	317	5.9	6.4	271	1.2
78	6	1	2	5.6	325	5.5	7.2	266	0.5
78	6	1	3	4.6	336	4.0	6.8	269	-0.8
78	6	1	4	3.5	307	2.4	7.3	271	-1.2
78	6	1	5	3.5	311	1.8	6.5	277	-1.5
78	6	1	6	4.4	332	2.6	5.0	301	1.5
78	6	1	7	6.3	8	3.6	6.2	49	4.9
78	6	1	8	5.6	41	5.5	5.6	61	6.7
78	6	1	9	5.6	67	7.4	5.2	50	8.5
78	6	1	10	6.5	26	9.2	7.1	47	10.5
78	6	1	11	7.1	17	10.8	7.0	34	12.4
78	6	1	12	7.3	52	12.7	6.5	42	14.0
78	6	1	13	7.0	54	14.8	6.7	28	15.9
78	6	1	14	8.7	23	15.3	7.8	56	16.6
78	6	1	15	9.2	24	15.8	8.7	43	17.3
78	6	1	16	9.4	4	16.1	8.4	19	17.6
78	6	1	17	9.1	1	15.9	6.7	32	17.7
78	6	1	18	7.9	4	15.5	5.2	354	17.5
78	6	1	19	6.9	15	14.4	4.1	19	15.9
78	6	1	20	5.0	347	12.1	5.6	285	10.1
78	6	1	21	3.8	292	10.2	8.3	271	7.0
78	6	1	22	3.4	304	9.5	7.6	273	5.4
78	6	1	23	4.0	289	9.0	8.2	272	4.3
78	6	1	24	3.9	286	8.6	7.9	276	3.9
78	6	2	1	4.6	278	8.4	7.7	278	3.5
78	6	2	2	4.5	266	8.4	7.4	274	2.9
78	6	2	3	4.1	299	7.6	6.3	269	1.8
78	6	2	4	3.6	313	6.2	6.8	271	0.9
78	6	2	5	3.4	1	5.9	6.2	275	0.8
78	6	2	6	5.6	8	6.4	3.9	270	3.8
78	6	2	7	4.4	352	7.8	2.4	145	9.2
78	6	2	8	4.3	351	10.4	4.3	54	11.3
78	6	2	9	5.0	1	11.9	5.1	49	12.5
78	6	2	10	4.9	28	13.5	5.8	85	14.4
78	6	2	11	5.8	48	15.3	6.1	92	16.3
78	6	2	12	6.8	344	17.4	6.7	55	18.3
78	6	2	13	6.8	328	18.0	5.0	4	19.2
78	6	2	14	9.8	293	17.7	5.8	326	19.6
78	6	2	15	12.7	202	17.4	9.6	249	20.1
78	6	2	16	7.9	254	17.7	7.6	247	19.7
78	6	2	17	8.2	236	19.2	5.7	271	21.0
78	6	2	18	10.0	288	17.9	6.0	290	20.1
78	6	2	19	8.0	343	16.4	3.8	15	18.1
78	6	2	20	10.0	16	15.6	5.5	26	16.7
78	6	2	21	6.2	22	13.4	3.9	44	14.7
78	6	2	22	5.7	348	11.7	1.9	349	12.9
78	6	2	23	3.9	355	10.3	5.3	261	7.9
78	6	2	24	4.4	340	9.8	7.0	272	6.2

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	6	3	1	4.6	292	8.8	7.1	277	5.4
78	6	3	2	5.0	303	8.1	7.2	274	4.6
78	6	3	3	5.0	293	7.4	7.4	275	4.2
78	6	3	4	4.6	295	7.2	6.6	277	4.2
78	6	3	5	999.9	999	999.9	999.9	999	999.9
78	6	3	6	999.9	999	999.9	999.9	999	999.9
78	6	3	7	999.9	999	999.9	999.9	999	999.9
78	6	3	8	999.9	999	999.9	999.9	999	999.9
78	6	3	9	999.9	999	999.9	999.9	999	999.9
78	6	3	10	999.9	999	999.9	999.9	999	999.9
78	6	3	11	999.9	999	999.9	999.9	999	999.9
78	6	3	12	999.9	999	999.9	999.9	999	999.9
78	6	3	13	999.9	999	999.9	999.9	999	999.9
78	6	3	14	999.9	999	999.9	999.9	999	999.9
78	6	3	15	999.9	999	999.9	999.9	999	999.9
78	6	3	16	999.9	999	999.9	999.9	999	999.9
78	6	3	17	999.9	999	999.9	999.9	999	999.9
78	6	3	18	999.9	999	999.9	999.9	999	999.9
78	6	3	19	999.9	999	999.9	999.9	999	999.9
78	6	3	20	999.9	999	999.9	999.9	999	999.9
78	6	3	21	999.9	999	999.9	999.9	999	999.9
78	6	3	22	999.9	999	999.9	999.9	999	999.9
78	6	3	23	999.9	999	999.9	999.9	999	999.9
78	6	3	24	999.9	999	999.9	999.9	999	999.9
78	6	4	1	999.9	999	999.9	999.9	999	999.9
78	6	4	2	999.9	999	999.9	999.9	999	999.9
78	6	4	3	999.9	999	999.9	999.9	999	999.9
78	6	4	4	999.9	999	999.9	999.9	999	999.9
78	6	4	5	999.9	999	999.9	999.9	999	999.9
78	6	4	6	999.9	999	999.9	999.9	999	999.9
78	6	4	7	999.9	999	999.9	999.9	999	999.9
78	6	4	8	999.9	999	999.9	999.9	999	999.9
78	6	4	9	999.9	999	999.9	999.9	999	999.9
78	6	4	10	999.9	999	999.9	999.9	999	999.9
78	6	4	11	999.9	999	999.9	999.9	999	999.9
78	6	4	12	999.9	999	999.9	999.9	999	999.9
78	6	4	13	999.9	999	999.9	999.9	999	999.9
78	6	4	14	999.9	999	999.9	999.9	999	999.9
78	6	4	15	999.9	999	999.9	999.9	999	999.9
78	6	4	16	999.9	999	999.9	999.9	999	999.9
78	6	4	17	999.9	999	999.9	999.9	999	999.9
78	6	4	18	999.9	999	999.9	999.9	999	999.9
78	6	4	19	999.9	999	999.9	999.9	999	999.9
78	6	4	20	999.9	999	999.9	999.9	999	999.9
78	6	4	21	999.9	999	999.9	999.9	999	999.9
78	6	4	22	999.9	999	999.9	999.9	999	999.9
78	6	4	23	999.9	999	999.9	999.9	999	999.9
78	6	4	24	999.9	999	999.9	999.9	999	999.9

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	6	5	1	999.9	999	999.9	999.9	999	999.9
78	6	5	2	999.9	999	999.9	999.9	999	999.9
78	6	5	3	999.9	999	999.9	999.9	999	999.9
78	6	5	4	999.9	999	999.9	999.9	999	999.9
78	6	5	5	999.9	999	999.9	999.9	999	999.9
78	6	5	6	999.9	999	999.9	999.9	999	999.9
78	6	5	7	999.9	999	999.9	999.9	999	999.9
78	6	5	8	999.9	999	999.9	999.9	999	999.9
78	6	5	9	999.9	999	999.9	999.9	999	999.9
78	6	5	10	999.9	999	999.9	999.9	999	999.9
78	6	5	11	999.9	999	999.9	999.9	999	999.9
78	6	5	12	999.9	999	999.9	999.9	999	999.9
78	6	5	13	999.9	999	999.9	999.9	999	999.9
78	6	5	14	999.9	999	999.9	999.9	999	999.9
78	6	5	15	999.9	999	999.9	999.9	999	999.9
78	6	5	16	999.9	999	999.9	999.9	999	999.9
78	6	5	17	999.9	999	999.9	999.9	999	999.9
78	6	5	18	999.9	999	999.9	999.9	999	999.9
78	6	5	19	999.9	999	999.9	999.9	999	999.9
78	6	5	20	999.9	999	999.9	999.9	999	999.9
78	6	5	21	999.9	999	999.9	999.9	999	999.9
78	6	5	22	999.9	999	999.9	999.9	999	999.9
78	6	5	23	999.9	999	999.9	999.9	999	999.9
78	6	5	24	999.9	999	999.9	999.9	999	999.9
78	6	6	1	999.9	999	999.9	999.9	999	999.9
78	6	6	2	999.9	999	999.9	999.9	999	999.9
78	6	6	3	999.9	999	999.9	999.9	999	999.9
78	6	6	4	999.9	999	999.9	999.9	999	999.9
78	6	6	5	999.9	999	999.9	999.9	999	999.9
78	6	6	6	999.9	999	999.9	999.9	999	999.9
78	6	6	7	999.9	999	999.9	999.9	999	999.9
78	6	6	8	999.9	999	999.9	999.9	999	999.9
78	6	6	9	999.9	999	999.9	999.9	999	999.9
78	6	6	10	999.9	999	999.9	999.9	999	999.9
78	6	6	11	999.9	999	999.9	999.9	999	999.9
78	6	6	12	999.9	999	999.9	999.9	999	999.9
78	6	6	13	999.9	999	999.9	999.9	999	999.9
78	6	6	14	999.9	999	999.9	999.9	999	999.9
78	6	6	15	999.9	999	999.9	999.9	999	999.9
78	6	6	16	999.9	999	999.9	999.9	999	999.9
78	6	6	17	999.9	999	999.9	999.9	999	999.9
78	6	6	18	999.9	999	999.9	999.9	999	999.9
78	6	6	19	999.9	999	999.9	999.9	999	999.9
78	6	6	20	999.9	999	999.9	999.9	999	999.9
78	6	6	21	999.9	999	999.9	999.9	999	999.9
78	6	6	22	999.9	999	999.9	999.9	999	999.9
78	6	6	23	999.9	999	999.9	999.9	999	999.9
78	6	6	24	999.9	999	999.9	999.9	999	999.9

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	6	7	1	999.9	999	999.9	999.9	999	999.9
78	6	7	2	999.9	999	999.9	999.9	999	999.9
78	6	7	3	999.9	999	999.9	999.9	999	999.9
78	6	7	4	999.9	999	999.9	999.9	999	999.9
78	6	7	5	999.9	999	999.9	999.9	999	999.9
78	6	7	6	999.9	999	999.9	999.9	999	999.9
78	6	7	7	999.9	999	999.9	999.9	999	999.9
78	6	7	8	999.9	999	999.9	999.9	999	999.9
78	6	7	9	999.9	999	999.9	999.9	999	999.9
78	6	7	10	999.9	999	999.9	999.9	999	999.9
78	6	7	11	999.9	999	999.9	999.9	999	999.9
78	6	7	12	999.9	999	999.9	999.9	999	999.9
78	6	7	13	15.6	288	19.3	11.2	275	21.3
78	6	7	14	19.3	288	19.5	13.6	295	20.8
78	6	7	15	18.4	314	18.4	12.4	316	20.0
78	6	7	16	14.4	313	19.8	11.4	298	20.1
78	6	7	17	13.7	312	18.8	8.6	304	20.8
78	6	7	18	11.6	331	17.1	5.9	5	18.6
78	6	7	19	7.2	288	15.7	3.4	254	16.3
78	6	7	20	9.0	303	16.0	5.1	272	14.4
78	6	7	21	10.9	298	15.3	5.9	286	12.8
78	6	7	22	10.8	293	15.1	3.6	337	12.3
78	6	7	23	11.0	277	14.9	3.3	271	12.1
78	6	7	24	12.8	270	14.3	3.9	263	10.9
78	6	8	1	7.8	253	12.6	4.0	260	8.3
78	6	8	2	4.2	301	12.0	3.4	264	6.2
78	6	8	3	4.5	303	11.4	5.9	263	4.6
78	6	8	4	4.0	321	10.6	5.9	278	3.7
78	6	8	5	5.2	267	11.0	7.9	274	4.6
78	6	8	6	4.1	219	13.6	4.6	357	8.3
78	6	8	7	4.0	113	15.7	4.0	60	11.9
78	6	8	8	5.2	90	16.2	5.2	52	14.5
78	6	8	9	6.0	107	17.6	6.0	55	17.6
78	6	8	10	6.4	243	17.7	5.2	40	19.7
78	6	8	11	7.8	281	18.6	4.9	222	20.8
78	6	8	12	6.3	341	19.9	5.6	329	21.2
78	6	8	13	7.5	284	20.4	5.4	245	22.2
78	6	8	14	8.4	293	21.1	6.6	259	22.7
78	6	8	15	10.7	282	21.3	6.5	258	23.4
78	6	8	16	10.1	295	21.6	7.1	257	23.6
78	6	8	17	9.5	296	22.0	5.4	280	24.0
78	6	8	18	10.9	296	22.0	7.2	297	23.8
78	6	8	19	5.3	294	21.5	4.8	282	21.1
78	6	8	20	4.0	271	18.2	8.2	277	14.4
78	6	8	21	7.7	236	18.3	8.1	271	12.3
78	6	8	22	10.1	232	17.6	7.6	266	11.8
78	6	8	23	11.7	243	17.1	6.9	270	11.0
78	6	8	24	12.6	244	16.3	5.9	265	11.5

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	6	9	1	12.7	245	15.6	7.5	256	11.2
78	6	9	2	11.4	244	15.7	8.8	237	12.0
78	6	9	3	11.3	232	16.7	6.6	260	10.0
78	6	9	4	9.4	250	15.6	3.0	181	7.6
78	6	9	5	9.0	245	16.2	5.0	267	7.2
78	6	9	6	7.4	237	16.3	4.0	284	10.9
78	6	9	7	9.6	239	18.3	3.3	81	15.2
78	6	9	8	10.0	237	19.9	3.9	161	20.2
78	6	9	9	12.5	223	21.3	10.0	239	23.2
78	6	9	10	15.7	227	22.3	11.8	229	24.4
78	6	9	11	19.5	223	22.9	14.5	238	24.9
78	6	9	12	20.6	220	23.6	15.4	228	25.7
78	6	9	13	22.0	212	24.3	16.3	229	26.1
78	6	9	14	20.5	206	24.8	15.4	226	27.2
78	6	9	15	19.5	208	25.1	16.1	284	27.2
78	6	9	16	18.0	217	24.9	13.8	223	26.9
78	6	9	17	17.2	209	24.4	12.1	222	26.5
78	6	9	18	14.4	218	24.0	9.9	227	25.8
78	6	9	19	12.9	217	23.1	9.4	247	23.2
78	6	9	20	13.1	223	22.0	6.4	259	18.7
78	6	9	21	13.3	218	21.6	6.9	265	17.2
78	6	9	22	13.5	227	21.2	6.2	274	15.8
78	6	9	23	14.0	222	20.9	6.9	274	14.9
78	6	9	24	14.8	220	20.7	7.5	261	14.0
78	6	10	1	15.2	215	20.2	8.8	252	14.1
78	6	10	2	15.2	212	19.7	8.3	251	13.3
78	6	10	3	15.6	210	19.0	8.1	249	14.2
78	6	10	4	16.0	211	18.8	8.6	250	15.9
78	6	10	5	18.5	213	18.8	9.9	252	15.9
78	6	10	6	21.8	212	19.7	11.9	231	20.5
78	6	10	7	23.1	214	20.2	15.9	225	22.1
78	6	10	8	26.0	220	20.7	19.5	220	22.7
78	6	10	9	25.8	213	21.3	19.1	219	23.3
78	6	10	10	25.8	213	22.0	17.7	216	24.1
78	6	10	11	26.8	217	22.5	20.3	229	24.7
78	6	10	12	26.8	212	23.6	18.7	223	25.8
78	6	10	13	29.2	222	23.8	21.6	226	26.0
78	6	10	14	29.7	225	24.2	22.2	227	26.4
78	6	10	15	24.8	224	23.9	19.6	228	26.3
78	6	10	16	23.3	219	23.4	18.6	225	25.6
78	6	10	17	20.5	231	23.3	14.8	229	25.3
78	6	10	18	20.3	224	23.0	12.9	228	24.9
78	6	10	19	22.4	226	22.7	12.4	229	24.4
78	6	10	20	23.0	233	22.5	10.7	245	23.3
78	6	10	21	17.8	247	21.7	5.7	252	21.1
78	6	10	22	13.3	261	21.0	3.0	331	18.8
78	6	10	23	9.6	324	18.6	6.9	58	17.3
78	6	10	24	8.8	19	14.8	6.1	48	15.0

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBUSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	6	11	1	6.9	35	11.3	6.0	43	12.7
78	6	11	2	4.5	357	9.8	2.7	55	11.3
78	6	11	3	3.9	286	8.8	4.4	284	8.9
78	6	11	4	4.1	278	8.1	5.8	278	6.9
78	6	11	5	4.6	296	8.8	6.0	278	6.0
78	6	11	6	5.4	309	9.4	3.9	282	8.9
78	6	11	7	9.2	277	10.4	5.5	29	11.6
78	6	11	8	4.9	330	11.5	5.0	69	12.5
78	6	11	9	8.9	278	11.8	5.5	253	14.4
78	6	11	10	7.3	260	13.3	7.5	230	15.4
78	6	11	11	13.8	258	15.1	9.1	264	16.9
78	6	11	12	13.8	263	16.1	11.8	263	18.1
78	6	11	13	12.1	283	17.2	11.5	257	19.0
78	6	11	14	13.0	298	17.9	10.7	270	19.4
78	6	11	15	14.2	296	18.6	10.6	280	20.0
78	6	11	16	13.6	305	18.9	11.1	294	20.8
78	6	11	17	11.8	313	19.2	8.8	306	20.8
78	6	11	18	11.1	326	18.6	7.1	313	20.7
78	6	11	19	7.2	318	17.5	4.9	288	19.1
78	6	11	20	5.6	277	14.5	5.9	268	11.7
78	6	11	21	5.1	283	13.5	8.9	267	9.5
78	6	11	22	7.1	336	12.5	5.1	254	9.4
78	6	11	23	5.4	304	11.6	6.6	254	8.4
78	6	11	24	4.7	297	10.8	7.8	268	6.9
78	6	12	1	5.2	278	10.0	8.7	267	5.6
78	6	12	2	4.1	273	9.6	8.2	274	5.0
78	6	12	3	4.4	270	9.3	7.8	274	4.4
78	6	12	4	4.1	264	9.5	8.0	267	4.2
78	6	12	5	4.4	209	10.8	6.3	273	4.2
78	6	12	6	3.9	129	12.5	1.9	313	7.8
78	6	12	7	3.9	98	13.8	4.1	69	10.9
78	6	12	8	4.6	94	14.9	3.8	72	14.2
78	6	12	9	4.8	109	17.1	3.9	82	17.0
78	6	12	10	5.2	94	19.6	4.3	95	19.9
78	6	12	11	8.3	201	21.9	4.5	66	22.9
78	6	12	12	15.0	232	23.0	10.7	215	24.9
78	6	12	13	17.0	220	22.7	13.3	228	24.9
78	6	12	14	17.8	200	23.3	14.0	210	25.5
78	6	12	15	19.2	208	24.8	14.4	216	26.3
78	6	12	16	19.7	207	24.2	14.8	220	26.7
78	6	12	17	19.3	213	24.3	14.3	223	26.8
78	6	12	18	14.8	216	23.3	11.8	229	25.7
78	6	12	19	13.5	219	22.3	7.2	246	22.7
78	6	12	20	12.7	216	21.6	8.3	267	16.1
78	6	12	21	11.8	218	21.8	8.7	271	14.2
78	6	12	22	12.6	219	20.6	7.3	266	12.4
78	6	12	23	14.2	226	20.6	6.5	271	12.3
78	6	12	24	14.6	221	20.0	5.8	270	11.9

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	6	13	1	15.4	228	19.5	4.4	261	8.6
78	6	13	2	15.6	222	19.5	6.4	266	10.3
78	6	13	3	15.0	219	19.6	7.1	275	11.2
78	6	13	4	14.5	220	19.4	6.6	276	10.9
78	6	13	5	13.5	207	19.0	6.7	269	10.4
78	6	13	6	13.4	200	18.5	4.4	261	14.1
78	6	13	7	13.7	198	19.6	4.3	289	20.3
78	6	13	8	14.4	188	20.9	11.0	219	22.9
78	6	13	9	16.9	199	21.5	12.8	218	23.5
78	6	13	10	20.6	198	21.8	14.0	217	24.4
78	6	13	11	16.9	216	22.3	15.7	229	24.4
78	6	13	12	17.4	216	22.8	15.0	227	25.0
78	6	13	13	20.8	215	23.2	18.2	235	25.3
78	6	13	14	20.4	203	23.5	14.7	222	25.7
78	6	13	15	19.4	212	24.1	15.9	227	26.4
78	6	13	16	18.4	211	24.3	14.4	232	26.6
78	6	13	17	15.8	221	24.2	13.7	232	26.5
78	6	13	18	15.1	232	23.8	12.8	244	25.7
78	6	13	19	13.0	222	22.3	10.9	242	23.8
78	6	13	20	14.9	228	20.8	8.0	262	16.7
78	6	13	21	13.3	220	20.1	7.0	278	14.0
78	6	13	22	14.7	217	20.1	6.1	269	12.8
78	6	13	23	12.1	211	19.7	7.1	260	12.5
78	6	13	24	14.1	227	19.3	7.3	268	10.8
78	6	14	1	12.3	216	19.2	8.3	279	10.3
78	6	14	2	15.2	220	19.1	6.7	261	9.6
78	6	14	3	17.2	220	18.9	4.3	256	7.7
78	6	14	4	13.9	225	18.0	2.2	157	6.6
78	6	14	5	12.6	217	17.6	5.1	268	6.8
78	6	14	6	11.3	198	18.1	3.9	266	10.1
78	6	14	7	10.8	192	19.5	3.4	121	16.6
78	6	14	8	14.1	208	20.5	11.0	221	22.2
78	6	14	9	15.1	213	21.2	13.4	227	23.4
78	6	14	10	18.3	218	21.6	17.2	226	23.7
78	6	14	11	20.3	228	21.3	18.8	235	23.5
78	6	14	12	20.9	223	21.0	16.1	230	23.2
78	6	14	13	19.3	218	21.7	13.5	217	23.7
78	6	14	14	20.6	216	23.0	14.3	223	25.1
78	6	14	15	21.6	218	23.8	14.9	216	26.1
78	6	14	16	20.2	208	23.8	15.2	224	26.2
78	6	14	17	18.9	206	23.8	15.3	223	25.9
78	6	14	18	19.0	209	23.5	13.0	223	25.9
78	6	14	19	15.6	217	22.8	11.0	230	24.7
78	6	14	20	14.2	219	21.7	9.1	250	20.5
78	6	14	21	12.5	207	21.0	9.0	255	16.0
78	6	14	22	12.2	206	20.7	9.8	250	14.6
78	6	14	23	13.6	215	20.5	9.5	255	14.2
78	6	14	24	14.9	219	19.9	9.3	251	13.7

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	6	15	1	15.0	229	18.9	7.4	255	12.4
78	6	15	2	13.9	236	17.7	7.0	239	12.6
78	6	15	3	13.3	247	17.1	6.5	251	12.0
78	6	15	4	13.8	237	16.3	7.4	251	11.5
78	6	15	5	16.0	220	16.4	8.0	252	10.7
78	6	15	6	16.0	217	17.5	8.2	239	15.5
78	6	15	7	18.5	219	18.3	14.5	224	20.2
78	6	15	8	21.1	227	19.2	19.1	233	21.3
78	6	15	9	22.7	222	19.8	18.9	226	21.9
78	6	15	10	23.4	210	20.6	18.5	224	22.7
78	6	15	11	24.3	211	21.2	19.0	223	23.4
78	6	15	12	23.0	217	21.9	19.4	228	24.1
78	6	15	13	22.2	215	22.7	19.1	229	24.9
78	6	15	14	22.4	221	23.3	18.9	231	25.5
78	6	15	15	21.3	216	23.7	17.6	227	25.9
78	6	15	16	21.0	218	23.9	16.4	234	26.1
78	6	15	17	20.9	223	23.7	17.9	233	25.9
78	6	15	18	17.6	215	23.0	14.4	225	25.5
78	6	15	19	14.6	209	21.7	10.2	225	23.9
78	6	15	20	14.0	206	20.3	7.1	259	18.7
78	6	15	21	14.5	201	19.6	7.5	268	16.8
78	6	15	22	14.6	206	19.6	7.9	276	16.1
78	6	15	23	15.0	208	19.5	7.5	269	15.4
78	6	15	24	15.7	216	18.9	7.7	270	12.6
78	6	16	1	15.3	222	18.0	8.7	258	11.6
78	6	16	2	13.2	237	17.3	8.0	258	11.3
78	6	16	3	13.4	244	16.4	8.3	250	10.9
78	6	16	4	14.4	226	16.4	8.0	264	10.3
78	6	16	5	15.6	220	16.8	7.9	256	9.5
78	6	16	6	14.9	218	16.4	6.8	246	14.1
78	6	16	7	15.9	218	17.6	13.4	229	19.2
78	6	16	8	18.4	224	18.2	14.8	228	20.4
78	6	16	9	20.2	227	18.9	16.1	230	21.1
78	6	16	10	21.3	216	19.6	17.4	222	21.6
78	6	16	11	20.3	213	20.5	16.9	225	22.4
78	6	16	12	21.4	206	21.4	18.4	224	23.4
78	6	16	13	21.3	214	22.1	18.3	220	24.1
78	6	16	14	22.9	214	22.5	20.4	227	24.8
78	6	16	15	23.4	210	22.9	18.7	225	25.2
78	6	16	16	22.7	219	22.9	18.3	226	25.3
78	6	16	17	21.2	219	22.7	17.1	228	25.0
78	6	16	18	17.3	212	21.4	11.4	222	23.6
78	6	16	19	12.8	259	20.5	9.3	250	22.1
78	6	16	20	12.9	301	18.8	8.1	292	20.5
78	6	16	21	16.0	288	17.2	7.3	260	17.5
78	6	16	22	15.3	283	16.2	3.6	6	13.8
78	6	16	23	7.4	2	14.9	3.2	352	13.0
78	6	16	24	5.8	345	13.1	4.6	287	10.9

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	6	17	1	4.4	329	12.0	7.3	277	8.5
78	6	17	2	6.2	5	11.0	6.2	264	6.5
78	6	17	3	5.3	328	9.3	6.9	273	5.4
78	6	17	4	4.2	307	7.9	7.0	274	4.2
78	6	17	5	3.9	283	7.4	6.6	271	3.7
78	6	17	6	4.7	360	7.7	3.6	292	6.9
78	6	17	7	5.2	48	9.6	5.1	72	10.9
78	6	17	8	6.3	95	10.6	6.7	65	11.8
78	6	17	9	6.0	103	11.8	4.9	46	13.3
78	6	17	10	6.4	125	13.1	6.6	46	14.2
78	6	17	11	5.2	291	15.3	5.9	86	16.3
78	6	17	12	10.0	272	17.2	7.7	315	18.3
78	6	17	13	13.3	280	17.5	10.6	269	19.5
78	6	17	14	15.0	272	18.2	13.0	268	20.1
78	6	17	15	15.5	279	18.7	11.5	273	20.6
78	6	17	16	16.1	293	18.7	11.5	278	20.6
78	6	17	17	13.2	304	18.9	11.1	293	20.7
78	6	17	18	10.6	304	19.1	9.2	294	20.7
78	6	17	19	6.1	310	18.2	6.0	286	19.4
78	6	17	20	5.1	270	14.8	8.4	269	12.3
78	6	17	21	6.3	258	13.4	8.6	275	10.2
78	6	17	22	6.5	256	14.0	7.5	278	9.2
78	6	17	23	6.3	292	13.3	7.0	272	8.2
78	6	17	24	5.1	288	12.2	7.8	275	7.2
78	6	18	1	5.4	268	12.0	8.9	278	7.0
78	6	18	2	4.2	263	12.2	7.8	279	6.3
78	6	18	3	3.8	268	11.8	8.0	279	5.9
78	6	18	4	3.9	260	11.9	6.1	275	5.8
78	6	18	5	3.8	249	11.6	3.9	270	3.4
78	6	18	6	3.7	228	12.9	3.0	266	5.7
78	6	18	7	3.9	151	14.8	3.5	88	11.2
78	6	18	8	4.2	104	16.1	4.7	65	14.1
78	6	18	9	7.8	104	18.6	5.1	54	17.7
78	6	18	10	12.3	199	20.6	8.0	142	21.8
78	6	18	11	18.5	215	21.4	14.3	226	23.5
78	6	18	12	21.7	213	22.1	15.7	222	24.4
78	6	18	13	23.9	207	22.4	17.8	223	24.7
78	6	18	14	25.1	209	22.7	18.1	217	25.0
78	6	18	15	22.7	204	23.0	18.1	226	25.4
78	6	18	16	21.0	212	23.6	16.8	226	25.9
78	6	18	17	20.3	218	23.6	16.1	229	26.0
78	6	18	18	17.8	219	22.9	11.7	228	24.8
78	6	18	19	17.9	211	22.5	13.6	226	24.5
78	6	18	20	13.1	208	21.4	6.8	234	21.9
78	6	18	21	14.0	221	21.5	8.7	250	19.8
78	6	18	22	13.0	218	21.3	6.8	251	19.5
78	6	18	23	14.6	213	20.7	6.9	256	18.9
78	6	18	24	8.8	273	18.5	6.2	283	16.8

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	6	19	1	6.0	271	17.2	5.2	267	13.2
78	6	19	2	6.3	5	13.5	4.9	264	9.8
78	6	19	3	4.5	299	11.7	6.9	279	8.3
78	6	19	4	5.7	268	11.2	7.7	279	7.9
78	6	19	5	4.9	262	11.4	7.7	273	7.2
78	6	19	6	4.1	253	12.9	6.2	278	9.6
78	6	19	7	4.1	34	15.1	2.8	335	15.4
78	6	19	8	5.4	151	16.5	4.5	68	17.6
78	6	19	9	11.7	282	17.0	6.2	193	19.2
78	6	19	10	13.2	271	18.1	12.1	263	20.2
78	6	19	11	15.0	285	18.9	12.6	261	21.0
78	6	19	12	18.2	277	19.6	15.2	265	21.9
78	6	19	13	14.7	286	20.3	14.4	279	22.4
78	6	19	14	16.5	287	21.1	13.5	283	22.9
78	6	19	15	15.8	292	21.4	12.1	280	23.5
78	6	19	16	16.6	298	21.6	12.5	289	23.7
78	6	19	17	19.2	293	21.2	15.5	286	23.1
78	6	19	18	20.0	296	20.7	14.2	287	22.5
78	6	19	19	18.1	294	20.1	10.7	284	21.2
78	6	19	20	15.6	293	17.8	2.4	269	16.4
78	6	19	21	7.0	35	16.2	4.6	262	11.6
78	6	19	22	10.4	301	15.4	6.2	287	10.8
78	6	19	23	7.1	358	14.1	5.7	258	9.5
78	6	19	24	3.9	333	12.7	7.7	274	8.3
78	6	20	1	4.4	283	11.4	8.1	278	7.4
78	6	20	2	4.1	280	10.8	8.1	275	6.5
78	6	20	3	3.5	278	10.5	7.8	277	5.9
78	6	20	4	3.6	277	10.3	7.9	275	5.7
78	6	20	5	3.7	280	10.1	7.6	273	5.4
78	6	20	6	3.7	307	11.5	5.1	284	7.3
78	6	20	7	4.2	14	13.3	3.6	56	12.5
78	6	20	8	6.4	61	14.3	5.5	80	15.1
78	6	20	9	6.5	81	15.2	5.7	52	16.5
78	6	20	10	6.1	93	16.7	4.3	58	18.2
78	6	20	11	5.4	266	18.1	5.7	22	19.6
78	6	20	12	5.3	16	20.1	4.4	278	21.2
78	6	20	13	8.2	259	21.1	6.6	246	22.8
78	6	20	14	10.7	276	21.5	8.7	268	23.5
78	6	20	15	8.8	303	22.1	9.2	275	23.9
78	6	20	16	7.8	309	22.7	6.6	275	24.5
78	6	20	17	5.6	310	23.1	5.3	14	24.7
78	6	20	18	5.7	337	22.9	4.8	8	24.6
78	6	20	19	6.1	192	21.6	2.8	1	23.2
78	6	20	20	11.0	219	20.2	6.1	278	17.2
78	6	20	21	6.3	301	17.1	7.3	277	13.4
78	6	20	22	6.3	289	16.7	7.7	271	12.3
78	6	20	23	7.3	248	17.2	7.9	278	11.7
78	6	20	24	8.9	242	18.2	7.0	277	10.6

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	6	21	1	9.9	236	18.9	5.3	270	10.4
78	6	21	2	9.8	233	18.9	6.1	273	9.9
78	6	21	3	5.8	260	16.8	4.1	267	8.5
78	6	21	4	6.1	270	16.5	4.9	269	7.9
78	6	21	5	7.1	243	16.8	5.9	261	7.9
78	6	21	6	4.9	262	17.9	3.2	267	10.3
78	6	21	7	10.0	216	20.8	2.7	63	15.7
78	6	21	8	12.7	225	21.4	3.9	81	20.3
78	6	21	9	12.5	245	22.8	11.1	241	24.1
78	6	21	10	9.0	238	23.1	11.2	260	24.9
78	6	21	11	10.1	218	24.1	6.8	243	26.2
78	6	21	12	12.3	201	24.4	10.0	207	26.5
78	6	21	13	11.2	205	25.1	9.9	219	27.1
78	6	21	14	13.2	197	25.5	11.1	205	27.6
78	6	21	15	14.4	204	25.8	12.0	220	27.8
78	6	21	16	16.8	220	25.9	12.8	221	28.1
78	6	21	17	14.9	219	25.8	13.1	231	28.1
78	6	21	18	15.4	217	25.4	11.2	227	27.7
78	6	21	19	14.5	214	24.5	8.1	242	25.9
78	6	21	20	12.0	213	23.0	6.9	279	19.9
78	6	21	21	12.9	214	22.1	7.8	277	16.1
78	6	21	22	14.0	216	22.2	7.3	269	14.9
78	6	21	23	12.3	244	21.3	5.8	269	14.8
78	6	21	24	9.3	256	20.0	6.1	291	14.8
78	6	22	1	6.7	307	18.3	7.0	266	12.5
78	6	22	2	5.4	283	16.9	7.5	268	11.7
78	6	22	3	5.8	266	16.5	8.9	275	11.3
78	6	22	4	5.8	274	16.5	8.3	279	11.2
78	6	22	5	5.7	266	16.8	8.4	279	11.2
78	6	22	6	4.4	274	17.7	6.0	286	13.3
78	6	22	7	4.0	356	19.5	4.8	67	16.6
78	6	22	8	5.3	63	20.7	5.0	78	20.1
78	6	22	9	7.6	94	21.5	6.2	59	22.5
78	6	22	10	6.7	75	22.8	7.2	62	23.8
78	6	22	11	7.2	186	24.3	5.0	101	25.4
78	6	22	12	14.3	203	24.9	9.4	191	26.8
78	6	22	13	12.3	195	25.2	10.9	217	27.3
78	6	22	14	12.0	221	25.6	10.1	215	27.6
78	6	22	15	15.9	199	26.2	10.9	214	28.3
78	6	22	16	16.0	209	26.5	12.9	204	28.8
78	6	22	17	18.4	204	26.8	14.2	214	28.9
78	6	22	18	16.3	201	25.6	11.6	213	27.9
78	6	22	19	13.5	203	24.0	8.2	216	26.3
78	6	22	20	12.8	209	22.5	7.2	257	21.7
78	6	22	21	12.9	218	22.5	7.5	267	16.9
78	6	22	22	11.4	215	22.7	8.1	259	16.3
78	6	22	23	12.1	220	23.1	7.1	264	15.5
78	6	22	24	14.3	220	22.0	5.5	263	13.9

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	6	23	1	14.8	226	21.8	3.2	215	12.4
78	6	23	2	12.8	245	19.8	3.8	276	10.7
78	6	23	3	15.6	236	19.9	6.9	263	9.3
78	6	23	4	16.6	232	19.3	6.9	270	9.2
78	6	23	5	14.4	238	18.9	5.9	265	9.8
78	6	23	6	11.6	238	19.2	5.0	274	14.1
78	6	23	7	11.9	233	20.8	10.4	245	21.6
78	6	23	8	12.0	222	22.8	10.4	238	23.9
78	6	23	9	14.4	208	22.8	10.5	220	24.7
78	6	23	10	13.6	213	23.5	13.0	223	25.5
78	6	23	11	16.2	210	24.3	11.9	229	26.3
78	6	23	12	15.5	206	25.0	13.4	223	27.0
78	6	23	13	14.3	211	25.4	11.5	223	27.6
78	6	23	14	17.1	203	26.2	12.8	218	27.9
78	6	23	15	18.2	209	26.3	13.0	221	28.3
78	6	23	16	14.9	212	26.1	12.6	228	28.2
78	6	23	17	16.4	220	26.7	13.6	225	28.8
78	6	23	18	16.9	213	25.6	12.8	222	27.9
78	6	23	19	16.4	226	24.9	10.8	233	26.8
78	6	23	20	13.7	220	23.6	5.0	265	23.3
78	6	23	21	15.6	211	23.1	4.6	263	17.6
78	6	23	22	13.3	220	22.5	6.2	275	17.9
78	6	23	23	11.5	236	21.3	6.3	274	16.2
78	6	23	24	9.2	250	19.8	7.6	282	15.5
78	6	24	1	10.2	255	20.6	8.2	277	15.6
78	6	24	2	9.7	258	19.9	7.9	264	16.6
78	6	24	3	8.8	228	20.1	6.7	271	16.3
78	6	24	4	7.1	204	20.7	7.4	274	15.5
78	6	24	5	9.7	221	19.9	7.1	269	15.2
78	6	24	6	11.6	201	19.8	4.5	269	14.6
78	6	24	7	15.3	215	20.5	5.4	257	19.4
78	6	24	8	19.9	226	21.3	11.2	223	23.4
78	6	24	9	17.6	219	21.9	13.2	229	23.9
78	6	24	10	18.5	219	22.3	14.3	226	24.4
78	6	24	11	18.3	209	23.5	15.7	229	25.4
78	6	24	12	20.5	211	24.4	16.8	229	26.5
78	6	24	13	24.4	207	25.1	18.2	226	27.4
78	6	24	14	22.2	207	26.8	17.1	216	28.1
78	6	24	15	21.7	217	25.9	17.3	225	28.3
78	6	24	16	22.9	215	26.2	18.8	224	28.6
78	6	24	17	22.6	213	25.6	17.2	220	27.9
78	6	24	18	22.8	213	25.0	16.1	223	27.1
78	6	24	19	19.1	217	24.4	12.9	231	26.0
78	6	24	20	16.7	217	23.9	10.2	235	25.1
78	6	24	21	18.4	223	23.8	10.8	239	24.6
78	6	24	22	17.7	219	23.3	9.3	237	24.0
78	6	24	23	16.7	218	22.6	9.0	242	22.7
78	6	24	24	14.3	221	21.7	8.9	246	21.1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	6	25	1	14.1	221	20.5	9.3	245	18.8
78	6	25	2	14.8	218	19.5	8.7	249	15.0
78	6	25	3	16.0	215	18.6	8.3	249	13.0
78	6	25	4	16.3	218	17.6	9.4	248	12.9
78	6	25	5	17.2	220	17.4	8.5	246	13.8
78	6	25	6	16.6	227	17.9	8.2	252	17.3
78	6	25	7	15.5	279	17.0	10.4	263	19.2
78	6	25	8	20.3	276	16.0	15.2	265	18.3
78	6	25	9	21.4	275	16.4	14.8	275	18.8
78	6	25	10	17.8	284	17.4	11.7	279	19.7
78	6	25	11	13.3	280	18.7	11.7	278	20.7
78	6	25	12	13.0	274	19.7	12.0	288	21.5
78	6	25	13	12.4	294	20.4	12.4	285	22.3
78	6	25	14	15.5	286	20.5	13.3	275	22.9
78	6	25	15	14.1	302	20.9	12.0	278	22.9
78	6	25	16	15.6	305	21.1	11.6	287	22.8
78	6	25	17	14.7	303	20.7	11.7	278	22.7
78	6	25	18	13.2	305	20.5	10.1	282	22.2
78	6	25	19	10.3	303	19.8	8.3	273	20.7
78	6	25	20	8.2	307	16.8	4.5	271	16.0
78	6	25	21	6.7	330	16.1	2.0	265	12.6
78	6	25	22	6.1	344	14.9	4.4	264	11.4
78	6	25	23	5.5	347	13.5	4.3	255	10.8
78	6	25	24	5.1	338	11.9	2.6	287	11.6
78	6	26	1	5.4	313	10.3	6.5	270	7.9
78	6	26	2	5.5	314	9.3	7.3	265	6.2
78	6	26	3	5.4	287	8.7	7.7	273	5.6
78	6	26	4	4.8	284	8.8	7.6	271	4.5
78	6	26	5	4.1	274	8.0	6.9	277	4.0
78	6	26	6	3.5	283	9.4	4.8	284	6.6
78	6	26	7	4.2	71	11.7	2.7	146	11.8
78	6	26	8	5.6	113	12.8	4.0	51	13.9
78	6	26	9	5.7	92	14.3	4.6	44	15.4
78	6	26	10	6.1	69	16.8	5.2	43	17.6
78	6	26	11	6.3	19	18.8	6.3	72	19.8
78	6	26	12	15.2	214	20.7	9.1	250	22.4
78	6	26	13	17.0	217	21.3	13.8	225	23.4
78	6	26	14	16.6	219	21.9	14.2	234	24.0
78	6	26	15	14.2	209	22.6	11.9	220	24.6
78	6	26	16	13.1	209	23.1	9.5	214	25.2
78	6	26	17	14.9	199	23.8	11.5	223	25.6
78	6	26	18	12.6	187	22.6	10.5	228	25.1
78	6	26	19	8.3	206	21.7	7.3	236	23.7
78	6	26	20	9.4	211	21.2	6.2	269	17.0
78	6	26	21	10.9	211	20.3	6.9	261	14.1
78	6	26	22	8.0	199	20.1	7.1	262	13.3
78	6	26	23	5.6	200	19.7	6.2	273	11.8
78	6	26	24	7.3	212	19.3	6.7	267	10.6

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	6	27	1	11.6	210	18.9	6.8	261	10.1
78	6	27	2	12.4	210	18.2	6.2	261	8.1
78	6	27	3	14.8	206	18.0	4.9	258	7.1
78	6	27	4	14.9	202	17.5	4.8	263	5.8
78	6	27	5	13.6	203	16.9	6.0	261	7.4
78	6	27	6	10.3	194	16.5	6.3	277	11.5
78	6	27	7	8.8	179	18.5	4.1	189	17.0
78	6	27	8	9.5	151	19.8	6.3	138	21.2
78	6	27	9	12.6	184	20.6	9.0	195	22.5
78	6	27	10	20.5	205	21.5	14.7	223	23.6
78	6	27	11	18.3	211	22.3	14.8	221	24.2
78	6	27	12	19.0	215	22.8	16.4	227	24.7
78	6	27	13	15.3	219	23.2	13.8	230	25.1
78	6	27	14	15.2	188	23.5	12.7	229	25.6
78	6	27	15	15.0	184	24.1	10.4	209	26.0
78	6	27	16	15.0	192	24.6	10.0	208	26.8
78	6	27	17	14.9	231	24.9	10.1	213	27.1
78	6	27	18	12.7	223	24.4	9.4	216	26.7
78	6	27	19	8.6	220	23.4	7.1	239	25.8
78	6	27	20	9.8	234	22.4	5.9	262	19.6
78	6	27	21	9.7	239	21.9	8.1	266	17.1
78	6	27	22	12.3	219	21.4	5.5	294	15.9
78	6	27	23	11.7	208	19.7	7.8	260	14.5
78	6	27	24	12.1	189	19.3	6.6	305	14.6
78	6	28	1	11.1	175	19.1	8.8	5	13.6
78	6	28	2	7.6	151	17.6	5.0	279	14.5
78	6	28	3	8.6	182	18.1	5.2	274	13.1
78	6	28	4	12.3	199	18.1	5.7	266	12.2
78	6	28	5	10.7	208	18.4	2.7	257	11.2
78	6	28	6	10.6	208	18.6	4.5	309	14.7
78	6	28	7	14.8	228	19.4	5.0	71	19.1
78	6	28	8	10.7	226	19.5	6.9	230	21.8
78	6	28	9	7.8	218	19.6	9.6	241	21.5
78	6	28	10	10.5	218	19.8	9.8	229	21.9
78	6	28	11	6.3	184	19.8	9.6	225	22.1
78	6	28	12	10.9	255	18.9	13.8	248	21.5
78	6	28	13	8.2	256	20.7	9.4	245	22.9
78	6	28	14	7.4	258	21.5	8.6	245	23.4
78	6	28	15	8.5	256	21.8	8.1	249	23.6
78	6	28	16	7.5	212	21.7	6.1	256	23.5
78	6	28	17	14.1	125	19.7	13.2	119	21.0
78	6	28	18	17.1	114	17.6	8.9	108	19.4
78	6	28	19	11.7	108	17.3	6.3	81	18.9
78	6	28	20	7.1	86	16.5	8.5	71	17.8
78	6	28	21	7.3	86	15.1	4.2	83	15.8
78	6	28	22	4.9	11	14.2	4.8	257	12.9
78	6	28	23	4.3	267	13.5	6.0	267	11.9
78	6	28	24	4.0	232	13.6	6.0	266	11.3

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	6	29	1	3.7	261	13.4	6.3	269	10.2
78	6	29	2	3.9	182	13.3	6.5	265	9.2
78	6	29	3	3.6	275	12.9	6.1	271	8.8
78	6	29	4	3.6	280	13.2	5.2	265	8.3
78	6	29	5	2.6	246	12.5	5.4	265	8.9
78	6	29	6	3.9	176	14.2	3.7	257	9.6
78	6	29	7	3.6	306	15.8	2.7	17	13.3
78	6	29	8	5.0	238	18.5	3.2	52	18.1
78	6	29	9	5.2	236	20.8	8.1	52	19.9
78	6	29	10	5.4	282	20.8	4.2	106	22.4
78	6	29	11	10.3	278	20.8	5.8	251	22.7
78	6	29	12	8.5	180	18.4	8.1	109	19.5
78	6	29	13	8.0	233	16.6	7.0	265	18.0
78	6	29	14	5.4	297	15.6	5.0	265	16.9
78	6	29	15	5.5	62	14.2	3.7	203	15.6
78	6	29	16	9.0	147	13.5	4.8	186	15.0
78	6	29	17	6.6	176	14.8	6.1	204	15.9
78	6	29	18	10.2	158	13.9	7.1	193	15.6
78	6	29	19	10.1	163	13.9	5.0	271	14.8
78	6	29	20	6.3	168	14.2	2.5	268	13.1
78	6	29	21	4.9	16	12.7	2.1	262	11.3
78	6	29	22	3.7	319	11.5	5.5	277	10.6
78	6	29	23	3.6	299	11.6	4.9	268	10.3
78	6	29	24	3.8	332	11.7	5.5	264	9.7
78	6	30	1	3.5	353	11.2	5.0	262	8.9
78	6	30	2	3.6	328	11.5	5.7	264	7.9
78	6	30	3	3.5	333	11.7	5.6	269	7.1
78	6	30	4	4.2	303	13.8	5.5	258	6.4
78	6	30	5	3.2	72	12.2	6.0	266	6.2
78	6	30	6	3.7	166	15.3	2.3	231	9.2
78	6	30	7	4.1	101	16.0	1.8	80	14.3
78	6	30	8	4.8	89	17.3	3.6	75	17.2
78	6	30	9	5.3	41	18.9	3.2	86	20.0
78	6	30	10	6.7	284	20.4	4.0	168	22.2
78	6	30	11	7.2	264	21.4	6.5	236	23.5
78	6	30	12	10.3	217	20.7	7.5	210	22.5
78	6	30	13	11.4	250	21.9	7.6	84	22.9
78	6	30	14	14.2	252	21.0	6.7	259	23.3
78	6	30	15	9.7	234	21.7	9.2	243	23.8
78	6	30	16	9.0	253	23.2	8.5	242	25.1
78	6	30	17	8.6	249	23.3	6.8	235	25.5
78	6	30	18	5.6	173	22.5	4.6	209	24.8
78	6	30	19	6.0	204	21.7	3.6	260	21.6
78	6	30	20	11.8	220	20.8	6.8	286	17.1
78	6	30	21	12.4	218	20.1	6.6	273	14.0
78	6	30	22	13.6	222	19.8	4.3	262	13.3
78	6	30	23	14.4	227	19.5	2.9	252	10.9
78	6	30	24	14.7	222	19.9	2.5	225	9.8

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	7	1	1	13.2	222	19.7	3.6	268	8.4
78	7	1	2	12.9	216	19.3	4.1	266	7.6
78	7	1	3	11.1	169	18.1	4.3	268	7.0
78	7	1	4	6.5	358	15.3	6.5	267	6.8
78	7	1	5	3.9	250	14.9	7.6	270	8.1
78	7	1	6	4.6	248	17.3	6.0	277	11.5
78	7	1	7	3.8	78	19.4	3.7	7	17.4
78	7	1	8	4.6	99	20.8	5.3	54	20.3
78	7	1	9	6.9	108	22.6	5.9	56	22.8
78	7	1	10	11.1	226	22.8	5.2	8	23.9
78	7	1	11	13.0	218	23.7	11.7	232	25.6
78	7	1	12	14.4	212	24.8	11.7	231	25.8
78	7	1	13	15.0	218	24.3	12.3	239	26.5
78	7	1	14	14.1	211	24.8	11.5	220	26.8
78	7	1	15	12.3	222	25.1	9.5	227	27.1
78	7	1	16	11.8	206	25.3	10.3	217	27.5
78	7	1	17	10.9	195	25.2	9.8	224	27.3
78	7	1	18	11.4	175	24.9	7.7	197	27.2
78	7	1	19	8.4	200	23.8	6.2	218	25.8
78	7	1	20	12.3	227	23.0	6.8	272	18.2
78	7	1	21	12.9	221	22.8	7.1	258	15.6
78	7	1	22	12.9	216	21.8	7.4	267	14.2
78	7	1	23	14.0	214	21.3	7.6	266	13.2
78	7	1	24	13.8	214	20.8	6.6	273	13.4
78	7	2	1	13.6	215	20.4	6.7	276	12.5
78	7	2	2	13.4	221	20.7	6.1	277	11.6
78	7	2	3	13.8	217	20.4	6.1	264	11.3
78	7	2	4	13.1	205	19.7	3.8	223	8.5
78	7	2	5	12.8	204	19.6	4.0	264	5.9
78	7	2	6	10.7	196	20.4	3.7	260	9.0
78	7	2	7	11.1	196	21.6	3.1	32	16.6
78	7	2	8	12.1	192	22.6	6.2	106	22.1
78	7	2	9	10.8	210	23.3	9.3	209	25.3
78	7	2	10	13.1	214	24.4	12.2	204	26.5
78	7	2	11	18.4	218	24.7	15.0	212	27.0
78	7	2	12	18.7	204	24.8	16.1	218	27.0
78	7	2	13	21.4	209	25.1	16.1	216	27.5
78	7	2	14	20.8	206	25.4	17.0	226	27.8
78	7	2	15	21.0	203	25.7	17.9	226	28.0
78	7	2	16	17.9	215	26.1	15.8	227	28.3
78	7	2	17	19.9	219	26.1	15.6	221	28.9
78	7	2	18	17.7	220	25.5	15.0	229	27.8
78	7	2	19	16.9	227	24.3	11.2	241	25.8
78	7	2	20	13.6	225	22.6	8.0	259	20.0
78	7	2	21	11.8	214	22.5	7.7	271	15.6
78	7	2	22	11.2	211	22.7	6.9	262	14.1
78	7	2	23	11.5	214	22.7	6.9	255	12.9
78	7	2	24	12.2	212	21.9	5.0	262	9.6

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	7	3	1	12.9	207	20.8	8.7	268	11.3
78	7	3	2	12.9	213	20.3	8.9	272	12.3
78	7	3	3	14.2	219	19.6	7.2	274	11.6
78	7	3	4	13.3	216	18.8	6.3	279	10.3
78	7	3	5	12.3	211	17.8	6.8	273	10.4
78	7	3	6	10.7	218	18.0	4.3	266	12.5
78	7	3	7	11.4	186	19.3	3.9	188	19.2
78	7	3	8	15.2	193	20.3	9.5	195	22.5
78	7	3	9	17.6	208	21.1	12.8	210	23.2
78	7	3	10	19.2	208	22.1	13.3	210	24.3
78	7	3	11	23.4	213	22.5	16.9	225	24.8
78	7	3	12	21.3	200	23.4	16.0	215	25.6
78	7	3	13	22.2	194	23.9	15.2	212	26.5
78	7	3	14	22.5	219	24.6	17.3	228	26.9
78	7	3	15	24.6	218	25.2	20.6	237	27.6
78	7	3	16	22.9	202	25.3	18.2	219	27.7
78	7	3	17	18.7	214	25.2	14.2	221	27.7
78	7	3	18	17.0	213	24.6	13.7	231	27.1
78	7	3	19	13.8	235	23.4	10.3	244	25.0
78	7	3	20	12.7	226	22.1	7.7	265	18.6
78	7	3	21	11.0	211	21.7	7.9	270	15.1
78	7	3	22	13.1	218	21.1	8.5	270	13.6
78	7	3	23	13.4	223	20.6	7.1	277	12.9
78	7	3	24	15.0	225	19.3	4.1	257	9.5
78	7	4	1	13.9	248	18.0	4.8	264	9.6
78	7	4	2	11.7	253	16.3	5.1	274	8.6
78	7	4	3	11.4	247	15.9	7.3	272	8.4
78	7	4	4	13.5	234	15.7	7.1	269	7.4
78	7	4	5	13.6	230	15.9	6.6	271	6.2
78	7	4	6	12.6	218	16.4	4.1	268	8.9
78	7	4	7	12.6	218	17.6	3.6	115	15.6
78	7	4	8	13.7	237	18.2	8.0	290	19.9
78	7	4	9	16.4	245	19.0	13.0	244	21.1
78	7	4	10	17.6	218	19.8	14.6	230	22.1
78	7	4	11	18.7	207	20.4	14.7	220	22.6
78	7	4	12	18.7	209	21.1	15.8	225	23.2
78	7	4	13	20.3	208	21.7	16.5	223	23.8
78	7	4	14	21.0	220	22.2	17.7	228	24.5
78	7	4	15	18.2	222	22.9	17.2	233	25.1
78	7	4	16	18.5	236	23.1	17.7	240	25.3
78	7	4	17	16.1	233	23.0	13.6	239	25.3
78	7	4	18	13.3	216	22.5	11.1	228	25.1
78	7	4	19	10.6	231	21.6	7.8	241	23.1
78	7	4	20	12.9	227	20.7	7.7	266	15.9
78	7	4	21	13.2	223	20.7	6.5	258	13.8
78	7	4	22	10.9	235	19.8	6.1	274	11.4
78	7	4	23	5.4	314	17.0	6.0	269	8.2
78	7	4	24	7.2	334	14.2	7.6	267	7.3

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	7	5	1	6.3	332	13.3	3.1	257	10.9
78	7	5	2	5.8	295	12.3	8.0	272	8.0
78	7	5	3	4.9	277	12.1	8.3	274	7.2
78	7	5	4	4.3	275	11.8	8.3	277	6.3
78	7	5	5	3.5	278	11.5	7.5	274	5.5
78	7	5	6	3.8	260	12.7	6.1	274	8.2
78	7	5	7	3.9	295	14.7	2.8	295	14.9
78	7	5	8	4.9	39	16.7	3.4	135	18.1
78	7	5	9	5.3	91	18.8	4.2	93	19.3
78	7	5	10	5.9	153	20.2	3.7	352	21.3
78	7	5	11	8.2	164	22.2	4.1	195	23.6
78	7	5	12	15.9	248	22.8	14.0	238	24.9
78	7	5	13	15.1	229	23.1	16.4	243	25.2
78	7	5	14	14.7	229	23.2	15.6	249	25.3
78	7	5	15	14.0	216	23.7	13.1	233	25.8
78	7	5	16	15.0	223	23.9	13.9	233	26.2
78	7	5	17	12.4	244	23.5	11.8	244	25.5
78	7	5	18	13.2	232	23.6	10.1	235	25.6
78	7	5	19	9.4	218	22.3	7.7	257	22.0
78	7	5	20	8.8	237	20.9	7.7	259	17.7
78	7	5	21	14.2	272	19.4	9.4	268	19.2
78	7	5	22	9.0	340	17.2	4.7	19	18.4
78	7	5	23	6.1	334	15.0	4.7	321	16.1
78	7	5	24	7.5	360	14.8	4.1	346	14.3
78	7	6	1	3.8	209	13.4	6.5	263	11.8
78	7	6	2	4.4	262	13.1	7.8	269	9.4
78	7	6	3	5.0	279	12.3	7.7	274	8.3
78	7	6	4	4.5	278	11.9	7.7	272	7.7
78	7	6	5	4.9	268	12.0	8.5	273	7.5
78	7	6	6	4.5	283	13.4	4.6	281	10.0
78	7	6	7	4.3	358	15.0	3.9	69	14.3
78	7	6	8	4.9	10	16.5	5.8	84	16.7
78	7	6	9	4.6	72	18.5	4.9	84	18.9
78	7	6	10	7.6	335	19.6	6.4	77	20.6
78	7	6	11	9.9	280	20.3	9.2	223	22.5
78	7	6	12	11.5	269	21.0	8.0	258	23.3
78	7	6	13	8.9	260	21.2	10.6	245	23.4
78	7	6	14	9.8	235	21.7	9.8	251	24.1
78	7	6	15	10.4	236	22.6	9.8	229	24.7
78	7	6	16	6.8	240	22.6	8.5	257	24.6
78	7	6	17	7.9	275	22.7	8.6	260	24.2
78	7	6	18	4.6	293	21.1	5.5	339	23.6
78	7	6	19	6.9	255	20.2	4.4	252	21.1
78	7	6	20	9.0	285	20.2	7.8	262	19.7
78	7	6	21	13.9	353	17.4	8.1	22	19.2
78	7	6	22	8.3	20	15.4	4.7	40	16.9
78	7	6	23	4.4	358	14.2	4.8	279	13.0
78	7	6	24	5.0	296	12.9	7.0	284	10.8

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	7	7	1	5.0	279	12.2	7.0	283	9.5
78	7	7	2	4.3	273	12.3	7.9	274	8.8
78	7	7	3	4.6	251	12.7	8.8	267	8.3
78	7	7	4	4.1	256	12.7	7.8	273	7.7
78	7	7	5	4.8	261	12.7	7.0	275	7.7
78	7	7	6	3.5	247	14.8	2.8	300	10.0
78	7	7	7	3.8	132	17.5	3.3	58	14.5
78	7	7	8	4.8	117	19.1	4.7	62	17.7
78	7	7	9	7.2	103	20.4	5.3	61	20.6
78	7	7	10	6.9	111	22.1	8.0	56	23.5
78	7	7	11	8.2	192	23.8	7.7	323	25.7
78	7	7	12	14.5	228	24.6	10.5	228	26.8
78	7	7	13	18.0	221	25.1	15.5	242	27.2
78	7	7	14	19.8	229	25.5	16.4	239	27.7
78	7	7	15	999.9	999	999.9	999.9	999	999.9
78	7	7	16	999.9	999	999.9	999.9	999	999.9
78	7	7	17	999.9	999	999.9	999.9	999	999.9
78	7	7	18	999.9	999	999.9	999.9	999	999.9
78	7	7	19	999.9	999	999.9	999.9	999	999.9
78	7	7	20	999.9	999	999.9	999.9	999	999.9
78	7	7	21	999.9	999	999.9	999.9	999	999.9
78	7	7	22	999.9	999	999.9	999.9	999	999.9
78	7	7	23	999.9	999	999.9	999.9	999	999.9
78	7	7	24	999.9	999	999.9	999.9	999	999.9
78	7	8	1	999.9	999	999.9	999.9	999	999.9
78	7	8	2	999.9	999	999.9	999.9	999	999.9
78	7	8	3	999.9	999	999.9	999.9	999	999.9
78	7	8	4	999.9	999	999.9	999.9	999	999.9
78	7	8	5	999.9	999	999.9	999.9	999	999.9
78	7	8	6	999.9	999	999.9	999.9	999	999.9
78	7	8	7	999.9	999	999.9	999.9	999	999.9
78	7	8	8	999.9	999	999.9	999.9	999	999.9
78	7	8	9	999.9	999	999.9	999.9	999	999.9
78	7	8	10	999.9	999	999.9	999.9	999	999.9
78	7	8	11	999.9	999	999.9	999.9	999	999.9
78	7	8	12	999.9	999	999.9	999.9	999	999.9
78	7	8	13	999.9	999	999.9	999.9	999	999.9
78	7	8	14	999.9	999	999.9	999.9	999	999.9
78	7	8	15	999.9	999	999.9	999.9	999	999.9
78	7	8	16	999.9	999	999.9	999.9	999	999.9
78	7	8	17	999.9	999	999.9	999.9	999	999.9
78	7	8	18	999.9	999	999.9	999.9	999	999.9
78	7	8	19	999.9	999	999.9	999.9	999	999.9
78	7	8	20	999.9	999	999.9	999.9	999	999.9
78	7	8	21	999.9	999	999.9	999.9	999	999.9
78	7	8	22	999.9	999	999.9	999.9	999	999.9
78	7	8	23	999.9	999	999.9	999.9	999	999.9
78	7	8	24	999.9	999	999.9	999.9	999	999.9

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	7	9	1	999.9	999	999.9	999.9	999	999.9
78	7	9	2	999.9	999	999.9	999.9	999	999.9
78	7	9	3	999.9	999	999.9	999.9	999	999.9
78	7	9	4	999.9	999	999.9	999.9	999	999.9
78	7	9	5	999.9	999	999.9	999.9	999	999.9
78	7	9	6	999.9	999	999.9	999.9	999	999.9
78	7	9	7	999.9	999	999.9	999.9	999	999.9
78	7	9	8	999.9	999	999.9	999.9	999	999.9
78	7	9	9	14.6	224	22.9	7.1	243	24.9
78	7	9	10	15.8	225	23.1	13.6	231	25.5
78	7	9	11	14.8	233	23.9	11.2	230	25.8
78	7	9	12	14.1	237	24.7	11.0	265	26.8
78	7	9	13	10.9	283	24.6	10.2	277	26.7
78	7	9	14	13.3	286	24.3	11.1	273	26.6
78	7	9	15	8.3	242	24.8	7.0	242	27.1
78	7	9	16	6.9	282	25.6	7.3	263	27.9
78	7	9	17	9.8	287	27.8	7.1	284	29.0
78	7	9	18	11.3	248	26.5	9.0	278	28.8
78	7	9	19	9.5	236	25.0	6.2	260	27.0
78	7	9	20	10.5	222	22.7	5.7	284	20.8
78	7	9	21	9.8	259	21.8	5.5	279	18.3
78	7	9	22	8.2	257	20.3	8.1	286	18.2
78	7	9	23	6.9	306	19.9	6.9	272	15.4
78	7	9	24	5.1	291	18.7	8.3	285	14.5
78	7	10	1	3.9	306	18.5	7.1	278	13.4
78	7	10	2	5.0	262	18.4	7.0	269	12.9
78	7	10	3	4.7	274	18.3	6.4	275	13.9
78	7	10	4	4.0	273	18.1	6.4	273	13.0
78	7	10	5	3.9	247	17.9	5.4	271	11.5
78	7	10	6	4.6	199	19.3	5.5	283	13.2
78	7	10	7	6.5	162	21.1	2.4	347	19.5
78	7	10	8	11.8	190	22.2	6.5	165	23.8
78	7	10	9	13.2	216	23.4	9.4	229	25.4
78	7	10	10	11.6	224	24.0	12.4	243	26.1
78	7	10	11	12.3	218	24.9	10.8	231	27.1
78	7	10	12	12.8	223	25.2	12.0	223	27.5
78	7	10	13	16.2	283	21.7	15.2	279	23.8
78	7	10	14	9.9	253	24.7	7.7	258	26.9
78	7	10	15	12.2	226	25.8	10.5	234	28.2
78	7	10	16	11.5	221	25.3	8.0	221	27.4
78	7	10	17	13.3	239	24.3	11.6	298	26.2
78	7	10	18	999.9	999	999.9	999.9	999	999.9
78	7	10	19	999.9	999	999.9	999.9	999	999.9
78	7	10	20	999.9	999	999.9	999.9	999	999.9
78	7	10	21	999.9	999	999.9	999.9	999	999.9
78	7	10	22	999.9	999	999.9	999.9	999	999.9
78	7	10	23	999.9	999	999.9	999.9	999	999.9
78	7	10	24	999.9	999	999.9	999.9	999	999.9

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBDSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	7	11	1	999.9	999	999.9	999.9	999	999.9
78	7	11	2	999.9	999	999.9	999.9	999	999.9
78	7	11	3	999.9	999	999.9	999.9	999	999.9
78	7	11	4	999.9	999	999.9	999.9	999	999.9
78	7	11	5	999.9	999	999.9	999.9	999	999.9
78	7	11	6	999.9	999	999.9	999.9	999	999.9
78	7	11	7	999.9	999	999.9	999.9	999	999.9
78	7	11	8	999.9	999	999.9	999.9	999	999.9
78	7	11	9	999.9	999	999.9	999.9	999	999.9
78	7	11	10	999.9	999	999.9	999.9	999	999.9
78	7	11	11	999.9	999	999.9	999.9	999	999.9
78	7	11	12	999.9	999	999.9	999.9	999	999.9
78	7	11	13	999.9	999	999.9	999.9	999	999.9
78	7	11	14	999.9	999	999.9	999.9	999	999.9
78	7	11	15	999.9	999	999.9	999.9	999	999.9
78	7	11	16	999.9	999	999.9	999.9	999	999.9
78	7	11	17	999.9	999	999.9	999.9	999	999.9
78	7	11	18	999.9	999	999.9	999.9	999	999.9
78	7	11	19	999.9	999	999.9	999.9	999	999.9
78	7	11	20	999.9	999	999.9	999.9	999	999.9
78	7	11	21	999.9	999	999.9	999.9	999	999.9
78	7	11	22	999.9	999	999.9	999.9	999	999.9
78	7	11	23	999.9	999	999.9	999.9	999	999.9
78	7	11	24	999.9	999	999.9	999.9	999	999.9
78	7	12	1	999.9	999	999.9	999.9	999	999.9
78	7	12	2	999.9	999	999.9	999.9	999	999.9
78	7	12	3	999.9	999	999.9	999.9	999	999.9
78	7	12	4	999.9	999	999.9	999.9	999	999.9
78	7	12	5	999.9	999	999.9	999.9	999	999.9
78	7	12	6	999.9	999	999.9	999.9	999	999.9
78	7	12	7	999.9	999	999.9	999.9	999	999.9
78	7	12	8	999.9	999	999.9	999.9	999	999.9
78	7	12	9	999.9	999	999.9	999.9	999	999.9
78	7	12	10	999.9	999	999.9	999.9	999	999.9
78	7	12	11	999.9	999	999.9	999.9	999	999.9
78	7	12	12	999.9	999	999.9	999.9	999	999.9
78	7	12	13	999.9	999	999.9	999.9	999	999.9
78	7	12	14	11.0	240	24.9	8.6	254	27.2
78	7	12	15	9.1	202	25.7	10.1	238	27.9
78	7	12	16	9.4	222	26.2	6.9	197	28.4
78	7	12	17	7.0	269	26.1	8.2	234	28.4
78	7	12	18	7.6	215	25.9	6.7	230	28.3
78	7	12	19	8.9	221	25.8	8.4	243	27.1
78	7	12	20	999.9	999	999.9	999.9	999	999.9
78	7	12	21	999.9	999	999.9	999.9	999	999.9
78	7	12	22	999.9	999	999.9	999.9	999	999.9
78	7	12	23	999.9	999	999.9	999.9	999	999.9
78	7	12	24	999.9	999	999.9	999.9	999	999.9

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	7	13	1	999.9	999	999.9	999.9	999	999.9
78	7	13	2	999.9	999	999.9	999.9	999	999.9
78	7	13	3	999.9	999	999.9	999.9	999	999.9
78	7	13	4	999.9	999	999.9	999.9	999	999.9
78	7	13	5	999.9	999	999.9	999.9	999	999.9
78	7	13	6	999.9	999	999.9	999.9	999	999.9
78	7	13	7	999.9	999	999.9	999.9	999	999.9
78	7	13	8	999.9	999	999.9	999.9	999	999.9
78	7	13	9	10.3	234	25.1	4.7	52	26.0
78	7	13	10	8.8	238	25.8	6.9	178	27.3
78	7	13	11	9.3	259	25.8	9.5	236	28.1
78	7	13	12	12.0	235	26.7	7.8	226	29.0
78	7	13	13	999.9	999	999.9	8.7	272	29.5
78	7	13	14	999.9	999	999.9	8.0	288	30.0
78	7	13	15	999.9	999	999.9	7.3	309	30.6
78	7	13	16	999.9	999	999.9	9.6	297	30.8
78	7	13	17	999.9	999	999.9	10.7	265	30.5
78	7	13	18	9.5	329	29.8	7.5	292	30.5
78	7	13	19	9.5	324	27.0	4.5	297	30.0
78	7	13	20	8.0	297	24.0	5.0	275	23.0
78	7	13	21	7.0	281	23.8	8.5	275	19.5
78	7	13	22	7.5	270	22.5	5.5	999	18.0
78	7	13	23	4.0	265	21.5	8.0	270	16.5
78	7	13	24	5.0	286	22.5	9.0	281	16.0
78	7	14	1	5.5	275	22.0	8.5	279	16.0
78	7	14	2	4.0	270	22.0	5.5	270	14.5
78	7	14	3	4.0	259	21.5	8.0	275	13.5
78	7	14	4	4.0	248	21.0	8.0	281	13.5
78	7	14	5	4.0	232	21.0	6.5	270	13.0
78	7	14	6	4.0	248	21.5	4.0	81	14.0
78	7	14	7	2.5	275	24.0	2.0	76	18.0
78	7	14	8	4.5	119	25.0	3.0	81	23.0
78	7	14	9	5.5	113	26.5	6.0	70	25.5
78	7	14	10	7.5	94	27.5	6.0	72	28.0
78	7	14	11	8.0	18	28.5	7.5	72	29.0
78	7	14	12	999.9	999	999.9	999.9	999	999.9
78	7	14	13	999.9	999	999.9	999.9	999	999.9
78	7	14	14	9.0	40	999.9	999.9	999	999.9
78	7	14	15	8.0	173	999.9	999.9	999	999.9
78	7	14	16	999.9	999	999.9	999.9	999	999.9
78	7	14	17	999.9	999	999.9	999.9	999	999.9
78	7	14	18	5.5	18	30.5	7.0	72	31.5
78	7	14	19	8.0	83	29.0	8.0	70	30.5
78	7	14	20	5.5	29	26.5	9.0	275	25.0
78	7	14	21	4.0	302	25.0	8.5	275	20.5
78	7	14	22	4.0	248	25.5	8.5	270	19.0
78	7	14	23	6.5	184	25.0	8.0	275	18.0
78	7	14	24	4.5	232	23.5	8.5	275	17.0

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RADSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	7	15	1	5.0	270	24.0	7.5	275	17.0
78	7	15	2	5.0	184	23.5	7.0	270	16.0
78	7	15	3	4.5	184	23.5	7.0	270	15.0
78	7	15	4	4.5	113	23.0	6.0	259	14.0
78	7	15	5	4.5	281	21.5	7.0	259	13.0
78	7	15	6	4.5	329	23.5	4.0	259	14.5
78	7	15	7	4.5	83	24.5	999.9	270	19.5
78	7	15	8	4.0	2	25.5	5.0	67	24.0
78	7	15	9	8.0	205	26.5	6.5	45	27.5
78	7	15	10	11.0	238	26.5	10.0	254	29.0
78	7	15	11	11.0	227	26.5	9.5	243	29.0
78	7	15	12	12.5	208	27.0	10.0	216	29.5
78	7	15	13	14.5	205	27.5	12.0	216	30.0
78	7	15	14	15.0	248	27.0	15.0	248	29.0
78	7	15	15	25.5	281	25.5	20.0	270	28.5
78	7	15	16	19.5	286	24.0	14.5	270	26.0
78	7	15	17	7.5	248	24.5	6.5	243	26.5
78	7	15	18	10.5	162	25.0	6.0	184	27.0
78	7	15	19	13.0	140	24.0	11.0	99	25.5
78	7	15	20	11.0	140	22.0	5.0	92	22.5
78	7	15	21	7.0	130	20.0	6.0	281	19.0
78	7	15	22	7.5	167	19.0	6.0	286	16.0
78	7	15	23	5.5	194	20.0	5.5	275	15.0
78	7	15	24	8.0	194	20.5	4.5	259	14.0
78	7	16	1	5.0	999	19.5	5.5	270	12.5
78	7	16	2	4.5	205	19.0	7.0	265	12.0
78	7	16	3	3.5	265	19.0	6.5	259	11.5
78	7	16	4	4.5	302	19.5	5.0	259	12.0
78	7	16	5	4.5	313	19.5	5.0	265	11.0
78	7	16	6	4.5	162	20.0	5.0	270	14.0
78	7	16	7	4.5	178	21.0	999.9	275	17.5
78	7	16	8	14.5	238	24.0	2.5	67	23.5
78	7	16	9	11.0	248	24.5	7.5	238	26.0
78	7	16	10	9.5	232	25.5	8.0	216	27.5
78	7	16	11	12.5	227	26.0	10.0	238	28.0
78	7	16	12	18.5	216	25.0	16.0	221	28.0
78	7	16	13	17.5	232	25.5	15.0	238	28.0
78	7	16	14	16.0	211	27.0	14.5	227	28.5
78	7	16	15	16.5	243	27.0	15.0	243	29.0
78	7	16	16	14.0	232	27.0	10.5	254	29.5
78	7	16	17	13.0	248	25.0	11.5	248	28.0
78	7	16	18	14.5	216	23.0	8.0	227	26.0
78	7	16	19	20.5	194	20.0	12.0	265	22.5
78	7	16	20	5.5	162	20.0	4.5	108	21.5
78	7	16	21	9.0	189	20.0	7.0	259	19.0
78	7	16	22	13.0	184	20.0	5.0	178	20.5
78	7	16	23	15.0	194	19.5	5.5	189	20.5
78	7	16	24	18.5	200	19.0	4.0	189	20.5

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	7	17	1	9.0	113	17.5	5.5	81	19.0
78	7	17	2	7.0	146	18.5	3.5	136	18.0
78	7	17	3	5.0	281	17.0	5.0	281	15.0
78	7	17	4	4.5	221	17.0	5.0	281	14.5
78	7	17	5	3.5	29	16.5	4.0	270	13.0
78	7	17	6	4.5	173	16.5	5.0	275	13.5
78	7	17	7	12.0	238	19.5	2.0	292	19.0
78	7	17	8	14.0	238	21.0	10.0	232	23.0
78	7	17	9	13.5	243	22.0	11.5	243	24.5
78	7	17	10	12.0	248	23.5	10.5	243	25.5
78	7	17	11	12.0	232	24.0	10.0	238	26.5
78	7	17	12	10.5	238	25.0	10.0	232	27.5
78	7	17	13	16.0	227	23.5	10.5	265	25.0
78	7	17	14	14.5	205	25.5	12.0	232	27.5
78	7	17	15	15.0	216	26.0	12.0	243	27.0
78	7	17	16	11.0	286	20.5	6.5	248	19.5
78	7	17	17	18.5	292	20.0	12.5	265	21.0
78	7	17	18	8.5	184	18.5	7.0	238	20.5
78	7	17	19	8.0	119	18.5	5.5	103	19.5
78	7	17	20	7.0	140	18.0	3.5	86	18.0
78	7	17	21	11.5	135	17.5	4.5	119	19.0
78	7	17	22	5.5	227	17.5	5.5	265	17.0
78	7	17	23	7.5	173	16.5	5.5	238	16.0
78	7	17	24	7.0	140	15.5	6.0	281	14.5
78	7	18	1	7.0	167	16.0	5.5	281	11.0
78	7	18	2	5.0	194	16.0	5.5	275	10.0
78	7	18	3	5.0	248	14.5	6.5	265	9.0
78	7	18	4	5.0	292	15.5	5.5	259	8.5
78	7	18	5	4.0	130	15.5	5.5	265	8.0
78	7	18	6	4.0	124	16.5	4.0	265	10.0
78	7	18	7	4.0	119	18.0	2.0	275	15.5
78	7	18	8	7.0	205	20.5	3.5	45	21.0
78	7	18	9	9.0	216	21.0	8.0	243	23.0
78	7	18	10	10.0	248	21.5	9.0	232	24.0
78	7	18	11	999.9	999	999.9	8.9	232	24.5
78	7	18	12	999.9	999	999.9	7.5	236	26.0
78	7	18	13	999.9	999	999.9	9.9	212	26.7
78	7	18	14	999.9	999	999.9	12.4	240	25.0
78	7	18	15	999.9	999	999.9	9.9	282	24.2
78	7	18	16	999.9	999	999.9	7.2	264	21.9
78	7	18	17	999.9	999	999.9	9.2	199	20.5
78	7	18	18	999.9	999	999.9	6.4	243	21.6
78	7	18	19	999.9	999	999.9	7.5	252	21.3
78	7	18	20	999.9	999	999.9	7.1	250	19.2
78	7	18	21	999.9	999	999.9	7.7	272	16.6
78	7	18	22	999.9	999	999.9	7.8	243	16.9
78	7	18	23	15.0	248	20.5	5.5	243	17.5
78	7	18	24	8.0	313	19.5	5.0	999	17.0

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	7	19	1	4.5	346	18.5	4.0	270	15.0
78	7	19	2	20.0	281	17.0	9.0	259	15.5
78	7	19	3	7.0	281	16.0	6.5	254	16.0
78	7	19	4	9.5	184	15.5	5.5	254	16.0
78	7	19	5	12.5	178	17.0	7.0	259	13.5
78	7	19	6	8.0	178	18.5	6.5	281	13.5
78	7	19	7	5.0	113	20.0	4.5	265	19.5
78	7	19	8	14.0	194	22.0	3.5	56	23.0
78	7	19	9	14.0	216	23.5	12.0	232	25.5
78	7	19	10	13.5	243	25.0	10.0	248	26.5
78	7	19	11	14.5	238	25.5	11.5	269	27.5
78	7	19	12	16.5	286	24.5	13.0	275	26.5
78	7	19	13	15.0	292	23.5	10.5	275	25.0
78	7	19	14	10.0	227	22.0	4.5	265	20.0
78	7	19	15	14.5	211	26.5	11.0	227	27.5
78	7	19	16	16.0	216	27.0	13.5	232	29.0
78	7	19	17	13.0	238	25.5	12.0	227	28.5
78	7	19	18	4.5	248	25.0	3.0	248	27.0
78	7	19	19	12.5	216	25.0	5.5	167	27.5
78	7	19	20	11.5	205	23.0	8.0	248	23.0
78	7	19	21	11.5	184	21.5	7.0	270	19.0
78	7	19	22	10.5	200	22.0	5.5	281	17.5
78	7	19	23	999.9	999	999.9	999.9	999	999.9
78	7	19	24	10.5	243	21.0	4.5	999	20.0
78	7	20	1	10.0	189	20.5	7.0	216	16.0
78	7	20	2	7.5	140	19.5	6.0	275	14.5
78	7	20	3	4.5	281	18.0	7.0	281	13.5
78	7	20	4	5.0	275	17.0	7.5	275	12.5
78	7	20	5	4.5	302	18.0	6.0	270	12.5
78	7	20	6	4.5	356	19.0	5.0	270	13.5
78	7	20	7	11.5	238	22.0	3.0	270	19.0
78	7	20	8	16.0	227	23.5	3.0	70	25.0
78	7	20	9	14.0	216	25.0	10.0	238	26.5
78	7	20	10	14.5	232	25.0	11.5	243	999.9
78	7	20	11	16.5	216	26.0	12.5	227	999.9
78	7	20	12	19.0	216	26.5	15.5	232	999.9
78	7	20	13	999.9	999	999.9	999.9	999	999.9
78	7	20	14	999.9	999	999.9	999.9	999	999.9
78	7	20	15	999.9	999	999.9	999.9	999	999.9
78	7	20	16	999.9	999	999.9	999.9	999	999.9
78	7	20	17	999.9	999	999.9	999.9	999	999.9
78	7	20	18	999.9	999	999.9	999.9	999	999.9
78	7	20	19	999.9	999	999.9	999.9	999	999.9
78	7	20	20	999.9	999	999.9	999.9	999	999.9
78	7	20	21	999.9	999	999.9	999.9	999	999.9
78	7	20	22	999.9	999	999.9	999.9	999	999.9
78	7	20	23	999.9	999	999.9	999.9	999	999.9
78	7	20	24	999.9	999	999.9	999.9	999	999.9

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	7	21	1	999.9	999	999.9	999.9	999	999.9
78	7	21	2	999.9	999	999.9	999.9	999	999.9
78	7	21	3	999.9	999	999.9	999.9	999	999.9
78	7	21	4	999.9	999	999.9	999.9	999	999.9
78	7	21	5	999.9	999	999.9	999.9	999	999.9
78	7	21	6	999.9	999	999.9	999.9	999	999.9
78	7	21	7	999.9	999	999.9	999.9	999	999.9
78	7	21	8	999.9	999	999.9	999.9	999	999.9
78	7	21	9	999.9	999	999.9	999.9	999	999.9
78	7	21	10	999.9	999	999.9	15.2	999	999.9
78	7	21	11	999.9	999	999.9	11.7	275	22.1
78	7	21	12	999.9	999	999.9	12.6	268	22.7
78	7	21	13	999.9	999	999.9	11.0	278	23.5
78	7	21	14	999.9	999	999.9	9.8	278	24.2
78	7	21	15	15.3	302	22.6	12.0	300	24.9
78	7	21	16	15.7	296	23.8	10.8	291	25.1
78	7	21	17	15.7	300	22.8	11.7	295	24.8
78	7	21	18	13.6	314	22.5	9.0	313	24.5
78	7	21	19	10.2	322	21.3	6.2	321	23.3
78	7	21	20	9.6	4	17.4	3.2	22	18.5
78	7	21	21	5.8	343	15.3	2.6	29	16.2
78	7	21	22	4.9	331	13.8	5.1	252	13.1
78	7	21	23	4.6	316	13.2	6.7	262	10.6
78	7	21	24	6.3	333	12.3	6.4	264	8.9
78	7	22	1	5.5	283	11.3	6.4	263	7.8
78	7	22	2	4.1	250	11.1	6.7	262	7.1
78	7	22	3	3.5	329	10.1	6.9	269	6.2
78	7	22	4	3.5	274	9.5	6.5	274	5.6
78	7	22	5	2.9	277	8.6	6.3	270	5.0
78	7	22	6	3.7	13	10.4	4.7	278	6.8
78	7	22	7	4.0	40	12.5	3.5	46	11.6
78	7	22	8	4.2	26	15.0	3.2	85	14.8
78	7	22	9	5.6	93	16.9	4.1	82	17.5
78	7	22	10	5.9	88	18.3	5.1	71	19.2
78	7	22	11	6.0	297	21.0	5.5	999	22.5
78	7	22	12	6.0	243	22.5	5.9	999	23.5
78	7	22	13	7.0	7	23.5	5.5	340	24.5
78	7	22	14	7.0	346	24.5	7.0	329	26.0
78	7	22	15	8.0	7	25.5	7.0	61	26.0
78	7	22	16	9.5	297	26.0	6.5	18	26.5
78	7	22	17	11.0	297	25.5	7.5	324	27.5
78	7	22	18	11.0	313	25.5	7.0	346	27.0
78	7	22	19	6.5	313	24.5	4.5	286	26.0
78	7	22	20	4.0	308	21.5	7.0	281	18.5
78	7	22	21	4.5	259	20.5	8.5	275	15.0
78	7	22	22	4.5	270	20.5	8.5	270	14.5
78	7	22	23	4.5	270	20.5	7.0	265	14.0
78	7	22	24	4.5	281	19.0	8.0	275	13.0

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	7	23	1	5.0	265	19.5	7.5	281	12.5
78	7	23	2	4.0	281	19.0	7.0	270	12.0
78	7	23	3	4.0	275	18.5	6.5	265	10.5
78	7	23	4	4.0	302	17.0	6.5	270	9.5
78	7	23	5	3.5	275	16.5	6.5	270	8.5
78	7	23	6	4.0	270	16.5	5.0	265	11.0
78	7	23	7	4.0	313	20.0	4.5	340	16.5
78	7	23	8	5.5	346	22.0	6.0	72	19.0
78	7	23	9	7.0	72	23.0	6.5	72	22.0
78	7	23	10	6.5	130	24.5	4.5	67	25.5
78	7	23	11	9.0	238	25.5	5.0	297	27.0
78	7	23	12	10.0	281	26.0	7.5	286	27.5
78	7	23	13	8.5	265	26.0	8.0	281	28.5
78	7	23	14	9.5	286	26.5	9.0	254	28.5
78	7	23	15	10.0	313	27.5	9.0	259	29.0
78	7	23	16	12.0	308	28.0	9.0	270	29.5
78	7	23	17	9.0	302	28.0	8.0	324	29.0
78	7	23	18	10.0	324	28.0	6.0	313	29.0
78	7	23	19	7.0	313	26.5	4.0	340	27.0
78	7	23	20	5.0	275	23.0	7.5	275	20.5
78	7	23	21	5.0	270	23.0	8.0	281	17.5
78	7	23	22	6.0	254	23.0	8.5	281	16.5
78	7	23	23	4.0	259	23.0	10.5	270	15.0
78	7	23	24	5.5	265	23.0	8.0	270	14.5
78	7	24	1	6.5	270	21.5	5.0	265	12.5
78	7	24	2	10.0	248	21.0	5.0	254	10.5
78	7	24	3	5.5	265	20.5	6.5	265	10.5
78	7	24	4	7.5	243	20.0	5.0	270	9.5
78	7	24	5	6.5	254	20.5	5.5	265	10.0
78	7	24	6	6.0	205	21.0	4.0	270	11.0
78	7	24	7	5.0	173	23.0	2.5	270	17.0
78	7	24	8	6.0	205	23.5	6.5	72	22.5
78	7	24	9	8.0	254	24.5	6.5	292	26.0
78	7	24	10	999.9	999	999.9	999.9	999	999.9
78	7	24	11	9.9	260	25.6	6.1	298	27.9
78	7	24	12	10.4	273	26.8	6.6	275	28.8
78	7	24	13	9.8	286	27.3	8.7	278	29.2
78	7	24	14	11.2	291	27.3	7.2	313	29.8
78	7	24	15	10.6	238	27.4	9.1	241	29.6
78	7	24	16	9.0	241	27.8	5.3	229	29.7
78	7	24	17	7.6	254	28.4	5.0	227	29.6
78	7	24	18	6.2	334	28.0	6.7	108	29.5
78	7	24	19	6.1	154	25.9	4.3	144	27.9
78	7	24	20	10.5	223	24.6	7.0	278	21.4
78	7	24	21	10.3	251	22.6	6.8	247	19.8
78	7	24	22	10.7	258	21.4	4.2	256	18.3
78	7	24	23	11.7	253	21.6	4.8	275	17.5
78	7	24	24	11.4	255	21.4	6.0	279	16.6

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RAOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	7	25	1	12.8	251	21.5	5.2	276	14.3
78	7	25	2	15.2	238	21.4	4.6	275	11.7
78	7	25	3	17.3	242	20.7	3.4	269	11.2
78	7	25	4	15.8	251	20.1	3.4	266	10.5
78	7	25	5	17.0	250	20.1	2.7	263	10.6
78	7	25	6	7.8	149	20.9	2.5	303	13.2
78	7	25	7	6.7	175	22.3	4.0	73	19.8
78	7	25	8	8.8	261	23.2	3.9	113	24.6
78	7	25	9	8.0	276	24.1	6.6	264	26.3
78	7	25	10	9.5	283	24.7	7.0	288	27.4
78	7	25	11	7.2	287	26.6	5.8	344	28.8
78	7	25	12	8.1	330	27.6	6.6	352	29.5
78	7	25	13	10.1	316	28.4	9.3	307	30.6
78	7	25	14	10.3	317	28.8	8.5	314	30.9
78	7	25	15	8.6	344	29.3	7.6	287	31.3
78	7	25	16	8.2	300	29.5	7.4	308	31.5
78	7	25	17	7.2	306	28.8	6.3	298	31.2
78	7	25	18	8.4	327	28.7	5.8	331	30.7
78	7	25	19	7.6	328	26.8	9.6	27	29.3
78	7	25	20	16.3	23	25.6	20.5	62	27.7
78	7	25	21	999.9	999	999.9	999.9	999	999.9
78	7	25	22	999.9	999	999.9	999.9	999	999.9
78	7	25	23	999.9	999	999.9	999.9	999	999.9
78	7	25	24	999.9	999	999.9	999.9	999	999.9
78	7	26	1	999.9	999	999.9	999.9	999	999.9
78	7	26	2	999.9	999	999.9	999.9	999	999.9
78	7	26	3	999.9	999	999.9	999.9	999	999.9
78	7	26	4	999.9	999	999.9	999.9	999	999.9
78	7	26	5	999.9	999	999.9	999.9	999	999.9
78	7	26	6	999.9	999	999.9	999.9	999	999.9
78	7	26	7	999.9	999	999.9	999.9	999	999.9
78	7	26	8	999.9	999	999.9	999.9	999	999.9
78	7	26	9	5.8	38	25.8	6.4	80	24.4
78	7	26	10	8.3	61	25.5	7.4	83	26.2
78	7	26	11	10.1	23	26.4	7.9	40	28.0
78	7	26	12	9.5	316	26.7	7.8	313	28.8
78	7	26	13	10.6	313	27.4	8.3	307	29.1
78	7	26	14	999.9	999	999.9	999.9	999	999.9
78	7	26	15	9.0	344	28.2	6.6	9	30.1
78	7	26	16	7.1	353	28.9	5.8	19	30.8
78	7	26	17	10.6	15	28.7	8.2	40	30.5
78	7	26	18	8.8	36	28.1	6.2	47	30.0
78	7	26	19	7.0	31	27.0	3.9	26	28.2
78	7	26	20	5.0	336	24.5	7.3	261	21.1
78	7	26	21	4.4	276	23.1	8.8	277	18.1
78	7	26	22	4.4	272	22.6	8.6	274	16.7
78	7	26	23	4.8	258	22.6	8.4	273	15.7
78	7	26	24	4.0	261	22.2	8.3	275	15.4

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	7	27	1	4.0	170	22.2	8.3	273	14.3
78	7	27	2	4.1	194	21.8	7.2	274	13.4
78	7	27	3	4.3	269	20.8	7.2	269	12.8
78	7	27	4	3.8	271	20.5	7.5	271	12.9
78	7	27	5	4.0	276	19.7	5.7	270	11.5
78	7	27	6	3.7	8	19.5	4.9	268	11.7
78	7	27	7	4.0	33	20.0	1.7	304	18.3
78	7	27	8	4.1	35	23.4	2.9	55	22.7
78	7	27	9	4.7	112	25.8	4.1	59	26.8
78	7	27	10	5.7	100	27.6	3.5	103	29.0
78	7	27	11	6.8	25	28.6	5.8	64	30.1
78	7	27	12	7.7	270	28.8	6.8	49	30.8
78	7	27	13	8.9	308	29.5	6.9	42	31.4
78	7	27	14	9.7	268	29.8	6.8	330	32.1
78	7	27	15	8.8	260	30.5	9.1	61	31.7
78	7	27	16	6.4	193	30.0	7.9	42	32.4
78	7	27	17	6.0	180	29.2	3.4	185	31.2
78	7	27	18	5.0	198	29.4	3.5	129	30.5
78	7	27	19	8.5	181	27.9	6.6	132	29.4
78	7	27	20	9.3	999	26.3	8.0	231	27.0
78	7	27	21	13.4	256	24.2	6.0	246	21.7
78	7	27	22	18.6	266	23.9	7.6	250	22.6
78	7	27	23	20.3	267	23.4	5.8	350	22.8
78	7	27	24	10.6	194	22.2	4.0	51	20.7
78	7	28	1	4.2	304	21.8	3.7	178	19.1
78	7	28	2	4.2	187	21.8	6.0	267	19.1
78	7	28	3	5.7	250	21.4	6.3	271	18.6
78	7	28	4	6.4	253	20.2	6.9	270	16.7
78	7	28	5	9.1	256	19.9	6.8	265	14.3
78	7	28	6	10.6	258	20.6	3.5	256	15.1
78	7	28	7	8.8	260	22.0	3.1	256	21.9
78	7	28	8	7.6	256	22.3	7.3	249	24.9
78	7	28	9	10.9	253	21.8	8.6	278	23.7
78	7	28	10	7.8	173	22.3	5.9	210	24.3
78	7	28	11	9.3	196	23.9	5.1	190	26.0
78	7	28	12	10.9	215	25.6	7.8	215	27.8
78	7	28	13	15.9	277	24.0	10.4	263	25.4
78	7	28	14	12.9	244	21.6	9.7	239	20.8
78	7	28	15	8.3	219	26.4	6.3	238	27.7
78	7	28	16	9.8	206	26.9	8.1	237	29.3
78	7	28	17	11.1	195	26.7	9.7	214	29.2
78	7	28	18	11.5	218	24.2	9.6	235	25.8
78	7	28	19	7.6	280	23.8	5.8	290	22.7
78	7	28	20	6.0	273	22.8	6.6	287	21.2
78	7	28	21	7.0	269	21.4	5.4	272	19.3
78	7	28	22	10.0	266	21.8	2.3	246	16.9
78	7	28	23	9.1	343	20.5	2.5	317	19.1
78	7	28	24	6.3	334	18.9	3.1	290	19.4

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	7	29	1	5.2	150	17.4	5.8	264	17.0
78	7	29	2	4.8	223	16.4	6.6	262	15.6
78	7	29	3	4.7	215	16.9	6.7	248	15.0
78	7	29	4	6.4	204	17.3	8.0	266	13.8
78	7	29	5	5.5	254	17.4	7.7	264	13.9
78	7	29	6	4.6	265	18.0	6.2	259	15.1
78	7	29	7	5.5	303	17.8	5.0	161	16.0
78	7	29	8	4.5	198	18.1	2.5	321	17.0
78	7	29	9	4.2	61	21.3	2.8	48	22.1
78	7	29	10	5.7	215	23.2	4.4	56	24.3
78	7	29	11	9.0	264	24.3	5.4	51	25.4
78	7	29	12	12.0	286	24.5	10.0	313	26.2
78	7	29	13	13.1	300	24.7	9.5	303	27.0
78	7	29	14	10.9	318	25.4	8.2	330	27.4
78	7	29	15	9.4	70	25.6	10.8	78	26.5
78	7	29	16	9.5	104	24.8	10.1	78	26.5
78	7	29	17	9.3	98	24.7	7.8	45	27.0
78	7	29	18	7.5	105	23.8	6.0	33	26.6
78	7	29	19	7.1	150	22.8	4.5	173	25.4
78	7	29	20	6.7	239	21.7	6.3	259	22.5
78	7	29	21	13.7	336	19.2	10.3	346	20.7
78	7	29	22	4.5	303	18.1	4.1	245	16.7
78	7	29	23	4.1	279	17.6	6.9	268	15.2
78	7	29	24	3.5	266	17.0	7.0	265	14.2
78	7	30	1	4.3	265	17.2	7.1	274	13.3
78	7	30	2	4.0	268	17.8	6.0	261	12.9
78	7	30	3	4.0	81	17.0	4.1	256	12.4
78	7	30	4	3.8	263	15.8	5.4	262	11.0
78	7	30	5	3.7	292	15.4	6.2	263	10.0
78	7	30	6	3.6	304	15.9	4.5	268	11.7
78	7	30	7	5.0	4	16.8	2.9	127	16.2
78	7	30	8	5.8	42	18.2	4.8	90	18.7
78	7	30	9	4.7	83	20.3	3.4	122	21.5
78	7	30	10	5.8	85	22.4	5.4	86	23.2
78	7	30	11	6.6	23	23.8	7.0	82	24.7
78	7	30	12	8.2	319	24.1	7.0	83	25.8
78	7	30	13	7.4	59	24.8	6.9	63	26.4
78	7	30	14	7.6	8	25.9	6.9	67	27.0
78	7	30	15	7.0	96	26.0	6.8	4	28.1
78	7	30	16	7.8	322	26.7	6.8	55	28.3
78	7	30	17	6.3	49	26.6	6.5	59	28.2
78	7	30	18	6.0	44	26.1	6.8	52	27.8
78	7	30	19	6.0	14	25.8	3.8	8	26.4
78	7	30	20	4.6	268	22.6	7.6	259	20.0
78	7	30	21	5.1	252	22.2	8.4	268	17.3
78	7	30	22	3.4	206	20.7	7.9	270	15.8
78	7	30	23	4.0	268	20.9	7.4	273	14.8
78	7	30	24	7.6	212	21.6	6.7	270	13.7

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	7	31	1	4.3	320	19.8	6.2	257	12.1
78	7	31	2	5.5	248	20.5	6.9	260	11.7
78	7	31	3	6.6	143	20.8	5.8	265	10.2
78	7	31	4	4.6	278	19.6	5.8	265	9.1
78	7	31	5	4.3	152	19.3	6.7	265	9.4
78	7	31	6	3.2	78	20.8	6.4	268	12.3
78	7	31	7	3.5	357	20.3	2.6	272	16.8
78	7	31	8	10.2	274	21.9	2.0	196	19.1
78	7	31	9	13.1	246	23.9	5.1	29	24.4
78	7	31	10	18.5	273	23.9	12.2	276	26.0
78	7	31	11	21.2	273	24.4	13.2	257	26.5
78	7	31	12	21.1	279	24.3	15.7	261	26.6
78	7	31	13	22.8	271	24.3	15.5	270	26.6
78	7	31	14	19.0	233	23.4	16.5	243	25.5
78	7	31	15	14.4	238	23.8	11.9	234	25.8
78	7	31	16	9.5	261	23.9	8.0	263	25.9
78	7	31	17	11.7	280	24.3	8.3	285	26.2
78	7	31	18	11.0	298	24.5	8.4	285	26.3
78	7	31	19	8.9	328	22.7	5.4	346	24.1
78	7	31	20	5.9	19	19.9	3.5	68	20.9
78	7	31	21	999.9	999	999.9	999.9	999	999.9
78	7	31	22	999.9	999	999.9	999.9	999	999.9
78	7	31	23	999.9	999	999.9	999.9	999	999.9
78	7	31	24	999.9	999	999.9	999.9	999	999.9
78	8	1	1	999.9	999	999.9	999.9	999	999.9
78	8	1	2	999.9	999	999.9	999.9	999	999.9
78	8	1	3	999.9	999	999.9	999.9	999	999.9
78	8	1	4	999.9	999	999.9	999.9	999	999.9
78	8	1	5	999.9	999	999.9	999.9	999	999.9
78	8	1	6	999.9	999	999.9	999.9	999	999.9
78	8	1	7	999.9	999	999.9	999.9	999	999.9
78	8	1	8	999.9	999	999.9	999.9	999	999.9
78	8	1	9	999.9	999	999.9	999.9	999	999.9
78	8	1	10	6.8	118	21.9	3.6	4	22.5
78	8	1	11	6.5	153	24.4	5.3	106	24.6
78	8	1	12	8.5	269	24.7	7.2	227	26.7
78	8	1	13	11.9	280	25.5	11.2	275	27.9
78	8	1	14	999.9	999	999.9	999.9	999	999.9
78	8	1	15	999.9	999	999.9	999.9	999	999.9
78	8	1	16	999.9	999	999.9	999.9	999	999.9
78	8	1	17	999.9	999	999.9	999.9	999	999.9
78	8	1	18	999.9	999	999.9	999.9	999	999.9
78	8	1	19	999.9	999	999.9	999.9	999	999.9
78	8	1	20	999.9	999	999.9	999.9	999	999.9
78	8	1	21	999.9	999	999.9	999.9	999	999.9
78	8	1	22	999.9	999	999.9	999.9	999	999.9
78	8	1	23	999.9	999	999.9	999.9	999	999.9
78	8	1	24	999.9	999	999.9	999.9	999	999.9

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	8	2	1	999.9	999	999.9	999.9	999	999.9
78	8	2	2	999.9	999	999.9	999.9	999	999.9
78	8	2	3	999.9	999	999.9	999.9	999	999.9
78	8	2	4	999.9	999	999.9	999.9	999	999.9
78	8	2	5	999.9	999	999.9	999.9	999	999.9
78	8	2	6	999.9	999	999.9	999.9	999	999.9
78	8	2	7	999.9	999	999.9	999.9	999	999.9
78	8	2	8	999.9	999	999.9	999.9	999	999.9
78	8	2	9	4.2	39	20.4	5.4	96	20.5
78	8	2	10	5.5	129	22.9	5.2	75	23.3
78	8	2	11	11.1	313	24.7	6.8	359	25.9
78	8	2	12	11.9	283	25.4	9.9	268	27.6
78	8	2	13	15.2	287	25.6	12.4	293	28.3
78	8	2	14	14.2	288	26.4	10.4	274	28.9
78	8	2	15	15.2	302	27.1	10.4	281	28.8
78	8	2	16	14.6	300	27.4	11.5	289	29.1
78	8	2	17	13.6	311	27.0	9.4	291	29.0
78	8	2	18	9.5	310	25.9	6.8	294	28.0
78	8	2	19	5.1	301	24.8	3.2	326	27.0
78	8	2	20	4.5	282	23.2	4.8	278	23.0
78	8	2	21	5.1	262	22.1	7.6	272	19.8
78	8	2	22	6.0	85	22.2	3.6	167	20.6
78	8	2	23	5.3	351	20.7	5.4	272	17.2
78	8	2	24	6.6	329	18.6	4.5	263	14.6
78	8	3	1	5.5	48	15.3	4.6	63	15.3
78	8	3	2	4.2	116	12.8	4.3	24	13.5
78	8	3	3	3.5	33	11.7	6.2	275	10.0
78	8	3	4	4.2	289	11.0	5.7	275	8.8
78	8	3	5	5.3	331	10.8	5.6	271	7.8
78	8	3	6	4.4	9	10.4	5.0	269	8.3
78	8	3	7	4.2	357	11.6	3.1	92	12.9
78	8	3	8	3.9	5	14.5	5.6	84	14.4
78	8	3	9	4.7	14	16.4	4.9	46	16.8
78	8	3	10	5.6	68	18.5	4.8	63	19.3
78	8	3	11	6.4	44	20.2	6.2	84	21.1
78	8	3	12	7.4	51	21.9	6.8	64	23.1
78	8	3	13	7.3	52	22.7	7.5	66	24.5
78	8	3	14	9.0	49	23.8	6.3	17	25.5
78	8	3	15	9.3	15	24.4	6.9	46	25.9
78	8	3	16	11.2	11	24.8	8.4	359	26.2
78	8	3	17	14.1	327	24.1	9.8	301	25.9
78	8	3	18	10.2	342	23.3	7.3	0	25.3
78	8	3	19	7.1	28	22.0	4.1	13	23.2
78	8	3	20	4.0	312	19.6	6.5	271	17.3
78	8	3	21	4.0	297	18.3	8.1	270	14.8
78	8	3	22	3.6	270	18.0	8.2	272	13.9
78	8	3	23	3.8	284	17.8	8.4	272	12.6
78	8	3	24	4.1	265	17.2	8.3	273	12.0

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	8	4	1	4.6	263	17.2	7.7	278	11.5
78	8	4	2	5.7	213	18.3	5.9	269	10.7
78	8	4	3	4.8	10	16.8	5.2	262	9.0
78	8	4	4	4.7	314	14.7	6.5	260	7.8
78	8	4	5	4.4	270	14.8	6.9	269	8.2
78	8	4	6	4.0	282	14.1	6.2	278	9.4
78	8	4	7	4.3	288	16.6	3.6	330	14.9
78	8	4	8	4.3	67	19.3	5.7	77	17.6
78	8	4	9	5.4	69	20.2	5.5	91	19.8
78	8	4	10	7.3	61	21.1	6.0	95	22.1
78	8	4	11	7.9	19	22.4	7.3	75	23.7
78	8	4	12	8.1	349	23.4	6.3	76	24.6
78	8	4	13	10.1	324	23.9	7.9	358	25.6
78	8	4	14	9.8	336	24.6	9.3	10	26.0
78	8	4	15	11.2	320	24.8	7.9	45	26.4
78	8	4	16	13.4	329	25.1	6.7	1	27.0
78	8	4	17	11.4	0	25.2	8.2	36	27.1
78	8	4	18	9.8	14	25.8	9.9	20	26.9
78	8	4	19	8.3	17	23.8	4.3	28	24.9
78	8	4	20	4.6	298	21.1	7.5	264	17.6
78	8	4	21	5.0	278	20.8	9.3	271	15.3
78	8	4	22	4.5	285	19.4	8.4	276	15.7
78	8	4	23	5.1	270	19.0	9.6	268	12.6
78	8	4	24	8.0	209	19.9	8.9	272	12.8
78	8	5	1	4.0	231	18.6	7.2	272	10.9
78	8	5	2	5.6	212	19.2	6.9	271	11.1
78	8	5	3	5.1	212	19.1	6.9	266	10.3
78	8	5	4	8.2	246	18.5	4.3	268	8.3
78	8	5	5	4.2	123	16.7	4.3	265	5.7
78	8	5	6	4.1	22	16.9	4.6	265	7.6
78	8	5	7	3.9	104	18.3	2.9	305	14.1
78	8	5	8	4.4	87	20.0	3.3	67	18.8
78	8	5	9	5.5	85	22.2	3.5	62	22.3
78	8	5	10	6.5	62	24.0	5.3	63	24.7
78	8	5	11	7.8	30	25.3	6.8	76	26.7
78	8	5	12	9.0	20	26.0	7.9	70	27.7
78	8	5	13	6.8	27	26.5	8.0	43	28.1
78	8	5	14	8.0	17	27.0	7.1	31	29.2
78	8	5	15	8.3	49	27.5	10.2	69	28.9
78	8	5	16	8.8	46	27.7	8.9	44	29.2
78	8	5	17	7.4	45	27.4	7.9	71	29.0
78	8	5	18	7.0	48	27.1	6.2	61	28.7
78	8	5	19	6.3	52	25.7	4.0	26	25.8
78	8	5	20	4.3	315	23.4	8.4	279	19.5
78	8	5	21	4.0	254	22.9	9.3	264	17.3
78	8	5	22	5.4	248	22.9	9.6	267	16.6
78	8	5	23	3.9	258	22.5	8.8	273	15.7
78	8	5	24	5.8	262	22.2	7.8	279	15.6

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOBC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	8	6	1	6.7	297	21.4	3.9	265	13.4
78	8	6	2	5.4	0	18.9	5.5	265	10.9
78	8	6	3	3.8	273	18.0	8.1	275	11.5
78	8	6	4	4.1	242	19.1	8.3	271	11.8
78	8	6	5	4.2	239	20.6	5.1	339	11.4
78	8	6	6	5.2	262	20.5	4.2	257	10.6
78	8	6	7	3.9	247	22.2	2.5	346	15.7
78	8	6	8	3.7	147	25.0	5.5	69	19.7
78	8	6	9	4.4	99	26.3	4.6	68	23.6
78	8	6	10	7.0	286	26.9	7.5	85	26.8
78	8	6	11	9.8	296	27.5	7.7	65	29.0
78	8	6	12	13.0	307	27.9	9.0	319	30.2
78	8	6	13	13.6	316	28.4	9.2	326	30.2
78	8	6	14	14.7	317	28.4	10.1	307	30.3
78	8	6	15	16.9	325	28.3	10.2	340	29.7
78	8	6	16	18.2	315	27.2	10.8	305	29.0
78	8	6	17	17.9	298	26.3	11.1	279	28.2
78	8	6	18	17.6	306	26.2	10.8	289	28.0
78	8	6	19	10.2	328	24.9	5.4	332	26.7
78	8	6	20	5.8	2	22.6	2.9	317	22.6
78	8	6	21	4.3	263	20.7	8.3	268	18.1
78	8	6	22	7.3	260	20.9	10.0	270	18.3
78	8	6	23	8.4	3	20.3	7.1	11	21.1
78	8	6	24	6.3	340	20.8	4.1	286	19.8
78	8	7	1	5.3	288	18.6	6.1	268	15.8
78	8	7	2	4.4	272	18.3	6.8	284	14.8
78	8	7	3	3.7	272	18.0	7.1	276	13.6
78	8	7	4	4.1	292	17.4	9.8	274	12.4
78	8	7	5	4.9	299	16.6	6.7	268	11.1
78	8	7	6	4.1	305	16.8	5.3	270	12.2
78	8	7	7	4.0	333	18.2	3.1	246	17.4
78	8	7	8	5.0	20	20.4	5.7	77	20.7
78	8	7	9	7.7	64	21.5	7.0	63	22.5
78	8	7	10	8.1	37	22.4	6.8	79	24.0
78	8	7	11	9.3	52	23.8	9.5	75	25.1
78	8	7	12	9.5	60	24.7	9.3	75	26.1
78	8	7	13	8.6	51	25.3	6.8	58	27.0
78	8	7	14	11.0	17	26.0	8.6	44	27.6
78	8	7	15	8.9	8	26.7	8.3	38	28.3
78	8	7	16	9.7	15	27.1	8.6	29	28.6
78	8	7	17	10.5	32	26.9	9.0	64	28.4
78	8	7	18	9.8	46	26.3	8.2	58	27.9
78	8	7	19	7.8	43	24.9	4.1	83	25.7
78	8	7	20	5.7	352	23.3	5.9	258	19.2
78	8	7	21	4.2	286	21.5	8.7	272	17.6
78	8	7	22	4.1	278	20.9	8.5	273	16.3
78	8	7	23	4.1	272	20.7	8.0	276	15.6
78	8	7	24	4.0	267	20.4	8.1	274	14.9

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RROSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	8	8	1	3.8	267	20.6	8.1	275	14.6
78	8	8	2	4.3	206	20.5	7.0	271	13.5
78	8	8	3	4.1	275	19.1	6.4	269	12.6
78	8	8	4	4.2	356	18.7	6.3	258	10.8
78	8	8	5	3.8	335	17.9	5.7	261	10.0
78	8	8	6	3.7	14	16.9	6.8	263	10.6
78	8	8	7	4.0	309	18.4	4.5	275	15.0
78	8	8	8	4.2	308	21.3	4.9	63	20.6
78	8	8	9	4.5	72	22.3	4.3	87	23.1
78	8	8	10	5.2	49	25.3	4.7	66	26.0
78	8	8	11	6.7	85	26.1	6.9	56	27.4
78	8	8	12	8.2	323	25.6	4.6	355	27.6
78	8	8	13	7.1	200	26.6	6.1	225	28.9
78	8	8	14	9.2	257	26.9	5.2	311	28.9
78	8	8	15	8.1	310	26.8	5.6	13	29.1
78	8	8	16	9.4	147	25.7	8.0	150	28.0
78	8	8	17	6.0	157	25.1	6.5	133	27.2
78	8	8	18	7.1	122	24.0	4.9	156	25.7
78	8	8	19	5.2	228	23.6	5.5	263	23.5
78	8	8	20	5.8	287	22.9	3.9	279	21.5
78	8	8	21	7.1	26	21.8	3.2	251	20.3
78	8	8	22	6.0	31	20.9	3.6	194	20.0
78	8	8	23	3.7	148	20.5	6.5	271	18.8
78	8	8	24	5.5	168	20.2	5.3	268	18.0
78	8	9	1	4.2	124	19.3	6.0	269	15.1
78	8	9	2	4.6	24	18.6	6.9	267	13.2
78	8	9	3	3.9	264	17.2	8.1	273	13.1
78	8	9	4	4.4	244	17.4	9.0	266	12.9
78	8	9	5	4.9	267	17.3	6.0	266	11.7
78	8	9	6	4.2	32	17.6	5.5	264	11.7
78	8	9	7	4.0	48	18.9	2.8	285	16.4
78	8	9	8	4.3	20	20.7	2.4	28	21.5
78	8	9	9	4.5	103	22.7	4.0	69	23.7
78	8	9	10	6.4	2	24.2	3.5	96	25.9
78	8	9	11	6.7	9	24.6	6.1	76	26.5
78	8	9	12	5.9	342	25.0	5.0	298	26.5
78	8	9	13	7.5	38	25.8	5.6	16	28.0
78	8	9	14	6.4	346	26.2	8.5	281	28.6
78	8	9	15	10.6	335	27.8	5.6	21	30.1
78	8	9	16	8.6	331	27.3	8.2	2	28.7
78	8	9	17	9.2	22	27.1	6.4	13	28.5
78	8	9	18	7.1	51	26.4	5.0	44	28.1
78	8	9	19	5.9	122	24.6	2.1	106	25.1
78	8	9	20	7.0	158	22.4	5.9	278	20.9
78	8	9	21	8.0	238	21.9	6.4	285	19.0
78	8	9	22	9.9	247	20.8	4.9	272	16.8
78	8	9	23	10.6	253	20.5	4.4	277	14.8
78	8	9	24	10.1	260	21.3	2.4	263	15.0

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	8	10	1	8.5	265	21.2	2.7	263	14.7
78	8	10	2	5.2	237	20.3	4.6	265	14.3
78	8	10	3	4.7	134	19.6	5.4	263	14.2
78	8	10	4	5.0	169	19.6	7.4	275	14.9
78	8	10	5	8.8	207	19.3	5.8	275	13.9
78	8	10	6	11.7	251	20.1	3.0	285	13.2
78	8	10	7	11.8	225	21.6	2.5	30	17.9
78	8	10	8	16.1	229	22.9	5.9	118	23.5
78	8	10	9	16.7	244	23.8	10.1	248	25.9
78	8	10	10	16.7	262	24.5	13.7	264	26.7
78	8	10	11	12.8	281	25.5	12.6	252	27.6
78	8	10	12	10.1	281	25.7	7.9	273	27.8
78	8	10	13	10.8	291	26.5	11.5	254	28.7
78	8	10	14	14.9	300	27.3	10.9	296	29.6
78	8	10	15	13.5	307	27.9	9.8	283	29.6
78	8	10	16	16.6	310	27.5	8.8	299	28.8
78	8	10	17	19.5	309	26.7	13.2	277	28.2
78	8	10	18	18.3	304	25.7	12.4	286	27.5
78	8	10	19	15.4	299	24.4	8.9	280	26.1
78	8	10	20	9.1	290	22.6	4.7	344	23.4
78	8	10	21	4.6	175	21.7	5.9	265	19.5
78	8	10	22	4.1	269	21.2	8.0	273	18.2
78	8	10	23	4.3	266	20.8	6.9	279	16.4
78	8	10	24	4.3	265	20.7	7.6	275	15.5
78	8	11	1	5.4	264	20.8	9.0	271	15.5
78	8	11	2	9.0	251	20.4	5.9	273	14.5
78	8	11	3	10.3	243	20.2	4.4	270	11.5
78	8	11	4	7.1	254	19.7	4.3	266	10.2
78	8	11	5	11.4	240	19.6	4.2	265	10.4
78	8	11	6	12.9	245	20.2	3.2	265	11.3
78	8	11	7	10.3	252	21.3	2.9	76	15.3
78	8	11	8	9.7	240	22.9	3.1	83	20.5
78	8	11	9	8.5	250	23.8	6.7	323	25.0
78	8	11	10	9.0	254	24.1	9.8	245	26.5
78	8	11	11	7.2	267	25.2	5.9	255	26.8
78	8	11	12	7.7	241	26.1	6.0	256	28.0
78	8	11	13	7.9	286	25.2	8.3	237	26.5
78	8	11	14	11.9	283	21.4	12.0	251	24.9
78	8	11	15	9.7	251	23.0	7.0	262	25.2
78	8	11	16	14.9	233	25.2	8.7	233	26.8
78	8	11	17	18.7	222	26.2	11.2	234	28.4
78	8	11	18	8.6	244	25.3	9.8	252	27.5
78	8	11	19	14.7	302	22.1	10.1	307	24.8
78	8	11	20	7.2	295	21.1	4.9	282	23.0
78	8	11	21	6.2	210	20.9	4.7	228	21.4
78	8	11	22	4.5	180	21.1	5.5	257	19.2
78	8	11	23	5.5	182	19.9	6.2	269	16.7
78	8	11	24	8.0	193	20.4	6.0	258	16.3

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	8	12	1	13.7	246	20.1	3.7	291	15.2
78	8	12	2	13.6	240	19.8	3.0	205	14.6
78	8	12	3	10.0	194	20.6	3.1	151	15.1
78	8	12	4	4.9	11	18.1	2.7	252	15.6
78	8	12	5	3.8	178	18.4	5.5	266	14.8
78	8	12	6	5.2	254	19.3	2.9	259	15.1
78	8	12	7	5.3	251	20.1	3.5	118	17.0
78	8	12	8	5.8	190	22.0	4.0	72	22.4
78	8	12	9	9.4	231	22.5	4.7	163	24.2
78	8	12	10	14.4	235	23.7	10.0	242	25.4
78	8	12	11	18.0	235	24.1	15.6	243	26.6
78	8	12	12	18.6	215	24.8	17.3	230	26.9
78	8	12	13	20.8	211	25.2	17.7	232	27.2
78	8	12	14	21.4	211	24.3	18.7	229	26.6
78	8	12	15	19.0	224	23.8	14.7	223	24.8
78	8	12	16	16.7	203	23.8	12.7	216	25.8
78	8	12	17	14.2	247	23.6	11.9	250	25.4
78	8	12	18	10.7	301	22.1	8.7	301	23.8
78	8	12	19	7.5	311	20.6	6.2	257	21.7
78	8	12	20	6.1	264	18.2	7.1	217	18.1
78	8	12	21	5.2	267	16.8	7.8	259	14.3
78	8	12	22	8.0	279	15.5	5.7	256	14.1
78	8	12	23	10.1	252	14.8	7.3	249	13.7
78	8	12	24	17.3	269	13.8	11.0	248	14.1
78	8	13	1	8.1	263	12.6	6.9	217	13.6
78	8	13	2	5.5	145	12.4	3.3	266	13.2
78	8	13	3	5.5	160	12.0	3.6	255	12.1
78	8	13	4	5.2	275	11.9	3.6	263	11.9
78	8	13	5	3.9	275	11.8	4.5	261	10.6
78	8	13	6	3.9	214	12.1	6.0	267	10.3
78	8	13	7	4.8	198	13.3	2.5	283	12.4
78	8	13	8	9.4	177	16.9	2.6	51	17.2
78	8	13	9	16.6	226	18.7	8.8	204	20.3
78	8	13	10	17.5	208	19.2	15.6	223	21.6
78	8	13	11	20.6	274	15.1	18.8	260	17.4
78	8	13	12	20.3	277	12.9	14.4	256	15.1
78	8	13	13	14.8	253	15.2	9.5	249	17.0
78	8	13	14	11.6	256	18.3	10.8	248	21.0
78	8	13	15	9.5	220	20.9	7.6	160	22.3
78	8	13	16	13.2	242	21.5	10.9	245	23.6
78	8	13	17	16.0	245	20.5	11.7	257	22.4
78	8	13	18	12.7	220	20.1	8.1	243	22.5
78	8	13	19	10.7	212	19.4	5.5	207	21.3
78	8	13	20	10.4	217	17.7	6.8	257	16.2
78	8	13	21	10.5	331	12.8	6.1	341	14.0
78	8	13	22	6.8	17	10.5	3.7	37	11.4
78	8	13	23	5.7	23	9.2	3.1	34	10.4
78	8	13	24	5.0	345	8.8	4.1	257	10.2

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	8	14	1	4.7	289	8.6	3.9	293	9.3
78	8	14	2	5.2	245	8.8	1.6	260	9.0
78	8	14	3	4.5	217	8.5	1.8	288	9.6
78	8	14	4	3.4	241	8.1	0.7	127	8.7
78	8	14	5	4.2	309	8.1	3.0	236	8.1
78	8	14	6	5.0	280	8.1	7.9	259	8.7
78	8	14	7	17.1	279	8.0	9.6	270	10.1
78	8	14	8	18.1	267	7.3	8.8	253	9.3
78	8	14	9	19.7	250	6.4	10.7	240	7.8
78	8	14	10	19.4	229	8.2	7.9	238	9.6
78	8	14	11	16.7	244	8.8	10.2	234	10.7
78	8	14	12	19.6	266	9.3	10.8	251	11.6
78	8	14	13	18.6	278	10.3	12.2	274	12.8
78	8	14	14	17.3	287	11.2	12.5	268	13.7
78	8	14	15	15.1	278	12.3	10.6	274	14.6
78	8	14	16	16.1	282	12.7	13.8	270	14.7
78	8	14	17	15.4	284	12.5	14.5	271	14.5
78	8	14	18	16.6	304	11.8	9.0	342	11.7
78	8	14	19	11.8	24	6.3	7.9	43	7.6
78	8	14	20	5.3	67	5.2	3.5	118	6.6
78	8	14	21	5.4	162	4.4	2.2	235	4.8
78	8	14	22	5.1	201	4.5	5.9	266	3.2
78	8	14	23	3.8	268	4.7	5.2	264	2.3
78	8	14	24	4.5	278	4.8	6.0	266	1.2
78	8	15	1	6.1	210	4.6	5.2	263	0.4
78	8	15	2	7.2	194	6.0	6.4	272	0.6
78	8	15	3	3.9	289	5.1	4.0	224	-0.6
78	8	15	4	3.8	122	4.9	5.3	262	-0.9
78	8	15	5	4.5	248	4.8	3.5	259	-1.2
78	8	15	6	3.8	261	6.2	3.7	265	-0.8
78	8	15	7	3.4	21	8.3	2.1	352	4.2
78	8	15	8	5.7	129	9.3	3.4	59	8.7
78	8	15	9	6.0	122	11.0	4.3	42	11.9
78	8	15	10	6.1	121	13.0	4.7	56	14.5
78	8	15	11	5.7	185	14.9	6.4	110	16.1
78	8	15	12	5.7	218	16.7	7.4	64	17.5
78	8	15	13	7.5	242	17.9	5.1	323	19.7
78	8	15	14	7.8	249	18.9	7.6	264	21.0
78	8	15	15	9.4	248	19.9	8.7	247	21.8
78	8	15	16	12.1	224	20.2	10.3	238	22.1
78	8	15	17	12.8	208	19.8	10.4	230	21.9
78	8	15	18	12.8	203	19.2	11.2	227	21.4
78	8	15	19	8.4	192	17.5	9.5	242	18.2
78	8	15	20	6.0	211	15.7	6.8	270	15.0
78	8	15	21	4.8	266	14.3	8.1	261	10.6
78	8	15	22	6.5	246	14.0	9.8	259	9.7
78	8	15	23	7.0	248	14.4	9.0	260	9.0
78	8	15	24	5.7	258	14.1	8.1	277	8.7

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RROSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	8	16	1	7.7	238	14.7	8.2	279	7.4
78	8	16	2	11.3	204	16.2	6.9	274	6.9
78	8	16	3	13.9	200	15.6	6.1	270	6.0
78	8	16	4	15.7	206	15.5	7.0	268	5.6
78	8	16	5	16.3	203	15.3	4.8	267	4.1
78	8	16	6	15.4	202	15.5	2.4	258	6.0
78	8	16	7	16.4	207	17.4	4.3	114	14.0
78	8	16	8	20.6	215	18.8	11.9	221	20.6
78	8	16	9	21.9	220	19.7	13.9	217	21.8
78	8	16	10	21.5	214	20.3	14.5	218	22.5
78	8	16	11	20.9	221	20.9	16.1	226	23.0
78	8	16	12	26.0	217	21.3	19.8	227	23.5
78	8	16	13	23.8	213	22.5	17.8	227	24.4
78	8	16	14	23.1	212	23.2	16.6	214	25.1
78	8	16	15	25.5	219	23.7	18.5	224	25.9
78	8	16	16	23.8	212	24.0	17.3	226	26.2
78	8	16	17	24.6	219	23.6	19.5	230	25.9
78	8	16	18	22.8	213	22.9	16.6	229	25.1
78	8	16	19	20.7	211	21.8	9.4	213	23.6
78	8	16	20	20.6	207	21.4	8.3	199	22.5
78	8	16	21	20.4	204	21.2	8.4	206	22.2
78	8	16	22	17.8	207	20.9	5.2	193	20.9
78	8	16	23	17.9	216	20.4	4.4	244	18.6
78	8	16	24	18.3	214	19.6	6.4	238	19.4
78	8	17	1	17.5	215	18.8	6.0	256	17.4
78	8	17	2	19.4	219	18.3	6.9	247	17.4
78	8	17	3	17.7	223	17.9	6.5	254	16.3
78	8	17	4	20.3	223	17.5	5.6	252	15.8
78	8	17	5	21.1	218	17.4	4.5	273	16.0
78	8	17	6	17.5	217	17.2	3.0	267	14.6
78	8	17	7	22.1	210	18.2	9.1	227	19.2
78	8	17	8	25.8	208	18.8	17.9	229	20.9
78	8	17	9	24.7	209	19.5	18.4	229	21.5
78	8	17	10	23.2	208	20.1	18.5	228	22.1
78	8	17	11	21.7	207	20.6	15.8	221	22.9
78	8	17	12	21.4	222	21.6	14.9	227	23.7
78	8	17	13	21.8	218	22.6	17.3	228	24.7
78	8	17	14	22.8	218	23.0	18.8	229	25.2
78	8	17	15	22.1	220	23.1	17.9	233	25.3
78	8	17	16	20.3	216	22.9	13.4	247	24.5
78	8	17	17	13.2	331	18.4	13.0	37	18.5
78	8	17	18	17.0	5	13.8	11.2	22	15.6
78	8	17	19	10.4	17	11.4	10.0	46	13.2
78	8	17	20	11.3	36	9.9	10.2	56	11.6
78	8	17	21	13.6	32	8.6	8.6	50	10.4
78	8	17	22	12.4	37	7.5	10.2	52	9.4
78	8	17	23	11.4	38	6.4	9.0	52	8.2
78	8	17	24	7.3	38	5.2	5.6	62	6.8

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	8	18	1	6.7	42	4.7	3.2	24	5.4
78	8	18	2	6.7	42	4.7	5.2	284	3.3
78	8	18	3	6.3	25	4.5	5.3	275	3.5
78	8	18	4	5.4	347	4.5	4.7	273	4.9
78	8	18	5	3.8	319	4.5	3.4	310	5.5
78	8	18	6	4.8	340	3.5	3.6	314	4.4
78	8	18	7	3.7	230	3.5	1.5	96	4.3
78	8	18	8	3.8	108	4.0	3.9	72	4.6
78	8	18	9	4.9	109	5.3	3.7	76	6.3
78	8	18	10	5.0	52	7.1	4.6	92	8.3
78	8	18	11	999.9	999	999.9	999.9	999	999.9
78	8	18	12	999.9	999	999.9	999.9	999	999.9
78	8	18	13	999.9	999	999.9	999.9	999	999.9
78	8	18	14	5.7	56	12.8	6.2	345	14.3
78	8	18	15	6.0	1	13.9	6.1	48	15.0
78	8	18	16	6.3	318	14.5	4.7	81	15.9
78	8	18	17	5.7	323	15.2	4.9	353	16.3
78	8	18	18	5.9	11	14.5	5.3	65	15.6
78	8	18	19	5.9	34	12.7	3.1	2	12.9
78	8	18	20	3.9	301	10.3	7.2	272	8.2
78	8	18	21	3.9	288	10.0	8.2	271	6.6
78	8	18	22	4.1	261	9.6	8.6	269	5.3
78	8	18	23	3.9	258	9.2	8.2	267	4.6
78	8	18	24	4.1	244	9.4	8.0	265	4.1
78	8	19	1	4.3	224	9.6	7.0	270	3.2
78	8	19	2	4.3	229	9.6	5.8	261	1.9
78	8	19	3	4.0	255	9.2	5.3	264	0.5
78	8	19	4	3.6	256	8.6	6.1	262	0.0
78	8	19	5	4.0	328	7.9	6.2	265	-0.4
78	8	19	6	4.3	313	7.8	7.1	273	1.4
78	8	19	7	3.7	264	12.6	3.8	15	7.3
78	8	19	8	5.1	91	14.0	5.8	65	10.3
78	8	19	9	6.3	78	15.2	4.8	78	14.1
78	8	19	10	7.7	170	18.2	4.1	73	18.1
78	8	19	11	11.0	243	19.7	7.3	194	21.3
78	8	19	12	10.7	248	20.5	10.0	250	22.6
78	8	19	13	18.1	221	21.4	12.4	241	23.3
78	8	19	14	19.0	221	21.7	14.3	228	23.9
78	8	19	15	16.0	217	22.0	11.2	232	24.3
78	8	19	16	13.7	226	22.6	11.1	226	24.3
78	8	19	17	14.9	212	22.4	11.7	226	24.4
78	8	19	18	11.5	218	21.8	9.5	228	23.8
78	8	19	19	8.8	232	19.6	5.3	251	19.8
78	8	19	20	10.9	236	19.0	6.9	268	14.6
78	8	19	21	10.8	251	16.8	6.8	278	12.6
78	8	19	22	10.9	241	17.2	4.1	278	10.9
78	8	19	23	9.6	248	16.4	7.0	253	10.9
78	8	19	24	9.2	244	16.4	5.6	258	10.3

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
				WIND SPEED	WIND DIR	AMB TEMP	WIND SPEED	WIND DIR	AMB TEMP
YR	MN	DY	HR	(MPH)	DEG	(C)	(MPH)	DEG	(C)
78	8	20	1	13.0	219	17.2	6.5	270	9.1
78	8	20	2	10.9	258	16.6	3.6	235	7.6
78	8	20	3	5.1	335	14.3	6.0	270	7.2
78	8	20	4	6.7	324	15.2	5.3	264	6.8
78	8	20	5	4.6	241	14.3	4.9	260	6.9
78	8	20	6	4.0	61	14.4	4.7	265	7.8
78	8	20	7	9.2	106	16.1	1.3	257	12.3
78	8	20	8	16.3	182	16.6	3.6	79	16.8
78	8	20	9	11.1	179	18.6	6.0	131	20.5
78	8	20	10	13.1	223	20.2	11.0	237	22.5
78	8	20	11	16.6	216	21.3	11.8	218	23.6
78	8	20	12	18.6	240	21.9	14.4	230	23.8
78	8	20	13	17.7	233	21.7	16.0	245	23.3
78	8	20	14	17.2	231	22.7	10.4	254	23.5
78	8	20	15	15.7	227	22.7	13.8	242	24.7
78	8	20	16	16.2	207	23.1	11.6	216	24.9
78	8	20	17	16.6	209	21.9	13.1	223	24.0
78	8	20	18	15.8	209	21.2	10.9	217	23.2
78	8	20	19	12.9	226	19.8	10.8	235	21.4
78	8	20	20	14.1	228	18.3	5.1	263	17.3
78	8	20	21	11.4	233	17.7	1.8	148	14.1
78	8	20	22	10.3	233	17.9	6.1	278	12.2
78	8	20	23	7.0	263	17.2	5.2	268	11.3
78	8	20	24	5.0	220	17.1	4.0	261	12.1
78	8	21	1	10.1	237	17.1	5.1	259	11.7
78	8	21	2	9.9	240	17.3	4.1	268	10.5
78	8	21	3	5.6	166	16.1	2.9	244	10.9
78	8	21	4	5.5	262	15.7	4.8	268	10.3
78	8	21	5	4.2	349	14.9	4.8	264	8.6
78	8	21	6	3.9	193	15.3	5.6	267	9.3
78	8	21	7	4.2	181	18.4	1.4	212	15.2
78	8	21	8	9.9	216	20.1	3.6	65	20.0
78	8	21	9	10.4	240	21.3	9.0	238	23.1
78	8	21	10	12.0	269	21.5	10.8	263	23.2
78	8	21	11	14.4	226	22.8	13.9	243	24.5
78	8	21	12	17.1	206	23.2	14.2	225	25.3
78	8	21	13	17.8	207	23.4	14.5	228	25.4
78	8	21	14	16.0	214	23.6	13.6	232	25.5
78	8	21	15	16.7	217	23.5	13.6	232	25.6
78	8	21	16	15.3	222	24.1	13.0	233	25.9
78	8	21	17	15.6	217	23.8	11.6	224	25.8
78	8	21	18	12.9	227	23.2	9.6	228	25.1
78	8	21	19	8.2	209	22.1	1.6	252	22.3
78	8	21	20	8.3	196	20.9	5.5	268	18.1
78	8	21	21	9.5	185	19.9	5.3	288	16.4
78	8	21	22	10.0	166	19.6	4.3	260	15.7
78	8	21	23	6.8	147	18.5	3.3	249	16.2
78	8	21	24	10.1	188	18.4	6.6	195	19.8

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	8	22	1	15.7	184	18.8	9.3	212	19.8
78	8	22	2	19.2	215	16.9	15.4	232	19.0
78	8	22	3	10.4	205	15.7	8.1	245	15.5
78	8	22	4	10.4	192	16.1	6.5	260	14.9
78	8	22	5	11.3	173	16.0	4.3	226	16.2
78	8	22	6	13.6	188	14.3	5.9	207	16.5
78	8	22	7	13.0	175	14.1	4.2	174	15.7
78	8	22	8	14.8	161	14.7	6.8	212	16.5
78	8	22	9	14.1	176	16.1	7.6	175	17.8
78	8	22	10	13.6	177	16.3	9.7	183	18.7
78	8	22	11	16.0	201	18.4	13.6	220	20.7
78	8	22	12	21.7	217	20.1	18.7	226	22.6
78	8	22	13	20.9	222	20.4	16.1	226	22.5
78	8	22	14	16.0	212	19.4	11.1	214	21.5
78	8	22	15	18.6	196	20.8	12.9	188	22.7
78	8	22	16	18.8	191	21.3	11.2	193	23.6
78	8	22	17	19.2	192	21.7	11.8	208	24.3
78	8	22	18	16.7	175	20.4	9.8	190	22.7
78	8	22	19	15.1	188	19.8	7.1	194	21.6
78	8	22	20	14.1	187	18.8	5.3	179	20.0
78	8	22	21	15.7	181	18.0	6.1	183	19.3
78	8	22	22	14.9	190	17.6	5.9	199	19.2
78	8	22	23	12.6	206	17.3	5.6	250	17.0
78	8	22	24	15.3	199	17.3	6.3	271	14.8
78	8	23	1	13.1	198	16.6	7.0	282	14.0
78	8	23	2	12.4	197	16.1	7.1	278	12.9
78	8	23	3	13.3	196	15.9	6.7	269	12.1
78	8	23	4	11.6	189	15.7	6.7	266	12.2
78	8	23	5	11.2	190	15.3	7.5	261	13.4
78	8	23	6	8.4	172	15.2	6.5	256	13.1
78	8	23	7	8.9	150	17.2	7.4	178	18.1
78	8	23	8	17.0	194	18.7	9.0	186	20.5
78	8	23	9	17.2	215	20.3	12.0	216	22.3
78	8	23	10	19.8	226	21.3	15.9	231	23.4
78	8	23	11	24.7	222	21.4	18.1	227	23.7
78	8	23	12	25.4	208	21.8	19.3	229	24.1
78	8	23	13	22.2	197	22.6	17.4	224	24.7
78	8	23	14	18.8	207	23.3	13.6	219	25.6
78	8	23	15	19.1	217	24.1	14.6	226	26.1
78	8	23	16	19.5	209	24.0	14.7	223	26.3
78	8	23	17	17.1	207	23.7	11.8	219	26.0
78	8	23	18	12.7	198	23.8	8.5	204	25.3
78	8	23	19	11.3	225	21.3	6.1	234	21.3
78	8	23	20	10.2	214	20.8	7.3	270	15.5
78	8	23	21	10.5	209	20.8	7.9	264	14.0
78	8	23	22	11.9	216	20.0	9.0	263	13.4
78	8	23	23	11.9	211	20.1	5.7	258	12.4
78	8	23	24	12.4	214	19.6	4.8	215	11.3

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	8	24	1	13.1	211	19.5	4.4	271	9.4
78	8	24	2	12.9	207	19.3	2.7	258	7.5
78	8	24	3	12.1	204	18.4	1.9	324	7.6
78	8	24	4	12.5	205	18.0	4.5	264	7.5
78	8	24	5	12.1	205	17.8	2.9	265	7.9
78	8	24	6	14.1	219	17.8	3.7	255	8.6
78	8	24	7	14.6	222	19.4	4.3	351	14.2
78	8	24	8	13.6	221	20.6	7.5	185	21.8
78	8	24	9	13.4	222	21.8	10.4	226	23.5
78	8	24	10	13.6	225	22.4	11.5	227	24.8
78	8	24	11	18.0	240	22.7	15.9	243	24.9
78	8	24	12	20.1	236	23.1	16.9	236	25.4
78	8	24	13	19.0	219	23.6	16.2	234	25.8
78	8	24	14	15.0	222	24.1	13.4	224	26.3
78	8	24	15	12.4	214	24.3	12.2	232	26.6
78	8	24	16	11.2	220	24.7	10.5	231	26.8
78	8	24	17	10.0	264	24.8	10.0	247	26.8
78	8	24	18	8.5	233	24.2	8.2	249	25.9
78	8	24	19	11.0	218	22.4	8.8	252	20.8
78	8	24	20	10.6	227	20.7	7.1	274	16.4
78	8	24	21	9.0	252	19.3	7.3	277	15.7
78	8	24	22	10.0	243	19.6	8.0	276	14.9
78	8	24	23	9.6	253	19.0	7.7	277	14.4
78	8	24	24	11.1	218	20.8	6.6	271	13.3
78	8	25	1	11.8	230	20.0	4.1	262	10.9
78	8	25	2	10.9	240	19.1	5.3	263	10.1
78	8	25	3	8.8	257	18.8	3.4	266	10.6
78	8	25	4	6.9	195	17.7	3.4	262	10.9
78	8	25	5	3.8	30	16.4	5.3	265	11.1
78	8	25	6	3.8	213	16.3	5.7	266	10.8
78	8	25	7	5.6	306	18.3	3.4	306	14.3
78	8	25	8	11.2	255	19.5	0.0	119	19.8
78	8	25	9	10.6	244	20.0	5.0	157	21.3
78	8	25	10	6.1	205	20.7	5.0	159	22.1
78	8	25	11	8.9	123	22.5	8.1	104	24.3
78	8	25	12	8.9	119	22.7	8.0	119	24.5
78	8	25	13	7.3	175	24.0	6.9	66	24.8
78	8	25	14	10.5	260	23.8	7.8	180	25.4
78	8	25	15	7.9	253	23.5	8.0	253	25.4
78	8	25	16	10.6	248	23.7	6.6	264	25.4
78	8	25	17	7.4	225	24.0	5.3	250	25.5
78	8	25	18	8.4	237	23.1	5.6	257	24.4
78	8	25	19	10.5	232	21.7	5.0	267	20.1
78	8	25	20	11.7	227	20.8	7.5	259	17.7
78	8	25	21	10.7	252	19.0	8.1	243	16.2
78	8	25	22	11.5	241	19.1	8.8	246	16.3
78	8	25	23	10.9	248	18.4	5.9	267	14.0
78	8	25	24	10.3	245	18.0	7.7	246	15.1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	8	26	1	13.8	224	19.5	5.9	262	12.9
78	8	26	2	12.1	228	19.3	2.5	276	11.4
78	8	26	3	7.1	213	16.8	3.6	261	8.3
78	8	26	4	3.8	326	14.9	8.0	268	8.0
78	8	26	5	4.4	211	15.2	7.5	270	8.1
78	8	26	6	3.8	231	16.1	6.8	268	8.6
78	8	26	7	4.0	284	17.7	2.1	199	13.7
78	8	26	8	4.3	82	20.3	4.8	80	17.8
78	8	26	9	8.2	192	21.8	4.4	68	21.6
78	8	26	10	12.4	243	22.5	8.9	199	24.7
78	8	26	11	13.6	231	23.8	11.5	242	25.1
78	8	26	12	11.2	204	23.3	8.1	219	25.9
78	8	26	13	11.9	239	23.6	11.5	238	25.8
78	8	26	14	10.5	217	24.3	10.8	238	26.3
78	8	26	15	10.4	217	24.5	9.0	226	26.6
78	8	26	16	10.8	228	24.3	9.2	235	26.4
78	8	26	17	9.5	221	23.7	8.9	235	25.9
78	8	26	18	9.6	208	23.1	6.8	222	24.9
78	8	26	19	11.0	222	21.5	7.5	247	21.3
78	8	26	20	13.1	222	20.9	7.9	265	16.1
78	8	26	21	14.1	224	20.9	7.7	263	15.7
78	8	26	22	12.6	223	20.1	6.6	269	13.9
78	8	26	23	7.0	256	18.0	7.7	265	13.0
78	8	26	24	7.7	258	17.3	6.7	263	11.2
78	8	27	1	8.3	250	17.3	6.8	273	10.4
78	8	27	2	12.1	249	16.9	5.2	264	9.5
78	8	27	3	10.9	244	16.6	2.9	264	7.0
78	8	27	4	10.0	248	16.4	3.9	266	5.1
78	8	27	5	5.7	278	15.1	4.5	265	3.9
78	8	27	6	5.0	296	15.5	5.1	265	4.9
78	8	27	7	4.3	18	16.9	3.0	316	10.5
78	8	27	8	4.4	78	18.9	3.8	65	16.3
78	8	27	9	6.1	208	20.7	5.5	58	19.6
78	8	27	10	999.9	999	999.9	5.9	81	22.6
78	8	27	11	999.9	999	999.9	6.6	337	24.3
78	8	27	12	999.9	999	999.9	8.0	242	24.9
78	8	27	13	999.9	999	999.9	10.5	264	25.5
78	8	27	14	999.9	999	999.9	11.9	276	25.8
78	8	27	15	999.9	999	999.9	11.8	275	25.8
78	8	27	16	999.9	999	999.9	8.4	286	26.0
78	8	27	17	999.9	999	999.9	9.2	299	25.7
78	8	27	18	8.3	291	21.5	7.2	294	25.2
78	8	27	19	8.4	294	20.3	5.4	279	20.0
78	8	27	20	12.4	282	19.3	7.7	278	15.7
78	8	27	21	14.8	268	18.2	5.7	337	15.5
78	8	27	22	6.2	13	17.4	5.3	264	12.1
78	8	27	23	5.9	31	15.9	7.0	272	10.6
78	8	27	24	4.0	15	14.6	7.9	271	9.8

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	8	28	1	3.7	11	13.9	7.8	271	8.7
78	8	28	2	2.8	300	12.3	7.7	274	8.0
78	8	28	3	3.8	42	12.6	7.8	271	7.3
78	8	28	4	4.2	296	11.3	7.3	273	6.7
78	8	28	5	4.6	293	10.5	6.8	277	6.1
78	8	28	6	2.9	335	10.4	5.8	272	6.8
78	8	28	7	3.2	32	11.3	4.0	257	9.3
78	8	28	8	4.1	349	13.1	2.2	81	14.5
78	8	28	9	5.0	15	15.4	5.1	64	16.4
78	8	28	10	7.0	57	17.3	999.9	999	999.9
78	8	28	11	6.9	45	18.1	999.9	999	999.9
78	8	28	12	6.2	56	19.2	999.9	999	999.9
78	8	28	13	7.7	43	20.7	999.9	999	999.9
78	8	28	14	7.5	33	21.8	999.9	999	999.9
78	8	28	15	7.9	1	22.3	999.9	999	999.9
78	8	28	16	7.4	6	22.8	999.9	999	999.9
78	8	28	17	6.2	348	22.9	999.9	999	999.9
78	8	28	18	7.1	349	22.1	999.9	999	999.9
78	8	28	19	5.0	324	19.0	999.9	999	999.9
78	8	28	20	5.0	283	17.1	999.9	999	999.9
78	8	28	21	4.7	281	16.5	999.9	999	999.9
78	8	28	22	4.5	283	15.6	999.9	999	999.9
78	8	28	23	3.9	280	15.2	999.9	999	999.9
78	8	28	24	3.2	273	15.1	999.9	999	999.9
78	8	29	1	4.6	264	15.8	999.9	999	999.9
78	8	29	2	3.8	270	14.9	999.9	999	999.9
78	8	29	3	3.9	284	14.4	999.9	999	999.9
78	8	29	4	4.7	274	13.8	999.9	999	999.9
78	8	29	5	5.0	271	14.3	999.9	999	999.9
78	8	29	6	4.6	350	13.2	999.9	999	999.9
78	8	29	7	3.8	341	12.8	999.9	999	999.9
78	8	29	8	5.2	11	15.4	999.9	999	999.9
78	8	29	9	6.4	37	17.2	999.9	999	999.9
78	8	29	10	5.2	66	19.0	999.9	999	999.9
78	8	29	11	6.6	46	20.5	999.9	999	999.9
78	8	29	12	6.2	359	21.8	999.9	999	999.9
78	8	29	13	6.7	327	22.2	999.9	999	999.9
78	8	29	14	8.3	318	22.6	6.9	333	22.5
78	8	29	15	9.1	357	22.7	5.9	308	24.6
78	8	29	16	10.5	302	22.9	6.7	325	24.9
78	8	29	17	13.3	287	22.0	9.1	284	24.2
78	8	29	18	10.7	295	21.3	7.5	292	23.4
78	8	29	19	6.9	268	18.4	6.1	269	18.5
78	8	29	20	7.9	255	16.4	8.9	271	14.2
78	8	29	21	9.9	255	16.5	6.2	272	12.7
78	8	29	22	10.7	253	16.8	6.0	268	11.3
78	8	29	23	6.7	278	16.3	7.1	269	10.8
78	8	29	24	4.6	281	15.9	7.5	274	10.9

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOBC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	8	30	1	6.4	259	15.9	8.1	280	10.5
78	8	30	2	5.9	262	15.6	5.1	269	10.0
78	8	30	3	4.2	290	15.1	4.7	267	7.4
78	8	30	4	4.4	279	14.2	4.4	261	5.1
78	8	30	5	3.5	281	13.9	6.0	286	6.0
78	8	30	6	3.5	275	13.7	5.9	272	6.7
78	8	30	7	3.0	155	15.9	1.7	34	11.0
78	8	30	8	3.2	356	18.7	3.4	85	15.1
78	8	30	9	7.0	246	19.5	6.2	76	18.5
78	8	30	10	10.3	257	20.5	5.0	351	22.2
78	8	30	11	11.4	260	21.8	7.9	270	23.7
78	8	30	12	13.4	271	22.9	11.7	280	24.9
78	8	30	13	12.9	279	23.1	12.4	285	25.8
78	8	30	14	13.4	295	23.9	11.8	272	26.0
78	8	30	15	11.4	278	24.8	9.6	261	26.6
78	8	30	16	10.4	258	23.9	11.9	258	26.4
78	8	30	17	12.1	258	24.4	8.1	255	26.3
78	8	30	18	9.1	224	23.6	6.6	247	25.1
78	8	30	19	8.9	209	22.1	4.8	220	21.2
78	8	30	20	8.2	203	21.4	6.2	281	17.3
78	8	30	21	10.1	216	21.2	5.7	270	16.1
78	8	30	22	11.6	233	20.5	5.1	262	14.4
78	8	30	23	11.8	216	19.8	3.8	250	12.3
78	8	30	24	12.4	211	19.9	4.9	259	11.9
78	8	31	1	11.9	210	19.7	5.8	269	12.9
78	8	31	2	12.2	209	19.2	6.4	268	13.3
78	8	31	3	12.3	208	19.0	5.1	273	12.2
78	8	31	4	13.4	210	18.6	5.2	270	10.1
78	8	31	5	15.7	219	18.8	4.6	262	8.5
78	8	31	6	13.1	210	18.5	4.6	266	10.4
78	8	31	7	13.7	196	19.0	3.9	297	15.3
78	8	31	8	15.6	205	19.9	9.8	221	21.6
78	8	31	9	15.9	201	20.7	12.4	228	23.4
78	8	31	10	18.5	225	20.5	16.2	236	22.8
78	8	31	11	19.4	203	20.8	13.1	216	22.2
78	8	31	12	19.7	208	22.3	14.5	215	24.5
78	8	31	13	21.1	220	22.7	16.2	224	25.4
78	8	31	14	23.9	218	23.5	16.4	224	25.6
78	8	31	15	20.4	215	23.7	17.1	235	25.7
78	8	31	16	19.4	222	23.4	13.7	238	24.9
78	8	31	17	19.2	226	23.4	16.1	231	25.3
78	8	31	18	12.9	211	22.0	9.5	219	24.1
78	8	31	19	13.1	226	21.3	6.1	249	21.3
78	8	31	20	11.6	222	20.9	6.7	257	18.2
78	8	31	21	9.0	272	20.2	5.4	259	18.8
78	8	31	22	9.0	282	20.0	6.0	287	18.2
78	8	31	23	9.5	248	18.9	7.0	280	16.1
78	8	31	24	9.0	243	19.1	8.9	273	14.5

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	9	1	1	7.6	249	18.6	9.5	272	12.9
78	9	1	2	7.6	246	18.4	8.6	271	12.4
78	9	1	3	8.8	246	18.1	8.0	272	12.2
78	9	1	4	10.9	234	18.0	6.5	266	10.9
78	9	1	5	9.6	249	16.2	5.5	280	10.7
78	9	1	6	9.0	255	15.6	5.4	267	11.2
78	9	1	7	8.4	261	17.7	4.1	34	13.7
78	9	1	8	10.4	245	20.0	4.6	78	19.1
78	9	1	9	10.5	248	20.8	9.2	231	23.0
78	9	1	10	12.7	262	21.9	11.4	262	24.0
78	9	1	11	11.6	265	22.6	11.5	261	24.8
78	9	1	12	13.1	262	23.5	11.9	268	25.4
78	9	1	13	11.9	277	23.7	10.7	270	25.9
78	9	1	14	14.8	257	24.0	11.1	262	26.1
78	9	1	15	13.2	252	24.3	11.8	254	26.2
78	9	1	16	11.6	240	24.6	9.8	248	26.4
78	9	1	17	9.2	220	24.1	8.2	219	26.0
78	9	1	18	7.8	220	23.4	6.6	232	25.0
78	9	1	19	10.3	212	21.8	5.7	252	21.6
78	9	1	20	12.2	216	21.1	7.9	267	18.1
78	9	1	21	12.8	224	20.9	6.1	268	16.4
78	9	1	22	13.0	227	20.4	5.5	273	15.5
78	9	1	23	11.6	233	19.6	3.8	254	13.1
78	9	1	24	10.4	259	18.1	2.8	311	11.7
78	9	2	1	10.8	256	18.5	2.0	258	10.3
78	9	2	2	7.4	8	17.6	3.1	265	9.6
78	9	2	3	4.7	295	16.6	7.4	270	9.4
78	9	2	4	5.2	254	16.7	8.3	276	10.7
78	9	2	5	3.6	261	16.9	6.8	277	9.9
78	9	2	6	2.8	267	16.8	5.8	271	8.8
78	9	2	7	2.9	267	18.1	3.1	195	12.7
78	9	2	8	3.4	92	20.1	3.5	71	16.9
78	9	2	9	4.6	76	20.5	2.6	69	20.0
78	9	2	10	4.5	85	22.3	3.3	64	22.9
78	9	2	11	7.9	49	24.0	5.8	67	25.0
78	9	2	12	7.9	35	24.6	7.5	52	26.2
78	9	2	13	5.6	31	24.7	5.2	41	26.4
78	9	2	14	4.7	32	24.9	3.8	196	26.8
78	9	2	15	5.6	221	25.9	7.4	51	26.7
78	9	2	16	7.0	84	26.3	6.2	58	26.7
78	9	2	17	6.6	69	25.1	3.7	78	25.6
78	9	2	18	4.9	58	24.3	3.0	218	22.0
78	9	2	19	6.9	101	22.7	4.4	268	20.0
78	9	2	20	7.3	157	20.8	5.8	272	18.0
78	9	2	21	4.5	168	19.4	6.0	268	15.3
78	9	2	22	3.9	317	19.1	7.3	262	13.5
78	9	2	23	3.0	349	18.2	6.7	258	13.1
78	9	2	24	4.1	213	18.0	7.2	274	12.3

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	9	3	1	4.9	230	18.4	5.9	267	11.4
78	9	3	2	5.1	143	18.6	5.0	258	9.7
78	9	3	3	3.3	9	16.1	6.8	267	9.6
78	9	3	4	4.5	280	15.8	6.2	266	9.9
78	9	3	5	3.0	264	16.0	6.6	264	9.5
78	9	3	6	2.8	3	16.5	6.3	269	9.6
78	9	3	7	3.2	77	18.5	3.2	287	13.2
78	9	3	8	4.6	104	20.1	4.1	73	18.2
78	9	3	9	5.0	102	22.4	5.1	58	22.1
78	9	3	10	5.1	344	23.9	4.4	99	25.4
78	9	3	11	6.1	301	24.7	5.1	231	26.6
78	9	3	12	5.5	16	25.5	6.0	238	27.2
78	9	3	13	6.4	323	25.3	5.1	272	26.9
78	9	3	14	5.3	16	25.1	4.0	18	27.2
78	9	3	15	5.6	313	25.1	3.9	308	27.1
78	9	3	16	6.4	347	25.3	6.2	285	27.0
78	9	3	17	6.8	351	25.7	4.1	298	26.6
78	9	3	18	5.9	314	25.4	4.1	290	27.0
78	9	3	19	7.8	246	23.8	6.4	281	21.2
78	9	3	20	9.5	246	21.8	7.3	269	18.8
78	9	3	21	8.3	253	21.0	7.2	263	17.0
78	9	3	22	9.5	248	20.9	6.3	272	15.1
78	9	3	23	10.4	247	21.0	4.6	264	12.3
78	9	3	24	4.9	238	20.0	7.7	266	12.5
78	9	4	1	4.1	333	19.5	7.2	266	12.5
78	9	4	2	6.7	245	19.9	7.2	264	11.9
78	9	4	3	4.2	249	19.3	5.0	260	10.5
78	9	4	4	4.8	296	19.0	5.0	258	9.7
78	9	4	5	7.0	249	19.8	4.7	266	9.2
78	9	4	6	6.1	254	19.9	5.3	264	8.3
78	9	4	7	4.3	219	20.3	2.8	260	11.8
78	9	4	8	3.8	89	22.8	3.1	86	18.3
78	9	4	9	6.0	93	23.9	4.9	60	23.3
78	9	4	10	6.2	22	25.5	7.5	65	26.3
78	9	4	11	6.7	70	25.9	5.6	62	27.3
78	9	4	12	4.6	213	26.5	5.5	89	28.1
78	9	4	13	6.5	346	26.1	6.3	65	28.3
78	9	4	14	6.4	22	26.7	3.2	276	28.2
78	9	4	15	6.4	144	27.1	3.8	27	29.8
78	9	4	16	5.4	161	26.9	4.7	329	30.1
78	9	4	17	7.3	170	27.0	4.3	79	28.7
78	9	4	18	7.2	178	26.2	4.5	160	28.2
78	9	4	19	10.0	227	24.8	7.9	257	21.8
78	9	4	20	10.2	251	22.6	7.0	256	19.6
78	9	4	21	9.6	257	22.1	8.2	270	18.7
78	9	4	22	8.7	254	21.9	7.6	268	17.3
78	9	4	23	10.4	246	22.2	5.8	264	14.6
78	9	4	24	11.3	254	21.8	6.1	264	14.0

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	9	5	1	12.6	260	21.7	7.3	271	13.0
78	9	5	2	7.3	186	20.7	4.6	269	10.9
78	9	5	3	3.8	168	20.9	5.6	266	11.0
78	9	5	4	3.7	230	20.8	5.4	263	12.2
78	9	5	5	3.4	273	20.0	6.1	265	12.3
78	9	5	6	3.5	260	19.9	6.2	268	12.2
78	9	5	7	5.3	190	22.2	3.5	252	15.8
78	9	5	8	7.5	146	24.4	5.7	99	20.4
78	9	5	9	12.4	207	25.5	6.3	66	24.5
78	9	5	10	12.1	213	26.4	8.0	174	28.1
78	9	5	11	14.5	239	26.5	9.6	208	29.0
78	9	5	12	16.5	243	26.6	14.9	240	28.9
78	9	5	13	14.6	224	26.7	14.8	240	29.1
78	9	5	14	12.0	213	27.4	12.8	234	29.5
78	9	5	15	11.8	189	27.6	8.8	209	29.8
78	9	5	16	12.3	190	27.6	10.9	222	29.8
78	9	5	17	10.4	220	27.4	9.2	224	29.4
78	9	5	18	9.7	228	26.2	7.6	236	28.0
78	9	5	19	10.6	234	24.5	7.0	257	22.1
78	9	5	20	9.9	248	22.7	7.4	256	19.6
78	9	5	21	9.8	239	22.7	6.6	269	17.5
78	9	5	22	11.5	224	23.0	7.1	277	16.6
78	9	5	23	12.5	220	22.8	6.4	271	14.8
78	9	5	24	11.8	217	22.7	6.2	269	14.6
78	9	6	1	9.4	237	22.0	5.6	266	14.6
78	9	6	2	8.6	226	21.4	8.1	265	13.8
78	9	6	3	8.8	206	21.8	4.5	271	14.8
78	9	6	4	11.4	210	20.9	3.6	270	14.0
78	9	6	5	11.8	207	20.1	5.2	267	12.9
78	9	6	6	13.7	204	19.8	3.0	306	11.3
78	9	6	7	17.4	206	21.0	3.1	192	15.7
78	9	6	8	18.3	217	22.2	10.2	214	23.7
78	9	6	9	16.3	230	23.2	12.6	225	25.3
78	9	6	10	16.6	225	23.6	15.3	240	25.9
78	9	6	11	18.8	221	24.5	13.6	229	26.7
78	9	6	12	15.8	226	24.7	14.1	233	27.1
78	9	6	13	11.5	211	25.1	11.5	236	27.2
78	9	6	14	9.7	203	25.5	9.3	226	27.4
78	9	6	15	10.5	210	26.1	8.0	220	27.8
78	9	6	16	8.0	219	26.5	8.3	248	28.6
78	9	6	17	10.4	218	26.5	9.0	226	28.6
78	9	6	18	10.0	242	25.5	8.3	245	26.9
78	9	6	19	10.8	232	23.6	7.0	249	22.4
78	9	6	20	8.0	247	22.0	7.8	247	21.2
78	9	6	21	7.0	259	21.3	6.4	258	19.6
78	9	6	22	10.4	236	21.8	6.6	277	18.3
78	9	6	23	7.8	238	21.7	4.1	296	17.0
78	9	6	24	5.7	219	21.8	4.6	267	16.8

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	9	7	1	10.4	221	21.8	6.0	239	17.1
78	9	7	2	11.0	220	21.4	5.8	265	17.1
78	9	7	3	12.4	238	20.3	3.2	327	16.3
78	9	7	4	11.0	220	20.1	2.2	341	15.3
78	9	7	5	10.1	212	19.3	3.2	227	15.3
78	9	7	6	13.3	228	18.7	2.1	158	13.7
78	9	7	7	12.6	243	19.2	3.1	79	16.4
78	9	7	8	7.8	289	20.4	4.9	73	19.6
78	9	7	9	12.2	254	21.1	7.1	236	23.4
78	9	7	10	11.5	235	21.1	12.3	244	23.9
78	9	7	11	9.8	237	21.9	9.2	243	24.0
78	9	7	12	11.5	219	22.8	9.3	229	24.9
78	9	7	13	13.0	223	23.4	11.5	234	25.8
78	9	7	14	14.4	232	23.6	13.7	229	26.0
78	9	7	15	15.2	232	23.6	16.5	237	25.8
78	9	7	16	16.3	228	23.3	17.6	209	21.5
78	9	7	17	15.0	178	18.1	9.3	114	16.2
78	9	7	18	8.9	95	13.4	4.4	84	14.4
78	9	7	19	7.0	221	13.8	2.1	283	14.1
78	9	7	20	8.5	267	15.4	4.4	54	13.7
78	9	7	21	7.8	23	12.3	5.3	58	13.4
78	9	7	22	4.3	284	11.1	4.6	238	12.2
78	9	7	23	4.9	232	11.6	4.5	262	11.5
78	9	7	24	3.4	204	11.0	5.5	270	10.1
78	9	8	1	3.0	296	12.3	5.9	267	8.9
78	9	8	2	9.9	177	14.5	5.7	258	7.9
78	9	8	3	15.3	202	15.4	4.3	262	6.6
78	9	8	4	15.7	209	14.9	4.6	265	5.5
78	9	8	5	12.6	260	12.6	2.7	305	5.9
78	9	8	6	13.8	260	13.4	4.3	259	6.4
78	9	8	7	11.3	257	14.2	2.9	241	9.1
78	9	8	8	5.8	256	16.1	2.1	117	16.7
78	9	8	9	6.5	156	17.8	6.5	59	18.6
78	9	8	10	6.9	232	19.2	5.2	48	19.8
78	9	8	11	13.7	221	19.2	6.8	274	21.2
78	9	8	12	15.9	204	20.3	12.2	217	22.5
78	9	8	13	17.1	219	21.1	15.1	229	23.1
78	9	8	14	10.3	266	20.3	11.5	255	22.9
78	9	8	15	7.6	280	20.9	8.1	277	23.0
78	9	8	16	11.8	241	20.6	7.9	260	22.6
78	9	8	17	12.9	287	19.8	11.7	275	21.0
78	9	8	18	5.7	220	19.7	4.5	256	21.0
78	9	8	19	10.0	217	18.6	5.5	271	15.7
78	9	8	20	10.6	210	18.4	5.5	262	13.2
78	9	8	21	7.6	231	17.2	6.7	255	12.5
78	9	8	22	8.7	261	16.8	5.5	250	10.7
78	9	8	23	5.1	301	14.6	6.3	273	9.7
78	9	8	24	3.9	279	14.3	6.7	262	9.2

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RROBC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	9	9	1	2.9	290	14.4	6.8	265	8.5
78	9	9	2	2.8	57	14.1	6.6	261	8.0
78	9	9	3	2.9	64	14.1	6.4	260	7.8
78	9	9	4	3.0	333	13.9	6.1	260	7.0
78	9	9	5	3.3	179	14.0	5.3	263	6.2
78	9	9	6	3.2	171	13.9	6.3	266	6.4
78	9	9	7	4.6	122	16.1	3.5	256	10.3
78	9	9	8	6.8	166	18.2	2.5	110	16.9
78	9	9	9	10.7	188	19.7	5.9	73	18.9
78	9	9	10	12.1	203	21.5	8.5	137	23.4
78	9	9	11	16.4	217	22.2	13.6	229	24.4
78	9	9	12	19.0	228	22.1	15.7	234	24.1
78	9	9	13	19.0	213	22.5	16.4	232	25.0
78	9	9	14	18.4	198	23.1	14.6	225	25.4
78	9	9	15	17.1	225	23.2	13.9	227	25.4
78	9	9	16	14.7	209	23.2	12.4	228	25.2
78	9	9	17	13.8	221	22.8	12.5	231	24.9
78	9	9	18	11.5	214	21.4	8.0	230	23.3
78	9	9	19	11.0	221	20.3	6.5	255	18.2
78	9	9	20	11.0	216	19.7	6.5	271	15.4
78	9	9	21	11.1	218	19.3	6.4	270	14.5
78	9	9	22	10.5	211	18.9	8.1	267	13.5
78	9	9	23	8.5	196	18.1	8.2	270	12.2
78	9	9	24	9.2	209	18.2	7.3	273	11.4
78	9	10	1	10.7	210	17.8	7.1	266	10.9
78	9	10	2	9.6	194	17.1	6.7	264	11.9
78	9	10	3	9.6	189	16.9	6.1	273	12.0
78	9	10	4	9.0	188	16.7	4.8	281	11.0
78	9	10	5	7.5	182	15.7	2.8	184	9.1
78	9	10	6	6.1	173	15.5	7.4	272	10.6
78	9	10	7	9.1	190	17.4	6.2	233	17.2
78	9	10	8	12.4	190	18.0	6.9	185	19.9
78	9	10	9	20.2	209	19.0	13.2	217	21.1
78	9	10	10	22.3	210	19.3	16.6	225	21.6
78	9	10	11	22.5	217	19.5	16.1	231	21.8
78	9	10	12	26.7	210	20.3	20.0	225	22.5
78	9	10	13	28.4	214	21.2	21.4	227	23.7
78	9	10	14	23.4	211	21.6	17.6	222	24.0
78	9	10	15	19.1	200	21.7	14.3	215	24.1
78	9	10	16	19.3	208	21.8	13.9	215	24.0
78	9	10	17	17.0	215	21.5	12.2	225	23.8
78	9	10	18	15.8	221	21.0	10.1	229	22.9
78	9	10	19	11.7	221	20.0	7.3	230	22.0
78	9	10	20	13.5	208	19.8	6.7	230	21.1
78	9	10	21	12.9	187	18.0	8.2	183	19.4
78	9	10	22	13.1	246	17.6	7.9	260	18.3
78	9	10	23	18.8	273	14.8	13.3	251	16.7
78	9	10	24	34.1	274	11.0	19.9	258	13.0

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	9	11	1	30.2	270	8.3	9.4	179	10.5
78	9	11	2	5.1	105	7.9	4.5	304	10.3
78	9	11	3	2.8	166	7.8	2.8	96	9.8
78	9	11	4	16.4	280	5.4	9.1	302	7.7
78	9	11	5	9.4	193	3.1	4.6	201	4.9
78	9	11	6	5.3	24	3.5	2.5	33	4.2
78	9	11	7	3.0	298	4.4	2.8	255	4.0
78	9	11	8	3.4	281	5.7	3.1	269	6.8
78	9	11	9	6.1	270	6.7	3.6	256	8.5
78	9	11	10	9.0	281	7.1	5.5	252	9.3
78	9	11	11	11.3	276	8.4	9.1	268	10.4
78	9	11	12	15.8	263	9.9	9.3	273	11.1
78	9	11	13	16.5	258	10.5	13.7	262	12.7
78	9	11	14	16.4	272	10.6	14.4	259	13.8
78	9	11	15	15.8	280	11.9	15.3	265	14.1
78	9	11	16	15.1	280	12.0	12.9	273	14.2
78	9	11	17	10.8	315	10.8	8.6	351	11.7
78	9	11	18	11.0	17	6.4	7.6	33	8.2
78	9	11	19	6.9	5	5.0	4.6	38	6.7
78	9	11	20	3.9	41	4.4	3.7	63	5.8
78	9	11	21	3.3	120	3.8	2.4	224	4.5
78	9	11	22	3.7	189	3.9	3.8	261	4.6
78	9	11	23	2.9	211	3.9	4.4	253	4.6
78	9	11	24	2.7	243	4.2	4.5	253	5.1
78	9	12	1	2.3	192	4.0	2.9	261	4.6
78	9	12	2	3.5	218	4.0	4.3	256	2.7
78	9	12	3	4.0	236	3.6	6.5	261	1.2
78	9	12	4	3.7	271	2.2	7.3	268	-0.3
78	9	12	5	3.7	249	2.2	7.2	264	-0.5
78	9	12	6	3.9	149	2.6	5.1	293	-0.7
78	9	12	7	4.6	223	4.7	4.1	83	2.8
78	9	12	8	6.9	261	5.2	9.1	306	6.7
78	9	12	9	10.7	259	6.8	9.6	244	8.2
78	9	12	10	12.2	247	7.1	8.6	245	9.8
78	9	12	11	12.1	262	8.2	11.7	256	10.6
78	9	12	12	13.0	261	9.5	11.8	264	11.7
78	9	12	13	14.1	263	10.7	13.3	262	12.6
78	9	12	14	14.3	279	11.1	11.8	265	13.5
78	9	12	15	9.7	264	12.1	9.1	261	13.8
78	9	12	16	9.5	291	11.8	9.8	259	14.2
78	9	12	17	10.1	283	12.1	7.8	270	14.3
78	9	12	18	8.4	307	10.7	6.3	299	12.9
78	9	12	19	5.1	269	8.7	4.8	266	7.7
78	9	12	20	5.4	263	8.0	7.8	265	4.9
78	9	12	21	10.5	268	7.7	5.8	264	3.7
78	9	12	22	5.5	307	6.4	6.1	268	1.5
78	9	12	23	2.8	245	5.2	6.6	263	1.2
78	9	12	24	3.0	207	5.0	6.8	265	0.6

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	9	13	1	7.6	271	5.3	6.6	260	0.1
78	9	13	2	10.2	268	4.9	6.2	267	-0.9
78	9	13	3	6.7	264	4.8	7.2	268	-0.9
78	9	13	4	6.2	260	3.6	5.2	266	-2.5
78	9	13	5	7.0	247	3.6	5.7	271	-2.4
78	9	13	6	7.2	237	3.7	6.6	276	-1.7
78	9	13	7	12.6	261	5.8	4.0	23	1.6
78	9	13	8	11.8	253	6.7	5.3	128	5.7
78	9	13	9	12.2	253	8.4	10.3	254	10.7
78	9	13	10	10.2	264	9.5	11.5	252	11.9
78	9	13	11	11.8	278	10.9	10.7	263	13.0
78	9	13	12	11.5	288	12.2	12.4	258	14.3
78	9	13	13	9.9	262	13.6	10.6	272	15.6
78	9	13	14	8.9	275	14.6	9.2	256	16.6
78	9	13	15	9.8	209	15.2	9.3	250	17.5
78	9	13	16	9.1	259	15.3	8.6	289	17.1
78	9	13	17	7.6	283	15.4	9.5	305	16.6
78	9	13	18	6.4	256	14.7	4.5	0	15.3
78	9	13	19	4.6	136	12.1	4.3	229	10.6
78	9	13	20	3.0	271	9.9	7.2	277	7.7
78	9	13	21	4.6	190	11.0	7.2	271	6.3
78	9	13	22	4.2	193	11.0	7.6	276	5.5
78	9	13	23	4.2	231	10.4	7.7	276	5.0
78	9	13	24	4.3	272	9.4	7.3	276	4.7
78	9	14	1	4.0	269	9.4	4.7	266	3.3
78	9	14	2	4.4	357	8.4	6.9	265	1.9
78	9	14	3	3.3	281	6.9	6.9	270	1.8
78	9	14	4	3.0	279	6.2	6.7	272	1.0
78	9	14	5	4.7	272	6.5	6.7	278	1.4
78	9	14	6	4.0	268	7.6	6.0	269	1.6
78	9	14	7	3.2	46	9.7	2.7	247	4.3
78	9	14	8	4.1	81	10.9	4.3	87	9.5
78	9	14	9	4.1	92	13.1	3.6	354	12.8
78	9	14	10	6.5	104	16.0	5.0	53	16.5
78	9	14	11	11.6	204	16.6	7.3	143	18.1
78	9	14	12	13.4	233	17.1	11.7	235	19.2
78	9	14	13	16.0	212	17.8	11.5	236	19.5
78	9	14	14	15.8	222	17.7	12.3	240	19.7
78	9	14	15	12.7	199	17.8	10.4	220	19.8
78	9	14	16	11.3	228	17.8	8.5	227	19.9
78	9	14	17	9.1	210	17.2	7.3	228	19.3
78	9	14	18	10.6	178	16.1	6.0	203	18.2
78	9	14	19	12.6	161	14.1	7.2	183	15.9
78	9	14	20	13.9	162	13.0	5.4	188	15.0
78	9	14	21	10.3	144	12.4	3.4	164	14.2
78	9	14	22	10.5	167	11.7	4.2	242	11.8
78	9	14	23	8.7	211	12.3	5.2	271	9.5
78	9	14	24	11.2	188	12.1	3.0	254	7.8

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RADSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	9	15	1	11.4	199	12.3	3.1	256	8.4
78	9	15	2	8.7	180	11.7	4.1	261	7.2
78	9	15	3	7.4	168	11.1	2.7	247	6.7
78	9	15	4	6.5	168	10.9	3.3	263	6.0
78	9	15	5	5.9	160	11.1	1.8	181	5.0
78	9	15	6	6.5	176	11.2	4.3	272	5.6
78	9	15	7	4.7	160	13.0	2.4	296	8.2
78	9	15	8	8.8	186	15.4	3.8	183	15.6
78	9	15	9	15.3	209	16.3	12.5	282	18.3
78	9	15	10	18.9	211	17.0	16.8	224	19.3
78	9	15	11	19.9	217	18.1	17.1	224	20.3
78	9	15	12	17.4	224	18.4	17.1	236	20.4
78	9	15	13	19.7	208	18.9	15.5	229	21.1
78	9	15	14	18.4	226	19.6	14.9	234	21.4
78	9	15	15	18.0	206	19.8	13.2	225	21.3
78	9	15	16	16.8	221	19.7	14.9	227	21.6
78	9	15	17	16.0	217	18.9	13.6	224	21.0
78	9	15	18	14.0	216	17.5	10.0	224	19.5
78	9	15	19	12.5	218	16.2	7.0	248	16.1
78	9	15	20	11.3	216	15.1	6.4	249	14.2
78	9	15	21	13.7	214	14.6	5.8	260	11.2
78	9	15	22	11.3	223	13.8	9.5	251	11.0
78	9	15	23	9.8	229	13.2	8.8	249	10.4
78	9	15	24	5.3	248	13.0	5.9	282	8.3
78	9	16	1	7.3	238	12.8	7.2	269	7.7
78	9	16	2	8.3	228	12.9	7.0	270	7.5
78	9	16	3	5.0	267	11.7	6.6	281	6.9
78	9	16	4	3.8	289	11.0	7.1	270	6.2
78	9	16	5	5.1	222	11.1	8.2	259	6.5
78	9	16	6	5.0	263	10.1	7.8	268	6.6
78	9	16	7	3.5	283	11.6	5.2	299	9.5
78	9	16	8	4.9	272	14.0	5.5	61	13.4
78	9	16	9	7.4	273	14.7	8.4	276	16.6
78	9	16	10	11.5	257	15.9	11.5	264	18.1
78	9	16	11	11.0	266	17.4	12.6	266	19.4
78	9	16	12	9.2	263	18.3	9.1	268	20.4
78	9	16	13	11.4	239	19.3	10.1	245	21.2
78	9	16	14	12.3	242	19.7	11.8	241	21.8
78	9	16	15	14.0	240	20.3	11.1	246	22.0
78	9	16	16	11.4	222	20.0	9.6	232	22.1
78	9	16	17	11.8	217	19.7	9.3	234	21.7
78	9	16	18	11.5	199	18.2	7.6	221	20.5
78	9	16	19	11.6	208	16.5	6.3	260	16.2
78	9	16	20	13.4	213	16.0	7.2	270	13.1
78	9	16	21	13.5	218	15.9	7.1	264	12.0
78	9	16	22	11.1	231	15.5	6.2	261	12.3
78	9	16	23	10.6	257	14.4	5.6	249	12.3
78	9	16	24	11.0	263	14.2	5.7	277	11.5

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	9	17	1	13.3	283	14.8	6.6	271	14.1
78	9	17	2	9.8	249	12.0	5.9	146	13.8
78	9	17	3	5.6	132	11.0	2.7	123	12.1
78	9	17	4	4.0	287	10.5	3.6	264	10.9
78	9	17	5	3.5	217	9.7	3.9	268	10.1
78	9	17	6	2.9	228	8.9	2.5	93	9.2
78	9	17	7	4.6	74	8.2	3.0	57	8.9
78	9	17	8	3.7	155	8.8	2.1	159	9.8
78	9	17	9	10.3	207	12.4	2.9	120	12.4
78	9	17	10	13.6	231	13.8	9.8	286	15.6
78	9	17	11	15.0	223	14.2	13.8	238	16.6
78	9	17	12	21.5	207	15.3	15.0	218	17.4
78	9	17	13	23.5	214	16.0	15.6	216	18.4
78	9	17	14	25.2	213	16.6	19.5	227	18.9
78	9	17	15	23.9	207	17.0	17.9	222	19.2
78	9	17	16	24.4	205	16.6	17.9	221	18.6
78	9	17	17	22.8	206	16.4	13.5	220	18.2
78	9	17	18	19.3	209	15.7	12.3	220	17.7
78	9	17	19	19.3	193	15.1	9.7	217	16.8
78	9	17	20	17.1	191	14.8	9.1	213	16.5
78	9	17	21	21.6	192	14.5	11.8	219	16.4
78	9	17	22	24.3	189	14.4	13.6	214	16.1
78	9	17	23	28.5	191	14.4	14.7	218	16.2
78	9	17	24	24.9	195	14.1	16.8	218	16.2
78	9	18	1	22.0	193	13.9	14.1	216	15.9
78	9	18	2	19.3	246	9.5	14.9	238	11.3
78	9	18	3	22.3	275	2.7	18.3	286	4.3
78	9	18	4	21.5	268	0.7	14.9	249	2.2
78	9	18	5	21.0	269	0.7	10.2	241	2.2
78	9	18	6	23.8	271	0.3	5.5	248	2.1
78	9	18	7	25.5	271	0.1	4.9	180	1.3
78	9	18	8	18.7	266	0.1	4.6	163	0.8
78	9	18	9	15.8	248	0.5	3.3	158	1.5
78	9	18	10	15.0	245	2.0	3.9	333	2.8
78	9	18	11	10.2	290	1.3	5.1	322	2.8
78	9	18	12	11.1	287	1.8	9.6	297	3.3
78	9	18	13	13.3	277	1.5	9.0	265	3.3
78	9	18	14	7.2	280	2.4	4.5	246	4.3
78	9	18	15	7.3	291	3.1	4.5	256	5.0
78	9	18	16	7.3	311	4.0	5.1	298	6.2
78	9	18	17	10.2	301	4.9	7.8	303	6.9
78	9	18	18	7.2	339	3.2	3.2	331	4.5
78	9	18	19	4.6	283	0.9	6.7	266	0.3
78	9	18	20	5.6	274	0.2	7.0	270	-0.3
78	9	18	21	8.2	275	0.8	5.1	271	-0.3
78	9	18	22	6.6	295	1.0	4.6	272	0.0
78	9	18	23	5.7	302	0.6	2.9	42	-0.3
78	9	18	24	3.9	284	-0.3	4.7	263	-0.6

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	9	19	1	5.0	304	-0.4	3.3	186	-1.0
78	9	19	2	7.1	352	-0.7	2.4	5	0.2
78	9	19	3	7.2	357	-1.1	2.2	73	0.1
78	9	19	4	5.6	351	-1.4	1.5	312	-0.6
78	9	19	5	4.0	334	-1.7	3.4	256	-1.7
78	9	19	6	6.0	335	-1.8	3.2	323	-1.0
78	9	19	7	8.6	2	-1.3	4.2	27	0.6
78	9	19	8	9.4	21	-0.3	8.3	36	1.4
78	9	19	9	7.6	34	-0.2	6.7	46	1.4
78	9	19	10	6.3	13	-0.4	5.1	21	1.5
78	9	19	11	7.5	348	-1.1	5.9	356	0.8
78	9	19	12	8.8	345	-0.1	8.3	350	1.7
78	9	19	13	10.2	347	0.8	7.8	357	1.6
78	9	19	14	10.0	337	-0.3	6.3	323	1.4
78	9	19	15	7.8	330	-0.7	5.0	340	1.2
78	9	19	16	5.6	338	-1.8	5.7	29	0.2
78	9	19	17	6.5	32	-1.4	3.8	47	-0.2
78	9	19	18	4.0	9	-1.3	1.2	55	-0.1
78	9	19	19	3.8	245	-1.6	3.1	229	-1.1
78	9	19	20	4.4	256	-2.3	3.9	259	-2.1
78	9	19	21	4.9	294	-2.5	3.9	271	-3.1
78	9	19	22	4.2	297	-2.8	4.4	269	-3.2
78	9	19	23	3.7	271	-2.8	4.4	263	-2.2
78	9	19	24	3.2	302	-1.6	3.2	302	-1.9
78	9	20	1	3.1	357	-1.6	1.8	68	-1.8
78	9	20	2	2.7	339	-1.9	1.7	283	-1.5
78	9	20	3	3.0	349	-1.7	1.3	254	-1.3
78	9	20	4	3.9	24	-1.5	1.1	191	-1.1
78	9	20	5	3.9	43	-1.7	0.9	99	-1.0
78	9	20	6	4.7	26	-1.8	1.4	53	-0.8
78	9	20	7	4.0	339	-1.6	1.4	201	-0.2
78	9	20	8	2.9	6	-0.5	3.5	73	0.6
78	9	20	9	5.7	55	-0.2	7.2	48	1.3
78	9	20	10	7.6	59	1.2	6.0	8	2.3
78	9	20	11	5.7	36	1.7	4.9	28	2.7
78	9	20	12	5.4	95	2.7	5.6	99	4.3
78	9	20	13	4.6	180	2.7	5.6	74	4.2
78	9	20	14	5.0	72	3.6	4.6	95	5.4
78	9	20	15	4.8	295	4.6	5.3	35	6.2
78	9	20	16	5.2	292	5.0	4.8	76	6.2
78	9	20	17	5.6	332	4.3	3.5	334	7.1
78	9	20	18	4.8	337	3.8	3.4	279	4.5
78	9	20	19	3.7	273	2.1	6.1	271	0.2
78	9	20	20	3.2	267	1.6	7.0	270	-1.1
78	9	20	21	2.8	249	1.2	7.5	271	-2.1
78	9	20	22	3.4	230	1.2	7.4	272	-2.5
78	9	20	23	4.9	189	1.6	7.0	270	-2.8
78	9	20	24	4.3	210	1.2	7.2	272	-3.3

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	9	21	1	4.1	260	0.5	5.6	268	-3.7
78	9	21	2	3.8	262	0.7	5.0	268	-4.7
78	9	21	3	3.3	307	0.2	4.6	265	-5.3
78	9	21	4	2.6	354	-1.1	5.0	264	-6.0
78	9	21	5	3.6	321	-1.3	5.2	266	-6.1
78	9	21	6	3.7	272	-1.2	5.2	266	-6.1
78	9	21	7	3.4	269	2.8	4.6	307	-5.2
78	9	21	8	3.5	96	5.3	4.8	77	0.6
78	9	21	9	5.7	93	5.5	6.0	68	3.3
78	9	21	10	5.7	94	6.3	5.9	55	6.6
78	9	21	11	5.8	76	8.2	4.3	94	9.3
78	9	21	12	5.3	73	10.8	4.8	65	11.1
78	9	21	13	5.6	121	12.1	4.2	345	13.0
78	9	21	14	5.3	72	13.8	5.0	51	14.8
78	9	21	15	5.6	53	14.8	5.4	75	15.9
78	9	21	16	6.3	297	15.3	3.6	31	17.0
78	9	21	17	9.7	233	14.5	5.0	274	17.1
78	9	21	18	12.3	227	12.1	4.5	174	13.0
78	9	21	19	13.0	229	10.7	7.3	259	6.8
78	9	21	20	10.7	231	10.7	6.3	265	3.8
78	9	21	21	4.2	227	9.5	8.0	274	2.2
78	9	21	22	4.5	194	7.9	9.9	274	2.4
78	9	21	23	7.2	250	8.4	8.6	278	2.5
78	9	21	24	9.1	251	9.2	6.7	276	1.8
78	9	22	1	7.3	229	8.4	6.9	271	0.7
78	9	22	2	4.2	182	8.1	8.2	270	0.3
78	9	22	3	4.0	268	7.2	6.2	267	0.2
78	9	22	4	4.0	238	8.4	7.7	271	0.7
78	9	22	5	3.1	280	7.8	5.8	266	0.3
78	9	22	6	2.9	196	8.2	4.9	264	-0.8
78	9	22	7	3.4	158	10.2	3.7	250	2.1
78	9	22	8	4.2	103	12.6	2.6	356	9.6
78	9	22	9	8.6	222	14.8	5.5	63	13.8
78	9	22	10	12.6	244	15.4	8.8	221	17.6
78	9	22	11	12.7	257	16.1	11.3	242	18.6
78	9	22	12	11.3	250	16.8	11.3	234	19.2
78	9	22	13	14.2	244	17.6	11.4	239	20.0
78	9	22	14	11.4	239	18.3	10.6	235	20.7
78	9	22	15	9.0	242	18.8	8.4	253	20.8
78	9	22	16	8.3	248	18.9	6.5	237	21.2
78	9	22	17	8.5	217	18.5	6.0	241	21.0
78	9	22	18	9.2	214	16.5	6.1	239	17.3
78	9	22	19	7.8	213	14.8	8.4	257	11.8
78	9	22	20	9.1	243	13.6	7.0	256	9.8
78	9	22	21	9.0	257	13.1	7.8	275	8.0
78	9	22	22	9.7	246	13.6	6.0	274	7.4
78	9	22	23	5.9	260	13.6	5.5	260	6.0
78	9	22	24	6.2	262	13.0	7.5	259	5.7

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	9	23	1	3.8	251	11.7	6.1	261	4.4
78	9	23	2	3.1	236	12.2	6.5	264	3.6
78	9	23	3	3.1	211	11.9	5.0	259	3.3
78	9	23	4	2.9	247	11.8	5.9	260	2.9
78	9	23	5	3.3	262	12.1	5.8	264	2.6
78	9	23	6	4.9	261	12.8	6.7	264	2.9
78	9	23	7	4.2	288	13.3	2.0	242	5.3
78	9	23	8	3.9	101	14.2	1.3	134	12.8
78	9	23	9	4.7	104	16.5	4.7	71	15.6
78	9	23	10	6.0	76	18.3	5.7	52	18.0
78	9	23	11	5.9	27	19.4	6.3	56	20.5
78	9	23	12	6.6	39	20.2	6.8	55	21.6
78	9	23	13	7.7	47	20.6	7.5	64	22.0
78	9	23	14	6.0	28	21.8	6.2	59	22.6
78	9	23	15	6.7	32	21.3	5.8	50	22.8
78	9	23	16	7.4	55	21.1	6.2	62	22.8
78	9	23	17	7.1	37	20.5	5.7	41	22.3
78	9	23	18	6.2	14	18.7	3.8	352	19.5
78	9	23	19	4.9	324	16.9	7.8	262	12.5
78	9	23	20	4.9	313	16.5	9.7	264	10.9
78	9	23	21	5.0	293	15.7	8.2	279	9.8
78	9	23	22	4.9	287	15.3	8.2	275	9.1
78	9	23	23	4.6	285	15.1	7.8	276	8.5
78	9	23	24	3.7	284	14.0	8.3	270	7.9
78	9	24	1	4.0	283	13.1	7.7	274	7.6
78	9	24	2	3.5	286	13.3	7.1	274	6.7
78	9	24	3	3.5	286	13.0	7.5	273	6.2
78	9	24	4	4.3	283	12.6	6.8	269	5.3
78	9	24	5	3.6	274	12.4	6.5	268	4.7
78	9	24	6	4.1	279	12.0	6.2	266	4.2
78	9	24	7	3.3	258	13.3	4.2	264	6.4
78	9	24	8	2.8	328	15.6	4.1	121	11.5
78	9	24	9	4.4	63	17.0	6.3	81	14.6
78	9	24	10	5.2	49	18.2	6.5	86	17.8
78	9	24	11	5.2	72	18.3	6.8	92	19.3
78	9	24	12	4.4	77	18.4	4.8	86	20.0
78	9	24	13	999.9	999	999.9	999.9	999	999.9
78	9	24	14	999.9	999	999.9	999.9	999	999.9
78	9	24	15	999.9	999	999.9	999.9	999	999.9
78	9	24	16	999.9	999	999.9	999.9	999	999.9
78	9	24	17	999.9	999	999.9	999.9	999	999.9
78	9	24	18	999.9	999	999.9	4.1	261	8.9
78	9	24	19	5.1	233	11.8	6.0	267	15.3
78	9	24	20	6.9	180	16.4	3.5	189	15.2
78	9	24	21	4.3	118	15.9	4.6	257	15.2
78	9	24	22	4.0	99	15.0	5.1	258	13.7
78	9	24	23	7.5	176	14.1	3.2	206	14.0
78	9	24	24	5.9	169	13.8	5.2	271	10.5

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	9	25	1	5.7	152	12.7	5.7	271	8.2
78	9	25	2	5.6	155	12.8	6.2	267	7.3
78	9	25	3	5.1	192	11.7	5.9	271	6.6
78	9	25	4	5.2	206	11.6	6.1	259	5.5
78	9	25	5	2.0	216	9.8	6.0	265	5.1
78	9	25	6	3.7	265	10.1	5.9	263	4.1
78	9	25	7	3.8	311	11.1	4.8	265	6.5
78	9	25	8	4.1	12	13.3	3.3	115	12.5
78	9	25	9	5.1	23	15.7	5.8	89	15.5
78	9	25	10	999.9	999	999.9	999.9	999	999.9
78	9	25	11	999.9	999	999.9	999.9	999	999.9
78	9	25	12	999.9	999	999.9	999.9	999	999.9
78	9	25	13	999.9	999	999.9	999.9	999	999.9
78	9	25	14	999.9	999	999.9	999.9	999	999.9
78	9	25	15	999.9	999	999.9	999.9	999	999.9
78	9	25	16	6.8	5	15.2	7.8	25	22.8
78	9	25	17	9.4	5	20.4	8.4	18	22.5
78	9	25	18	6.5	359	18.7	3.1	354	20.0
78	9	25	19	5.6	346	17.9	6.9	271	14.1
78	9	25	20	5.7	343	17.9	8.9	275	12.6
78	9	25	21	5.7	333	17.6	9.3	274	11.6
78	9	25	22	5.6	327	17.4	8.8	272	10.8
78	9	25	23	5.4	301	16.6	8.0	278	10.0
78	9	25	24	5.2	293	16.3	7.3	270	9.5
78	9	26	1	5.1	291	16.1	5.8	260	8.2
78	9	26	2	3.8	280	15.3	7.9	267	8.0
78	9	26	3	4.0	276	15.8	6.8	265	7.9
78	9	26	4	4.7	277	14.4	4.8	269	6.0
78	9	26	5	3.8	270	13.7	3.5	266	3.3
78	9	26	6	3.3	280	13.2	4.4	285	2.2
78	9	26	7	3.3	267	14.1	3.6	249	6.1
78	9	26	8	3.2	33	16.4	3.4	115	12.7
78	9	26	9	5.1	102	17.7	5.3	66	16.2
78	9	26	10	6.3	81	18.8	5.4	61	19.1
78	9	26	11	7.7	42	20.1	7.3	89	21.3
78	9	26	12	8.2	56	20.7	7.2	70	22.5
78	9	26	13	7.8	34	21.4	7.5	74	23.0
78	9	26	14	7.1	357	21.6	7.3	60	23.5
78	9	26	15	8.1	30	21.4	6.8	59	23.2
78	9	26	16	1.9	61	4.9	3.3	29	11.1
78	9	26	17	7.7	34	19.8	7.4	60	22.5
78	9	26	18	6.8	43	19.9	3.4	329	19.8
78	9	26	19	6.6	42	19.7	6.8	273	15.2
78	9	26	20	6.6	42	19.7	7.8	267	12.9
78	9	26	21	4.1	313	16.3	8.3	263	11.2
78	9	26	22	3.9	287	15.6	7.9	272	10.3
78	9	26	23	3.8	284	15.5	8.4	273	8.9
78	9	26	24	3.8	278	15.2	8.4	275	8.2

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	9	27	1	3.9	276	15.2	8.4	278	8.0
78	9	27	2	3.7	268	14.6	8.0	273	7.3
78	9	27	3	4.6	263	14.6	7.0	272	7.3
78	9	27	4	3.5	252	14.7	2.0	247	3.0
78	9	27	5	4.6	341	13.4	4.9	266	2.3
78	9	27	6	3.8	48	12.1	7.0	256	2.9
78	9	27	7	2.7	103	13.3	4.9	259	5.9
78	9	27	8	3.4	238	16.4	2.0	327	12.8
78	9	27	9	999.9	999	999.9	999.9	999	999.9
78	9	27	10	999.9	999	999.9	999.9	999	999.9
78	9	27	11	999.9	999	999.9	999.9	999	999.9
78	9	27	12	999.9	999	999.9	999.9	999	999.9
78	9	27	13	3.5	4	5.9	3.4	172	8.9
78	9	27	14	13.2	294	21.1	9.5	288	23.6
78	9	27	15	12.4	293	21.4	9.3	284	23.7
78	9	27	16	10.6	292	22.2	9.8	282	24.1
78	9	27	17	9.3	295	21.3	6.9	272	23.5
78	9	27	18	7.0	291	19.8	5.0	275	20.1
78	9	27	19	8.4	262	19.2	7.1	277	15.5
78	9	27	20	12.3	225	18.6	7.0	255	13.4
78	9	27	21	9.0	249	16.7	6.9	276	12.0
78	9	27	22	9.8	255	16.3	4.9	273	11.0
78	9	27	23	11.6	251	16.2	2.7	261	8.8
78	9	27	24	11.8	247	16.8	3.6	271	8.8
78	9	28	1	13.7	254	15.6	4.4	284	9.7
78	9	28	2	12.6	252	15.5	2.8	68	7.8
78	9	28	3	9.6	246	16.5	3.7	262	5.7
78	9	28	4	9.6	241	16.0	5.8	270	6.2
78	9	28	5	10.0	245	14.7	5.9	273	5.5
78	9	28	6	9.3	246	14.4	4.2	268	5.0
78	9	28	7	9.6	249	16.3	3.5	265	6.8
78	9	28	8	15.2	252	18.1	3.0	122	13.8
78	9	28	9	14.6	248	19.2	6.8	151	20.0
78	9	28	10	13.1	249	20.7	11.6	252	23.0
78	9	28	11	14.5	268	21.4	12.7	259	23.7
78	9	28	12	16.7	280	21.7	13.9	259	24.3
78	9	28	13	17.4	293	21.9	12.6	271	24.6
78	9	28	14	15.4	284	22.3	12.6	262	24.7
78	9	28	15	13.0	260	22.7	12.9	266	25.1
78	9	28	16	12.8	214	22.5	10.1	234	24.7
78	9	28	17	11.9	220	21.6	10.1	228	24.0
78	9	28	18	10.5	222	20.0	5.9	256	19.8
78	9	28	19	10.1	243	18.5	6.8	260	14.7
78	9	28	20	10.8	245	17.7	7.8	255	14.8
78	9	28	21	11.6	259	17.5	6.1	278	13.3
78	9	28	22	10.7	254	16.9	4.9	247	12.5
78	9	28	23	10.2	246	16.2	5.8	268	10.8
78	9	28	24	10.8	248	15.5	6.7	277	10.1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOBC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	9	29	1	11.2	247	15.1	8.6	278	11.1
78	9	29	2	11.6	248	14.8	7.6	281	10.4
78	9	29	3	9.1	255	14.2	5.9	274	9.6
78	9	29	4	9.3	279	13.3	3.9	247	7.0
78	9	29	5	4.6	355	12.4	7.5	271	6.4
78	9	29	6	3.2	192	11.3	7.3	273	6.5
78	9	29	7	3.4	42	12.8	6.6	270	7.8
78	9	29	8	5.7	68	13.9	3.9	171	13.6
78	9	29	9	5.3	85	14.8	5.4	87	15.8
78	9	29	10	7.4	98	16.1	7.2	73	16.8
78	9	29	11	6.5	56	17.0	7.1	74	17.9
78	9	29	12	6.4	349	18.1	7.5	87	19.2
78	9	29	13	7.6	16	19.2	9.5	81	20.3
78	9	29	14	9.4	42	19.4	9.4	58	20.8
78	9	29	15	9.5	48	19.4	11.4	72	20.7
78	9	29	16	8.5	61	18.9	11.2	74	20.5
78	9	29	17	8.4	59	18.8	7.7	61	19.9
78	9	29	18	6.6	45	16.2	3.6	29	15.8
78	9	29	19	4.4	341	14.5	8.0	268	10.5
78	9	29	20	4.2	299	13.4	8.6	266	8.6
78	9	29	21	4.9	302	12.6	9.5	264	7.5
78	9	29	22	4.6	303	12.1	8.9	270	6.9
78	9	29	23	5.1	287	11.5	8.1	271	6.1
78	9	29	24	4.3	273	11.6	7.8	268	5.4
78	9	30	1	4.4	255	11.9	7.9	271	5.3
78	9	30	2	3.3	285	11.3	6.8	268	4.1
78	9	30	3	3.3	293	10.3	6.5	260	3.1
78	9	30	4	4.3	273	10.0	6.3	270	2.9
78	9	30	5	3.2	288	9.8	5.2	267	1.9
78	9	30	6	4.1	282	9.2	6.4	264	1.0
78	9	30	7	3.8	276	10.9	5.2	263	3.5
78	9	30	8	3.1	317	12.5	2.9	42	9.9
78	9	30	9	3.7	79	14.9	4.3	79	14.0
78	9	30	10	5.3	99	16.3	5.2	60	16.6
78	9	30	11	5.0	52	18.2	5.8	62	19.0
78	9	30	12	11.2	276	19.2	6.8	336	20.9
78	9	30	13	12.9	274	19.5	10.9	264	22.0
78	9	30	14	13.0	276	20.3	12.4	271	22.7
78	9	30	15	13.1	278	20.6	12.1	259	23.0
78	9	30	16	14.2	285	20.5	12.4	272	22.7
78	9	30	17	9.3	275	20.8	8.4	264	22.7
78	9	30	18	5.9	263	18.1	5.5	271	15.9
78	9	30	19	7.8	237	17.5	7.4	268	11.4
78	9	30	20	9.2	253	15.9	6.2	269	9.8
78	9	30	21	9.5	256	15.5	5.9	262	7.1
78	9	30	22	12.5	248	15.0	7.3	265	6.8
78	9	30	23	11.9	250	14.3	6.2	273	6.4
78	9	30	24	12.3	246	14.3	6.9	281	8.9

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RROSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	10	1	1	12.0	248	14.1	3.5	264	7.6
78	10	1	2	11.6	245	13.7	4.4	264	5.0
78	10	1	3	10.8	244	13.7	2.8	308	4.4
78	10	1	4	12.2	240	14.8	4.2	316	6.7
78	10	1	5	10.7	248	13.6	1.4	320	3.2
78	10	1	6	9.5	247	13.5	2.4	270	2.9
78	10	1	7	8.4	247	15.4	3.1	256	5.4
78	10	1	8	9.5	231	18.2	2.3	86	12.6
78	10	1	9	12.8	226	19.4	5.7	25	19.3
78	10	1	10	16.0	238	20.4	12.4	233	22.7
78	10	1	11	17.6	228	21.3	12.5	256	23.8
78	10	1	12	16.8	268	21.2	14.4	255	23.4
78	10	1	13	16.3	259	21.2	17.2	261	24.1
78	10	1	14	15.9	242	22.8	14.0	261	23.9
78	10	1	15	14.6	257	21.5	14.2	253	24.3
78	10	1	16	19.2	268	21.4	13.4	265	23.7
78	10	1	17	19.2	289	20.6	12.4	279	22.8
78	10	1	18	20.5	289	18.9	11.9	279	20.8
78	10	1	19	15.8	278	17.3	8.6	253	18.3
78	10	1	20	15.0	272	16.1	5.3	257	16.0
78	10	1	21	9.5	276	14.8	5.4	266	10.5
78	10	1	22	4.2	47	12.8	6.3	265	7.5
78	10	1	23	4.4	92	11.1	6.6	265	6.3
78	10	1	24	3.1	295	9.4	7.6	274	6.2
78	10	2	1	4.7	288	9.1	7.8	278	5.0
78	10	2	2	3.7	292	8.1	8.6	268	4.1
78	10	2	3	3.6	281	7.2	7.7	275	3.0
78	10	2	4	3.7	277	7.5	8.4	275	2.4
78	10	2	5	4.2	272	7.5	8.6	281	2.0
78	10	2	6	4.6	281	7.2	7.7	279	1.5
78	10	2	7	4.4	319	7.3	5.0	263	2.1
78	10	2	8	4.3	359	9.1	3.3	150	9.1
78	10	2	9	5.1	64	11.0	7.0	82	11.4
78	10	2	10	6.3	50	11.5	6.4	76	13.1
78	10	2	11	6.2	37	12.7	6.7	70	14.2
78	10	2	12	6.1	81	13.5	7.0	65	15.2
78	10	2	13	7.3	69	14.5	6.7	76	16.1
78	10	2	14	8.4	49	15.0	7.1	71	16.6
78	10	2	15	7.5	42	15.3	6.3	56	17.2
78	10	2	16	7.6	73	15.3	8.3	54	17.0
78	10	2	17	5.5	43	14.9	6.0	40	16.4
78	10	2	18	4.8	351	12.7	4.3	321	11.8
78	10	2	19	3.9	292	10.7	8.6	265	6.9
78	10	2	20	4.4	280	9.6	7.6	273	4.9
78	10	2	21	3.4	325	9.1	8.3	270	4.0
78	10	2	22	4.3	337	8.5	8.9	265	2.9
78	10	2	23	4.0	266	8.1	8.0	273	2.1
78	10	2	24	5.2	283	7.0	8.6	269	0.9

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	10	3	1	3.9	283	6.5	8.1	272	0.0
78	10	3	2	4.2	279	6.0	8.0	274	-0.2
78	10	3	3	4.8	283	5.3	7.7	278	-1.0
78	10	3	4	4.3	281	4.5	6.7	267	-1.8
78	10	3	5	4.2	269	4.2	6.9	267	-2.5
78	10	3	6	4.5	275	4.2	6.8	264	-2.7
78	10	3	7	3.4	273	5.7	4.8	262	-1.2
78	10	3	8	3.1	256	7.3	4.0	101	3.8
78	10	3	9	4.7	89	9.5	6.0	74	7.6
78	10	3	10	5.4	89	10.3	4.6	88	10.9
78	10	3	11	5.9	59	12.0	5.8	74	12.9
78	10	3	12	5.2	100	13.9	6.0	58	14.7
78	10	3	13	5.3	153	15.2	4.4	136	16.6
78	10	3	14	8.5	283	15.9	4.4	298	18.2
78	10	3	15	8.1	295	16.2	6.2	291	18.6
78	10	3	16	8.3	294	16.2	6.1	278	18.5
78	10	3	17	6.5	287	15.9	3.8	263	18.1
78	10	3	18	5.5	256	13.5	6.5	262	11.0
78	10	3	19	4.6	223	12.8	7.6	270	7.0
78	10	3	20	3.6	273	11.5	8.2	270	4.7
78	10	3	21	6.1	271	11.1	7.8	264	3.8
78	10	3	22	10.2	246	11.4	8.1	266	3.6
78	10	3	23	11.5	244	10.7	6.5	268	4.3
78	10	3	24	12.7	244	10.4	5.7	266	1.9
78	10	4	1	12.8	247	9.7	6.1	273	2.1
78	10	4	2	16.0	260	10.5	3.8	252	-0.8
78	10	4	3	6.6	256	9.2	6.0	268	-1.4
78	10	4	4	4.9	230	8.8	6.5	265	-0.9
78	10	4	5	12.4	263	9.8	5.8	268	-0.9
78	10	4	6	11.6	268	9.7	4.7	267	-2.0
78	10	4	7	12.7	264	10.9	3.5	219	0.2
78	10	4	8	12.0	278	12.6	6.2	92	5.3
78	10	4	9	8.6	291	13.6	4.0	95	10.8
78	10	4	10	6.7	297	14.8	3.7	83	15.9
78	10	4	11	9.6	350	15.9	7.6	54	17.1
78	10	4	12	7.1	43	16.3	8.0	80	17.5
78	10	4	13	6.2	11	17.1	6.8	76	18.5
78	10	4	14	6.9	231	17.8	7.3	25	19.2
78	10	4	15	9.7	272	17.3	8.5	263	19.0
78	10	4	16	9.3	295	17.5	8.0	265	19.4
78	10	4	17	7.1	290	17.2	6.5	301	18.9
78	10	4	18	5.6	268	14.5	6.2	265	13.2
78	10	4	19	5.1	272	13.1	7.0	278	8.6
78	10	4	20	6.0	266	12.5	6.5	262	6.8
78	10	4	21	3.3	264	11.6	7.7	269	5.4
78	10	4	22	4.8	284	11.4	8.1	277	5.3
78	10	4	23	4.4	308	11.0	7.6	271	4.3
78	10	4	24	3.5	323	10.1	7.9	268	3.6

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	10	5	1	3.9	0	9.9	8.2	268	2.8
78	10	5	2	3.8	326	8.8	7.2	269	2.6
78	10	5	3	4.1	324	7.5	7.7	268	0.7
78	10	5	4	3.7	287	6.6	7.8	269	0.5
78	10	5	5	5.2	272	6.5	8.4	275	0.9
78	10	5	6	4.8	277	6.5	6.0	273	0.3
78	10	5	7	4.0	286	7.3	2.2	248	-0.1
78	10	5	8	3.8	38	9.1	2.8	94	6.6
78	10	5	9	999.9	999	999.9	999.9	999	999.9
78	10	5	10	999.9	999	999.9	999.9	999	999.9
78	10	5	11	999.9	999	999.9	999.9	999	999.9
78	10	5	12	999.9	999	999.9	999.9	999	999.9
78	10	5	13	999.9	999	999.9	999.9	999	999.9
78	10	5	14	999.9	999	999.9	999.9	999	999.9
78	10	5	15	999.9	999	999.9	999.9	999	999.9
78	10	5	16	999.9	999	999.9	999.9	999	999.9
78	10	5	17	999.9	999	999.9	999.9	999	999.9
78	10	5	18	999.9	999	999.9	999.9	999	999.9
78	10	5	19	999.9	999	999.9	999.9	999	999.9
78	10	5	20	999.9	999	999.9	999.9	999	999.9
78	10	5	21	999.9	999	999.9	999.9	999	999.9
78	10	5	22	999.9	999	999.9	999.9	999	999.9
78	10	5	23	999.9	999	999.9	999.9	999	999.9
78	10	5	24	999.9	999	999.9	999.9	999	999.9
78	10	6	1	999.9	999	999.9	999.9	999	999.9
78	10	6	2	999.9	999	999.9	999.9	999	999.9
78	10	6	3	999.9	999	999.9	999.9	999	999.9
78	10	6	4	999.9	999	999.9	999.9	999	999.9
78	10	6	5	999.9	999	999.9	999.9	999	999.9
78	10	6	6	999.9	999	999.9	999.9	999	999.9
78	10	6	7	999.9	999	999.9	999.9	999	999.9
78	10	6	8	999.9	999	999.9	999.9	999	999.9
78	10	6	9	999.9	999	999.9	999.9	999	999.9
78	10	6	10	999.9	999	999.9	999.9	999	999.9
78	10	6	11	999.9	999	999.9	999.9	999	999.9
78	10	6	12	4.4	11	8.4	3.7	34	18.8
78	10	6	13	8.4	263	17.4	5.3	210	19.9
78	10	6	14	7.4	266	18.8	5.8	13	20.2
78	10	6	15	8.1	269	18.3	5.7	284	20.8
78	10	6	16	8.1	261	18.3	7.2	248	20.5
78	10	6	17	7.3	276	17.9	4.6	221	20.2
78	10	6	18	3.5	232	15.1	5.5	240	14.0
78	10	6	19	3.7	236	13.8	7.2	267	8.7
78	10	6	20	4.8	197	13.7	8.6	275	6.6
78	10	6	21	5.6	222	13.4	8.7	273	6.1
78	10	6	22	4.5	260	12.4	8.9	270	5.9
78	10	6	23	4.6	263	12.7	8.6	277	5.8
78	10	6	24	4.5	247	12.7	7.5	279	5.6

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	10	7	1	3.8	245	12.9	5.0	274	4.1
78	10	7	2	6.9	251	12.8	3.8	264	1.2
78	10	7	3	4.6	296	11.2	4.9	266	-0.2
78	10	7	4	2.8	308	9.1	5.0	265	-0.2
78	10	7	5	3.5	44	9.0	6.9	262	0.5
78	10	7	6	5.8	270	9.9	7.5	262	1.0
78	10	7	7	3.7	271	10.9	5.4	258	2.1
78	10	7	8	3.3	91	13.2	3.9	131	6.3
78	10	7	9	4.5	79	14.4	4.7	86	11.3
78	10	7	10	6.8	59	15.8	6.7	88	15.1
78	10	7	11	7.9	33	16.6	8.1	89	17.1
78	10	7	12	8.6	333	17.4	7.9	86	19.0
78	10	7	13	9.8	266	17.6	6.4	71	19.6
78	10	7	14	10.5	277	17.9	6.0	341	20.3
78	10	7	15	8.0	277	18.3	6.4	276	20.6
78	10	7	16	7.5	288	18.4	5.3	301	20.6
78	10	7	17	5.0	325	17.8	3.7	324	19.6
78	10	7	18	5.5	273	14.9	6.0	266	12.5
78	10	7	19	4.6	270	14.8	7.6	277	9.4
78	10	7	20	5.0	255	14.7	8.2	274	9.3
78	10	7	21	3.8	234	14.8	7.9	272	9.0
78	10	7	22	7.1	224	14.8	7.7	272	7.4
78	10	7	23	7.1	261	13.8	6.7	264	6.7
78	10	7	24	9.2	249	14.1	3.7	266	5.5
78	10	8	1	10.3	241	13.7	2.9	258	3.1
78	10	8	2	10.3	247	12.8	5.2	265	1.3
78	10	8	3	10.3	248	12.1	5.5	268	1.0
78	10	8	4	9.6	241	11.8	4.9	266	0.6
78	10	8	5	3.2	141	10.5	6.7	268	1.0
78	10	8	6	4.2	343	10.1	5.3	265	1.2
78	10	8	7	8.4	239	11.4	3.8	259	2.3
78	10	8	8	8.7	257	14.2	2.2	121	9.3
78	10	8	9	10.2	259	15.7	4.7	75	14.1
78	10	8	10	12.1	255	16.5	5.9	194	18.3
78	10	8	11	13.8	276	16.9	9.9	260	19.5
78	10	8	12	12.7	290	17.4	10.1	281	19.6
78	10	8	13	11.4	284	17.5	9.7	258	19.8
78	10	8	14	14.1	288	18.3	10.2	277	20.3
78	10	8	15	16.6	293	18.4	12.3	295	20.8
78	10	8	16	14.6	293	18.5	11.9	277	20.9
78	10	8	17	10.6	273	18.2	8.8	263	20.6
78	10	8	18	8.4	256	16.6	6.4	254	16.9
78	10	8	19	7.2	255	14.9	6.2	273	12.9
78	10	8	20	4.9	263	14.4	6.5	276	11.9
78	10	8	21	4.3	294	13.9	7.0	273	9.5
78	10	8	22	3.8	247	13.8	7.5	275	7.7
78	10	8	23	3.3	274	12.6	8.0	275	6.3
78	10	8	24	4.0	304	11.2	8.3	267	5.4

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	10	9	1	4.8	269	10.6	8.8	278	5.2
78	10	9	2	4.5	265	10.3	8.6	279	5.1
78	10	9	3	3.6	266	10.1	8.2	278	4.4
78	10	9	4	3.4	272	9.5	8.2	279	4.0
78	10	9	5	4.1	268	9.4	8.3	279	3.4
78	10	9	6	4.7	273	9.3	7.6	278	3.3
78	10	9	7	3.8	270	10.5	5.2	265	4.7
78	10	9	8	3.7	90	12.7	2.4	161	9.8
78	10	9	9	4.5	93	13.6	6.0	62	12.5
78	10	9	10	6.0	66	14.5	5.4	73	15.2
78	10	9	11	6.5	65	15.3	6.4	75	16.6
78	10	9	12	6.3	84	16.8	5.3	55	18.0
78	10	9	13	5.5	38	18.2	5.7	6	19.2
78	10	9	14	6.9	307	19.8	6.4	57	19.9
78	10	9	15	8.2	260	18.6	5.9	13	20.6
78	10	9	16	8.1	292	18.4	5.3	6	20.4
78	10	9	17	5.9	315	17.7	5.8	298	19.6
78	10	9	18	5.1	283	15.8	6.1	267	14.7
78	10	9	19	5.3	256	14.8	7.0	251	12.2
78	10	9	20	4.2	271	14.4	7.4	266	10.4
78	10	9	21	6.0	249	14.4	7.5	272	8.8
78	10	9	22	7.0	248	13.7	7.6	267	8.0
78	10	9	23	6.2	262	12.7	4.1	268	6.6
78	10	9	24	4.4	303	12.5	3.7	260	4.1
78	10	10	1	4.7	278	12.3	5.9	266	4.2
78	10	10	2	4.5	281	12.2	5.8	272	3.4
78	10	10	3	5.1	270	11.5	5.4	263	3.6
78	10	10	4	5.2	270	11.1	6.6	272	3.4
78	10	10	5	4.3	268	11.0	6.9	275	3.5
78	10	10	6	4.0	261	11.0	7.0	274	3.5
78	10	10	7	3.5	254	12.0	5.9	316	4.4
78	10	10	8	3.2	163	14.5	3.8	81	7.2
78	10	10	9	4.5	340	15.8	5.7	76	12.7
78	10	10	10	7.0	2	16.7	5.4	69	17.2
78	10	10	11	9.7	359	17.2	6.4	74	19.1
78	10	10	12	11.6	321	17.7	6.6	291	19.9
78	10	10	13	9.8	342	18.2	8.3	322	20.3
78	10	10	14	9.1	284	18.2	7.6	298	20.4
78	10	10	15	12.0	290	18.3	8.3	275	20.6
78	10	10	16	12.0	278	18.4	9.4	274	20.6
78	10	10	17	9.8	282	18.2	6.3	272	19.8
78	10	10	18	7.5	264	15.9	5.6	278	13.7
78	10	10	19	8.3	248	15.0	7.1	278	10.7
78	10	10	20	12.0	262	14.7	7.0	278	10.0
78	10	10	21	16.2	274	14.5	7.7	268	10.7
78	10	10	22	15.5	268	13.2	9.8	249	13.5
78	10	10	23	14.0	260	12.3	8.8	251	12.4
78	10	10	24	10.8	258	11.9	7.2	268	9.5

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
				WIND SPEED	WIND DIR	AMB TEMP	WIND SPEED	WIND DIR	AMB TEMP
YR	MN	DY	HR	(MPH)	DEG	(C)	(MPH)	DEG	(C)
78	10	11	1	11.3	257	11.7	5.8	272	7.8
78	10	11	2	9.2	252	10.9	5.7	265	5.9
78	10	11	3	9.4	251	10.7	6.9	282	6.2
78	10	11	4	10.9	252	10.5	5.2	275	5.3
78	10	11	5	10.8	255	10.1	3.3	260	2.5
78	10	11	6	11.5	257	10.1	5.1	269	1.5
78	10	11	7	9.4	238	11.1	4.8	249	3.3
78	10	11	8	7.7	240	13.1	4.7	146	9.5
78	10	11	9	7.0	273	14.7	5.9	76	13.1
78	10	11	10	9.6	236	15.8	3.6	112	18.2
78	10	11	11	9.8	277	17.1	8.0	81	18.8
78	10	11	12	8.0	300	17.8	7.2	237	20.1
78	10	11	13	10.2	293	18.3	8.0	273	20.5
78	10	11	14	10.5	283	18.8	9.3	266	21.1
78	10	11	15	12.0	277	18.9	9.8	262	21.2
78	10	11	16	13.2	272	19.0	10.0	259	21.2
78	10	11	17	12.3	276	18.4	8.7	267	20.3
78	10	11	18	9.0	262	16.5	5.6	260	15.6
78	10	11	19	11.9	233	15.3	5.0	266	11.2
78	10	11	20	11.9	247	14.3	5.2	254	10.2
78	10	11	21	13.2	265	13.8	5.5	275	8.7
78	10	11	22	16.4	268	13.2	10.1	252	12.4
78	10	11	23	14.4	268	12.1	11.4	251	12.3
78	10	11	24	14.3	266	10.9	10.0	236	11.4
78	10	12	1	14.4	263	11.1	5.6	242	9.1
78	10	12	2	14.0	264	11.1	5.7	219	8.4
78	10	12	3	13.6	265	10.7	3.3	177	5.4
78	10	12	4	13.6	267	10.5	4.2	262	3.1
78	10	12	5	16.9	267	10.5	4.6	259	1.8
78	10	12	6	10.1	268	10.0	3.7	168	1.9
78	10	12	7	7.4	301	10.4	1.9	220	2.1
78	10	12	8	7.6	297	11.9	4.5	84	7.3
78	10	12	9	8.9	257	13.8	5.8	79	11.6
78	10	12	10	6.0	74	13.9	5.6	77	14.1
78	10	12	11	8.2	234	15.4	4.3	70	16.8
78	10	12	12	10.3	260	16.1	7.9	254	18.6
78	10	12	13	11.4	273	17.0	10.0	262	19.0
78	10	12	14	14.3	284	17.5	11.4	261	19.8
78	10	12	15	13.7	301	17.7	11.5	268	19.8
78	10	12	16	13.1	310	17.6	9.3	300	19.5
78	10	12	17	12.6	316	16.6	7.4	295	18.5
78	10	12	18	7.1	309	14.3	4.3	266	13.5
78	10	12	19	5.6	332	12.6	5.6	258	8.4
78	10	12	20	4.3	5	11.2	7.9	266	6.9
78	10	12	21	5.3	28	10.2	7.6	271	5.0
78	10	12	22	7.0	44	9.5	7.5	271	3.5
78	10	12	23	7.0	33	7.2	5.1	265	1.3
78	10	12	24	4.8	22	4.9	7.2	270	-0.1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	10	13	1	3.2	343	3.7	7.7	270	-0.3
78	10	13	2	3.4	332	3.4	6.9	266	-0.6
78	10	13	3	5.2	337	2.1	6.6	263	-2.4
78	10	13	4	5.8	358	1.4	6.2	259	-3.7
78	10	13	5	4.9	302	0.7	6.9	264	-4.3
78	10	13	6	3.8	276	0.6	6.7	266	-4.5
78	10	13	7	4.8	269	1.8	5.7	267	-3.2
78	10	13	8	3.3	244	3.8	2.1	157	0.4
78	10	13	9	4.7	164	5.8	3.0	88	3.6
78	10	13	10	5.6	132	7.3	4.8	65	7.2
78	10	13	11	5.5	86	9.4	5.8	63	9.9
78	10	13	12	6.3	97	10.4	5.9	88	11.4
78	10	13	13	4.9	36	11.9	6.1	74	12.7
78	10	13	14	5.5	46	13.3	5.6	90	14.1
78	10	13	15	5.1	46	14.1	7.1	72	14.7
78	10	13	16	5.6	49	13.5	7.1	72	14.5
78	10	13	17	5.3	39	12.4	4.6	65	13.8
78	10	13	18	4.0	342	10.5	5.0	256	8.8
78	10	13	19	3.3	264	9.0	7.3	277	6.8
78	10	13	20	3.2	252	8.8	7.2	278	4.4
78	10	13	21	3.0	230	9.1	7.5	275	3.1
78	10	13	22	3.7	266	8.7	7.8	274	2.4
78	10	13	23	4.1	264	8.6	5.9	267	1.6
78	10	13	24	4.4	266	8.3	6.6	269	0.6
78	10	14	1	4.6	273	8.0	6.4	264	0.6
78	10	14	2	4.5	278	7.5	4.9	267	-1.3
78	10	14	3	3.6	261	6.6	5.9	266	-1.8
78	10	14	4	4.5	268	7.2	5.8	267	-0.9
78	10	14	5	3.6	273	7.2	4.0	267	-2.1
78	10	14	6	3.2	223	5.6	5.6	265	-3.4
78	10	14	7	3.4	283	7.3	4.2	266	-2.0
78	10	14	8	3.3	5	10.1	2.0	151	4.7
78	10	14	9	4.2	106	10.9	6.1	70	8.9
78	10	14	10	5.2	79	12.1	5.6	73	12.1
78	10	14	11	5.7	88	13.4	4.9	53	14.1
78	10	14	12	5.2	59	15.5	5.1	71	16.1
78	10	14	13	5.0	83	17.8	5.3	81	17.8
78	10	14	14	6.0	342	18.0	5.0	82	19.1
78	10	14	15	8.3	264	17.7	5.4	352	19.7
78	10	14	16	8.1	269	17.6	7.2	271	19.6
78	10	14	17	7.8	271	16.9	5.1	267	18.0
78	10	14	18	4.3	252	14.1	6.6	266	9.6
78	10	14	19	3.5	216	13.1	7.9	279	7.2
78	10	14	20	3.8	254	12.6	7.7	272	6.3
78	10	14	21	4.8	265	12.6	8.1	268	5.3
78	10	14	22	5.1	260	12.7	7.8	270	5.1
78	10	14	23	5.6	264	11.6	6.1	269	4.5
78	10	14	24	3.4	263	11.1	6.0	268	2.9

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	10	15	1	3.3	310	11.1	5.7	264	1.3
78	10	15	2	4.2	289	9.4	7.6	263	0.7
78	10	15	3	4.7	273	9.7	6.9	272	1.5
78	10	15	4	4.3	274	9.7	6.2	270	1.2
78	10	15	5	4.1	275	9.3	6.7	267	0.2
78	10	15	6	4.8	257	9.7	5.8	268	0.6
78	10	15	7	3.9	255	10.7	4.0	220	1.1
78	10	15	8	3.3	132	12.7	2.7	88	4.8
78	10	15	9	4.6	87	13.5	4.5	72	10.8
78	10	15	10	5.5	98	14.4	5.4	83	14.3
78	10	15	11	6.1	48	15.8	4.7	65	16.8
78	10	15	12	5.8	73	16.8	4.9	73	18.1
78	10	15	13	6.0	82	17.9	5.8	60	19.4
78	10	15	14	7.1	73	18.6	7.3	88	20.2
78	10	15	15	6.0	44	18.8	5.8	59	20.2
78	10	15	16	5.9	27	18.5	6.0	65	19.9
78	10	15	17	4.4	11	17.2	4.1	86	18.7
78	10	15	18	3.7	311	14.3	6.6	269	11.5
78	10	15	19	3.9	267	13.6	8.4	278	8.2
78	10	15	20	4.0	207	13.6	8.4	274	6.7
78	10	15	21	5.0	218	13.4	8.2	274	5.8
78	10	15	22	4.2	241	12.8	8.0	279	5.5
78	10	15	23	3.7	243	12.6	7.5	276	5.0
78	10	15	24	4.4	261	12.6	5.2	266	3.3
78	10	16	1	3.0	194	11.8	5.6	263	1.3
78	10	16	2	3.0	259	10.4	7.2	263	0.7
78	10	16	3	4.7	169	11.8	6.3	259	0.4
78	10	16	4	3.5	60	10.4	6.4	262	-0.2
78	10	16	5	2.9	285	10.1	7.5	260	-0.2
78	10	16	6	3.3	162	10.7	6.8	257	-0.5
78	10	16	7	3.8	124	11.8	4.9	260	0.2
78	10	16	8	5.0	119	14.1	2.9	196	6.5
78	10	16	9	11.0	212	16.4	3.3	86	12.3
78	10	16	10	12.1	212	16.7	4.5	119	16.6
78	10	16	11	14.7	230	17.0	12.1	233	19.3
78	10	16	12	15.7	237	18.1	13.5	236	19.9
78	10	16	13	19.2	231	18.7	15.9	233	21.0
78	10	16	14	19.2	215	19.0	15.8	228	21.3
78	10	16	15	17.2	206	18.6	14.2	216	21.3
78	10	16	16	15.8	213	18.0	12.8	220	20.7
78	10	16	17	13.6	213	17.0	9.5	223	19.3
78	10	16	18	12.4	212	15.6	7.5	259	13.7
78	10	16	19	12.4	219	15.2	7.6	274	10.2
78	10	16	20	13.2	226	14.7	6.9	274	9.4
78	10	16	21	13.8	228	14.2	4.9	285	8.8
78	10	16	22	14.0	235	13.9	5.0	293	8.3
78	10	16	23	12.8	237	13.7	4.0	302	7.8
78	10	16	24	12.5	241	13.6	2.7	310	4.0

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	10	17	1	9.9	226	12.9	6.2	265	3.6
78	10	17	2	3.1	180	11.1	5.8	267	3.0
78	10	17	3	9.7	212	13.3	5.5	263	2.9
78	10	17	4	9.8	220	14.8	5.2	264	3.9
78	10	17	5	9.0	254	12.6	4.1	268	4.4
78	10	17	6	10.6	249	12.0	8.1	276	4.3
78	10	17	7	9.2	251	12.3	2.4	305	5.3
78	10	17	8	7.6	248	13.4	2.7	354	9.8
78	10	17	9	10.8	249	14.6	8.2	294	16.3
78	10	17	10	12.5	204	15.6	8.2	228	17.8
78	10	17	11	13.6	211	15.9	9.9	212	18.0
78	10	17	12	15.2	218	16.6	11.2	224	18.9
78	10	17	13	15.5	227	16.9	11.8	229	19.2
78	10	17	14	14.9	238	16.4	13.5	238	18.8
78	10	17	15	9.9	254	16.2	8.3	253	18.3
78	10	17	16	12.6	244	15.6	9.5	254	17.9
78	10	17	17	9.7	247	14.8	6.6	248	16.6
78	10	17	18	10.7	252	14.3	7.4	238	16.8
78	10	17	19	12.7	236	14.5	10.3	230	16.1
78	10	17	20	8.1	239	13.8	4.1	351	13.6
78	10	17	21	6.8	254	13.4	4.2	275	10.2
78	10	17	22	13.2	242	13.6	3.9	266	9.4
78	10	17	23	14.4	220	12.9	7.6	226	12.6
78	10	17	24	14.7	190	11.8	9.5	218	13.7
78	10	18	1	9.9	157	10.5	5.5	223	12.6
78	10	18	2	4.8	204	9.9	2.4	289	10.8
78	10	18	3	3.6	355	9.6	4.4	273	8.6
78	10	18	4	5.0	240	9.9	2.6	249	7.5
78	10	18	5	3.8	200	9.4	3.9	270	7.4
78	10	18	6	4.5	280	9.4	3.9	251	7.8
78	10	18	7	9.4	272	10.0	3.3	239	8.4
78	10	18	8	6.9	215	10.0	4.6	111	9.7
78	10	18	9	5.6	106	10.1	5.0	53	10.1
78	10	18	10	5.7	55	9.8	5.4	58	11.1
78	10	18	11	6.7	60	11.1	6.1	64	12.5
78	10	18	12	5.3	32	13.3	4.0	81	14.5
78	10	18	13	4.5	34	13.3	3.2	151	15.4
78	10	18	14	4.3	26	13.8	3.3	352	15.4
78	10	18	15	7.9	298	13.0	6.8	268	15.5
78	10	18	16	4.8	310	13.5	4.2	243	15.4
78	10	18	17	4.5	150	12.7	3.9	140	14.4
78	10	18	18	5.8	158	10.9	5.4	278	9.2
78	10	18	19	4.4	225	9.7	7.4	275	6.6
78	10	18	20	4.1	258	9.4	7.5	272	5.5
78	10	18	21	3.6	267	9.3	6.9	272	4.8
78	10	18	22	3.1	264	9.3	7.5	278	4.3
78	10	18	23	3.6	270	9.1	5.9	264	3.5
78	10	18	24	2.1	252	7.8	6.1	261	2.4

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	10	19	1	1.9	297	7.1	6.1	263	1.8
78	10	19	2	2.2	63	6.9	6.0	264	1.5
78	10	19	3	2.9	288	7.1	7.4	261	1.2
78	10	19	4	3.0	252	7.5	6.3	268	0.9
78	10	19	5	2.9	218	7.5	5.2	264	0.5
78	10	19	6	2.4	208	7.8	6.1	261	-0.2
78	10	19	7	2.1	280	8.3	6.4	261	1.1
78	10	19	8	3.1	112	11.7	2.5	164	6.2
78	10	19	9	4.0	94	12.6	4.7	78	10.4
78	10	19	10	5.8	79	14.6	4.5	61	13.8
78	10	19	11	6.9	204	17.2	5.8	61	16.6
78	10	19	12	11.7	235	17.7	7.4	179	19.4
78	10	19	13	999.9	999	999.9	999.9	999	999.9
78	10	19	14	999.9	999	999.9	999.9	999	999.9
78	10	19	15	999.9	999	999.9	999.9	999	999.9
78	10	19	16	999.9	999	999.9	999.9	999	999.9
78	10	19	17	999.9	999	999.9	999.9	999	999.9
78	10	19	18	999.9	999	999.9	999.9	999	999.9
78	10	19	19	999.9	999	999.9	999.9	999	999.9
78	10	19	20	999.9	999	999.9	999.9	999	999.9
78	10	19	21	999.9	999	999.9	999.9	999	999.9
78	10	19	22	999.9	999	999.9	999.9	999	999.9
78	10	19	23	999.9	999	999.9	999.9	999	999.9
78	10	19	24	999.9	999	999.9	999.9	999	999.9
78	10	20	1	999.9	999	999.9	999.9	999	999.9
78	10	20	2	999.9	999	999.9	999.9	999	999.9
78	10	20	3	999.9	999	999.9	999.9	999	999.9
78	10	20	4	999.9	999	999.9	999.9	999	999.9
78	10	20	5	999.9	999	999.9	999.9	999	999.9
78	10	20	6	999.9	999	999.9	999.9	999	999.9
78	10	20	7	999.9	999	999.9	999.9	999	999.9
78	10	20	8	999.9	999	999.9	999.9	999	999.9
78	10	20	9	999.9	999	999.9	999.9	999	999.9
78	10	20	10	999.9	999	999.9	999.9	999	999.9
78	10	20	11	999.9	999	999.9	999.9	999	999.9
78	10	20	12	999.9	999	999.9	999.9	999	999.9
78	10	20	13	999.9	999	999.9	999.9	999	999.9
78	10	20	14	999.9	999	999.9	999.9	999	999.9
78	10	20	15	999.9	999	999.9	999.9	999	999.9
78	10	20	16	999.9	999	999.9	999.9	999	999.9
78	10	20	17	999.9	999	999.9	999.9	999	999.9
78	10	20	18	999.9	999	999.9	999.9	999	999.9
78	10	20	19	999.9	999	999.9	999.9	999	999.9
78	10	20	20	999.9	999	999.9	999.9	999	999.9
78	10	20	21	999.9	999	999.9	999.9	999	999.9
78	10	20	22	999.9	999	999.9	999.9	999	999.9
78	10	20	23	999.9	999	999.9	999.9	999	999.9
78	10	20	24	999.9	999	999.9	999.9	999	999.9

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	10	21	1	999.9	999	999.9	999.9	999	999.9
78	10	21	2	999.9	999	999.9	999.9	999	999.9
78	10	21	3	999.9	999	999.9	999.9	999	999.9
78	10	21	4	999.9	999	999.9	999.9	999	999.9
78	10	21	5	999.9	999	999.9	999.9	999	999.9
78	10	21	6	999.9	999	999.9	999.9	999	999.9
78	10	21	7	999.9	999	999.9	999.9	999	999.9
78	10	21	8	999.9	999	999.9	999.9	999	999.9
78	10	21	9	999.9	999	999.9	999.9	999	999.9
78	10	21	10	999.9	999	999.9	999.9	999	999.9
78	10	21	11	999.9	999	999.9	999.9	999	999.9
78	10	21	12	999.9	999	999.9	999.9	999	999.9
78	10	21	13	999.9	999	999.9	999.9	999	999.9
78	10	21	14	999.9	999	999.9	999.9	999	999.9
78	10	21	15	999.9	999	999.9	999.9	999	999.9
78	10	21	16	999.9	999	999.9	999.9	999	999.9
78	10	21	17	999.9	999	999.9	999.9	999	999.9
78	10	21	18	999.9	999	999.9	999.9	999	999.9
78	10	21	19	999.9	999	999.9	999.9	999	999.9
78	10	21	20	999.9	999	999.9	999.9	999	999.9
78	10	21	21	999.9	999	999.9	999.9	999	999.9
78	10	21	22	999.9	999	999.9	999.9	999	999.9
78	10	21	23	999.9	999	999.9	999.9	999	999.9
78	10	21	24	999.9	999	999.9	999.9	999	999.9
78	10	22	1	10.5	335	6.5	4.0	302	8.0
78	10	22	2	14.5	351	6.0	6.0	356	8.5
78	10	22	3	15.5	7	5.5	8.5	29	7.5
78	10	22	4	15.0	351	4.0	4.5	346	5.5
78	10	22	5	16.5	358	3.5	7.0	7	5.5
78	10	22	6	16.0	2	3.0	7.5	7	5.5
78	10	22	7	17.0	7	2.5	6.0	13	4.5
78	10	22	8	16.0	358	1.5	6.5	346	4.0
78	10	22	9	15.0	346	1.5	8.0	346	3.5
78	10	22	10	13.0	340	1.5	7.5	346	3.5
78	10	22	11	11.5	346	2.0	9.0	356	4.0
78	10	22	12	12.5	351	2.0	10.0	351	4.5
78	10	22	13	13.5	348	2.5	9.0	2	5.0
78	10	22	14	15.5	346	3.0	9.5	346	5.5
78	10	22	15	13.0	351	3.0	8.0	356	5.5
78	10	22	16	12.0	2	3.0	7.0	356	5.5
78	10	22	17	9.5	2	3.0	5.5	351	5.5
78	10	22	18	8.0	356	3.0	4.0	335	5.0
78	10	22	19	6.0	351	2.0	999.9	297	3.0
78	10	22	20	4.5	324	1.5	2.5	248	2.0
78	10	22	21	5.0	351	1.0	4.0	265	-0.5
78	10	22	22	4.5	329	0.5	5.5	265	-1.5
78	10	22	23	4.5	324	0.0	5.0	265	-2.0
78	10	22	24	2.5	335	-0.5	6.0	270	-2.5

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	10	23	1	4.0	286	-1.0	7.0	275	-2.5
78	10	23	2	4.0	324	-0.5	5.5	265	-3.5
78	10	23	3	3.5	302	-1.0	6.0	265	-3.5
78	10	23	4	4.0	281	-1.5	6.0	270	-4.5
78	10	23	5	5.0	281	-1.0	5.0	274	-4.5
78	10	23	6	3.5	275	-1.0	999.9	270	-5.0
78	10	23	7	4.0	275	0.0	5.0	270	-4.5
78	10	23	8	3.0	324	1.5	999.9	88	-1.5
78	10	23	9	4.0	232	4.0	999.9	72	3.5
78	10	23	10	4.0	7	5.5	3.0	124	5.5
78	10	23	11	4.5	58	6.5	4.5	999	6.5
78	10	23	12	4.0	351	8.0	4.0	72	8.5
78	10	23	13	5.0	346	9.0	5.0	113	10.0
78	10	23	14	6.0	18	10.0	6.0	96	11.5
78	10	23	15	6.0	76	10.5	7.0	72	12.0
78	10	23	16	5.0	58	10.0	6.5	96	12.0
78	10	23	17	5.5	88	9.0	5.5	77	9.5
78	10	23	18	5.0	83	6.0	6.0	275	4.0
78	10	23	19	5.5	265	5.5	7.5	269	2.0
78	10	23	20	5.0	248	5.5	8.5	270	1.5
78	10	23	21	5.0	205	6.0	6.5	270	0.5
78	10	23	22	3.5	221	5.5	6.0	270	0.5
78	10	23	23	999.9	72	5.0	5.0	265	-1.0
78	10	23	24	3.0	297	4.0	5.5	265	-1.0
78	10	24	1	999.9	270	4.0	4.0	254	-1.0
78	10	24	2	3.0	140	4.0	4.5	259	-1.0
78	10	24	3	2.5	157	3.0	5.5	265	-1.5
78	10	24	4	3.0	254	3.5	999.9	265	-1.5
78	10	24	5	4.0	281	3.5	4.5	259	-1.0
78	10	24	6	5.0	216	4.5	999.9	259	-1.5
78	10	24	7	4.0	238	5.5	999.9	259	-1.5
78	10	24	8	3.0	313	7.0	2.0	167	0.0
78	10	24	9	3.5	221	9.0	999.9	70	4.0
78	10	24	10	6.5	184	11.5	6.0	59	7.5
78	10	24	11	9.0	248	11.5	5.5	70	10.0
78	10	24	12	8.5	243	11.5	5.5	61	11.5
78	10	24	13	9.0	243	11.5	5.0	61	12.0
78	10	24	14	10.5	248	12.0	9.0	248	15.0
78	10	24	15	13.0	265	12.5	9.0	254	15.0
78	10	24	16	11.5	270	12.5	9.0	254	15.0
78	10	24	17	8.5	227	11.5	999.9	248	14.0
78	10	24	18	6.0	238	8.5	6.0	254	8.0
78	10	24	19	10.0	248	8.5	4.0	248	7.0
78	10	24	20	11.0	259	8.5	5.0	162	8.5
78	10	24	21	17.0	265	7.5	999.9	86	8.0
78	10	24	22	5.5	232	7.5	4.5	194	8.5
78	10	24	23	10.0	265	8.0	4.5	999	7.5
78	10	24	24	13.0	254	7.5	4.5	254	7.5

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
ROSSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	10	25	1	14.0	259	6.5	2.5	999	5.0
78	10	25	2	14.0	259	6.5	9.5	259	6.5
78	10	25	3	10.5	270	6.0	9.0	308	5.5
78	10	25	4	6.0	67	3.0	5.5	77	3.0
78	10	25	5	3.5	110	0.5	3.5	77	2.0
78	10	25	6	8.5	18	0.5	4.0	34	2.0
78	10	25	7	9.0	23	-0.5	6.0	40	1.0
78	10	25	8	10.5	13	-1.0	5.5	7	0.0
78	10	25	9	11.5	23	-2.0	8.0	34	-0.5
78	10	25	10	9.5	34	-1.0	6.5	40	0.5
78	10	25	11	7.0	34	0.0	10.0	56	2.0
78	10	25	12	12.5	23	2.0	8.5	34	3.5
78	10	25	13	15.5	7	2.5	9.0	7	4.5
78	10	25	14	11.0	356	3.0	8.0	23	5.0
78	10	25	15	9.0	23	4.0	7.0	23	5.5
78	10	25	16	9.5	356	3.5	6.0	7	5.5
78	10	25	17	6.5	45	2.5	6.5	7	4.0
78	10	25	18	5.5	56	1.5	5.5	259	-1.0
78	10	25	19	3.5	40	0.5	6.5	270	-3.0
78	10	25	20	3.5	259	0.0	7.0	270	-3.5
78	10	25	21	4.0	243	0.0	7.5	265	-3.5
78	10	25	22	6.5	194	0.5	7.0	270	-4.0
78	10	25	23	5.5	194	1.0	8.0	265	-4.0
78	10	25	24	4.0	232	1.0	999.9	265	-4.0
78	10	26	1	4.0	270	1.0	6.5	275	-4.5
78	10	26	2	3.0	270	1.5	999.9	259	-5.5
78	10	26	3	3.5	270	1.5	4.5	259	-6.0
78	10	26	4	4.5	254	2.0	5.0	265	-7.5
78	10	26	5	999.9	340	0.5	6.0	265	-7.0
78	10	26	6	999.9	104	0.5	5.5	265	-7.5
78	10	26	7	999.9	335	1.5	5.5	259	-6.0
78	10	26	8	3.5	108	5.0	2.0	194	-0.5
78	10	26	9	4.0	108	5.5	4.5	70	2.5
78	10	26	10	5.5	108	7.5	5.0	56	6.5
78	10	26	11	5.5	124	10.0	5.5	56	10.0
78	10	26	12	6.0	275	11.5	4.0	40	12.0
78	10	26	13	5.0	243	12.5	5.0	83	13.5
78	10	26	14	7.0	259	12.5	5.0	248	15.5
78	10	26	15	9.0	259	13.0	8.0	270	16.0
78	10	26	16	10.5	259	13.0	8.5	265	15.5
78	10	26	17	8.5	238	12.5	5.5	259	14.0
78	10	26	18	10.5	200	9.5	6.5	270	6.5
78	10	26	19	4.5	238	9.0	7.5	275	3.5
78	10	26	20	8.0	259	9.0	4.0	254	2.5
78	10	26	21	9.0	232	10.0	7.5	265	1.0
78	10	26	22	4.5	189	9.0	6.0	259	-1.0
78	10	26	23	3.0	103	7.0	7.5	265	-0.5
78	10	26	24	7.5	243	8.0	999.9	281	0.0

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	10	27	1	5.0	259	7.0	4.5	259	-2.5
78	10	27	2	8.0	254	7.5	7.0	265	-3.0
78	10	27	3	5.0	248	7.0	999.9	259	-3.5
78	10	27	4	3.0	275	5.5	6.5	259	-4.0
78	10	27	5	2.5	243	4.5	7.0	265	-4.5
78	10	27	6	3.5	278	5.0	6.5	265	-4.5
78	10	27	7	4.0	270	6.0	5.0	259	-4.0
78	10	27	8	3.5	130	9.0	1.5	184	2.5
78	10	27	9	4.5	92	9.5	999.9	86	5.5
78	10	27	10	3.5	108	12.0	3.0	130	10.0
78	10	27	11	6.5	92	14.0	4.5	999	13.5
78	10	27	12	5.5	356	15.5	5.5	72	15.5
78	10	27	13	8.0	243	15.5	6.0	104	16.5
78	10	27	14	8.5	265	15.5	6.0	50	16.5
78	10	27	15	8.0	270	15.5	5.5	56	17.0
78	10	27	16	8.5	281	14.5	5.5	259	17.0
78	10	27	17	4.0	232	14.5	5.0	265	14.5
78	10	27	18	4.5	227	12.0	7.5	275	7.0
78	10	27	19	7.0	265	11.0	999.9	270	5.0
78	10	27	20	9.5	248	11.0	7.0	265	4.0
78	10	27	21	8.0	238	11.0	5.5	259	2.5
78	10	27	22	8.5	221	11.0	6.5	284	2.0
78	10	27	23	6.0	248	10.5	999.9	259	1.0
78	10	27	24	4.5	248	10.0	999.9	265	-1.0
78	10	28	1	4.0	189	9.0	6.0	259	-1.0
78	10	28	2	4.0	281	8.0	7.0	265	0.0
78	10	28	3	2.5	243	7.5	5.0	265	-1.5
78	10	28	4	4.0	254	8.0	5.0	265	-3.0
78	10	28	5	5.0	232	9.0	5.5	265	-2.5
78	10	28	6	6.0	265	8.0	6.5	265	-3.0
78	10	28	7	5.0	265	9.0	6.0	259	-2.0
78	10	28	8	6.0	243	11.0	3.5	248	4.0
78	10	28	9	4.5	221	12.5	4.5	86	9.0
78	10	28	10	999.9	999	999.9	999.9	999	999.9
78	10	28	11	999.9	999	999.9	999.9	999	999.9
78	10	28	12	999.9	999	999.9	999.9	999	999.9
78	10	28	13	999.9	999	999.9	999.9	999	999.9
78	10	28	14	999.9	999	999.9	999.9	999	999.9
78	10	28	15	999.9	999	999.9	999.9	999	999.9
78	10	28	16	999.9	999	999.9	999.9	999	999.9
78	10	28	17	999.9	999	999.9	999.9	999	999.9
78	10	28	18	999.9	999	999.9	999.9	999	999.9
78	10	28	19	999.9	999	999.9	999.9	999	999.9
78	10	28	20	999.9	999	999.9	999.9	999	999.9
78	10	28	21	999.9	999	999.9	999.9	999	999.9
78	10	28	22	999.9	999	999.9	999.9	999	999.9
78	10	28	23	999.9	999	999.9	999.9	999	999.9
78	10	28	24	999.9	999	999.9	999.9	999	999.9

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	10	29	1	999.9	999	999.9	999.9	999	999.9
78	10	29	2	999.9	999	999.9	999.9	999	999.9
78	10	29	3	999.9	999	999.9	999.9	999	999.9
78	10	29	4	999.9	999	999.9	999.9	999	999.9
78	10	29	5	999.9	999	999.9	999.9	999	999.9
78	10	29	6	999.9	999	999.9	999.9	999	999.9
78	10	29	7	999.9	999	999.9	999.9	999	999.9
78	10	29	8	999.9	999	999.9	999.9	999	999.9
78	10	29	9	999.9	999	999.9	999.9	999	999.9
78	10	29	10	999.9	999	999.9	999.9	999	999.9
78	10	29	11	999.9	999	999.9	999.9	999	999.9
78	10	29	12	999.9	999	999.9	999.9	999	999.9
78	10	29	13	999.9	999	999.9	999.9	999	999.9
78	10	29	14	999.9	999	999.9	999.9	999	999.9
78	10	29	15	999.9	999	999.9	999.9	999	999.9
78	10	29	16	999.9	999	999.9	999.9	999	999.9
78	10	29	17	999.9	999	999.9	999.9	999	999.9
78	10	29	18	999.9	999	999.9	999.9	999	999.9
78	10	29	19	999.9	999	999.9	999.9	999	999.9
78	10	29	20	999.9	999	999.9	999.9	999	999.9
78	10	29	21	999.9	999	999.9	999.9	999	999.9
78	10	29	22	999.9	999	999.9	999.9	999	999.9
78	10	29	23	999.9	999	999.9	999.9	999	999.9
78	10	29	24	999.9	999	999.9	999.9	999	999.9
78	10	30	1	999.9	999	999.9	999.9	999	999.9
78	10	30	2	999.9	999	999.9	999.9	999	999.9
78	10	30	3	999.9	999	999.9	999.9	999	999.9
78	10	30	4	999.9	999	999.9	999.9	999	999.9
78	10	30	5	999.9	999	999.9	999.9	999	999.9
78	10	30	6	999.9	999	999.9	999.9	999	999.9
78	10	30	7	999.9	999	999.9	999.9	999	999.9
78	10	30	8	999.9	999	999.9	999.9	999	999.9
78	10	30	9	999.9	999	999.9	999.9	999	999.9
78	10	30	10	999.9	999	999.9	999.9	999	999.9
78	10	30	11	999.9	999	999.9	999.9	999	999.9
78	10	30	12	999.9	999	999.9	999.9	999	999.9
78	10	30	13	999.9	999	999.9	999.9	999	999.9
78	10	30	14	999.9	999	999.9	999.9	999	999.9
78	10	30	15	999.9	999	999.9	999.9	999	999.9
78	10	30	16	999.9	999	999.9	999.9	999	999.9
78	10	30	17	999.9	999	999.9	999.9	999	999.9
78	10	30	18	999.9	999	999.9	999.9	999	999.9
78	10	30	19	999.9	999	999.9	999.9	999	999.9
78	10	30	20	999.9	999	999.9	999.9	999	999.9
78	10	30	21	999.9	999	999.9	999.9	999	999.9
78	10	30	22	999.9	999	999.9	999.9	999	999.9
78	10	30	23	999.9	999	999.9	999.9	999	999.9
78	10	30	24	999.9	999	999.9	999.9	999	999.9

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	10	31	1	999.9	999	999.9	999.9	999	999.9
78	10	31	2	999.9	999	999.9	999.9	999	999.9
78	10	31	3	999.9	999	999.9	999.9	999	999.9
78	10	31	4	999.9	999	999.9	999.9	999	999.9
78	10	31	5	999.9	999	999.9	999.9	999	999.9
78	10	31	6	999.9	999	999.9	999.9	999	999.9
78	10	31	7	999.9	999	999.9	999.9	999	999.9
78	10	31	8	999.9	999	999.9	999.9	999	999.9
78	10	31	9	999.9	999	999.9	999.9	999	999.9
78	10	31	10	999.9	999	999.9	999.9	999	999.9
78	10	31	11	999.9	999	999.9	999.9	999	999.9
78	10	31	12	999.9	999	999.9	999.9	999	999.9
78	10	31	13	999.9	999	999.9	999.9	999	999.9
78	10	31	14	999.9	999	999.9	999.9	999	999.9
78	10	31	15	999.9	999	999.9	999.9	999	999.9
78	10	31	16	999.9	999	999.9	999.9	999	999.9
78	10	31	17	999.9	999	999.9	999.9	999	999.9
78	10	31	18	999.9	999	999.9	999.9	999	999.9
78	10	31	19	999.9	999	999.9	999.9	999	999.9
78	10	31	20	999.9	999	999.9	999.9	999	999.9
78	10	31	21	999.9	999	999.9	999.9	999	999.9
78	10	31	22	999.9	999	999.9	999.9	999	999.9
78	10	31	23	999.9	999	999.9	999.9	999	999.9
78	10	31	24	999.9	999	999.9	999.9	999	999.9
78	11	1	1	999.9	999	999.9	999.9	999	999.9
78	11	1	2	999.9	999	999.9	999.9	999	999.9
78	11	1	3	999.9	999	999.9	999.9	999	999.9
78	11	1	4	999.9	999	999.9	999.9	999	999.9
78	11	1	5	999.9	999	999.9	999.9	999	999.9
78	11	1	6	999.9	999	999.9	999.9	999	999.9
78	11	1	7	999.9	999	999.9	999.9	999	999.9
78	11	1	8	999.9	999	999.9	999.9	999	999.9
78	11	1	9	999.9	999	999.9	999.9	999	999.9
78	11	1	10	999.9	999	999.9	999.9	999	999.9
78	11	1	11	999.9	999	999.9	999.9	999	999.9
78	11	1	12	999.9	999	999.9	999.9	999	999.9
78	11	1	13	999.9	999	999.9	999.9	999	999.9
78	11	1	14	999.9	999	999.9	999.9	999	999.9
78	11	1	15	999.9	999	999.9	999.9	999	999.9
78	11	1	16	999.9	999	999.9	999.9	999	999.9
78	11	1	17	999.9	999	999.9	999.9	999	999.9
78	11	1	18	999.9	999	999.9	999.9	999	999.9
78	11	1	19	999.9	999	999.9	999.9	999	999.9
78	11	1	20	999.9	999	999.9	999.9	999	999.9
78	11	1	21	999.9	999	999.9	999.9	999	999.9
78	11	1	22	999.9	999	999.9	999.9	999	999.9
78	11	1	23	999.9	999	999.9	999.9	999	999.9
78	11	1	24	999.9	999	999.9	999.9	999	999.9

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
ROOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	11	2	1	999.9	999	999.9	999.9	999	999.9
78	11	2	2	999.9	999	999.9	999.9	999	999.9
78	11	2	3	999.9	999	999.9	999.9	999	999.9
78	11	2	4	999.9	999	999.9	999.9	999	999.9
78	11	2	5	999.9	999	999.9	999.9	999	999.9
78	11	2	6	999.9	999	999.9	999.9	999	999.9
78	11	2	7	999.9	999	999.9	999.9	999	999.9
78	11	2	8	999.9	999	999.9	999.9	999	999.9
78	11	2	9	999.9	999	999.9	999.9	999	999.9
78	11	2	10	999.9	999	999.9	999.9	999	999.9
78	11	2	11	999.9	999	999.9	999.9	999	999.9
78	11	2	12	999.9	999	999.9	999.9	999	999.9
78	11	2	13	999.9	999	999.9	999.9	999	999.9
78	11	2	14	999.9	999	999.9	999.9	999	999.9
78	11	2	15	999.9	999	999.9	999.9	999	999.9
78	11	2	16	999.9	999	999.9	999.9	999	999.9
78	11	2	17	999.9	999	999.9	999.9	999	999.9
78	11	2	18	11.7	246	11.8	11.8	240	10.1
78	11	2	19	18.0	252	9.6	12.9	248	11.0
78	11	2	20	23.2	263	6.8	14.4	252	9.1
78	11	2	21	22.0	261	5.7	9.3	255	7.5
78	11	2	22	12.3	280	5.2	7.1	233	6.8
78	11	2	23	4.3	76	4.6	2.9	234	4.4
78	11	2	24	4.5	36	4.2	5.7	266	1.2
78	11	3	1	3.7	296	3.3	5.6	258	1.2
78	11	3	2	3.1	302	3.1	4.8	259	1.4
78	11	3	3	3.1	331	3.0	5.1	268	0.3
78	11	3	4	4.7	264	3.2	5.3	264	0.7
78	11	3	5	4.2	276	3.3	5.5	265	1.3
78	11	3	6	4.1	283	3.2	5.6	265	0.6
78	11	3	7	4.3	296	2.9	5.9	264	-0.5
78	11	3	8	5.1	335	4.3	4.4	284	2.6
78	11	3	9	10.2	20	6.5	8.0	45	7.7
78	11	3	10	10.0	29	8.0	9.3	74	9.0
78	11	3	11	9.8	48	9.3	10.6	48	10.8
78	11	3	12	10.5	28	10.9	11.2	52	12.4
78	11	3	13	12.8	22	12.5	11.1	39	14.2
78	11	3	14	14.4	19	13.7	12.5	42	15.6
78	11	3	15	15.2	8	14.5	11.5	41	16.6
78	11	3	16	13.8	14	14.7	9.6	44	16.8
78	11	3	17	9.2	357	13.2	3.5	343	14.5
78	11	3	18	7.8	324	11.0	3.5	269	11.7
78	11	3	19	9.3	336	10.7	3.0	268	10.9
78	11	3	20	6.7	328	10.0	5.4	273	6.9
78	11	3	21	5.0	324	9.2	7.8	266	3.2
78	11	3	22	4.0	290	8.3	8.0	271	2.8
78	11	3	23	4.0	306	7.8	8.1	270	2.0
78	11	3	24	5.7	272	7.5	8.2	279	2.4

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RROSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	11	4	1	5.3	271	7.2	8.2	282	2.3
78	11	4	2	4.3	274	7.0	7.4	272	1.3
78	11	4	3	4.1	259	7.3	7.1	270	0.8
78	11	4	4	2.7	248	6.5	7.0	272	0.1
78	11	4	5	4.9	268	6.4	6.6	278	-0.5
78	11	4	6	4.4	252	6.8	5.5	265	-1.3
78	11	4	7	4.3	209	7.1	4.8	265	-2.8
78	11	4	8	3.7	180	8.6	3.3	188	1.7
78	11	4	9	4.9	218	11.1	3.5	74	6.2
78	11	4	10	9.4	225	13.3	5.5	71	10.6
78	11	4	11	11.9	247	13.5	6.9	155	14.8
78	11	4	12	12.9	239	14.3	9.1	223	16.5
78	11	4	13	11.2	235	15.1	9.7	235	17.4
78	11	4	14	12.3	235	15.8	10.7	245	17.4
78	11	4	15	11.6	221	14.8	10.6	226	17.2
78	11	4	16	10.5	228	14.2	9.9	233	16.5
78	11	4	17	8.9	227	11.7	6.5	241	12.9
78	11	4	18	8.6	254	9.5	6.4	247	8.3
78	11	4	19	10.4	254	9.6	4.3	267	7.5
78	11	4	20	6.9	219	10.6	3.8	266	7.0
78	11	4	21	4.7	139	9.7	2.5	277	8.3
78	11	4	22	5.7	239	9.7	2.6	256	7.2
78	11	4	23	7.5	254	9.0	4.1	267	7.3
78	11	4	24	7.3	260	8.7	3.6	265	5.4
78	11	5	1	12.5	263	8.3	1.9	308	4.6
78	11	5	2	8.0	228	7.5	3.1	308	3.9
78	11	5	3	5.5	253	7.0	3.4	227	2.5
78	11	5	4	7.9	298	6.5	3.8	271	1.6
78	11	5	5	3.9	359	5.8	3.1	267	0.5
78	11	5	6	4.7	235	5.8	6.2	267	0.3
78	11	5	7	3.9	242	4.9	6.6	264	-1.3
78	11	5	8	5.6	335	5.2	4.5	259	0.3
78	11	5	9	5.1	310	7.0	3.4	104	7.4
78	11	5	10	9.9	260	7.7	5.8	122	9.1
78	11	5	11	10.2	252	8.4	9.5	267	10.6
78	11	5	12	14.2	273	9.4	13.3	272	11.4
78	11	5	13	21.5	285	8.9	13.1	286	11.3
78	11	5	14	22.1	281	9.0	15.6	261	11.5
78	11	5	15	22.3	280	8.8	16.6	268	11.1
78	11	5	16	16.8	284	8.4	11.7	270	10.6
78	11	5	17	9.1	298	7.1	4.6	273	8.1
78	11	5	18	4.6	273	5.5	5.6	271	2.7
78	11	5	19	3.9	331	4.1	6.2	270	0.3
78	11	5	20	4.2	333	3.1	6.9	269	-0.4
78	11	5	21	3.4	335	2.5	7.2	273	-0.9
78	11	5	22	3.8	6	2.5	7.6	271	-1.2
78	11	5	23	3.8	39	2.4	6.7	269	-1.4
78	11	5	24	3.5	347	1.6	7.0	273	-1.8

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	11	6	1	3.9	292	0.3	7.2	272	-3.6
78	11	6	2	4.1	283	-0.3	7.3	280	-4.7
78	11	6	3	3.1	287	-0.9	8.0	276	-5.6
78	11	6	4	4.1	285	-1.3	7.7	275	-6.1
78	11	6	5	4.3	267	-1.4	7.5	275	-6.4
78	11	6	6	3.6	264	-1.8	8.2	276	-6.6
78	11	6	7	4.3	254	-1.4	7.4	277	-6.2
78	11	6	8	4.2	186	1.2	5.0	256	-3.0
78	11	6	9	4.4	139	2.5	4.2	111	1.2
78	11	6	10	3.6	159	4.7	3.4	107	5.0
78	11	6	11	6.1	204	6.1	3.7	105	7.6
78	11	6	12	7.7	265	6.8	5.2	211	9.8
78	11	6	13	8.1	293	7.7	6.2	269	10.0
78	11	6	14	8.0	267	8.4	5.7	247	10.8
78	11	6	15	11.7	290	8.1	7.3	259	10.3
78	11	6	16	9.2	295	7.4	5.8	279	9.3
78	11	6	17	6.3	246	6.5	3.6	258	5.7
78	11	6	18	7.8	243	5.7	5.4	269	1.6
78	11	6	19	9.1	263	5.4	5.5	264	-1.1
78	11	6	20	9.6	265	4.8	6.3	302	-1.0
78	11	6	21	5.9	288	3.6	4.8	251	-2.3
78	11	6	22	3.5	321	2.5	7.2	272	-2.5
78	11	6	23	3.7	309	2.4	7.1	264	-2.8
78	11	6	24	4.2	268	2.4	6.4	269	-2.9
78	11	7	1	3.9	216	2.2	7.0	263	-3.3
78	11	7	2	4.7	180	2.7	7.3	274	-3.8
78	11	7	3	3.6	218	2.2	7.5	274	-4.0
78	11	7	4	3.9	216	2.3	7.3	272	-4.0
78	11	7	5	3.4	248	1.9	6.5	266	-4.3
78	11	7	6	4.5	253	2.0	3.8	261	-6.4
78	11	7	7	4.7	194	2.8	5.4	265	-6.3
78	11	7	8	4.0	233	4.3	4.3	221	-1.1
78	11	7	9	5.8	125	7.1	5.9	76	3.1
78	11	7	10	6.8	109	8.4	5.7	64	6.8
78	11	7	11	7.3	105	9.8	5.7	82	10.2
78	11	7	12	6.3	114	11.3	4.6	100	12.5
78	11	7	13	5.3	85	13.1	5.4	62	13.8
78	11	7	14	5.9	57	13.3	5.8	79	14.4
78	11	7	15	5.8	56	12.9	5.9	74	14.6
78	11	7	16	3.8	93	12.8	3.8	73	13.9
78	11	7	17	5.1	201	10.8	3.3	225	10.3
78	11	7	18	7.2	249	10.1	5.5	261	6.7
78	11	7	19	7.6	251	10.2	5.8	264	4.1
78	11	7	20	7.5	256	10.7	5.0	261	1.6
78	11	7	21	4.7	285	9.0	6.3	261	0.7
78	11	7	22	4.5	131	6.8	7.4	268	-0.1
78	11	7	23	3.8	223	6.1	7.7	268	-0.3
78	11	7	24	3.4	226	7.1	6.6	265	-0.2

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RADSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	11	8	1	4.6	168	8.4	7.5	264	-0.3
78	11	8	2	8.7	233	8.3	6.1	267	-0.1
78	11	8	3	6.2	196	7.4	3.7	255	-1.2
78	11	8	4	6.7	253	8.4	3.9	261	-3.7
78	11	8	5	6.5	242	8.4	6.5	261	-3.2
78	11	8	6	999.9	999	999.9	999.9	999	999.9
78	11	8	7	999.9	999	999.9	999.9	999	999.9
78	11	8	8	999.9	999	999.9	999.9	999	999.9
78	11	8	9	999.9	999	999.9	999.9	999	999.9
78	11	8	10	999.9	999	999.9	999.9	999	999.9
78	11	8	11	999.9	999	999.9	999.9	999	999.9
78	11	8	12	999.9	999	999.9	999.9	999	999.9
78	11	8	13	999.9	999	999.9	999.9	999	999.9
78	11	8	14	999.9	999	999.9	999.9	999	999.9
78	11	8	15	999.9	999	999.9	999.9	999	999.9
78	11	8	16	999.9	999	999.9	999.9	999	999.9
78	11	8	17	999.9	999	999.9	999.9	999	999.9
78	11	8	18	999.9	999	999.9	999.9	999	999.9
78	11	8	19	999.9	999	999.9	999.9	999	999.9
78	11	8	20	999.9	999	999.9	999.9	999	999.9
78	11	8	21	999.9	999	999.9	999.9	999	999.9
78	11	8	22	999.9	999	999.9	999.9	999	999.9
78	11	8	23	999.9	999	999.9	999.9	999	999.9
78	11	8	24	999.9	999	999.9	999.9	999	999.9
78	11	9	1	999.9	999	999.9	999.9	999	999.9
78	11	9	2	999.9	999	999.9	999.9	999	999.9
78	11	9	3	999.9	999	999.9	999.9	999	999.9
78	11	9	4	999.9	999	999.9	999.9	999	999.9
78	11	9	5	999.9	999	999.9	999.9	999	999.9
78	11	9	6	999.9	999	999.9	999.9	999	999.9
78	11	9	7	999.9	999	999.9	999.9	999	999.9
78	11	9	8	999.9	999	999.9	999.9	999	999.9
78	11	9	9	999.9	999	999.9	999.9	999	999.9
78	11	9	10	999.9	999	999.9	999.9	999	999.9
78	11	9	11	999.9	999	999.9	999.9	999	999.9
78	11	9	12	999.9	999	999.9	999.9	999	999.9
78	11	9	13	999.9	999	999.9	999.9	999	999.9
78	11	9	14	999.9	999	999.9	999.9	999	999.9
78	11	9	15	999.9	999	999.9	999.9	999	999.9
78	11	9	16	999.9	999	999.9	999.9	999	999.9
78	11	9	17	999.9	999	999.9	999.9	999	999.9
78	11	9	18	999.9	999	999.9	999.9	999	999.9
78	11	9	19	999.9	999	999.9	999.9	999	999.9
78	11	9	20	999.9	999	999.9	999.9	999	999.9
78	11	9	21	999.9	999	999.9	999.9	999	999.9
78	11	9	22	999.9	999	999.9	999.9	999	999.9
78	11	9	23	999.9	999	999.9	999.9	999	999.9
78	11	9	24	999.9	999	999.9	999.9	999	999.9

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	11	10	1	999.9	999	999.9	999.9	999	999.9
78	11	10	2	999.9	999	999.9	999.9	999	999.9
78	11	10	3	999.9	999	999.9	999.9	999	999.9
78	11	10	4	999.9	999	999.9	999.9	999	999.9
78	11	10	5	999.9	999	999.9	999.9	999	999.9
78	11	10	6	999.9	999	999.9	999.9	999	999.9
78	11	10	7	999.9	999	999.9	999.9	999	999.9
78	11	10	8	999.9	999	999.9	999.9	999	999.9
78	11	10	9	999.9	999	999.9	999.9	999	999.9
78	11	10	10	999.9	999	999.9	999.9	999	999.9
78	11	10	11	999.9	999	999.9	999.9	999	999.9
78	11	10	12	999.9	999	999.9	999.9	999	999.9
78	11	10	13	999.9	999	999.9	999.9	999	999.9
78	11	10	14	999.9	999	999.9	999.9	999	999.9
78	11	10	15	999.9	999	999.9	999.9	999	999.9
78	11	10	16	999.9	999	999.9	999.9	999	999.9
78	11	10	17	999.9	999	999.9	999.9	999	999.9
78	11	10	18	999.9	999	999.9	999.9	999	999.9
78	11	10	19	999.9	999	999.9	999.9	999	999.9
78	11	10	20	999.9	999	999.9	999.9	999	999.9
78	11	10	21	999.9	999	999.9	999.9	999	999.9
78	11	10	22	999.9	999	999.9	999.9	999	999.9
78	11	10	23	999.9	999	999.9	999.9	999	999.9
78	11	10	24	999.9	999	999.9	999.9	999	999.9
78	11	11	1	999.9	999	999.9	999.9	999	999.9
78	11	11	2	999.9	999	999.9	999.9	999	999.9
78	11	11	3	999.9	999	999.9	999.9	999	999.9
78	11	11	4	999.9	999	999.9	999.9	999	999.9
78	11	11	5	999.9	999	999.9	999.9	999	999.9
78	11	11	6	999.9	999	999.9	999.9	999	999.9
78	11	11	7	999.9	999	999.9	999.9	999	999.9
78	11	11	8	999.9	999	999.9	999.9	999	999.9
78	11	11	9	999.9	999	999.9	999.9	999	999.9
78	11	11	10	999.9	999	999.9	999.9	999	999.9
78	11	11	11	999.9	999	999.9	999.9	999	999.9
78	11	11	12	999.9	999	999.9	999.9	999	999.9
78	11	11	13	999.9	999	999.9	999.9	999	999.9
78	11	11	14	999.9	999	999.9	999.9	999	999.9
78	11	11	15	999.9	999	999.9	999.9	999	999.9
78	11	11	16	999.9	999	999.9	999.9	999	999.9
78	11	11	17	0.9	52	-0.9	4.5	85	-3.3
78	11	11	18	1.6	38	-1.8	3.3	73	-4.0
78	11	11	19	3.7	105	-0.9	1.9	72	-3.6
78	11	11	20	5.8	158	1.9	2.9	60	-2.2
78	11	11	21	4.0	153	1.0	2.4	64	-1.2
78	11	11	22	7.3	206	1.8	3.2	280	-0.2
78	11	11	23	5.8	151	0.9	3.9	45	0.1
78	11	11	24	5.8	149	1.6	2.3	329	0.2

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	11	12	1	2.7	134	0.7	2.5	349	0.1
78	11	12	2	7.3	165	1.7	1.7	261	0.1
78	11	12	3	4.2	143	1.1	2.0	273	0.2
78	11	12	4	11.9	210	0.5	4.0	317	0.5
78	11	12	5	15.6	209	0.8	4.8	206	1.8
78	11	12	6	18.5	217	0.8	5.2	235	1.8
78	11	12	7	13.8	252	0.1	5.1	250	0.8
78	11	12	8	14.4	245	-1.2	6.1	235	0.0
78	11	12	9	11.8	211	-0.6	4.2	140	0.4
78	11	12	10	13.6	193	-0.3	6.5	212	1.6
78	11	12	11	15.3	209	-0.1	9.0	221	2.0
78	11	12	12	15.7	218	-0.8	11.5	232	0.8
78	11	12	13	17.7	223	-0.7	11.3	226	0.9
78	11	12	14	16.8	224	-0.6	12.1	227	1.5
78	11	12	15	18.0	232	-1.1	7.6	231	0.8
78	11	12	16	18.6	237	-2.1	9.7	248	-1.0
78	11	12	17	15.2	248	-2.3	7.9	260	-1.1
78	11	12	18	13.9	247	-3.2	3.7	247	-2.2
78	11	12	19	17.5	254	-3.7	7.3	261	-2.8
78	11	12	20	13.8	242	-4.0	1.8	219	-3.2
78	11	12	21	16.2	242	-4.8	4.3	210	-3.9
78	11	12	22	16.5	236	-4.5	10.5	251	-4.8
78	11	12	23	16.2	224	-4.8	8.3	247	-5.3
78	11	12	24	16.3	220	-4.8	9.1	251	-5.8
78	11	13	1	14.9	222	-5.0	6.6	256	-7.5
78	11	13	2	14.6	226	-5.1	6.8	256	-8.8
78	11	13	3	16.2	228	-5.4	6.0	258	-7.0
78	11	13	4	17.6	228	-5.2	3.7	261	-6.8
78	11	13	5	16.5	230	-5.5	2.2	75	-10.0
78	11	13	6	9.3	195	-5.7	6.8	259	-11.8
78	11	13	7	5.3	164	-6.2	5.2	278	-10.3
78	11	13	8	5.9	170	-4.7	2.6	279	-9.6
78	11	13	9	4.4	170	-3.7	0.7	17	-6.5
78	11	13	10	3.2	164	-2.8	1.4	64	-2.1
78	11	13	11	5.5	203	-2.6	2.9	120	-0.9
78	11	13	12	10.9	236	-2.6	8.9	241	-1.0
78	11	13	13	11.2	229	-2.1	8.3	233	-1.1
78	11	13	14	9.5	229	-2.1	9.1	234	-0.8
78	11	13	15	6.8	226	-2.6	7.9	236	-0.5
78	11	13	16	3.2	162	-3.2	999.9	999	-1.0
78	11	13	17	4.8	215	-3.8	999.9	999	-4.6
78	11	13	18	5.0	179	-4.3	6.2	272	-5.9
78	11	13	19	2.4	273	-5.2	5.0	280	-6.0
78	11	13	20	2.8	279	-5.0	4.2	266	-6.6
78	11	13	21	2.2	288	-5.1	4.4	263	-6.8
78	11	13	22	3.0	300	-5.3	3.7	269	-6.3
78	11	13	23	2.8	313	-5.9	3.2	271	-6.4
78	11	13	24	3.2	235	-6.0	4.2	275	-7.1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	11	14	1	3.0	250	-5.8	4.8	281	-6.6
78	11	14	2	3.2	282	-5.8	4.4	279	-6.5
78	11	14	3	2.8	205	-6.2	4.3	268	-7.4
78	11	14	4	3.8	199	-6.2	5.0	269	-9.5
78	11	14	5	3.5	284	-6.7	5.2	252	-9.6
78	11	14	6	3.5	9	-7.2	5.1	259	-9.5
78	11	14	7	3.0	28	-7.0	4.2	255	-7.5
78	11	14	8	2.7	47	-6.4	1.9	101	-6.4
78	11	14	9	2.8	109	-5.4	2.1	84	-4.8
78	11	14	10	3.2	63	-5.5	4.6	73	-4.6
78	11	14	11	3.3	84	-5.2	4.2	86	-4.3
78	11	14	12	3.4	35	-5.1	3.8	37	-4.0
78	11	14	13	3.7	47	-5.8	3.1	98	-3.6
78	11	14	14	3.4	37	-4.9	3.6	65	-3.8
78	11	14	15	3.5	179	-5.3	3.7	79	-4.2
78	11	14	16	3.1	23	-5.7	4.7	70	-4.6
78	11	14	17	3.3	67	-6.2	3.3	89	-4.9
78	11	14	18	3.3	41	-6.5	2.2	171	-5.1
78	11	14	19	3.3	36	-6.6	2.4	309	-5.3
78	11	14	20	3.3	41	-6.9	2.0	345	-5.3
78	11	14	21	3.3	39	-7.0	2.4	309	-5.5
78	11	14	22	2.9	54	-7.0	1.6	294	-5.6
78	11	14	23	2.1	28	-7.1	1.5	241	-5.8
78	11	14	24	2.0	102	-7.1	2.0	248	-5.9
78	11	15	1	2.4	286	-7.1	1.5	240	-6.0
78	11	15	2	2.1	280	-7.1	1.3	214	-6.3
78	11	15	3	2.8	273	-7.4	1.3	297	-6.2
78	11	15	4	2.8	226	-7.4	1.1	303	-6.0
78	11	15	5	3.6	253	-7.7	1.5	358	-5.9
78	11	15	6	4.7	264	-8.1	2.3	62	-6.0
78	11	15	7	3.3	271	-8.1	2.9	285	-6.2
78	11	15	8	2.7	280	-7.7	2.9	281	-6.1
78	11	15	9	3.1	86	-7.2	3.3	20	-5.9
78	11	15	10	2.9	121	-6.7	2.4	296	-5.3
78	11	15	11	3.2	307	-6.5	3.1	36	-5.3
78	11	15	12	3.0	291	-6.3	2.3	108	-4.6
78	11	15	13	999.9	999	999.9	999.9	999	999.9
78	11	15	14	999.9	999	999.9	999.9	999	999.9
78	11	15	15	999.9	999	999.9	999.9	999	999.9
78	11	15	16	999.9	999	999.9	999.9	999	999.9
78	11	15	17	3.7	11	-7.0	5.1	72	-5.7
78	11	15	18	3.0	38	-7.5	3.1	12	-6.2
78	11	15	19	2.9	13	-7.9	2.7	271	-6.4
78	11	15	20	2.9	38	-8.2	2.5	246	-6.6
78	11	15	21	3.1	207	-8.4	3.9	235	-6.8
78	11	15	22	2.9	183	-8.6	4.0	231	-7.1
78	11	15	23	3.2	277	-8.8	5.8	286	-7.7
78	11	15	24	3.6	333	-9.2	5.6	274	-8.0

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	11	16	1	4.0	42	-9.4	6.2	58	-8.3
78	11	16	2	3.5	333	-9.6	5.4	256	-8.5
78	11	16	3	2.5	46	-9.6	3.7	303	-8.8
78	11	16	4	2.6	154	-9.8	3.9	313	-9.1
78	11	16	5	2.5	138	-9.8	3.4	316	-9.1
78	11	16	6	3.1	189	-10.1	3.8	256	-9.1
78	11	16	7	2.9	200	-10.2	4.7	281	-9.1
78	11	16	8	3.1	223	-10.2	7.1	264	-9.7
78	11	16	9	2.5	152	-8.9	5.0	280	-8.7
78	11	16	10	2.6	156	-7.9	3.1	228	-7.3
78	11	16	11	3.0	157	-7.8	4.6	143	-6.8
78	11	16	12	999.9	999	999.9	999.9	999	999.9
78	11	16	13	999.9	999	999.9	999.9	999	999.9
78	11	16	14	999.9	999	999.9	999.9	999	999.9
78	11	16	15	999.9	999	999.9	999.9	999	999.9
78	11	16	16	999.9	999	999.9	999.9	999	999.9
78	11	16	17	999.9	999	999.9	999.9	999	999.9
78	11	16	18	3.8	101	-7.6	5.1	263	-10.6
78	11	16	19	2.5	90	-8.1	3.1	251	-9.8
78	11	16	20	2.6	118	-8.7	1.4	219	-8.4
78	11	16	21	2.7	161	-9.3	3.1	218	-8.0
78	11	16	22	2.5	127	-10.5	5.3	277	-9.1
78	11	16	23	2.6	68	-10.9	6.0	259	-10.1
78	11	16	24	2.6	138	-11.5	5.9	277	-11.1
78	11	17	1	2.1	127	-12.7	5.6	268	-11.5
78	11	17	2	2.2	119	-13.3	5.5	290	-12.0
78	11	17	3	1.6	74	-13.6	6.0	244	-12.5
78	11	17	4	1.1	353	-13.2	5.0	247	-12.4
78	11	17	5	1.0	22	-13.8	4.5	251	-12.3
78	11	17	6	1.1	99	-11.1	3.3	257	-12.6
78	11	17	7	1.4	59	-13.3	2.6	242	-12.3
78	11	17	8	1.2	322	-11.7	1.9	243	-11.1
78	11	17	9	1.4	36	-8.9	1.4	127	-9.6
78	11	17	10	1.6	100	-7.1	2.0	97	-8.4
78	11	17	11	2.0	102	-6.5	2.2	56	-7.4
78	11	17	12	2.0	81	-3.4	3.1	38	-6.5
78	11	17	13	2.8	46	-3.9	2.9	70	-6.0
78	11	17	14	2.1	101	-2.8	2.7	106	-4.8
78	11	17	15	999.9	999	999.9	999.9	999	999.9
78	11	17	16	999.9	999	999.9	999.9	999	999.9
78	11	17	17	999.9	999	999.9	999.9	999	999.9
78	11	17	18	2.3	84	-3.4	4.8	205	-7.9
78	11	17	19	2.8	192	-6.7	5.2	263	-11.2
78	11	17	20	3.2	224	-6.8	3.0	247	-12.7
78	11	17	21	3.2	257	-5.8	1.9	266	-14.0
78	11	17	22	3.1	326	-8.0	3.8	278	-12.8
78	11	17	23	2.7	320	-7.4	2.0	263	-12.0
78	11	17	24	2.5	234	-7.8	3.8	258	-12.6

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	11	18	1	4.4	218	-7.6	3.5	261	-13.2
78	11	18	2	2.4	42	-9.9	2.8	268	-13.6
78	11	18	3	2.5	153	-8.5	2.4	262	-14.0
78	11	18	4	2.9	187	-7.6	2.2	269	-16.8
78	11	18	5	3.4	357	-6.9	1.1	262	-18.0
78	11	18	6	3.6	354	-9.0	1.7	264	-18.0
78	11	18	7	2.8	313	-9.3	2.2	265	-17.7
78	11	18	8	2.8	36	-7.2	1.6	271	-16.5
78	11	18	9	2.7	200	-5.2	1.0	2	-10.5
78	11	18	10	2.9	110	-1.5	2.0	72	-7.6
78	11	18	11	999.9	999	999.9	999.9	999	999.9
78	11	18	12	999.9	999	999.9	999.9	999	999.9
78	11	18	13	999.9	999	999.9	999.9	999	999.9
78	11	18	14	999.9	999	999.9	999.9	999	999.9
78	11	18	15	999.9	999	999.9	999.9	999	999.9
78	11	18	16	999.9	999	999.9	999.9	999	999.9
78	11	18	17	999.9	999	999.9	999.9	999	999.9
78	11	18	18	2.9	156	-2.9	3.0	27	-8.7
78	11	18	19	3.5	174	-3.3	2.4	233	-8.9
78	11	18	20	3.5	145	-2.1	1.8	194	-10.4
78	11	18	21	4.7	132	-4.2	4.0	241	-11.2
78	11	18	22	3.6	73	-2.7	3.1	248	-12.5
78	11	18	23	5.2	266	-2.6	3.1	257	-14.5
78	11	18	24	7.0	246	-1.6	3.4	258	-15.8
78	11	19	1	5.3	248	-1.1	2.4	261	-16.4
78	11	19	2	5.3	193	-1.2	2.1	256	-16.5
78	11	19	3	7.5	174	-1.5	3.1	270	-15.4
78	11	19	4	6.0	157	-1.6	3.0	272	-16.2
78	11	19	5	4.5	141	-2.5	1.8	257	-16.7
78	11	19	6	3.7	109	-3.5	2.8	260	-16.8
78	11	19	7	4.0	76	-2.7	2.2	260	-16.2
78	11	19	8	3.5	135	-0.3	2.4	261	-11.5
78	11	19	9	6.1	123	1.1	3.6	76	-9.5
78	11	19	10	4.6	156	2.3	1.7	84	-6.5
78	11	19	11	999.9	999	999.9	999.9	999	999.9
78	11	19	12	999.9	999	999.9	999.9	999	999.9
78	11	19	13	999.9	999	999.9	999.9	999	999.9
78	11	19	14	999.9	999	999.9	999.9	999	999.9
78	11	19	15	999.9	999	999.9	999.9	999	999.9
78	11	19	16	999.9	999	999.9	999.9	999	999.9
78	11	19	17	999.9	999	999.9	999.9	999	999.9
78	11	19	18	3.8	140	2.0	4.4	270	-3.4
78	11	19	19	3.8	147	0.2	2.3	75	-6.2
78	11	19	20	3.2	98	-0.3	5.1	266	-6.6
78	11	19	21	3.2	194	0.0	7.1	262	-6.6
78	11	19	22	3.1	232	0.3	6.5	264	-6.1
78	11	19	23	5.0	164	0.0	3.4	250	-6.4
78	11	19	24	4.7	151	0.7	2.8	264	-7.7

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	11	20	1	3.2	199	-0.5	5.0	261	-7.5
78	11	20	2	3.5	184	-0.9	4.2	261	-7.4
78	11	20	3	6.1	159	-0.4	2.8	153	-10.4
78	11	20	4	5.5	154	-0.1	5.7	259	-8.6
78	11	20	5	4.0	150	-0.1	4.2	254	-8.2
78	11	20	6	3.5	157	-0.3	2.6	345	-11.1
78	11	20	7	2.7	79	-0.9	3.2	260	-10.8
78	11	20	8	2.8	37	0.9	5.1	261	-7.3
78	11	20	9	3.3	101	2.7	3.1	202	-1.9
78	11	20	10	3.3	60	5.8	6.2	79	-0.8
78	11	20	11	8.8	224	5.8	4.6	74	2.8
78	11	20	12	12.0	217	5.2	6.6	148	6.2
78	11	20	13	12.6	225	5.4	8.2	234	8.8
78	11	20	14	11.7	221	5.6	8.4	237	8.1
78	11	20	15	8.1	213	6.1	7.4	240	8.3
78	11	20	16	4.7	172	6.1	4.6	153	6.2
78	11	20	17	3.7	153	4.0	3.0	118	-0.5
78	11	20	18	5.8	166	3.3	2.7	235	-4.2
78	11	20	19	4.4	167	2.9	1.8	215	-6.0
78	11	20	20	3.6	196	2.5	3.9	256	-6.8
78	11	20	21	3.0	202	1.6	5.3	263	-6.3
78	11	20	22	3.4	173	1.2	4.4	267	-6.8
78	11	20	23	3.0	252	0.7	6.1	264	-6.7
78	11	20	24	3.0	172	1.3	3.1	100	-10.5
78	11	21	1	3.1	358	0.8	1.6	216	-11.7
78	11	21	2	2.6	311	-0.1	1.5	243	-11.3
78	11	21	3	2.6	289	0.8	2.9	255	-9.7
78	11	21	4	2.8	257	0.2	3.5	344	-8.9
78	11	21	5	2.7	293	-0.4	3.3	339	-10.5
78	11	21	6	3.2	278	-0.3	5.3	263	-7.9
78	11	21	7	3.3	305	-1.1	6.8	265	-6.6
78	11	21	8	3.9	259	0.2	6.3	271	-5.2
78	11	21	9	4.2	166	2.9	3.6	33	-4.6
78	11	21	10	6.8	143	5.2	5.3	74	-2.0
78	11	21	11	7.3	166	6.2	7.1	79	0.1
78	11	21	12	9.4	194	6.8	7.7	72	1.8
78	11	21	13	9.1	208	6.9	7.9	74	3.3
78	11	21	14	9.9	196	7.2	6.0	98	6.5
78	11	21	15	10.9	198	7.1	6.4	191	9.3
78	11	21	16	8.7	223	7.2	5.1	151	7.2
78	11	21	17	9.7	193	4.4	2.3	78	-0.5
78	11	21	18	11.2	208	4.6	2.3	250	-4.5
78	11	21	19	12.0	215	4.3	3.1	245	-5.1
78	11	21	20	11.7	218	3.9	8.8	123	-6.6
78	11	21	21	10.9	207	3.6	4.2	263	-6.8
78	11	21	22	10.1	214	4.7	3.5	252	-6.3
78	11	21	23	11.1	220	4.8	3.9	261	-4.3
78	11	21	24	12.0	209	4.9	2.0	343	-3.9

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	11	22	1	12.8	200	4.0	3.8	75	-6.7
78	11	22	2	11.6	202	3.4	2.4	172	-8.8
78	11	22	3	12.7	210	2.8	3.8	301	-7.1
78	11	22	4	18.0	215	2.5	6.1	211	-1.5
78	11	22	5	18.7	227	1.9	8.4	236	2.3
78	11	22	6	17.2	231	1.2	6.2	242	1.6
78	11	22	7	20.1	224	1.2	8.8	231	2.0
78	11	22	8	19.9	223	1.0	14.7	228	2.6
78	11	22	9	22.4	223	0.8	15.4	233	2.8
78	11	22	10	22.5	230	1.3	17.7	235	3.6
78	11	22	11	21.4	223	1.5	17.5	226	3.7
78	11	22	12	20.3	222	1.8	14.9	249	3.5
78	11	22	13	14.9	277	0.8	11.2	271	2.4
78	11	22	14	15.1	279	0.6	11.5	260	2.7
78	11	22	15	14.9	274	0.5	10.1	250	3.0
78	11	22	16	13.2	270	1.8	7.5	250	2.7
78	11	22	17	11.7	265	-0.2	7.0	255	0.3
78	11	22	18	12.1	264	-0.7	6.5	238	-1.9
78	11	22	19	12.1	261	-1.1	7.3	244	-3.0
78	11	22	20	13.8	266	-1.1	3.3	156	-4.7
78	11	22	21	13.6	269	-1.3	3.2	306	-6.7
78	11	22	22	12.0	267	-1.7	6.3	267	-6.6
78	11	22	23	12.2	268	-2.1	6.5	268	-7.3
78	11	22	24	5.6	220	-3.1	6.7	264	-7.2
78	11	23	1	8.1	241	-3.0	7.0	268	-7.3
78	11	23	2	9.2	247	-3.3	7.2	271	-8.0
78	11	23	3	9.6	251	-3.1	6.7	271	-8.0
78	11	23	4	8.7	262	-3.4	6.4	266	-8.6
78	11	23	5	5.6	219	-3.9	6.8	263	-9.0
78	11	23	6	4.2	148	-4.1	7.4	266	-9.1
78	11	23	7	2.4	318	-4.7	4.9	261	-9.3
78	11	23	8	3.4	170	-2.3	4.5	247	-7.3
78	11	23	9	5.0	211	-1.3	2.2	214	-1.9
78	11	23	10	5.5	270	-0.4	5.7	224	1.6
78	11	23	11	7.8	271	0.8	8.0	265	2.1
78	11	23	12	7.4	267	0.7	9.4	265	2.5
78	11	23	13	9.2	288	0.5	9.2	263	2.8
78	11	23	14	8.9	275	0.7	8.4	264	3.0
78	11	23	15	7.9	266	0.8	7.5	254	3.1
78	11	23	16	8.5	274	0.4	4.8	239	3.0
78	11	23	17	8.7	261	-1.2	3.7	240	-1.7
78	11	23	18	7.1	195	-2.3	4.4	264	-5.2
78	11	23	19	3.2	141	-3.0	6.5	266	-6.4
78	11	23	20	3.0	187	-3.5	6.7	270	-7.2
78	11	23	21	3.2	268	-3.7	6.8	268	-7.5
78	11	23	22	3.1	230	-3.1	7.5	264	-7.8
78	11	23	23	2.3	252	-4.0	6.8	264	-8.3
78	11	23	24	3.7	172	-3.2	6.2	264	-8.8

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	11	24	1	3.1	284	-3.6	5.5	258	-9.5
78	11	24	2	3.0	303	-4.6	5.8	259	-10.2
78	11	24	3	3.7	289	-4.6	5.4	251	-10.2
78	11	24	4	4.9	294	-5.3	6.5	263	-10.8
78	11	24	5	3.7	296	-5.2	6.4	261	-10.4
78	11	24	6	2.8	278	-5.1	6.2	261	-10.2
78	11	24	7	5.1	350	-4.8	2.6	182	-9.3
78	11	24	8	5.0	200	-5.2	2.8	151	-8.3
78	11	24	9	3.7	317	-2.5	3.0	178	-3.3
78	11	24	10	3.9	43	0.5	5.6	90	-2.2
78	11	24	11	3.8	28	2.2	6.4	87	-0.7
78	11	24	12	5.7	62	1.3	6.8	83	0.2
78	11	24	13	5.1	42	0.5	6.1	74	0.5
78	11	24	14	4.7	30	0.3	4.9	79	0.5
78	11	24	15	4.5	68	1.8	4.6	81	1.1
78	11	24	16	3.5	62	0.2	3.9	69	0.4
78	11	24	17	3.2	19	-1.2	2.6	158	-2.7
78	11	24	18	3.3	298	-2.8	2.8	253	-5.0
78	11	24	19	4.7	263	-1.7	2.0	221	-3.7
78	11	24	20	4.1	287	-0.6	3.7	78	-3.7
78	11	24	21	6.0	16	-2.1	2.1	117	-4.4
78	11	24	22	4.5	339	-3.6	4.1	267	-4.7
78	11	24	23	5.4	284	-3.5	4.2	255	-4.1
78	11	24	24	5.1	291	-2.5	2.0	232	-4.5
78	11	25	1	4.1	322	-2.8	2.8	220	-4.8
78	11	25	2	5.0	252	-2.1	1.7	195	-4.1
78	11	25	3	5.0	354	-2.3	4.1	79	-4.1
78	11	25	4	3.6	79	-5.0	0.9	158	-4.3
78	11	25	5	4.3	167	-5.1	1.0	159	-4.6
78	11	25	6	3.8	225	-5.2	1.2	8	-4.5
78	11	25	7	3.7	202	-4.9	1.6	328	-4.4
78	11	25	8	3.6	272	-3.1	1.8	143	-5.8
78	11	25	9	7.7	229	-0.6	3.6	62	-2.0
78	11	25	10	6.7	163	0.5	5.8	71	-1.2
78	11	25	11	6.2	143	0.6	4.2	86	-1.1
78	11	25	12	9.2	216	1.7	5.6	80	1.0
78	11	25	13	9.5	211	1.7	5.3	79	0.8
78	11	25	14	8.2	233	1.3	6.1	71	0.5
78	11	25	15	4.1	185	1.3	4.1	77	0.0
78	11	25	16	6.7	219	0.2	3.8	76	-0.6
78	11	25	17	9.0	226	-0.3	1.8	108	-1.5
78	11	25	18	6.6	238	-0.7	0.9	20	-2.0
78	11	25	19	2.8	184	-1.2	1.1	232	-1.8
78	11	25	20	4.4	183	-1.1	0.9	192	-1.7
78	11	25	21	3.1	7	-2.1	2.2	77	-1.9
78	11	25	22	4.9	48	-2.4	5.8	72	-2.8
78	11	25	23	6.6	38	-4.3	5.8	76	-3.8
78	11	25	24	5.2	30	-5.0	4.4	79	-4.3

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
				WIND	WIND	AMB	WIND	WIND	AMB
				SPEED	DIR	TEMP	SPEED	DIR	TEMP
YR	MN	DY	HR	(MPH)	DEG	(C)	(MPH)	DEG	(C)
78	11	26	1	4.6	21	-5.6	3.9	80	-5.1
78	11	26	2	5.1	342	-6.2	1.5	76	-5.5
78	11	26	3	4.8	4	-6.8	2.2	67	-5.9
78	11	26	4	2.9	326	-7.5	0.7	256	-6.4
78	11	26	5	2.5	23	-7.7	0.7	256	-7.1
78	11	26	6	2.7	302	-7.9	1.3	267	-7.3
78	11	26	7	2.9	288	-8.1	1.4	247	-8.7
78	11	26	8	4.0	287	-7.9	3.2	272	-8.5
78	11	26	9	3.2	334	-6.5	1.6	261	-5.6
78	11	26	10	4.1	44	-5.9	2.8	97	-4.2
78	11	26	11	4.6	67	-5.8	4.0	89	-4.7
78	11	26	12	4.7	61	-5.3	4.3	90	-4.0
78	11	26	13	4.1	59	-4.8	5.1	78	-4.0
78	11	26	14	4.9	67	-4.4	5.6	79	-4.2
78	11	26	15	5.8	54	-5.5	5.8	78	-4.2
78	11	26	16	5.4	63	-6.1	4.9	72	-4.6
78	11	26	17	3.9	68	-6.7	2.8	71	-5.2
78	11	26	18	4.1	54	-7.0	0.9	122	-6.0
78	11	26	19	4.2	359	-7.5	2.7	260	-7.5
78	11	26	20	5.1	26	-7.4	1.8	101	-6.7
78	11	26	21	5.0	4	-7.6	1.6	281	-6.8
78	11	26	22	6.7	356	-7.8	2.3	357	-6.7
78	11	26	23	5.9	3	-8.8	1.0	5	-7.0
78	11	26	24	6.1	9	-8.1	1.0	257	-7.5
78	11	27	1	6.4	21	-8.3	0.7	150	-7.6
78	11	27	2	5.8	19	-8.7	2.7	21	-7.4
78	11	27	3	5.7	5	-9.1	3.1	23	-7.7
78	11	27	4	6.6	350	-9.4	2.5	0	-7.8
78	11	27	5	5.3	352	-9.7	1.5	11	-8.3
78	11	27	6	3.8	4	-9.8	1.3	29	-8.8
78	11	27	7	4.3	8	-9.9	2.0	60	-8.7
78	11	27	8	4.2	356	-10.0	1.8	253	-9.1
78	11	27	9	4.0	346	-9.4	1.9	177	-6.9
78	11	27	10	2.9	277	-6.2	2.6	144	-5.4
78	11	27	11	2.6	190	-6.6	1.5	134	-6.1
78	11	27	12	2.6	283	-6.0	2.1	235	-4.5
78	11	27	13	3.3	210	-3.8	2.8	59	-2.4
78	11	27	14	3.4	178	-3.4	3.2	44	-2.6
78	11	27	15	6.6	256	-4.6	4.3	70	-2.9
78	11	27	16	5.3	276	-5.1	3.2	21	-3.5
78	11	27	17	3.3	253	-6.9	4.5	269	-8.3
78	11	27	18	2.6	163	-8.2	6.3	270	-11.0
78	11	27	19	3.7	241	-7.9	6.9	268	-11.9
78	11	27	20	4.2	226	-6.9	5.8	263	-12.6
78	11	27	21	6.9	198	-6.6	5.6	264	-13.5
78	11	27	22	3.5	239	-6.0	5.0	263	-14.3
78	11	27	23	3.5	101	-6.7	4.3	267	-15.0
78	11	27	24	4.1	323	-6.7	3.6	252	-14.6

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	11	28	1	5.6	215	-7.0	4.3	261	-13.9
78	11	28	2	7.9	229	-6.0	3.7	260	-13.1
78	11	28	3	7.9	172	-6.1	5.0	258	-13.3
78	11	28	4	9.0	198	-5.9	3.7	257	-13.4
78	11	28	5	6.9	214	-4.8	2.8	260	-13.3
78	11	28	6	6.7	248	-4.7	2.8	240	-12.1
78	11	28	7	3.5	168	-4.8	2.0	258	-10.4
78	11	28	8	3.9	195	-3.9	2.2	269	-9.0
78	11	28	9	6.4	194	-3.8	2.0	185	-6.9
78	11	28	10	8.8	198	-2.8	3.3	83	-3.3
78	11	28	11	11.2	213	-1.5	7.1	192	-0.4
78	11	28	12	10.1	207	-1.5	10.6	223	0.6
78	11	28	13	10.1	216	-1.5	9.6	226	1.1
78	11	28	14	8.1	189	-1.3	4.9	288	1.1
78	11	28	15	7.0	194	-0.8	6.0	224	1.0
78	11	28	16	7.3	225	-1.5	4.9	162	0.6
78	11	28	17	17.8	255	-1.4	7.0	224	0.3
78	11	28	18	21.6	266	-1.6	6.1	237	-0.1
78	11	28	19	7.5	282	-2.3	5.1	343	-1.2
78	11	28	20	5.1	221	-2.8	4.8	254	-2.1
78	11	28	21	4.2	113	-2.8	4.1	36	-2.2
78	11	28	22	3.5	18	-2.7	2.3	341	-2.9
78	11	28	23	5.9	236	-2.7	3.0	313	-4.7
78	11	28	24	12.7	259	-2.8	2.6	180	-6.8
78	11	29	1	10.1	251	-2.8	3.7	265	-7.7
78	11	29	2	11.3	241	-2.9	3.7	261	-8.2
78	11	29	3	11.9	239	-3.0	4.4	267	-8.8
78	11	29	4	10.1	236	-3.3	2.1	258	-7.3
78	11	29	5	8.4	221	-3.4	5.3	255	-6.2
78	11	29	6	6.6	216	-2.9	3.5	261	-5.9
78	11	29	7	3.8	163	-3.1	2.7	186	-6.7
78	11	29	8	7.4	226	-2.4	1.3	347	-5.6
78	11	29	9	12.1	257	-2.9	1.9	86	-3.0
78	11	29	10	6.2	230	-2.1	3.4	142	-0.6
78	11	29	11	6.1	229	-1.3	5.7	58	-0.6
78	11	29	12	8.2	260	-1.7	3.7	352	0.1
78	11	29	13	6.1	271	-1.6	4.6	264	0.2
78	11	29	14	5.9	245	-1.4	4.0	225	0.3
78	11	29	15	7.9	261	-1.2	4.1	50	-0.3
78	11	29	16	10.2	266	-1.2	3.0	161	-0.2
78	11	29	17	12.0	264	-1.1	1.4	31	-1.5
78	11	29	18	7.3	264	-1.0	1.5	237	-2.2
78	11	29	19	7.1	266	-1.5	1.3	267	-2.9
78	11	29	20	6.7	281	-2.1	1.6	161	-4.7
78	11	29	21	5.8	248	-2.3	5.1	273	-5.0
78	11	29	22	8.3	251	-2.4	4.3	261	-5.4
78	11	29	23	5.0	227	-3.6	6.9	277	-6.3
78	11	29	24	10.4	234	-3.0	6.4	277	-7.1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -		
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)
78	11	30	1	13.7	235	-2.4	4.9	297	-4.9
78	11	30	2	8.8	220	-2.1	1.5	151	-5.2
78	11	30	3	6.2	178	-3.8	6.7	249	-2.7
78	11	30	4	4.4	151	-2.9	2.9	164	-2.7
78	11	30	5	12.5	233	-2.1	2.1	75	-2.9
78	11	30	6	14.6	240	-1.8	2.0	175	-2.5
78	11	30	7	16.0	263	-1.5	1.9	157	-2.5
78	11	30	8	13.3	272	-0.7	4.0	230	-0.6
78	11	30	9	8.2	265	-0.6	7.5	228	1.1
78	11	30	10	7.8	205	-0.1	10.8	234	2.2
78	11	30	11	11.6	263	0.7	11.4	241	3.1
78	11	30	12	18.5	270	1.5	12.0	250	3.6
78	11	30	13	23.7	276	1.8	13.6	253	4.1
78	11	30	14	22.5	278	1.7	12.0	254	4.0
78	11	30	15	10.2	217	1.2	7.7	197	2.9
78	11	30	16	6.6	200	1.0	7.7	180	2.2
78	11	30	17	5.6	211	-0.1	5.6	205	1.9
78	11	30	18	7.7	221	-0.2	3.5	237	1.1
78	11	30	19	9.5	207	-0.1	2.4	247	-1.6
78	11	30	20	9.0	198	0.5	3.1	155	-0.9
78	11	30	21	16.2	227	1.1	5.2	216	2.3
78	11	30	22	19.5	240	1.4	7.1	223	2.7
78	11	30	23	19.8	238	1.0	6.8	227	2.1
78	11	30	24	22.4	240	1.1	3.5	144	1.1

APPENDIX 2-2.3

ANNUAL JOINT FREQUENCY DISTRIBUTIONS OF
STABILITY CLASS AND WIND SPEED FOR SITE 1, 10-m LEVEL
AND ΔT (60m-10m)

DECEMBER 1977-NOVEMBER 1978

* NUS CORPORATION ENVIRONMENTAL SAFEGUARDS DIVISION *

RIO BLANCO TOWER 1 10 METER LEVEL
PERIOD OF RECORD:
12/ 1/77-11/30/78

STABILITY CLASS: A
ELEVATION: 35 FEET DELTA T (200.0 - 35.0) FEET

DIRECTION	1-3	4-7	8-12	13-18	19-24	>24	TOTAL
			MILES PER HOUR				
N	0	3	17	1	0	0	21
NNE	0	2	10	2	0	0	14
NE	1	2	14	1	0	0	18
ENE	0	5	4	0	0	0	9
E	0	2	1	0	0	0	3
ESE	1	0	0	0	0	0	1
SE	0	3	2	0	0	0	5
SSE	0	1	1	0	1	0	3
S	0	2	15	25	5	0	47
SSW	1	1	76	141	9	0	228
SW	0	6	57	19	0	0	82
WSW	0	5	55	9	0	0	69
W	0	5	46	35	5	0	91
WNW	1	6	39	22	1	0	69
NW	1	6	21	22	0	0	50
NNW	0	4	17	2	0	0	23
TOTALS	5	53	375	279	21	0	733

PERIODS OF CALMS 0 HOURS

STABILITY CLASS: B
ELEVATION: 35 FEET DELTA T (200.0 - 35.0) FEET

DIRECTION	1-3	4-7	8-12	13-18	19-24	>24	TOTAL
			MILES PER HOUR				
N	0	3	6	2	0	0	11
NNE	0	3	6	2	0	0	11
NE	0	11	7	0	0	0	18
ENE	0	3	2	0	0	0	5
E	0	5	1	0	0	0	6
ESE	0	2	0	0	0	0	2
SE	1	3	2	0	0	0	6
SSE	1	1	0	0	0	0	2
S	0	5	6	6	0	0	17
SSW	0	1	17	25	3	0	46
SW	0	6	8	3	0	0	17
WSW	0	7	20	4	0	0	31
W	1	7	11	5	0	0	24
WNW	1	7	11	5	0	1	25
NW	0	7	10	4	1	0	22
NNW	0	7	6	0	0	0	13
TOTALS	4	78	113	56	4	1	256

PERIODS OF CALMS 0 HOURS

* NUS CORPORATION ENVIRONMENTAL SAFEGUARDS DIVISION *

RIO BLANCO TOWER 1 10 METER LEVEL
PERIOD OF RECORD:
12/ 1/77-11/30/78

STABILITY CLASS: E
ELEVATION: 35 FEET DELTA T (200.0 - 35.0) FEET
DIRECTION 1-3 4-7 8-12 13-18 19-24 >24 TOTAL
MILES PER HOUR

N	0	2	6	0	0	0	8
NNE	0	3	1	1	1	0	6
NE	0	14	5	1	0	0	20
ENE	0	25	2	0	0	0	27
E	0	22	0	0	0	0	22
ESE	0	7	1	0	0	0	8
SE	0	8	1	0	0	0	9
SSE	0	2	1	0	0	0	3
S	0	2	11	5	2	0	20
SSW	0	10	33	16	4	0	63
SW	0	7	15	1	0	0	23
WSW	1	5	24	4	0	0	34
W	1	2	13	3	1	0	20
WNW	0	8	7	7	1	0	23
NW	1	7	5	6	1	0	20
NNW	0	5	6	2	0	0	13
TOTALS	3	129	131	48	10	0	319

PERIODS OF CALMS 0 HOURS

STABILITY CLASS: D
ELEVATION: 35 FEET DELTA T (200.0 - 35.0) FEET
DIRECTION 1-3 4-7 8-12 13-18 19-24 >24 TOTAL
MILES PER HOUR

N	11	35	24	3	12	0	85
NNE	10	37	33	10	7	0	97
NE	36	49	18	2	0	0	105
ENE	26	75	0	0	0	0	101
E	20	46	0	0	0	0	66
ESE	12	21	3	0	0	0	36
SE	15	24	5	1	0	0	45
SSE	17	40	12	1	0	0	70
S	15	62	52	16	11	2	158
SSW	17	88	102	67	7	1	282
SW	13	91	81	13	0	0	198
WSW	9	85	120	53	2	0	269
W	18	49	69	52	19	2	209
WNW	12	25	29	14	8	2	90
NW	16	26	21	10	0	0	73
NNW	4	18	19	6	1	0	48
TOTALS	251	771	588	248	67	7	1932

PERIODS OF CALMS 0 HOURS

* NUS CORPORATION ENVIRONMENTAL SAFEGUARDS DIVISION *

RIO BLANCO TOWER 1 10 METER LEVEL
PERIOD OF RECORD:
12/ 1/77-11/30/78

STABILITY CLASS: E

ELEVATION: 35 FEET DIRECTION	DELTA T (200.0 - 35.0) FEET 1-3	4-7	8-12	13-18	19-24	>24	TOTAL
			MILES PER HOUR				
N	34	17	20	6	1	0	78
NNE	24	28	12	1	0	0	65
NE	36	12	6	0	0	0	54
ENE	58	15	0	0	0	0	73
E	39	18	0	0	0	0	57
ESE	27	11	1	0	0	0	39
SE	42	22	4	0	0	0	68
SSE	63	53	7	0	0	0	123
S	85	99	28	9	1	0	222
SSW	99	178	105	20	1	0	403
SW	130	323	77	9	0	0	539
WSW	98	255	304	69	21	3	750
W	102	136	126	80	20	5	469
WNW	108	150	38	25	1	1	323
NW	67	64	18	5	0	0	154
NNW	47	36	20	5	0	0	108
TOTALS	1059	1417	766	229	45	9	3525

PERIODS OF CALMS 4 HOURS

STABILITY CLASS: F

ELEVATION: 35 FEET DIRECTION	DELTA T (200.0 - 35.0) FEET 1-3	4-7	8-12	13-18	19-24	>24	TOTAL
			MILES PER HOUR				
N	8	1	0	7	5	0	21
NNE	13	2	0	1	1	0	17
NE	3	1	0	2	0	0	6
ENE	3	1	0	0	0	0	4
E	7	2	0	0	0	0	9
ESE	4	0	0	0	0	0	4
SE	1	1	0	0	0	0	2
SSE	8	1	0	0	0	0	9
S	13	8	3	2	0	0	26
SSW	18	18	7	5	0	0	48
SW	11	48	24	1	0	0	84
WSW	7	62	171	28	0	0	268
W	14	26	63	2	1	0	106
WNW	14	35	21	1	0	0	71
NW	13	33	10	0	0	0	56
NNW	4	9	5	0	0	0	18
TOTALS	141	248	304	49	7	0	749

PERIODS OF CALMS 2 HOURS

* NUS CORPORATION ENVIRONMENTAL SAFEGUARDS DIVISION *

RIO BLANCO TOWER 1 10 METER LEVEL
PERIOD OF RECORD:
12/ 1/77-11/30/78

STABILITY CLASS: G
ELEVATION: 35 FEET DELTA T (200.0 - 35.0) FEET

DIRECTION	1-3	4-7	8-12	13-18	19-24	>24	TOTAL
			MILES PER HOUR				
N	0	0	0	0	0	0	0
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	1	0	0	0	0	0	1
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	0	0	0
SSE	0	1	0	0	0	0	1
S	0	0	0	0	0	0	0
SSW	0	0	0	0	0	0	0
SW	0	1	0	0	0	0	1
WSW	0	1	1	0	0	0	2
W	0	0	0	0	0	0	0
WNW	0	0	3	0	0	0	3
NW	0	1	1	0	0	0	2
NNW	0	0	0	0	0	0	0
TOTALS	1	4	5	0	0	0	10

PERIODS OF CALMS 0 HOURS

STABILITY CLASS: ALL
ELEVATION: 35 FEET DELTA T (200.0 - 35.0) FEET

DIRECTION	1-3	4-7	8-12	13-18	19-24	>24	TOTAL
			MILES PER HOUR				
N	53	61	73	19	18	0	224
NNE	47	75	62	17	9	0	210
NE	76	89	56	6	0	0	221
ENE	87	124	8	0	0	0	219
E	67	95	2	0	0	0	164
ESE	44	41	5	0	0	0	90
SE	59	61	14	1	0	0	135
SSE	89	99	21	1	1	0	211
S	113	178	115	63	19	2	490
SSW	135	296	340	274	24	1	1070
SW	154	482	262	46	0	0	944
WSW	115	420	695	167	23	3	1423
W	136	225	328	177	46	7	919
WNW	136	231	148	74	11	4	604
NW	98	144	86	47	2	0	377
NNW	55	79	73	15	1	0	223
TOTALS	1464	2700	2282	907	154	7	7524

PERIODS OF CALMS 6 HOURS

* NUS CORPORATION ENVIRONMENTAL SAFEGUARDS DIVISION *

RIO BLANCO TOWER 1 10 METER LEVEL
PERIOD OF RECORD:
12/ 1/77-11/30/78

OBSERVATIONS WITH MISSING DATA 1230

TOTAL OBSERVATIONS FOR THE PERIOD ARE 7330

PERCENTAGE OCCURRENCE OF STABILITY CLASSES

A	B	C	D	E	F	G
9.73	3.40	4.24	25.66	46.87	9.97	0.13

APPENDIX 2-2.4

PRECIPITATION DATA

APPENDIX 2-2.4

RBOSC Site 1 Precipitation Data (Inches)
June 1978-November 1978

Date	Weather Measure Tipping Bucket Gauge	Belford Weighing Bucket Gauge	Wedge Gauge
06/03-06/04	M	M	0.01
06/05	M	M	0.65
06/29	0.10	M	0.15
07/10-07/11	M	0.10	0.14
07/16-07/17	0.08	0.10	0.18
07/18-07/19	0.17	0.15	0.10
07/28-07/29	0.00	0.02	0.02
08/01	0.00	0.00	0.02
08/02	0.00	0.02	0.00
08/11-08/12	T	0.00	T
08/12-08/14	0.29	0.30	0.43
08/14-08/15	0.01	0.13	0.03
08/17-08/18	0.04	0.08	0.07
08/21-08/22	0.01	T	0.02
09/07-09/10	0.12	0.18	0.12
09/16-09/18	0.26	0.48	0.44
09/19-09/20	0.07	0.10	0.12
10/18-10/22	0.15	0.23	0.20
11/09-11/14	0.80	1.70	1.66
11/14-11/15	T	T	T
11/24-11/27	0.21	0.43	0.34
11/28-11/30	0.02	0.09	0.06
Monthly Total			
June	-	-	0.81
July	0.25	0.37	0.44
August	0.35	0.53	0.57
September	0.45	0.76	0.68
October	0.15	0.23	0.20
November	1.03	2.22	2.06
Six Month Total	2.33*	4.11	4.76

Dates not listed had no precipitation

* Value estimated to be about 0.50 inches low due to data loss in June
M Missing data
T Trace of precipitation
\- Total not available due to missing data

APPENDIX 2-2.4

RBOSC Site 2 Precipitation Data (Inches)
June 1978-November 1978

Date	Weather Measure Tipping Bucket Gauge	Belford Weighing Bucket Gauge	Wedge Gauge
06/04-06/05	0.20	0.17	0.18
06/06	M	0.02	0.01
06/29	0.06	M	0.06
07/10-07/11	0.04	T	0.04
07/16-07/17	0.11	0.10	0.15
07/18-07/19	0.16	0.15	0.10
07/28	0.09	0.10	0.10
08/02	0.04	M	0.03
08/11-08/12	0.07	0.10	0.05
08/12-08/14	0.41	0.40	0.38
08/14-08/15	0.01	0.00	0.01
08/17-08/18	0.05	0.05	0.06
08/21-08/22	0.05	0.05	0.04
09/07-09/09	0.03	0.04	0.03
09/09-09/11	0.12	0.15	0.13
09/16-09/18	0.35	M	0.35
09/19-09/20	0.05	0.07	0.06
10/16-10/17	T	T	T
10/20-10/23	0.23	0.27	0.28
11/09-11/13	0.84	1.20	1.36
11/13-11/15	0.00	T	0.02
11/24-11/27	0.25	0.41	0.41
11/28-11/30	0.01	0.07	0.06
Monthly Totals			
June	0.26	0.19	0.25
July	0.40	0.35	0.39
August	0.63	0.60	0.57
September	0.55	0.26	0.57
October	0.23	0.27	0.28
November	1.10	1.68	1.85
Six Month Total	3.17*	3.35**	3.91

Dates not listed had no precipitation

M Missing data
T Trace of precipitation
-
* Value estimated to be 0.01 inches low due to missing data in early June
** Total estimated to be 0.45 inches low due to missing data

APPENDIX 2-2.4
RBOSC Site 3 Precipitation Data (Inches)
June 1978-November 1978

Date	Weather Measure Tipping Bucket Gauge	Wedge Gauge
06/04	0.01	0.05
06/05-06/06	0.77	0.75
06/29	0.03	0.03
07/10-07/12	0.04	0.03
07/17	0.04	0.05
07/18-07/19	0.09	0.06
07/19-07/20	0.11	0.09
07/28-07/29	0.07	0.07
08/01	0.01	0.02
08/08	0.01	0.00
08/11-08/12	0.00	T
08/12-08/14	0.27	0.27
08/14-08/15	0.04	0.07
08/17-08/18	0.08	0.07
08/21-08/22	0.01	0.01
09/07-09/09	0.00	0.03
09/09-09/11	0.09	0.08
09/16-09/18	0.21	0.29
09/19-09/20	0.01	0.05
10/19-10/21	M	0.01
10/21-10/22	M	0.19
10/24-10/25	0.00	T
11/09-11/11	M	0.25
11/11-11/13	M	0.94
11/13-11/16	M	0.02
11/24-11/27	0.29	0.43
11/27-11/30	0.01	0.03
Monthly Totals		
June	0.81	0.83
July	0.35	0.30
August	0.42	0.43
September	0.31	0.45
October	-	0.20
November	-	1.67
Six Month Total	-	3.88

Data not listed had no precipitation

M Missing data
T Trace of precipitation
- Total not available due to missing data

APPENDIX 2-5

RBOSC VISIBILITY DATA

APPENDIX 2-5.1

DEFINITIONS OF CONDITIONS OF RESTRICTED VISIBILITIES

Restricted Visibility

Under restricted conditions, the photographic objects were not visible and visual range calculations could not be made, although a daily mean could be obtained if the objects became visible at a later hour. The first color photograph of November 22, 1978 was taken at 0830 MST, during a snowstorm which lasted until late morning. All views were obscured by the snow during the first two hours of photography and remarks in the Site Log indicate the severity of the storm:

0820 MST: "Arrived at site late ... slipped off road on way in ... snowing hard at present ... about 1 inch of new snow on ground ... looks like it will be another bad day."

0830 MST: "Conditions same, snowing hard ... visibility about one-half mile all directions ... slight wind from southeast."

1930 MST "Still snowing, but is clearing ... some blue sky snowing, but is clearing ... some blue sky overhead."

This storm lasted until late morning with scattered snowshowers occurring into the afternoon. No visual range measurement was taken during the storm; however, by 1030 MST conditions began to improve and measurements were taken for some of the views. The remainder of the day saw little change from the late morning improvement; scattered snowshowers restricted the visibility in at least one of the views during the remaining hours. The daily mean visual range for this day, based on occasional measurements from available views, was 55 miles.

Major areal restrictions to visibility such as snowstorms which obscured all objects for an extended period of time were common during the Fall monitoring period. November 10, 16, 22, and 28 were all plagued by snowshowers or fog restricting the views for several consecutive hours. Of these four days only November 28th resulted in measurements not being taken due to inclement weather.

Instances of isolated restrictions were more frequent during the Spring monitoring period. Scattered snowshowers or rainshowers during the Spring occasionally obscured one or more of the objects in the views for short periods of time resulting in no visual range measurement being obtained for that particular view and hour. No attempts were made, however, to subjectively estimate the visual range for inclusion into statistical summary for that period.

Low Visibility

Minor restrictions to visibility, such as haze and smoke, which occasionally required the use of a near object to determine the visual range, were often observed. Reports of haze in the Site log usually indicated that it occurred more frequently during the early morning hours in Views I and II, although the remaining views were not exempt from its presence. Haze never restricted visibility to the extent that no measurements could be made of a near object for data collection however. Hourly comments recorded in the Site Log by the photographer provided additional information on the visibility conditions found during the photographic day. This information for the Spring and Fall periods are included in Appendices 2-5.3 and 2-5.5 respectively and has been typed for presentation due to poor reproduction of the original sheets.

The effect of haze on the contrast and clarity of the objects in the Piceance Creek Basin area is described in the Site Log for May 24, 1978. Remarks in the Site Log indicate that the day began with "Only two Cl (clouds) in sky ... quite a bit of haze ... seem(s) heavy in the NW". As the day progressed the haze appeared to worsen in Views I and II. By 1300 MST the views were "fairly clear to the east, but its hazy to a point in the west where you can hardly see View I". By 1400 MST it was "real hazy (in) View III to almost clear (in) View I". By 1400 MST it was "real hazy (in) View III to almost clear (in) View IV". The daily mean visual range for this date was 66 miles.

Medium Visibility

Daily mean visual ranges in the Piceance Creek Basin area most frequently occurred between 80 and 90 miles during the year. Remarks in the Site Log for October 29, 1978 indicate that this day was characterized as sunny and bright with slight haze in Views I and II, but very clear towards Views III and IV. The morning began with slight haze on some views and a moderate wind from the southeast. As the day progressed a few clouds began to form and the wind increased its intensity. By 1300 MST, the hour of the illustration, there was still some haze reported in the Site Log and the wind was strong and gusting from the southeast.

High Visibility A condition of high visibility was recorded on October 23, 1978 at 1300 MST. The morning began sunny and clear in Views I and II, although low clouds obscured Views III and IV. As the day progressed the clouds dissipated and the views cleared. The daily mean visual range was 100 miles and the day was reported as "very nice ... sunny and cool."

The maximum hourly visual range obtained during the 1978 monitoring period was 142 miles; the maximum daily mean visual range recorded in the Piceance Creek Basin was 102 miles on April 6, 1978. Daily mean visual ranges of 100 miles or more occurred twice during the twenty days of photography.

APPENDIX 2-5.2

RBOSC HOURLY VISUAL RANGE DATA - SPRING 1978

HOURLY VISUAL RANGE - PICEANCE CREEK BASIN, COLORADO - SPRING, 1978
(miles)

HOUR	View	4/6	4/12	4/18	4/24	4/30			5/6	5/12	5/18	5/24	5/30	
0830	1	126	84	82	84	51			58	103	72	70	81	81.1
	2	112	81	72	65	32			45	88	64	63	70	69.2
	3	103	91	73	75	40			74	132	82	72	79	82.1
	4	-	107	112	90	50			45	89	71	69	78	79.0
0930	1	100	84	82	84	61			58	93	72	70	70	77.4
	2	92	88	72	65	-			45	95	88	54	63	73.6
	3	109	91	73	83	34			40	114	98	65	79	78.6
	4	134	116	88	107	51			45	97	61	78	86	86.3
1030	1	81	84	82	84	71			-	93	83	57	57	76.9
	2	92	81	79	81	42			45	88	88	63	70	72.9
	3	94	91	73	83	38			45	106	98	65	72	76.5
	4	126	107	88	90	35			-	106	71	94	78	88.3
1130	1	91	84	92	84	76			58	93	93	57	57	78.5
	2	78	81	72	81	68			56	95	95	54	54	73.4
	3	72	83	81	91	58			40	98	106	65	65	75.9
	4	94	133	112	99	50			45	114	50	86	69	85.2
1300	1	91	94	82	84	76			58	93	103	57	57	79.5
	2	78	88	72	73	63			37	80	80	44	63	67.8
	3	109	83	81	75	21			17	98	82	72	57	69.5
	4	102	124	88	99	59			50	71	61	69	78	80.1
1400	1	109	104	82	94	84			-	93	93	57	70	87.3
	2	98	88	72	73	81			-	80	102	70	63	80.8
	3	94	100	73	91	53			43	90	106	79	65	79.4
	4	110	99	79	90	36			74	80	106	78	86	83.8
1500	1	118	104	82	84	72			-	93	103	57	70	87.0
	2	105	88	72	73	76			-	80	80	44	54	74.7
	3	94	91	81	75	42			37	90	123	57	65	75.5
	4	142	81	79	72	51			79	89	123	86	69	87.1
Daily	1	102.3	91.1	83.4	85.4	70.1			58.0	94.4	88.4	60.7	66.0	
Avg.	2	93.6	85.0	73.0	73.0	60.3			45.6	86.6	85.3	56.0	62.4	
	3	96.4	90.0	76.4	81.8	40.8			42.2	104.0	99.3	67.8	68.8	
	4	118.0	109.6	92.3	92.4	74.4			56.3	92.3	77.6	80.0	77.7	
		102.2	93.9	81.3	83.2	54.5			49.7	94.3	87.6	66.1	68.8	

APPENDIX 2-5.3

VISIBILITY SITE LOG SHEETS

SPRING 1978

SITE LOG SHEETS

4/06/78

MST

0750 - Arrived site. Windy not to cold. Some sunshine but cloudy overhead. All views good visibility. Clouds on H on View 4. Road dry.

0830 - All views good - cl on hz on View 4 only. Real overcast on View 4. No haze anywhere. Still windy from southeast. Kinda unusual? Sun behind large cloud.

0930 - No haze. Clouds on H on View 4 only. Still windy, a little more sunshine.

1030 - Some haze, View 1 & 2. Shadows on View 1 & 2. Still windy, some sunshine with high wispy clouds.

1130 - High cloudiness, sun shining. Light hz on View 1 & 2. Cl on H on View 1, 2, 3.

1300 - High cloudiness, sun shining. Lt hz. View 1. Cl on H on View 1, 2, 3. Warm 50+ and windy.

1400 - High clouds. with sun, real light hz. View 1 & 2. Real clear on View 3 & 4. Shadows on View 1 & 2.

1500 - High clouds, general overcast, not too much sun. Light hz View 1 & 2 clear on View 3 & 4. Has been windy, blustry type spring day.

4/12/78

MST

0800 - Arrived site. Fantastic morning. Not a cloud in sky. Sunny.

0830 - No change. Light hz all views snow on View 3 & 4. Not too cold. No breeze. Hz a little more to the west.

0930 - Nice - slight breeze - SW. View 1 & 2. Have lt hz while View 3 & 4. Not too cold no breeze hz a little more to the west.

1030 - Same as 0930. Breeze picking up a little.

1130 - Lt Hz View 1. View 2, 3, 4 clear few scattered clouds. No cl on H some breeze from SW - Nice out.

1200 - Getting windy. Some scattered clouds. Very little hz on View 1 & 2. 3 & 4 clear. Still sunny most times clouds coming from east.

1400 - Windy with some pretty good gusts. Lt hz on View 1. View 2, 3, & 4 clear. More clouds.

1500 - Still windy - Snow on View 3. Almost gone. Some hz View 1. All other views clear. Not too warm now, otherwise real nice day.

Depart site

SITE LOG SHEETS

4/18/78

MST

0800 - Arrived site. Calm, mostly clear. All views visible.

0830 - Sunny with some cl. Lt hz all views. Cl on Hz on Views 2,3, 4. No cl on View 1, a patch of shadow between site & View 1. Not too cold. Snow on View 4.

0930 - Cl on H on View 3 & 4. Calm and real nice. Snow is gone on all views except View 4. Seem hazy in all directions today - windy yesterday.

1030 - Has turned windy, hz is almost gone except View 1. Cl on H on View 3 & 4. A few scattered cl now to the N.

1130 - Still windy, shadow on View 2. Ht hz. View 1 - Rest are clear scattered cl and sunny.

1300 - Continues to be windy - Lt hz View 1 & 2. Clear to the east.

1400 - No change - very few clouds left in sky now.

1500 - Same - Windy but otherwise has been a real nice day.

Depart site

SITE LOG SHEETS

4/24/78

MST

0800 - Calm, sunny day. All views visible. Some hz all views

0830 - No change. A few high wispy cl. Snow on View 4. No cl on H. Some dust or smoke in area of C-b worksite.

0930 - Cl on H View 1, 2, 3 - lt hz 1, 2, 3. No much Hz on View 4. Always heavier to the west. Small amount of dust can be seen from C-b work site. Sunny & lt. wind.

1030 - Cl on H View 1 & 2 lt hz west, View 3 & 4 not bad. Lt. wind has started.

1130 - Cl on horizon all views. Lt hz View 1 and 2. 3 & 4 mostly clear wind is picking up a little more. Sunny.

1300 - Quite a bit of wind, gusty. Cl on H all view lt hz. View 1 & 2 View 3 & 4 mostly clear becoming overcast.

1400 - Gusty winds at time. Cl on H all views. Shadow on View 3. Lt hz to the west, better to the east. Not as overcast as 1300.

1500 - Cl on H all views, Wind isn't quite as gusty, cloudy to the south Sunny - lt hz View 1 & 2, 3 & 4 pretty good.

Real nice day

SITE LOG SHEETS

4/30/78

MST

0805 - View 1 & 2 covered with clouds View 3 & 4 can be seen but not too clear. Overcast with some sun, light wind blowing from SW. Rain last night some shower to west and northwest.

0830 - Same as 0805. Some clearing on skyline to west.

0930 - No sun. Light rain total overcast. Can see View 4 only clouds on View 1, 2, & 3. Pictures taken from inside cabin.

1030 - All views in clouds, however close objects all view are visible. Sunny to south. Windy. Not raining at site now.

1130 - View 2 & 4 visible. Rain showers. Some sun to south. View 3 heavy clouds. View 1 clouds.

1300 - Good rain at site - overcast can see View 1. View 2, 3, & 4 covered with clouds. Wind, light out of SW. No sun now.

1400 - View 1 - Visible - some light cls on View 2. View 3 & 4 are covered with clouds. Rain showers to View 4 sun shining again. But mostly overcast.

1500 - View 1 & 2 visible. View 3 & 4 in clouds. Some sun, but mostly cloudy. About same all day.

Depart site

SITE LOG SHEETS

5/6/78

MST

0800 - 1" snow at site - overcast - with some sunshine. View 2 & 4 visibile with cl on View 1 & 4. Calm. Some blue skys too mostly overhead.

0830 - Cl on H all views. View 1, 2, 3 visible. View 4 in clouds. Calm. Overcast right now. Radio says 100% for showers & or snow today.

0930 - View 1 & 2 visible. View 3 just barely visible. View 4 snowing. Wind calm, a bit more cloudy - seems to be closing in a bit.

1030 - Weather getting worse. Can only see View 2. Storm moving west to east. Real light wind. No sun. Light snow on all higher areas.

1130 - View 1, 2, 3 visible. Snowing View 4. No sun. No wind. No warmth. Light snow & rain showers at sight. Not much change.

1300 - View 1 & 2 visible. Snowing elsewhere. Just minutes after pictures were taken a snowstorm at site.

1400 - All views snowing. Some sun overhead good snowstorm from NW.

1400 - Snowing all views. Sun overhead some wind. Not too hot a day.

Depart site

NOTE: Forgot to change the month on calibration card!

SITE LOG SHEETS

5/12/78

MST

0805 - Sunny with a few scattered clouds on horizon to North & NE. Breeze from SW. Nice morning.

0830 - Cl on H on View 3 & 4. Lt hz on View 1, 2, 3. View 4 real clear, snow on View 4. A low cl on 4 north & east. Sunny with breeze from SW. Some gusts.

0930 - Cl on H all views. Lt hz. View 1, 2, 3. View 4 clear. Light breeze and sunny. No dust at all from C-b work site, or from Ca either.

1030 - View 4 clearest I have ever seen. Cl on horizon View 1, 2, 3. Lt hz View 1 & 2. Sunny with breeze & some gusts from SW.

1130 - Cl on Horizon, View 1, 2, 3. View 4 real clear. Lt hz on 1 & 2. 3 is not bad. Sunny, light wind and some gusts.

1300 - Clear H on View 3. Lt hz View 1 and 2. View 3 and 4 clear. Almost a cloudless day - sunny - some wind and gusts.

1400 - No cl on H all views. View 1 light hz. View 2, 3, 4 are clean. Breeze blowing from W with some gusts. Clear & sunny.

1500 - No cl on H all views. Lt hz in west, cleaner to the east. Wind almost calm. Real nice day.

Depart site 1510

SITE LOG SHEETS

5/18/78

MST

0800 - Skiff of snow on ground at site. Breeze from west, cool, scattered clouds. Some sunshine. View 1, 2, 3 visible, hz to the northwest. View 4 in clouds. Road has been graded.

0830 - View 1, 2, 3 visible, some hz. Cl on 4. All views - scattered cls some sun, breeze (cool) from west.

0930 - All views visible. Lt hz in east to considerable amounts in west -- snow on View 4. Scattered cl, some sun.

1030 - Same as 0930 but a little more wind. Some gusts.

1130 - Quite a bit of hz to the west and clear to the east. Mostly overcast with shadows from sun. Lt breeze from W.

1300 - Not much change.

1400 - Overcast at site, with shadows View 3 & 4. Lt. breeze with gusts.

1500 - View 4 in sunshine, overcast rest of views. Not much haze as wind is stronger now.

Depart site 1510

SITE LOG SHEETS

5/24/78

MST

0800 - Only 2 cl in sky - wind from SE? Quite a bit of haze seems heaviest to the NW.

0830 - Heavy Hz on View 1 & 2. Moderatge hz on View 3 & 4. View 4 has snow. Windy - out of SE. Sunny. Sometimes gusty.

0930 - Note quite as hazy as 0830 still windy. Not much change.

1030 - View 4 is clearing up. Must be the wind. Still hard to see View 1. Windy from SE with some good gusts. Sunny & nice.

1130 - Same as 1030, but starting to get some scattered clouds mostly north.

1300 - Fairly clear to the east but gets hazy to a point in where you can hardly see View 1. Wind is shaking the shelter? Real gusty. Quite a few clouds from the south.

1400 - Real hazy View 1, View 2 not quite so bad, light hz. View 3, to almost clear View 4. Windy, clouds are making some shadows.

1500 - Same as 1400 - However cl are no on H on View 1, 2, 3, very windy day storm moving in from NW.

Depart Site 1515

SITE LOG SHEETS

5/30/78

MST

0755 - Pretty sunny morning. Light breeze from NE. All view visible Snow on View 4. All views lt. hz.

0830 - No cl or H View 1 & 2, 4, cl or h View 3, sunny with breeze from NW. Seems to be more hz in the NE than even before. Snow on View 4.

0930 - Weather about the same. No cl on h now. Some cl to the north. Light hz all views.

1030 - Not much change. View 4 may be a bit clearer. Seems like more hz in area of Rio Blanco.

1130 - Cloudy to the east. Wind from west. Lt hz all views. Cool outside.

1300 - Wind from NW. Cloudy over much of the south and east. View 4 much clearer and View 1 has more hz.

1400 - Overcast - some shadows. Cl on 4. All views moderate hz to the west to lt hz in the East. Still windy looks like some showers to the East.

1500 - Overcast - generally cloudy everywhere. Still windy getting pretty hazy in the east, View 4.

Depart site 1510

APPENDIX 2-5.4

HOURLY VISUAL RANGE DATA - FALL 1978

HOURLY VISUAL RANGE - PICEANCE CREEK BASIN, COLORADO - FALL, 1978

HOUR	VIEW	10/5/78	10/11	10/17	10/23	10/29			11/4	11/10	11/16	11/22	11/28	
0830	1	91	58	83	97	95			73	-	-	-	-	82.8
	2	77	55	80	90	88			74	-	-	-	-	77.3
	3	80	70	84	-	91			86	-	-	-	-	82.2
	4	92	84	-	-	125			105	-	-	-	-	101.5
0930	1	93	58	85	110	97			74	-	-	-	-	86.2
	2	71	65	74	84	82			84	-	-	-	-	76.7
	3	83	65	65	-	80			96	-	-	-	-	97.0
	4	102	74	86	-	121			116	-	-	-	-	99.8
1030	1	95	58	86	88	87			88	-	-	-	-	83.7
	2	73	66	75	95	67			68	-	-	58	-	71.7
	3	87	66	66	84	75			76	37	-	40	-	66.4
	4	84	74	87	-	105			120	41	-	63	-	82.0
1130	1	72	73	74	102	74			89	-	-	-	-	86.7
	2	74	66	67	98	57			78	-	-	-	-	73.3
	3	81	75	59	95	68			102	44	-	40	-	70.5
	4	86	88	88	115	62			114	53	-	50	-	82.0
1300	1	84	86	74	114	87			88	-	-	-	-	88.8
	2	83	76	76	79	68			58	-	-	-	-	73.3
	3	89	100	67	87	60			85	39	-	50	-	72.1
	4	99	102	53	97	62			106	62	-	-	-	83.0
1400	1	94	96	108	124	86			87	-	-	59	-	93.4
	2	73	84	76	96	57			77	-	-	-	-	77.2
	3	87	97	66	101	50			76	30	-	32	-	67.4
	4	99	102	89	117	84			85	62	31	64	-	81.4
1500	1	92	94	-	130	73			97	0	0	58	0	96.7
	2	80	82	82	102	66			100	-	-	83	-	85.0
	3	90	93	79	89	58			103	25	22	-	-	69.9
	4	97	123	100	94	80			121	62	33	62	-	85.8
Daily Avg.	1	88.7	74.7	85.0	109.3	85.6			85.1	-	-	58.5	-	
	2	75.9	70.6	87.0	92.0	69.3			77.0	-	-	70.5		
	3	85.3	80.8	69.4	91.2	68.8			89.1	35.0	31.0	40.5	-	
	4	94.1	92.4	83.8	105.8	91.3			109.6	56.0	32.0	59.8	-	
		86.0	79.6	78.0	99.5	78.8			90.2	45.5	28.7	54.9		

APPENDIX 2-5.5

VISIBILITY SITE LOG SHEETS - FALL 1978

SITE LOG SHEETS

10/05/78

MST

0755 - Sunny morning. Calm. All views visable.

0830 - No CL. on H. Sunny & no haze. Calm.

0930 - Some clouds on Hor. to N. but not in picture area. Slight haze all views. Slight wind from east.

1030 - Same as at 0930. Still some haze. Wind now in west. Slightly cooler.

1130 - Some clouds on H. - N.W., but not in picture area. Slight haze all views. Wind from west.

1300 - CL. on H. views 1,2,4. Haze still exists. Wind from west. More haze on views 1 & 2.

1400 - CL on H. views 1,2,3. Haze still exists. Wind from N.W.

1500 - CL. on H. views 1,2,3,4. Has been a nice day.

1510 - Departed site.

SITE LOG SHEETS

10/11/78

MST

0800 - Arrived on sight. CL. on Hr. sights 1,2,3,4. Calm & warm. All views visable but haze on all sights.

0830 - CL. on Hr all views. Still sunny & warm. No wind.

0930 - More CL. on views 1,2,3. Not yet heavy on view 4. No wind. some haze. Looks like change of weather from N.W.

1030 - About same as 0930. Clouds slowly rising. Still no wind.

1130 - Getting quite a lot of haze, views 1,2,3. Breeze blowing from N.W. CL on Hr all views. Very clear south & east.

1300 - Haze has lifted. All sights still CL. on Hr, but clouds more broken. Slight breeze from N.W.

1400 - Clouds more broken. Haze has lifted. CL on Hr. Wind from N.W. Sunny & warm.

1500 - Some CL. on Hr. Views 1,2,4. Clear on view 3. Wind stronger. Still warm & sunny.

1510 - Departed site.

SITE LOG SHEETS

10/17/78

MST

0800 - Arrived at sight. Cloudy all directions. Sights are visable, but all have haze.

0830 - Cloudy all directions. All sights barely visable. Southeast wind. All sights have haze.

0930 - Same as at 0830. No wind. #4 barely visable.

1030 - Some broken clouds overhead. Still cloudy to sights. Wind from south.

1130 - Clouds more broken. All sights, clouds and haze. Wind stronger from south.

1300 - Variable high cloudiness. Haze on sights 1,2,3. Cannot see #4. Wind stronger from south.

1400 - Seems darker all sights. But high clouds so that all sights are visable.

1500 - About the same. More haze in picture areas. Wind strong.

1507 - Dearted site.

SITE LOG SHEETS

10/23/78

MST

0800 - Arrived on sight. Sunny & very clear to views 1 & 2. Views 3 & 4 cannot see due to low clouds. No wind. Cloudy to N & W.

0830 - Very clear, views of 1 & 2. Views 3 & 4 still covered with clouds. No wind.

0930 - Same as at 0830. Slight breeze from east.

1030 - Sights 1 & 2 still very clear. #3 can now be seen under clouds. #4 still covered with clouds. Clouds seem to be breaking up.

1130 - All sights now visable. Some haze on view 1. View 4, snow on peak.

1300 - Slight haze, views 1 & 2. Views 3 & 4 extremely clear. Slight breeze from west.

1400 - Same as at 1300. Slight breeze from west. Seems some cooler. Some haze #3 & 4. (No heat in shelter)

1500 - All locations very clear. Very nice day. Sunny & cool.

1510 - Departed site.

SITE LOG SHEETS

10/29/78

MST

0810 - Arrived at sight. All sights very clear. Sunny & Bright. Moderate wind from S.E.

0830 - Conditions same. Slight haze views 1 & 2. Views 3 & 4 very clear. Wind from S.E. cool. (No heat at location)

0930 - Same as at 0830. Wind much stronger.

1030 - More haze, views 1,2,3. Quite clear on view 4. Still very windy. A few high clouds forming.

1130 - More haze, all four locations. Very windy.

1300 - Still haze, all four locations. Strong & gusty wind from S.E.

1400 - CL. on Hr views 1,2,3. Haze on view 4. Strong wind from S.E.

1500 - Cl. on Hr. Views 1,2,3. Haze on view 4. Wind still strong from S.E.

1515 - Departed site.

SITE LOG SHEETS

11/04/78

MST

0800 - Arrived at sight. Some high clouds. No wind. Light clouds all directions (trying new equipment today). Conditions same. Light clouds all directions. But sights are visable.

0930 - Condition same. Little more haze. Slight breeze from S.E.

1030 - Light clouds & haze, views 1 & 2. A little less haze, views 3 & 4. Slight breeze from S.E.

1130 - Conditions same. Clouds in background, all locations. Views 1 & 2 more haze. Wind has gotten stronger.

1300 - High clouds & haze, views 1,2,3. Clearer on view 4. Conditions about same all day.

1400 - Conditions same. Wind has let up some.

1500 - Haze has lifted some. High clouds on all locations. Conditions have remained same all day.

Tried new equipment today. Am sure I need more instruction. No consistancy to readings.

1515 - Departed site.

SITE LOG SHEETS

11/10/78

MST

0800 - Arrived at sight. Snowing lightly. Light snow cover at sight. No sights are visable.

0830 - Conditions same. Light snow. No wind. Visability about 2 miles.

0930 - Visability has lifted some. Still no sights visable. Not snowing at present.

1030 - Little more visability. No sights yet visable.

1130 - Clouds all locations. Getting much colder.

1300 - Cloudy views 1-2-3. View 4 barely visable - (Tested this view with new instrument). First reading I have taken today. View 4 only.

1400 - CL views 1-23. #4 barely visable. Took reading on instrument view, 4 only.

1500 - Cloudy. Conditions same as at 1400. Reading of new instrument on view 4 only.

This has been a cloudy, cold day.

1515 - Departed site.

SITE LOG SHEETS

11/16/78

MST

0810 - Arrived at sight. About 8" of snow on ground. Completely socked in. Visibility all directions about 100 yards. No wind.

0830 - Conditions same.

0930 - Conditions same.

1030 - Fog has lifted some. Visibility now about ½ mile.

1130 - Still no sights visable. Visability about 1 mile. No wind.

1300 - Visibility much greater. Still no sights visable. No wind. Partly cloudy.

1400 - Conditions about same as at 1300. View #4 slightly visable. CL on Hr. all directions.

1500 - CL obstruct views 1-23. #4 slightly visable. View 4 is only time I could take reading on new instrument.

Has been a cold day. No wind. Departed sight 1520.

SITE LOG SHEETS

11/22/78

MST

0820 - Arrived a little late. Slipped off road on way in. Snowing hard at present. About 1 inch of new snow on ground. Looks like it will be another bad day.

0830 - Conditions same. Snowing hard. Visability about ½ mile all directions. Slight wind from S.E.

0930 - Still snowing, but is clearing. Some blue sky overhead. Slight wind from south.

1030 - View #1 not visable. Views 2-34 barely visable. Wind strong from south. Very cold. No haze in clearing areas.

1130 - Views 1 & 2-4 not visable. View 3 is visable. Cloudy all directions. Strong wind from south. Cold.

1300 - Views 1 & 2 not visable. Snowing to the west & N.W. Views 3 & 4 visable with clouds overhead. Wind is strong from south with some drifting now to 2'.

1400 - All sights visable with background & HR of clouds. Still very windy and cold.

1500 - All sights visable. CL on HR. No haze but clouds all around. Windy and cold.

1520 - Departed site.

SITE LOG SHEETS

11/28/78

MST

0800 - Snowing lightly. Completely overcast. About 6" new snow on ground. Cold wind from south.

0830 - Snowing harder. Visability about ½ mile. Completely overcast. About a foot of snow on ground.

0930 - Conditions same. Snowing. Wind from south. Looks like another bad day. "4th day in a row."

1030 - Snowing very light. No sights yet visable. Wind strong from south. Cloud cover not so heavy now.

1130 - No sights yet visable. Strong wind from south and very cold.

1300 - No sights visable. Snowing lightly again. Wind strong. Extremely cold.

Because of poor visibility - blowing and drifting snow - decided to leave now rather than take a chance on getting caught in worse weather.

1345 - Departed site.

APPENDIX 3-2

RBOSC VEGETATION DATA

APPENDIX 3-2.1

RANGE PRODUCTION DATA

APPENDIX 3-2.1. CORRECTED DRY WEIGHT OF STANDING BIOMASS FOR THE RBOSC RANGE STUDIES DURING SEPTEMBER, 1978.

OBS	CLIENT	DTYPE	VEG_TYPE	TRANSECT	DATE	PLOT	PTYPE	SPECIES	DRY_WT
1	GS	26	MB	1	90078	1	*	AGR_SPP	24.0
2	GS	26	MB	1	90078	1	*	ERI_UMB	27.0
3	GS	26	MB	1	90078	1	*	HED_BOR	102.0
4	GS	26	MB	1	90078	1	*	HET_VIL	7.0
5	GS	26	MB	1	90078	1	*	MAH_REP	50.0
6	GS	26	MB	1	90078	1	*	ORY_HYM	193.0
7	GS	26	MB	1	90078	2		AGR_SPP	13.4
8	GS	26	MB	1	90078	2		AGR_SPP	13.4
9	GS	26	MB	1	90078	2		ORY_HYM	40.2
10	GS	26	MB	1	90078	2		POA_SPP	26.8
11	GS	26	MB	1	90078	3	*	AGR_SPP	29.0
12	GS	26	MB	1	90078	3	*	CRY_SER	3.8
13	GS	26	MB	1	90078	3	*	HET_VIL	30.0
14	GS	26	MB	1	90078	3	*	KOE_GRA	12.0
15	GS	26	MB	1	90078	3	*	LIN_LEW	53.0
16	GS	26	MB	1	90078	3	*	ORY_HYM	62.0
17	GS	26	MB	1	90078	3	*	ORY_HYM	49.0
18	GS	26	MB	1	90078	3	*	UNK_SPP	58.0
19	GS	26	MB	1	90078	4		AGR_SPP	13.4
20	GS	26	MB	1	90078	4		AST_CON	22.9
21	GS	26	MB	1	90078	4		CRY_SER	15.4
22	GS	26	MB	1	90078	4		KOE_GRA	26.8
23	GS	26	MB	1	90078	4		SEN_SPP	22.9
24	GS	26	MB	1	90078	4		UNK_FOR	7.6
25	GS	26	MB	1	90078	5		AGR_SPP	26.8
26	GS	26	MB	1	90078	5		BRO_TEC	6.7
27	GS	26	MB	1	90078	5		ERI_UMB	3.8
28	GS	26	MB	1	90078	5		PHL_LON	7.6
29	GS	26	MB	1	90078	5		POA_SPP	27.1
30	GS	26	MB	1	90078	6		AGR_SPP	6.7
31	GS	26	MB	1	90078	6		COM_UMB	7.6
32	GS	26	MB	1	90078	6		CRY_SER	3.8
33	GS	26	MB	1	90078	6		HAP_NUT	7.6
34	GS	26	MB	1	90078	6		LIN_LEW	3.8
35	GS	26	MB	1	90078	6		ORY_HYM	26.8
36	GS	26	MB	1	90078	7	*	AGR_SPP	47.0
37	GS	26	MB	1	90078	7	*	AGR_SPP	6.7
38	GS	26	MB	1	90078	7	*	AST_CHA	3.8
39	GS	26	MB	1	90078	7	*	COM_UMB	50.0
40	GS	26	MB	1	90078	7	*	ERI_UMB	30.0
41	GS	26	MB	1	90078	7	*	KOE_GRA	37.0
42	GS	26	MB	1	90078	7	*	ORY_HYM	6.0
43	GS	26	MB	1	90078	7	*	PHL_LON	3.8
44	GS	26	MB	1	90078	7	*	UNK_FOR	17.0
45	GS	26	MB	1	90078	8	*	AGR_SPP	83.0
46	GS	26	MB	1	90078	8	*	COM_UMB	4.0
47	GS	26	MB	1	90078	8	*	ERI_UMB	9.0
48	GS	26	MB	1	90078	8	*	EUR_LAN	19.0
49	GS	26	MB	1	90078	8	*	KOE_GRA	43.0
50	GS	26	MB	1	90078	8	*	ORY_HYM	25.0
51	GS	26	MB	1	90078	8	*	UNK_FOR	10.0
52	GS	26	MB	1	90078	9		AGR_SPP	26.8
53	GS	26	MB	1	90078	9		ERI_UMB	7.6
54	GS	26	MB	1	90078	9		ORY_HYM	13.4

APPENDIX 3-2.1. CORRECTED DRY WEIGHT OF STANDING BIOMASS FOR THE RBOSC RANGE STUDIES DURING SEPTEMBER, 1978.

OBS	CLIENT	DTYPE	VEG_TYPE	TRANSECT	DATE	PLOT	PTYPE	SPECIES	DRY_WT
55	GS	26	MB	1	90078	9		PHL_LON	3.8
56	GS	26	MB	1	90078	9		POA_SPP	40.2
57	GS	26	MB	1	90078	10	*	AGR_SPP	47.0
58	GS	26	MB	1	90078	10	*	AGR_SPP	6.7
59	GS	26	MB	1	90078	10	*	COM_UMB	19.0
60	GS	26	MB	1	90078	10	*	HET_VIL	19.0
61	GS	26	MB	1	90078	10	*	KOE_GRA	77.0
62	GS	26	MB	1	90078	10	*	LIN_LEW	8.0
63	GS	26	MB	1	90078	10	*	ORY_HYM	40.0
64	GS	26	MB	1	90078	10	*	PHL_LON	3.8
65	GS	26	MB	1	90078	10	*	SEN_SPP	5.0
66	GS	26	MB	1	90078	10	*	UNK_FOR	24.0
67	GS	26	MB	2	90078	1	*	AGR_SPP	38.0
68	GS	26	MB	2	90078	1	*	ERI_UMB	51.0
69	GS	26	MB	2	90078	1	*	HED_BOR	30.0
70	GS	26	MB	2	90078	1	*	HET_VIL	7.0
71	GS	26	MB	2	90078	1	*	ORY_HYM	27.0
72	GS	26	MB	2	90078	1	*	PHL_LON	6.0
73	GS	26	MB	2	90078	1	*	SEN_SPP	8.0
74	GS	26	MB	2	90078	2	*	AGR_SPP	147.0
75	GS	26	MB	2	90078	2	*	CRY_SER	5.1
76	GS	26	MB	2	90078	2	*	ORY_HYM	27.0
77	GS	26	MB	2	90078	2	*	PHL_LON	14.0
78	GS	26	MB	2	90078	2	*	SEN_SPP	25.0
79	GS	26	MB	2	90078	3		AGR_SPP	70.7
80	GS	26	MB	2	90078	3		COM_UMB	17.5
81	GS	26	MB	2	90078	3		ERI_UMB	20.4
82	GS	26	MB	2	90078	3		HED_BOR	81.8
83	GS	26	MB	2	90078	3		HET_VIL	5.0
84	GS	26	MB	2	90078	3		KOE_GRA	70.7
85	GS	26	MB	2	90078	3		LIN_LEW	10.2
86	GS	26	MB	2	90078	3		ORY_HYM	23.6
87	GS	26	MB	2	90078	3		PHL_LON	10.0
88	GS	26	MB	2	90078	4	*	AGR_SPP	26.0
89	GS	26	MB	2	90078	4	*	AGR_SPP	30.4
90	GS	26	MB	2	90078	4	*	COM_UMB	4.0
91	GS	26	MB	2	90078	4	*	ERI_UMB	30.0
92	GS	26	MB	2	90078	4	*	HET_VIL	50.4
93	GS	26	MB	2	90078	4	*	KOE_GRA	94.0
94	GS	26	MB	2	90078	4	*	ORY_HYM	5.3
95	GS	26	MB	2	90078	4	*	PHL_LON	50.4
96	GS	26	MB	2	90078	4	*	POA_SPP	12.2
97	GS	26	MB	2	90078	4	*	UNK_FOR	40.0
98	GS	26	MB	2	90078	5		AGR_SPP	12.2
99	GS	26	MB	2	90078	5		AGR_SPP	23.6
100	GS	26	MB	2	90078	5		AST_CHA	5.0
101	GS	26	MB	2	90078	5		AST_CON	10.1
102	GS	26	MB	2	90078	5		COM_UMB	30.2
103	GS	26	MB	2	90078	5		HED_BOR	60.5
104	GS	26	MB	2	90078	5		HET_VIL	2.2
105	GS	26	MB	2	90078	5		KOE_GRA	70.7
106	GS	26	MB	2	90078	5		MAH_REP	18.0
107	GS	26	MB	2	90078	5		PHL_LON	10.1
108	GS	26	MB	2	90078	5		POA_SPP	23.6

APPENDIX 3-2.1. CORRECTED DRY WEIGHT OF STANDING BIOMASS FOR THE RBOSC RANGE STUDIES DURING SEPTEMBER, 1978.

OBS	CLIENT	DTYPE	VEG_TYPE	TRANSECT	DATE	PLOT	PTYPE	SPECIES	DRY_WT
109	GS	26	MB	2	90078	6		AGR_SPP	23.6
110	GS	26	MB	2	90078	6		AST_SPP	70.7
111	GS	26	MB	2	90078	6		COM_UMB	10.1
112	GS	26	MB	2	90078	6		KOE_GRA	12.2
113	GS	26	MB	2	90078	7	*	AGR_SPP	30.0
114	GS	26	MB	2	90078	7	*	COM_UMB	6.0
115	GS	26	MB	2	90078	7	*	HED_BOR	152.0
116	GS	26	MB	2	90078	7	*	HYM_ACA	26.0
117	GS	26	MB	2	90078	7	*	ORY_HYM	18.0
118	GS	26	MB	2	90078	7	*	PHL_LON	5.0
119	GS	26	MB	2	90078	7	*	SEN_SPP	18.0
120	GS	26	MB	2	90078	8		AGR_SPP	23.6
121	GS	26	MB	2	90078	8		BRO_TEC	12.2
122	GS	26	MB	2	90078	8		COM_UMB	20.2
123	GS	26	MB	2	90078	8		LIN_LEW	30.2
124	GS	26	MB	2	90078	8		MAH_REP	40.3
125	GS	26	MB	2	90078	8		ORY_HYM	47.1
126	GS	26	MB	2	90078	8		PHL_LON	10.1
127	GS	26	MB	2	90078	8		POA_SPP	23.6
128	GS	26	MB	2	90078	9		AGR_SPP	23.6
129	GS	26	MB	2	90078	9		AGR_SPP	12.2
130	GS	26	MB	2	90078	9		COM_UMB	20.2
131	GS	26	MB	2	90078	9		LIN_LEW	10.1
132	GS	26	MB	2	90078	9		POA_SPP	12.2
133	GS	26	MB	2	90078	10	*	AGR_SPP	36.0
134	GS	26	MB	2	90078	10	*	COM_UMB	14.4
135	GS	26	MB	2	90078	10	*	HET_VIL	7.0
136	GS	26	MB	2	90078	10	*	HYM_ACA	18.0
137	GS	26	MB	2	90078	10	*	MAH_REP	6.0
138	GS	26	MB	2	90078	10	*	SEN_SPP	22.0
139	GS	26	MB	3	90078	1	*	AGR_SPP	14.0
140	GS	26	MB	3	90078	1	*	BAL_SAG	39.0
141	GS	26	MB	3	90078	1	*	COM_UMB	22.0
142	GS	26	MB	3	90078	1	*	HET_VIL	16.0
143	GS	26	MB	3	90078	1	*	KOE_GRA	22.0
144	GS	26	MB	3	90078	1	*	LUP_SP	32.0
145	GS	26	MB	3	90078	1	*	PEN_SP	13.0
146	GS	26	MB	3	90078	1	*	PHL_LON	6.0
147	GS	26	MB	3	90078	1	*	POA_SPP	5.3
148	GS	26	MB	3	90078	1	*	STI_SP	18.0
149	GS	26	MB	3	90078	1	*	UNK_FOR	8.0
150	GS	26	MB	3	90078	2	*	HED_BOR	605.0
151	GS	26	MB	3	90078	2	*	POA_SPP	96.0
152	GS	26	MB	3	90078	3		AGR_SPP	21.0
153	GS	26	MB	3	90078	3		COM_UMB	10.8
154	GS	26	MB	3	90078	3		ERI_UMB	10.8
155	GS	26	MB	3	90078	3		HET_VIL	10.8
156	GS	26	MB	3	90078	3		KOE_GRA	10.5
157	GS	26	MB	3	90078	4		AGR_SPP	10.6
158	GS	26	MB	3	90078	4		COM_UMB	5.4
159	GS	26	MB	3	90078	4		ERI_UMB	32.0
160	GS	26	MB	3	90078	4		KOE_GRA	10.6
161	GS	26	MB	3	90078	5		AGR_SPP	38.0
162	GS	26	MB	3	90078	5		AST_CON	7.0

APPENDIX 3-2.1. CORRECTED DRY WEIGHT OF STANDING BIOMASS FOR THE RBOSC RANGE STUDIES DURING SEPTEMBER, 1978.

OBS	CLIENT	DTYPE	VEG_TYPE	TRANSECT	DATE	PLOT	PTYPE	SPECIES	DRY_WT
163	GS	26	MB	3	90078	5	*	COM_UMB	23.0
164	GS	26	MB	3	90078	5	*	HET_VIL	31.0
165	GS	26	MB	3	90078	5	*	KOE_GRA	52.0
166	GS	26	MB	3	90078	5	*	LUP_SP	20.0
167	GS	26	MB	3	90078	5	*	ORY_HYM	4.0
168	GS	26	MB	3	90078	5	*	PEN_SP	49.0
169	GS	26	MB	3	90078	5	*	POA_SPP	24.0
170	GS	26	MB	3	90078	6		AGR_SPP	31.3
171	GS	26	MB	3	90078	6		AGR_SPP	21.3
172	GS	26	MB	3	90078	6		COM_UMB	75.5
173	GS	26	MB	3	90078	6		HET_VIL	10.9
174	GS	26	MB	3	90078	6		LUP_SP	162.5
175	GS	26	MB	3	90078	6		POA_SPP	83.8
176	GS	26	MB	3	90078	6		SEN_MUL	10.9
177	GS	26	MB	3	90078	7	*	AGR_SPP	18.0
178	GS	26	MB	3	90078	7	*	COM_UMB	64.0
179	GS	26	MB	3	90078	7	*	KOE_GRA	97.0
180	GS	26	MB	3	90078	7	*	POA_SPP	5.0
181	GS	26	MB	3	90078	7	*	UNK_FOR	5.4
182	GS	26	MB	3	90078	8		BRO_TEC	21.0
183	GS	26	MB	3	90078	8		COM_UMB	64.6
184	GS	26	MB	3	90078	8		ERI_UMB	64.6
185	GS	26	MB	3	90078	8		KOE_GRA	11.0
186	GS	26	MB	3	90078	8		ORY_HYM	21.0
187	GS	26	MB	3	90078	8		PHL_LON	10.9
188	GS	26	MB	3	90078	9		COM_UMB	64.6
189	GS	26	MB	3	90078	9		KOE_GRA	31.0
190	GS	26	MB	3	90078	9		LIN_LEW	64.6
191	GS	26	MB	3	90078	9		POA_SPP	10.7
192	GS	26	MB	3	90078	10	*	AGR_SPP	12.0
193	GS	26	MB	3	90078	10	*	AST_CON	6.0
194	GS	26	MB	3	90078	10	*	COM_UMB	50.0
195	GS	26	MB	3	90078	10	*	LUP_SP	134.0
196	GS	26	MB	3	90078	10	*	POA_SPP	20.0
197	GS	26	MB	4	90078	1		AGR_SPP	14.8
198	GS	26	MB	4	90078	1		HET_VIL	5.6
199	GS	26	MB	4	90078	1		LUP_SP	54.1
200	GS	26	MB	4	90078	1		POA_SPP	21.8
201	GS	26	MB	4	90078	2		AGR_SPP	14.8
202	GS	26	MB	4	90078	2		BAL_SAG	7.9
203	GS	26	MB	4	90078	2		ERI_UMB	16.3
204	GS	26	MB	4	90078	2		HET_VIL	2.8
205	GS	26	MB	4	90078	2		ORY_HYM	14.8
206	GS	26	MB	4	90078	2		POA_SPP	21.8
207	GS	26	MB	4	90078	2		SEN_MUL	16.3
208	GS	26	MB	4	90078	2		SEN_SPP	5.6
209	GS	26	MB	4	90078	2		UNK_FOR	10.7
210	GS	26	MB	4	90078	3	*	AGR_SPP	19.0
211	GS	26	MB	4	90078	3	*	COM_UMB	14.0
212	GS	26	MB	4	90078	3	*	ERI_UMB	23.0
213	GS	26	MB	4	90078	3	*	KOE_GRA	17.0
214	GS	26	MB	4	90078	3	*	LUP_SP	82.0
215	GS	26	MB	4	90078	3	*	PEN_SP	8.0
216	GS	26	MB	4	90078	3	*	POA_SPP	32.0

APPENDIX 3-2.1. CORRECTED DRY WEIGHT OF STANDING BIOMASS FOR THE RBOSC RANGE STUDIES DURING SEPTEMBER, 1978.

OBS	CLIENT	DTYPE	VEG_TYPE	TRANSECT	DATE	PLOT	PTYPE	SPECIES	DRY_WT
217	GS	26	MB	4	90078	3	*	SPH_COC	2.8
218	GS	26	MB	4	90078	3	*	THE_ELE	4.0
219	GS	26	MB	4	90078	3	*	UNK_FOR	28.0
220	GS	26	MB	4	90078	4		AGR_SPP	14.7
221	GS	26	MB	4	90078	4		AST_CHA	2.8
222	GS	26	MB	4	90078	4		AST_CON	2.8
223	GS	26	MB	4	90078	4		ERI_SPP	27.4
224	GS	26	MB	4	90078	4		HAP_NUT	10.7
225	GS	26	MB	4	90078	4		HED_BOR	27.0
226	GS	26	MB	4	90078	4		HYM_ACA	2.8
227	GS	26	MB	4	90078	5		AGR_SPP	14.7
228	GS	26	MB	4	90078	5		HAP_NUT	5.6
229	GS	26	MB	4	90078	5		HET_VIL	5.6
230	GS	26	MB	4	90078	5		KOE_GRA	14.7
231	GS	26	MB	4	90078	5		LUP_SP	37.3
232	GS	26	MB	4	90078	6	*	AGR_SPP	40.0
233	GS	26	MB	4	90078	6	*	AST_CON	5.0
234	GS	26	MB	4	90078	6	*	HET_VIL	14.0
235	GS	26	MB	4	90078	6	*	HYM_ACA	5.0
236	GS	26	MB	4	90078	6	*	KOE_GRA	49.0
237	GS	26	MB	4	90078	6	*	SEN_SPP	15.0
238	GS	26	MB	4	90078	7	*	AGR_SPP	43.0
239	GS	26	MB	4	90078	7	*	AST_CHA	1.0
240	GS	26	MB	4	90078	7	*	ORY_HYM	11.0
241	GS	26	MB	4	90078	7	*	PHL_LON	3.8
242	GS	26	MB	4	90078	7	*	POA_SPP	9.0
243	GS	26	MB	4	90078	7	*	SPH_COC	2.8
244	GS	26	MB	4	90078	7	*	UNK_FOR	6.0
245	GS	26	MB	4	90078	8		AGR_SPP	57.8
246	GS	26	MB	4	90078	8		AST_CHA	5.6
247	GS	26	MB	4	90078	8		ERI_SPP	16.3
248	GS	26	MB	4	90078	8		HYM_ACA	21.4
249	GS	26	MB	4	90078	8		ORY_HYM	7.3
250	GS	26	MB	4	90078	8		POA_SPP	3.5
251	GS	26	MB	4	90078	9	*	AGR_SPP	16.0
252	GS	26	MB	4	90078	9	*	ERI_SPP	30.0
253	GS	26	MB	4	90078	9	*	HAP_NUT	3.0
254	GS	26	MB	4	90078	9	*	HYM_ACA	61.0
255	GS	26	MB	4	90078	9	*	ORY_HYM	2.0
256	GS	26	MB	4	90078	9	*	UNK_FOR	20.0
257	GS	26	MB	4	90078	10	*	ORY_HYM	10.0
258	GS	26	PJ	5	90078	1	*	AGR_SPP	15.0
259	GS	26	PJ	5	90078	1	*	KOE_GRA	5.0
260	GS	26	PJ	5	90078	1	*	SIT_HYS	5.0
261	GS	26	PJ	5	90078	2	*	AST_CON	5.0
262	GS	26	PJ	5	90078	2	*	POA_SPP	18.0
263	GS	26	PJ	5	90078	2	*	UNK_FOR	10.0
264	GS	26	PJ	5	90078	3	*	AGR_SPP	5.0
265	GS	26	PJ	5	90078	4		AGR_SPP	9.0
266	GS	26	PJ	5	90078	5		CRY_SER	5.0
267	GS	26	PJ	5	90078	5		ERI_UMB	5.0
268	GS	26	PJ	5	90078	5		POA_SPP	5.0
269	GS	26	PJ	5	90078	6		CRY_SER	5.0
270	GS	26	PJ	5	90078	6		POA_SPP	5.0

APPENDIX 3-2.1. CORRECTED DRY WEIGHT OF STANDING BIOMASS FOR THE RBOSC RANGE STUDIES DURING SEPTEMBER, 1978.

OBS	CLIENT	DTYPE	VEG_TYPE	TRANSECT	DATE	PLOT	PTYPE	SPECIES	DRY_WT
271	GS	26	PJ	5	90078	7	*	POA_SPP	5.0
272	GS	26	PJ	5	90078	8		AGR_SPP	16.0
273	GS	26	PJ	5	90078	8		HAP_NUT	3.0
274	GS	26	PJ	5	90078	8		POA_SPP	5.0
275	GS	26	PJ	5	90078	9		BAL_SAG	20.0
276	GS	26	PJ	5	90078	9		STI_SP	5.0
277	GS	26	PJ	5	90078	9		UNK_GRA	36.0
278	GS	26	PJ	5	90078	10	*	AGR_SPP	38.0
279	GS	26	PJ	6	90078	1	*	ARA_SPP	5.0
280	GS	26	PJ	6	90078	1	*	ERI_SPP	13.0
281	GS	26	PJ	6	90078	1	*	HAP_NUT	91.0
282	GS	26	PJ	6	90078	2		AGR_SPP	3.4
283	GS	26	PJ	6	90078	2		HAP_NUT	12.2
284	GS	26	PJ	6	90078	3	*	BRO_TEC	3.4
285	GS	26	PJ	6	90078	3	*	SIT_HYS	123.0
286	GS	26	PJ	6	90078	4	*	AGR_SPP	5.0
287	GS	26	PJ	6	90078	4	*	CRY_SER	3.0
288	GS	26	PJ	6	90078	4	*	SIT_HYS	8.0
289	GS	26	PJ	6	90078	5	*	NOPLANT	.
290	GS	26	PJ	6	90078	6		ERI_SPP	57.6
291	GS	26	PJ	6	90078	6		HAP_NUT	18.7
292	GS	26	PJ	6	90078	7		ERI_SPP	68.4
293	GS	26	PJ	6	90078	7		HAP_NUT	49.7
294	GS	26	PJ	6	90078	7		MAH_REP	12.2
295	GS	26	PJ	6	90078	8		ERI_SPP	6.5
296	GS	26	PJ	6	90078	8		MAH_REP	2.9
297	GS	26	PJ	6	90078	9		HAP_NUT	2.9
298	GS	26	PJ	6	90078	9		MAH_REP	2.9
299	GS	26	PJ	6	90078	10	*	ERI_SPP	47.0
300	GS	26	PJ	6	90078	10	*	HAP_NUT	34.0
301	GS	26	PJ	7	90078	1	*	BRO_TEC	30.0
302	GS	26	PJ	7	90078	1	*	CHE_ALB	3.0
303	GS	26	PJ	7	90078	1	*	SIT_HYS	28.0
304	GS	26	PJ	7	90078	1	*	THE_ELE	3.0
305	GS	26	PJ	7	90078	2	*	AGR_SPP	30.0
306	GS	26	PJ	7	90078	2	*	ARA_SPP	3.6
307	GS	26	PJ	7	90078	2	*	ORY_HYM	47.0
308	GS	26	PJ	7	90078	2	*	POA_SPP	4.3
309	GS	26	PJ	7	90078	3		BRO_TEC	25.9
310	GS	26	PJ	7	90078	4	*	AGR_SPP	14.0
311	GS	26	PJ	7	90078	4	*	ORY_HYM	3.6
312	GS	26	PJ	7	90078	4	*	POA_SPP	5.0
313	GS	26	PJ	7	90078	4	*	THE_ELE	3.0
314	GS	26	PJ	7	90078	5	*	AGR_SPP	3.6
315	GS	26	PJ	7	90078	6		AGR_SPP	9.4
316	GS	26	PJ	7	90078	7		AGR_SPP	4.7
317	GS	26	PJ	7	90078	8		AGR_SPP	9.4
318	GS	26	PJ	7	90078	8		ORY_HYM	4.7
319	GS	26	PJ	7	90078	9		AGR_SPP	9.4
320	GS	26	PJ	7	90078	9		ORY_HYM	18.7
321	GS	26	PJ	7	90078	10	*	AST_CON	3.0
322	GS	26	PJ	7	90078	10	*	CHE_ALB	5.0
323	GS	26	SB	8	90078	1	*	HET_VIL	14.0
324	GS	26	SB	8	90078	1	*	KOE_GRA	31.0

APPENDIX 3-2.1. CORRECTED DRY WEIGHT OF STANDING BIOMASS FOR THE RBOSC RANGE STUDIES DURING SEPTEMBER, 1978.

OBS	CLIENT	DTYPE	VEG_TYPE	TRANSECT	DATE	PLOT	PTYPE	SPECIES	DRY_WT
325	GS	26	SB	8	90078	1	*	PHL_LON	3.5
326	GS	26	SB	8	90078	1	*	POA_SPP	45.0
327	GS	26	SB	8	90078	1	*	SPH_COC	9.0
328	GS	26	SB	8	90078	2		KOE_GRA	3.2
329	GS	26	SB	8	90078	2		POA_SPP	27.6
330	GS	26	SB	8	90078	3		HET_VIL	3.5
331	GS	26	SB	8	90078	3		KOE_GRA	9.2
332	GS	26	SB	8	90078	3		POA_SPP	18.4
333	GS	26	SB	8	90078	4	*	HET_VIL	11.0
334	GS	26	SB	8	90078	4	*	KOE_GRA	34.0
335	GS	26	SB	8	90078	4	*	POA_SPP	70.0
336	GS	26	SB	8	90078	4	*	SEN_SPP	32.0
337	GS	26	SB	8	90078	5		KOE_GRA	36.6
338	GS	26	SB	8	90078	5		POA_SPP	27.6
339	GS	26	SB	8	90078	5		SEN_SPP	28.0
340	GS	26	SB	8	90078	6	*	ANT_SPP	28.0
341	GS	26	SB	8	90078	6	*	HET_VIL	3.5
342	GS	26	SB	8	90078	6	*	KOE_GRA	3.2
343	GS	26	SB	8	90078	6	*	POA_SPP	40.0
344	GS	26	SB	8	90078	6	*	SEN_SPP	89.0
345	GS	26	SB	8	90078	7		ANT_SPP	7.0
346	GS	26	SB	8	90078	7		ERI_UMB	21.0
347	GS	26	SB	8	90078	7		KOE_GRA	18.4
348	GS	26	SB	8	90078	7		POA_SPP	46.0
349	GS	26	SB	8	90078	7		SEN_SPP	7.0
350	GS	26	SB	8	90078	7		SPH_COC	35.0
351	GS	26	SB	8	90078	7		STI_SP	18.4
352	GS	26	SB	8	90078	8		ANT_SPP	35.0
353	GS	26	SB	8	90078	8		KOE_GRA	18.4
354	GS	26	SB	8	90078	8		PHL_LON	3.5
355	GS	26	SB	8	90078	8		POA_SPP	18.4
356	GS	26	SB	8	90078	8		SPH_COC	7.0
357	GS	26	SB	8	90078	9	*	HET_VIL	12.0
358	GS	26	SB	8	90078	9	*	KOE_GRA	34.0
359	GS	26	SB	8	90078	9	*	POA_SPP	54.0
360	GS	26	SB	8	90078	9	*	SPH_COC	8.0
361	GS	26	SB	8	90078	10	*	HET_VIL	15.0
362	GS	26	SB	8	90078	10	*	KOE_GRA	27.0
363	GS	26	SB	8	90078	10	*	POA_SPP	12.0
364	GS	26	SB	8	90078	10	*	SEN_SPP	14.0
365	GS	26	SB	10	90078	1	*	CRY_SER	68.0
366	GS	26	SB	10	90078	1	*	THE_ELE	4.5
367	GS	26	SB	10	90078	1	*	UNK_FOR	4.5
368	GS	26	SB	10	90078	2	*	ARG_DAS	13.6
369	GS	26	SB	10	90078	2	*	CRY_SER	7.0
370	GS	26	SB	10	90078	2	*	POA_SPP	6.2
371	GS	26	SB	10	90078	2	*	THE_ELE	5.0
372	GS	26	SB	10	90078	3		BRO_TEC	12.4
373	GS	26	SB	10	90078	3		CRY_SER	9.0
374	GS	26	SB	10	90078	3		POA_SPP	12.4
375	GS	26	SB	10	90078	4		ARG_DAS	12.4
376	GS	26	SB	10	90078	4		PHL_LON	4.5
377	GS	26	SB	10	90078	4		POA_SPP	12.4
378	GS	26	SB	10	90078	4		SPH_COC	4.5

APPENDIX 3-2.1. CORRECTED DRY WEIGHT OF STANDING BIOMASS FOR THE RBOSC RANGE STUDIES DURING SEPTEMBER, 1978.

OBS	CLIENT	DTYPE	VEG_TYPE	TRANSECT	DATE	PLOT	PTYPE	SPECIES	DRY_WT
379	GS	26	SB	10	90078	5		ARG_DAS	6.2
380	GS	26	SB	10	90078	6		ARG_DAS	6.2
381	GS	26	SB	10	90078	6		POA_SPP	24.8
382	GS	26	SB	10	90078	6		THE_ELE	4.5
383	GS	26	SB	10	90078	7	*	ARG_DAS	18.0
384	GS	26	SB	10	90078	7	*	CRY_SER	17.0
385	GS	26	SB	10	90078	7	*	ORY_HYM	21.0
386	GS	26	SB	10	90078	7	*	POA_SPP	4.2
387	GS	26	SB	10	90078	8	*	ARG_DAS	33.0
388	GS	26	SB	10	90078	8	*	CRY_SER	4.5
389	GS	26	SB	10	90078	8	*	KOE_GRA	39.0
390	GS	26	SB	10	90078	9		ARG_DAS	6.2
391	GS	26	SB	10	90078	9		SPH_COC	4.5
392	GS	26	SB	10	90078	10	*	ARG_DAS	64.0
393	GS	26	SB	10	90078	10	*	KOE_GRA	6.2
394	GS	26	SB	10	90078	10	*	ORY_HYM	7.0
395	GS	26	PJ	11	90078	1	*	ORY_HYM	17.0
396	GS	26	PJ	11	90078	2		AGR_SPP	7.0
397	GS	26	PJ	11	90078	2		SIT_HYS	4.0
398	GS	26	PJ	11	90078	3		NOPLANT	.
399	GS	26	PJ	11	90078	4	*	ORY_HYM	22.0
400	GS	26	PJ	11	90078	5		AGR_SPP	7.0
401	GS	26	PJ	11	90078	6	*	AGR_SPP	12.0
402	GS	26	PJ	11	90078	6	*	HAP_NUT	10.0
403	GS	26	PJ	11	90078	6	*	ORY_HYM	18.0
404	GS	26	PJ	11	90078	7		AGR_SPP	4.0
405	GS	26	PJ	11	90078	8		NOPLANT	.
406	GS	26	PJ	11	90078	9	*	NOPLANT	.
407	GS	26	PJ	11	90078	10	*	AGR_SPP	26.0
408	GS	26	PJ	11	90078	10	*	CHE_ALB	8.0
409	GS	26	PJ	11	90078	10	*	THE_ELE	21.0
410	GS	26	PJ	12	90078	1	*	ORY_HYM	83.0
411	GS	26	PJ	12	90078	2		POA_SPP	19.1
412	GS	26	PJ	12	90078	2		SIT_HYS	6.7
413	GS	26	PJ	12	90078	3		POA_SPP	13.4
414	GS	26	PJ	12	90078	4	*	AGR_SPP	11.0
415	GS	26	PJ	12	90078	4	*	CHE_ALB	37.0
416	GS	26	PJ	12	90078	4	*	CRY_SER	8.0
417	GS	26	PJ	12	90078	4	*	ORY_HYM	28.0
418	GS	26	PJ	12	90078	5		POA_SPP	13.4
419	GS	26	PJ	12	90078	6	*	AGR_SPP	20.0
420	GS	26	PJ	12	90078	6	*	CHE_ALB	7.0
421	GS	26	PJ	12	90078	6	*	CRY_SER	7.0
422	GS	26	PJ	12	90078	6	*	ORY_HYM	3.0
423	GS	26	PJ	12	90078	6	*	STI_SP	10.0
424	GS	26	PJ	12	90078	7	*	CRY_SER	3.0
425	GS	26	PJ	12	90078	7	*	POA_SPP	12.0
426	GS	26	PJ	12	90078	8		POA_SPP	6.7
427	GS	26	PJ	12	90078	9		POA_SPP	19.1
428	GS	26	PJ	12	90078	10	*	CRY_SER	8.0
429	GS	26	PJ	12	90078	10	*	HAP_NUT	9.0
430	GS	26	PJ	12	90078	10	*	HET_VIL	6.0
431	GS	26	PJ	12	90078	10	*	POA_SPP	15.0
432	GS	26	SB	14	90078	1	*	ARG_DAS	59.0

APPENDIX 3-2.1. CORRECTED DRY WEIGHT OF STANDING BIOMASS FOR THE RBOSC RANGE STUDIES DURING SEPTEMBER, 1978.

OBS	CLIENT	DTYPE	VEG_TYPE	TRANSECT	DATE	PLOT	PTYPE	SPECIES	DRY_WT
433	GS	26	SB	14	90078	1	*	BRO_TEC	127.0
434	GS	26	SB	14	90078	2		ARG_DAS	4.2
435	GS	26	SB	14	90078	2		BRO_TEC	22.4
436	GS	26	SB	14	90078	2		SIT_HYS	14.9
437	GS	26	SB	14	90078	3	*	ARG_DAS	11.0
438	GS	26	SB	14	90078	3	*	BRO_TEC	15.0
439	GS	26	SB	14	90078	3	*	SIT_HYS	40.0
440	GS	26	SB	14	90078	4		BRO_TEC	22.4
441	GS	26	SB	14	90078	4		SIT_HYS	29.9
442	GS	26	SB	14	90078	5		BRO_TEC	7.5
443	GS	26	SB	14	90078	5		SIT_HYS	22.4
444	GS	26	SB	14	90078	6	*	BRO_TEC	9.0
445	GS	26	SB	14	90078	6	*	SIT_HYS	23.2
446	GS	26	SB	14	90078	7		BRO_TEC	7.5
447	GS	26	SB	14	90078	7		SIT_HYS	37.4
448	GS	26	SB	14	90078	8	*	BRO_TEC	9.0
449	GS	26	SB	14	90078	8	*	SIT_HYS	31.0
450	GS	26	SB	14	90078	9		NOPLANT	.
451	GS	26	SB	14	90078	10	*	BRO_TEC	13.0
452	GS	26	SB	14	90078	10	*	ORY_HYM	17.0
453	GS	26	SB	14	90078	10	*	SIT_HYS	82.0
454	GS	26	SB	15	90078	1	*	ARG_DAS	10.0
455	GS	26	SB	15	90078	1	*	BRO_TEC	5.1
456	GS	26	SB	15	90078	1	*	LAP_OCC	27.0
457	GS	26	SB	15	90078	2		CHE_ALB	12.0
458	GS	26	SB	15	90078	2		CLE_SER	600.0
459	GS	26	SB	15	90078	2		UNK_GRA	81.2
460	GS	26	SB	15	90078	3		ARG_DAS	10.1
461	GS	26	SB	15	90078	3		BRO_TEC	81.2
462	GS	26	SB	15	90078	3		SIT_HYS	4.1
463	GS	26	SB	15	90078	4	*	ARG_DAS	282.0
464	GS	26	SB	15	90078	5		BRO_TEC	44.2
465	GS	26	SB	15	90078	6	*	BRO_TEC	34.0
466	GS	26	SB	15	90078	6	*	ORY_HYM	21.0
467	GS	26	SB	15	90078	6	*	SIT_HYS	10.0
468	GS	26	SB	15	90078	7		ARG_DAS	20.3
469	GS	26	SB	15	90078	7		SIT_HYS	10.1
470	GS	26	SB	15	90078	8		ARG_DAS	20.3
471	GS	26	SB	15	90078	8		BRO_TEC	5.1
472	GS	26	SB	15	90078	8		BRO_TEC	30.3
473	GS	26	SB	15	90078	8		ORY_HYM	10.1
474	GS	26	SB	15	90078	9	*	ORY_HYM	45.0
475	GS	26	SB	15	90078	9	*	SIT_HYS	19.0
476	GS	26	SB	15	90078	10	*	BRO_TEC	29.0
477	GS	26	SB	15	90078	10	*	SIT_HYS	5.0
478	GS	26	PJ	16	90078	1	*	AGR_SPP	12.0
479	GS	26	PJ	16	90078	1	*	KOE_GRA	2.8
480	GS	26	PJ	16	90078	1	*	MAC_CAN	2.5
481	GS	26	PJ	16	90078	1	*	POA_SPP	10.0
482	GS	26	PJ	16	90078	2	*	AGR_SPP	14.0
483	GS	26	PJ	16	90078	2	*	POA_SPP	6.0
484	GS	26	PJ	16	90078	3		CRY_SER	2.5
485	GS	26	PJ	16	90078	3		POA_SPP	5.7
486	GS	26	PJ	16	90078	4	*	AGR_SPP	11.0

APPENDIX 3-2.1. CORRECTED DRY WEIGHT OF STANDING BIOMASS FOR THE RBOSC RANGE STUDIES DURING SEPTEMBER, 1978.

OBS	CLIENT	DTYPE	VEG_TYPE	TRANSECT	DATE	PLOT	PTYPE	SPECIES	DRY_WT
487	GS	26	PJ	16	90078	4	*	UNK_FOR	15.0
488	GS	26	PJ	16	90078	5		AGR_SPP	5.7
489	GS	26	PJ	16	90078	5		CRY_SER	2.5
490	GS	26	PJ	16	90078	5		MAC_CAN	2.5
491	GS	26	PJ	16	90078	5		POA_SPP	5.7
492	GS	26	PJ	16	90078	6		AGR_SPP	2.8
493	GS	26	PJ	16	90078	6		SEN_SPP	2.5
494	GS	26	PJ	16	90078	7		NOPLANT	.
495	GS	26	PJ	16	90078	8		AST_CHA	2.5
496	GS	26	PJ	16	90078	8		CRY_SER	4.7
497	GS	26	PJ	16	90078	8		HET_VIL	2.5
498	GS	26	PJ	16	90078	8		KOE_GRA	5.7
499	GS	26	PJ	16	90078	8		POA_SPP	16.3
500	GS	26	PJ	16	90078	9	*	AGR_SPP	2.8
501	GS	26	PJ	16	90078	9	*	ARE_FEN	2.5
502	GS	26	PJ	16	90078	9	*	CRY_SER	2.5
503	GS	26	PJ	16	90078	9	*	HAP_NUT	1.0
504	GS	26	PJ	16	90078	9	*	POA_SPP	22.0
505	GS	26	PJ	16	90078	9	*	UNK_FOR	7.0
506	GS	26	PJ	16	90078	10	*	AGR_SPP	2.8
507	GS	26	PJ	16	90078	10	*	KOE_GRA	2.8
508	GS	26	PJ	16	90078	10	*	SEN_SPP	2.5
509	GS	26	PJ	17	90078	1	*	ARE_FEN	5.2
510	GS	26	PJ	17	90078	1	*	HAP_NUT	48.0
511	GS	26	PJ	17	90078	1	*	POA_SPP	12.0
512	GS	26	PJ	17	90078	2		POA_SPP	6.1
513	GS	26	PJ	17	90078	3		AGR_SPP	3.1
514	GS	26	PJ	17	90078	3		HAP_NUT	9.6
515	GS	26	PJ	17	90078	3		POA_SPP	3.1
516	GS	26	PJ	17	90078	4		POA_SPP	13.5
517	GS	26	PJ	17	90078	5		AGR_SPP	17.6
518	GS	26	PJ	17	90078	5		CRY_SER	5.2
519	GS	26	PJ	17	90078	5		HAP_NUT	9.6
520	GS	26	PJ	17	90078	5		HET_VIL	5.2
521	GS	26	PJ	17	90078	5		POA_SPP	12.3
522	GS	26	PJ	17	90078	5		UNK_FOR	5.2
523	GS	26	PJ	17	90078	6		CRY_SER	5.2
524	GS	26	PJ	17	90078	6	*	POA_SPP	9.0
525	GS	26	PJ	17	90078	6	*	THE_ELE	5.2
526	GS	26	PJ	17	90078	7		AGR_SPP	3.1
527	GS	26	PJ	17	90078	7		CHE_ALB	5.2
528	GS	26	PJ	17	90078	7		CRY_SER	5.2
529	GS	26	PJ	17	90078	7		THE_ELE	5.2
530	GS	26	PJ	17	90078	8	*	POA_SPP	11.0
531	GS	26	PJ	17	90078	9	*	CRY_SER	5.2
532	GS	26	PJ	17	90078	9	*	POA_SPP	3.1
533	GS	26	PJ	17	90078	10	*	CRY_SER	5.2
534	GS	26	PJ	17	90078	10	*	POA_SPP	10.0
535	GS	26	PJ	18	90078	1	*	ORY_HYM	8.0
536	GS	26	PJ	18	90078	1	*	THE_ELE	5.8
537	GS	26	PJ	18	90078	2	*	CRY_SER	11.0
538	GS	26	PJ	18	90078	2	*	ORY_HYM	4.7
539	GS	26	PJ	18	90078	2	*	THE_ELE	5.8
540	GS	26	PJ	18	90078	3	*	AGR_SPP	32.0

APPENDIX 3-2.1. CORRECTED DRY WEIGHT OF STANDING BIOMASS FOR THE RBOSC RANGE STUDIES DURING SEPTEMBER, 1978.

OBS	CLIENT	DTYPE	VEG_TYPE	TRANSECT	DATE	PLOT	PTYPE	SPECIES	DRY_WT
541	GS	26	PJ	18	90078	4		AGR_SPP	9.3
542	GS	26	PJ	18	90078	4		ARE_FEN	5.8
543	GS	26	PJ	18	90078	5		POA_SPP	9.3
544	GS	26	PJ	18	90078	6		AGR_SPP	4.7
545	GS	26	PJ	18	90078	6		POA_SPP	9.3
546	GS	26	PJ	18	90078	7	*	AGR_SPP	4.7
547	GS	26	PJ	18	90078	7	*	POA_SPP	7.0
548	GS	26	PJ	18	90078	8		POA_SPP	9.3
549	GS	26	PJ	18	90078	9		AGR_SPP	18.6
550	GS	26	PJ	18	90078	10	*	ARE_FEN	5.8
551	GS	26	PJ	18	90078	10	*	POA_SPP	12.0
552	GS	26	PJ	19	90078	1	*	AGR_SPP	17.0
553	GS	26	PJ	19	90078	1	*	ERI_ALA	7.0
554	GS	26	PJ	19	90078	1	*	POA_SPP	3.0
555	GS	26	PJ	19	90078	2		AGR_SPP	3.0
556	GS	26	PJ	19	90078	2		POA_SPP	3.0
557	GS	26	PJ	19	90078	3	*	CRY_SER	3.0
558	GS	26	PJ	19	90078	3	*	POA_SPP	3.0
559	GS	26	PJ	19	90078	4		AGR_SPP	3.0
560	GS	26	PJ	19	90078	4		POA_SPP	6.0
561	GS	26	PJ	19	90078	4		SPH_COC	3.0
562	GS	26	PJ	19	90078	5		POA_SPP	13.0
563	GS	26	PJ	19	90078	6	*	ORY_HYM	20.0
564	GS	26	PJ	19	90078	7	*	NOPLANT	.
565	GS	26	PJ	19	90078	8		AGR_SPP	3.0
566	GS	26	PJ	19	90078	8		ORY_HYM	3.0
567	GS	26	PJ	19	90078	9		UNK_GRA	13.0
568	GS	26	PJ	19	90078	10	*	ORY_HYM	10.0
569	GS	26	PJ	19	90078	10	*	POA_SPP	10.0
570	GS	26	PJ	19	90078	10	*	THE_ELE	3.0
571	GS	26	SB	20	90078	1	*	ARG_DAS	40.0
572	GS	26	SB	20	90078	1	*	CAR_SPP	6.1
573	GS	26	SB	20	90078	1	*	ORY_HYM	35.0
574	GS	26	SB	20	90078	1	*	POA_SPP	4.0
575	GS	26	SB	20	90078	1	*	SPH_COC	7.0
576	GS	26	SB	20	90078	2		ARG_DAS	8.1
577	GS	26	SB	20	90078	3		KOE_GRA	32.3
578	GS	26	SB	20	90078	3		POA_SPP	16.2
579	GS	26	SB	20	90078	4		ARG_DAS	4.0
580	GS	26	SB	20	90078	4		LUP_SP	65.5
581	GS	26	SB	20	90078	4		POA_SPP	24.2
582	GS	26	SB	20	90078	5	*	ARG_DAS	4.0
583	GS	26	SB	20	90078	5	*	KOE_GRA	20.0
584	GS	26	SB	20	90078	5	*	ORY_HYM	14.0
585	GS	26	SB	20	90078	5	*	POA_SPP	40.0
586	GS	26	SB	20	90078	6		ARE_FEN	6.6
587	GS	26	SB	20	90078	6		KOE_GRA	4.0
588	GS	26	SB	20	90078	6		PHL_LON	6.6
589	GS	26	SB	20	90078	7	*	ARG_DAS	31.0
590	GS	26	SB	20	90078	7	*	LUP_SP	131.0
591	GS	26	SB	20	90078	8		ARG_DAS	16.2
592	GS	26	SB	20	90078	8		KOE_GRA	8.1
593	GS	26	SB	20	90078	8		POA_SPP	8.1
594	GS	26	SB	20	90078	9		ARG_DAS	8.1

APPENDIX 3-2.1. CORRECTED DRY WEIGHT OF STANDING BIOMASS FOR THE RBOSC RANGE STUDIES DURING SEPTEMBER, 1978.

OBS	CLIENT	DTYPE	VEG_TYPE	TRANSECT	DATE	PLOT	PTYPE	SPECIES	DRY_WT
595	GS	26	SB	20	90078	9		KOE_GRA	8.1
596	GS	26	SB	20	90078	9		PHL_LON	6.6
597	GS	26	SB	20	90078	10	*	ARG_DAS	19.0
598	GS	26	SB	20	90078	10	*	KOE_GRA	25.0
599	GS	26	SB	20	90078	10	*	LUP_SP	51.0
600	GS	26	SB	20	90078	10	*	PHL_LON	6.0
601	GS	26	SB	20	90078	10	*	POA_SPP	10.0
602	GS	26	SB	22	90078	1	*	ARG_DAS	51.0
603	GS	26	SB	22	90078	1	*	BRO_TEC	5.5
604	GS	26	SB	22	90078	1	*	KOE_GRA	7.0
605	GS	26	SB	22	90078	1	*	PHL_LON	3.3
606	GS	26	SB	22	90078	1	*	POA_SPP	5.5
607	GS	26	SB	22	90078	1	*	STI_SP	61.0
608	GS	26	SB	22	90078	2		ARG_DAS	22.2
609	GS	26	SB	22	90078	2		KOE_GRA	11.1
610	GS	26	SB	22	90078	2		POA_SPP	22.2
611	GS	26	SB	22	90078	2		SEN_SPP	6.6
612	GS	26	SB	22	90078	2		STI_SP	33.2
613	GS	26	SB	22	90078	3		ARG_DAS	11.1
614	GS	26	SB	22	90078	3		HET_VIL	13.1
615	GS	26	SB	22	90078	3		POA_SPP	33.2
616	GS	26	SB	22	90078	3		STI_SP	66.5
617	GS	26	SB	22	90078	4	*	ARG_DAS	17.0
618	GS	26	SB	22	90078	4	*	BAL_SAG	52.0
619	GS	26	SB	22	90078	4	*	ORY_HYM	11.0
620	GS	26	SB	22	90078	4	*	POA_SPP	7.0
621	GS	26	SB	22	90078	4	*	STI_SP	11.0
622	GS	26	SB	22	90078	5		BRO_TEC	11.1
623	GS	26	SB	22	90078	5		STI_SP	11.1
624	GS	26	SB	22	90078	6		ARG_DAS	55.4
625	GS	26	SB	22	90078	6		HET_VIL	3.5
626	GS	26	SB	22	90078	6		KOE_GRA	22.2
627	GS	26	SB	22	90078	6		POA_SPP	55.0
628	GS	26	SB	22	90078	6		SPH_COC	6.9
629	GS	26	SB	22	90078	6		STI_SP	55.4
630	GS	26	SB	22	90078	7		ARG_DAS	11.1
631	GS	26	SB	22	90078	7		BRO_TEC	53.0
632	GS	26	SB	22	90078	7		HET_VIL	6.9
633	GS	26	SB	22	90078	7		PHL_LON	6.9
634	GS	26	SB	22	90078	7		POA_SPP	11.1
635	GS	26	SB	22	90078	7		SPH_COC	3.5
636	GS	26	SB	22	90078	8		ARG_DAS	5.4
637	GS	26	SB	22	90078	8		BRO_TEC	5.4
638	GS	26	SB	22	90078	8		POA_SPP	10.0
639	GS	26	SB	22	90078	8		SPH_COC	10.0
640	GS	26	SB	22	90078	8		STI_SP	5.4
641	GS	26	SB	22	90078	9	*	ARG_DAS	79.0
642	GS	26	SB	22	90078	9	*	BRO_TEC	5.5
643	GS	26	SB	22	90078	9	*	CAR_SPP	3.5
644	GS	26	SB	22	90078	9	*	HED_BOR	288.0
645	GS	26	SB	22	90078	9	*	KOE_GRA	5.5
646	GS	26	SB	22	90078	9	*	PHL_LON	3.5
647	GS	26	SB	22	90078	9	*	POA_SPP	25.0
648	GS	26	SB	22	90078	9	*	SEN_SPP	7.0

APPENDIX 3-2.1. CORRECTED DRY WEIGHT OF STANDING BIOMASS FOR THE RBOSC RANGE STUDIES DURING SEPTEMBER, 1978.

OBS	CLIENT	DTYPE	VEG_TYPE	TRANSECT	DATE	PLOT	PTYPE	SPECIES	DRY_WT
649	GS	26	SB	22	90078	9	*	STI_SP	5.5
650	GS	26	SB	22	90078	10	*	ARG_DAS	99.0
651	GS	26	SB	22	90078	10	*	BRO_TEC	5.5
652	GS	26	SB	22	90078	10	*	CON_UMB	9.0
653	GS	26	SB	22	90078	10	*	KOE_GRA	11.0
654	GS	26	SB	22	90078	10	*	POA_SPP	52.0
655	GS	26	SB	22	90078	10	*	SEN_SPP	1.0
656	GS	26	SB	22	90078	10	*	STI_SP	6.0
657	GS	26	SB	28	90078	1	*	ARG_DAS	47.0
658	GS	26	SB	28	90078	2		SIT_HYS	27.1
659	GS	26	SB	28	90078	3	*	BRO_TEC	9.0
660	GS	26	SB	28	90078	3	*	LAP_OCC	116.0
661	GS	26	SB	28	90078	3	*	SIT_HYS	25.0
662	GS	26	SB	28	90078	4	*	BRO_TEC	68.0
663	GS	26	SB	28	90078	4	*	ORY_HYM	18.0
664	GS	26	SB	28	90078	4	*	SIT_HYS	19.0
665	GS	26	SB	28	90078	5		ARG_DAS	13.6
666	GS	26	SB	28	90078	5		BRO_TEC	40.7
667	GS	26	SB	28	90078	5		CRY_SER	32.8
668	GS	26	SB	28	90078	6		BRO_TEC	13.6
669	GS	26	SB	28	90078	7	*	ARG_DAS	123.0
670	GS	26	SB	28	90078	7	*	BRO_TEC	6.8
671	GS	26	SB	28	90078	7	*	ORY_HYM	23.0
672	GS	26	SB	28	90078	8		ORY_HYM	13.6
673	GS	26	SB	28	90078	9		BRO_TEC	27.1
674	GS	26	SB	28	90078	10	*	BRO_TEC	32.0
675	GS	26	SB	28	90078	10	*	SIT_HYS	15.0
676	GS	26	SB	30	90078	1	*	ARG_DAS	27.0
677	GS	26	SB	30	90078	1	*	AST_CON	4.0
678	GS	26	SB	30	90078	1	*	HED_BOR	69.0
679	GS	26	SB	30	90078	1	*	POA_SPP	4.0
680	GS	26	SB	30	90078	1	*	STI_SP	6.9
681	GS	26	SB	30	90078	2		ARG_DAS	13.0
682	GS	26	SB	30	90078	2		STI_SP	39.0
683	GS	26	SB	30	90078	3		ARG_DAS	13.0
684	GS	26	SB	30	90078	3		BRO_TEC	6.9
685	GS	26	SB	30	90078	3		CRY_SER	7.9
686	GS	26	SB	30	90078	3		ORY_HYM	13.0
687	GS	26	SB	30	90078	3		POA_SPP	6.9
688	GS	26	SB	30	90078	3		SIT_HYS	13.0
689	GS	26	SB	30	90078	4		ARG_DAS	13.0
690	GS	26	SB	30	90078	4		SIT_HYS	39.0
691	GS	26	SB	30	90078	5	*	SPH_COC	108.0
692	GS	26	SB	30	90078	6	*	ARG_DAS	87.0
693	GS	26	SB	30	90078	6	*	ORY_HYM	57.0
694	GS	26	SB	30	90078	6	*	SIT_HYS	14.0
695	GS	26	SB	30	90078	7		ORY_HYM	13.0
696	GS	26	SB	30	90078	7		POA_SPP	13.0
697	GS	26	SB	30	90078	7		SIT_HYS	103.9
698	GS	26	SB	30	90078	7		THE_ELE	4.6
699	GS	26	SB	30	90078	8		ARG_DAS	13.0
700	GS	26	SB	30	90078	8		POA_SPP	39.0
701	GS	26	SB	30	90078	9	*	ORY_HYM	115.0
702	GS	26	SB	30	90078	9	*	POA_SPP	6.9

APPENDIX 3-2.1. CORRECTED DRY WEIGHT OF STANDING BIOMASS FOR THE RBOSC RANGE STUDIES DURING SEPTEMBER, 1978.

OBS	CLIENT	DTYPE	VEG_TYPE	TRANSECT	DATE	PLOT	PTYPE	SPECIES	DRY_WT
703	GS	26	SB	30	90078	9	*	SIT_HYS	73.0
704	GS	26	SB	30	90078	9	*	THE_ELE	53.0
705	GS	26	SB	30	90078	10	*	ARG_DAS	19.0
706	GS	26	SB	30	90078	10	*	ORY_HYM	59.0
707	GS	26	SB	30	90078	10	*	SIT_HYS	109.0
708	GS	26	MB	31	90078	1	*	AGR_SPP	17.9
709	GS	26	MB	31	90078	1	*	AST_CON	5.0
710	GS	26	MB	31	90078	1	*	ERI_UMB	43.0
711	GS	26	MB	31	90078	1	*	ORY_HYM	12.0
712	GS	26	MB	31	90078	2	*	AGR_SPP	77.0
713	GS	26	MB	31	90078	2	*	ERI_UMB	6.0
714	GS	26	MB	31	90078	2	*	HET_VIL	39.0
715	GS	26	MB	31	90078	2	*	KOE_GRA	12.0
716	GS	26	MB	31	90078	2	*	ORY_HYM	290.0
717	GS	26	MB	31	90078	2	*	PHL_LON	5.6
718	GS	26	MB	31	90078	2	*	STI_SP	2.4
719	GS	26	MB	31	90078	3	*	AGR_SPP	52.0
720	GS	26	MB	31	90078	3	*	ERI_SPP	211.0
721	GS	26	MB	31	90078	3	*	ORY_HYM	19.0
722	GS	26	MB	31	90078	3	*	UNK_FOR	20.0
723	GS	26	MB	31	90078	4		AGR_SPP	35.9
724	GS	26	MB	31	90078	4		MAH_REP	19.5
725	GS	26	MB	31	90078	4		ORY_HYM	24.0
726	GS	26	MB	31	90078	5		AGR_SPP	47.9
727	GS	26	MB	31	90078	5		MAH_REP	145.9
728	GS	26	MB	31	90078	6		MAH_REP	9.7
729	GS	26	MB	31	90078	7	*	AGR_SPP	202.0
730	GS	26	MB	31	90078	7	*	HAP_NUT	34.0
731	GS	26	MB	31	90078	7	*	HED_BOR	27.0
732	GS	26	MB	31	90078	7	*	KOE_GRA	19.0
733	GS	26	MB	31	90078	7	*	MAH_REP	34.0
734	GS	26	MB	31	90078	7	*	ORY_HYM	8.0
735	GS	26	MB	31	90078	7	*	UNK_FOR	19.0
736	GS	26	MB	31	90078	8		AGR_SPP	71.8
737	GS	26	MB	31	90078	8		ERI_UMB	9.7
738	GS	26	MB	31	90078	8		HAP_NUT	38.9
739	GS	26	MB	31	90078	9		AGR_SPP	12.0
740	GS	26	MB	31	90078	9		ART_LUD	107.0
741	GS	26	MB	31	90078	9		ERI_UMB	5.2
742	GS	26	MB	31	90078	9		KOE_GRA	12.0
743	GS	26	MB	31	90078	10	*	AGR_SPP	69.0
744	GS	26	MB	31	90078	10	*	ERI_UMB	17.0
745	GS	26	MB	31	90078	10	*	HED_BOR	16.0
746	GS	26	MB	31	90078	10	*	HET_VIL	5.0
747	GS	26	MB	31	90078	10	*	KOE_GRA	6.4
748	GS	26	MB	31	90078	10	*	ORY_HYM	41.0
749	GS	26	MB	32	90078	1	*	AST_CON	6.0
750	GS	26	MB	32	90078	1	*	AST_SPP	36.0
751	GS	26	MB	32	90078	1	*	LIN_LEW	5.0
752	GS	26	MB	32	90078	1	*	ORY_HYM	23.0
753	GS	26	MB	32	90078	1	*	POA_SPP	28.0
754	GS	26	MB	32	90078	2		ACH_SPP	25.2
755	GS	26	MB	32	90078	2		AGR_SPP	12.9
756	GS	26	MB	32	90078	2		ANT_SPP	50.3

APPENDIX 3-2.1. CORRECTED DRY WEIGHT OF STANDING BIOMASS FOR THE RBOSC RANGE STUDIES DURING SEPTEMBER, 1978.

OBS	CLIENT	DTYPE	VEG_TYPE	TRANSECT	DATE	PLOT	PTYPE	SPECIES	DRY_WT
757	GS	26	MB	32	90078	2		AST_CON	8.4
758	GS	26	MB	32	90078	2		CRY_SER	58.3
759	GS	26	MB	32	90078	2		HET_VIL	8.4
760	GS	26	MB	32	90078	2		KOE_GRA	20.0
761	GS	26	MB	32	90078	2		SEN_MUL	33.5
762	GS	26	MB	32	90078	2		UNK_FOR	8.4
763	GS	26	MB	32	90078	3	*	AGR_SPP	38.0
764	GS	26	MB	32	90078	3	*	ANT_SPP	90.0
765	GS	26	MB	32	90078	3	*	AST_CON	14.0
766	GS	26	MB	32	90078	3	*	ERI_UMB	23.0
767	GS	26	MB	32	90078	3	*	HET_VIL	8.0
768	GS	26	MB	32	90078	3	*	KOE_GRA	18.0
769	GS	26	MB	32	90078	3	*	POA_SPP	63.0
770	GS	26	MB	32	90078	3	*	SEN_MUL	8.0
771	GS	26	MB	32	90078	3	*	UNK_FOR	16.0
772	GS	26	MB	32	90078	4	*	AGR_SPP	23.0
773	GS	26	MB	32	90078	4	*	AGR_SPP	7.2
774	GS	26	MB	32	90078	4	*	CHA_DOU	4.5
775	GS	26	MB	32	90078	4	*	ERI_UMB	4.0
776	GS	26	MB	32	90078	4	*	HET_VIL	2.0
777	GS	26	MB	32	90078	4	*	KOE_GRA	14.0
778	GS	26	MB	32	90078	4	*	PHL_LON	4.5
779	GS	26	MB	32	90078	4	*	SPH_COC	4.5
780	GS	26	MB	32	90078	5		AGR_SPP	26.5
781	GS	26	MB	32	90078	5		AST_CON	4.5
782	GS	26	MB	32	90078	5		ERI_UMB	16.8
783	GS	26	MB	32	90078	6		AGR_SPP	20.0
784	GS	26	MB	32	90078	6		KOE_GRA	3.6
785	GS	26	MB	32	90078	7	*	AGR_SPP	84.0
786	GS	26	MB	32	90078	7	*	ANT_SPP	4.5
787	GS	26	MB	32	90078	7	*	ERI_UMB	5.0
788	GS	26	MB	32	90078	7	*	HED_BOR	205.0
789	GS	26	MB	32	90078	7	*	HET_VIL	27.0
790	GS	26	MB	32	90078	7	*	KOE_GRA	10.0
791	GS	26	MB	32	90078	7	*	PEN_SP	7.0
792	GS	26	MB	32	90078	7	*	PHL_LON	8.0
793	GS	26	MB	32	90078	7	*	POA_SPP	51.0
794	GS	26	MB	32	90078	8		ORY_HYM	26.5
795	GS	26	MB	32	90078	8		POA_SPP	12.9
796	GS	26	MB	32	90078	9		AGR_SPP	12.9
797	GS	26	MB	32	90078	9		ANT_SPP	25.2
798	GS	26	MB	32	90078	9		ERI_UMB	35.5
799	GS	26	MB	32	90078	9		KOE_GRA	20.0
800	GS	26	MB	32	90078	9		POA_SPP	12.9
801	GS	26	MB	32	90078	9		SEN_MUL	25.2
802	GS	26	MB	32	90078	10	*	ERI_UMB	59.0
803	GS	26	MB	32	90078	10	*	HET_VIL	4.5
804	GS	26	MB	32	90078	10	*	KOE_GRA	79.0
805	GS	26	MB	32	90078	10	*	POA_SPP	69.0
806	GS	26	MB	33	90078	1	*	BRO_TEC	5.3
807	GS	26	MB	33	90078	1	*	HET_VIL	3.1
808	GS	26	MB	33	90078	1	*	KOE_GRA	20.0
809	GS	26	MB	33	90078	1	*	ORY_HYM	5.3
810	GS	26	MB	33	90078	1	*	PHL_LON	8.0

APPENDIX 3-2.1. CORRECTED DRY WEIGHT OF STANDING BIOMASS FOR THE RBOSC RANGE STUDIES DURING SEPTEMBER, 1978

OBS	CLIENT	DTYPE	VEG_TYPE	TRANSECT	DATE	PLOT	PTYPE	SPECIES	DRY_WT
811	GS	26	MB	33	90078	1	*	POA_SPP	10.0
812	GS	26	MB	33	90078	1	*	SPH_COC	7.7
813	GS	26	MB	33	90078	1	*	UNK_FOR	14.0
814	GS	26	MB	33	90078	2		AGR_SPP	42.2
815	GS	26	MB	33	90078	2		AST_CON	6.2
816	GS	26	MB	33	90078	2		COM_UMB	38.6
817	GS	26	MB	33	90078	2		GIL_AGG	19.3
818	GS	26	MB	33	90078	2		HET_VIL	3.1
819	GS	26	MB	33	90078	2		ORY_HYM	31.7
820	GS	26	MB	33	90078	2		POA_SPP	10.6
821	GS	26	MB	33	90078	2		THE_ELE	3.1
822	GS	26	MB	33	90078	2		UNK_FOR	3.1
823	GS	26	MB	33	90078	2		UNK_FOR	3.1
824	GS	26	MB	33	90078	3		AGR_SPP	10.6
825	GS	26	MB	33	90078	3		AGR_SPP	31.7
826	GS	26	MB	33	90078	3		COM_UMB	19.3
827	GS	26	MB	33	90078	4	*	AST_CON	9.0
828	GS	26	MB	33	90078	4	*	CHA_DOU	3.1
829	GS	26	MB	33	90078	4	*	COM_UMB	21.0
830	GS	26	MB	33	90078	4	*	ERI_UMB	18.0
831	GS	26	MB	33	90078	4	*	ORY_HYM	23.0
832	GS	26	MB	33	90078	4	*	SEN_MUL	6.0
833	GS	26	MB	33	90078	5	*	AGR_SPP	59.0
834	GS	26	MB	33	90078	5	*	HED_BOR	3.1
835	GS	26	MB	33	90078	5	*	ORY_HYM	21.0
836	GS	26	MB	33	90078	5	*	UNK_FOR	18.0
837	GS	26	MB	33	90078	6		AGR_SPP	10.6
838	GS	26	MB	33	90078	6		HED_BOR	19.3
839	GS	26	MB	33	90078	7		AGR_SPP	31.7
840	GS	26	MB	33	90078	7		PEN_SP	22.2
841	GS	26	MB	33	90078	7		UNK_FOR	6.2
842	GS	26	MB	33	90078	8		AGR_SPP	10.6
843	GS	26	MB	33	90078	8		MAC_CAN	38.6
844	GS	26	MB	33	90078	8		ORY_HYM	5.3
845	GS	26	MB	33	90078	8		SEN_MUL	19.3
846	GS	26	MB	33	90078	8		THE_ELE	6.2
847	GS	26	MB	33	90078	9	*	AGR_SPP	5.5
848	GS	26	MB	33	90078	9	*	AGR_SPP	12.0
849	GS	26	MB	33	90078	9	*	COM_UMB	7.0
850	GS	26	MB	33	90078	9	*	GIL_AGG	29.0
851	GS	26	MB	33	90078	9	*	HED_BOR	24.0
852	GS	26	MB	33	90078	9	*	HET_VIL	8.0
853	GS	26	MB	33	90078	9	*	PHL_LON	6.9
854	GS	26	MB	33	90078	9	*	UNK_FOR	76.0
855	GS	26	MB	33	90078	10	*	AGR_SPP	43.0
856	GS	26	MB	33	90078	10	*	AGR_SPP	21.0
857	GS	26	MB	33	90078	10	*	AST_CON	6.0
858	GS	26	MB	33	90078	10	*	LUP_SP	72.0
859	GS	26	MB	33	90078	10	*	POA_SPP	3.0
860	GS	26	MB	33	90078	10	*	SEN_MUL	8.0
861	GS	26	MB	33	90078	10	*	UNK_FOR	2.0
862	GS	26	MB	34	90078	1	*	ANT_SPP	2.0
863	GS	26	MB	34	90078	1	*	AST_CON	21.0
864	GS	26	MB	34	90078	1	*	COM_UMB	1.0

APPENDIX 3-2.1. CORRECTED DRY WEIGHT OF STANDING BIOMASS FOR THE RBOSC RANGE STUDIES DURING SEPTEMBER, 1978.

OBS	CLIENT	DTYPE	VEG_TYPE	TRANSECT	DATE	PLOT	PTYPE	SPECIES	DRY_WT
865	GS	26	MB	34	90078	1	*	ERI_UMB	3.0
866	GS	26	MB	34	90078	1	*	HED_BOR	123.0
867	GS	26	MB	34	90078	1	*	HET_VIL	7.0
868	GS	26	MB	34	90078	1	*	KOE_GRA	3.0
869	GS	26	MB	34	90078	1	*	LIN_LEW	1.0
870	GS	26	MB	34	90078	1	*	UNK_FOR	1.0
871	GS	26	MB	34	90078	1	*	UNK_GRA	41.0
872	GS	26	MB	34	90078	2		AGR_SPP	147.6
873	GS	26	MB	34	90078	2		AGR_SPP	19.7
874	GS	26	MB	34	90078	2		HED_BOR	22.9
875	GS	26	MB	34	90078	2		HET_VIL	5.7
876	GS	26	MB	34	90078	2		HYM_ACA	11.5
877	GS	26	MB	34	90078	2		MAH_REP	11.4
878	GS	26	MB	34	90078	2		ORY_HYM	19.7
879	GS	26	MB	34	90078	3	*	AGR_SPP	124.0
880	GS	26	MB	34	90078	3	*	AST_CON	13.0
881	GS	26	MB	34	90078	3	*	COM_UMB	4.0
882	GS	26	MB	34	90078	3	*	ERI_UMB	57.0
883	GS	26	MB	34	90078	3	*	HET_VIL	4.0
884	GS	26	MB	34	90078	3	*	KOE_GRA	3.2
885	GS	26	MB	34	90078	3	*	LIN_LEW	11.0
886	GS	26	MB	34	90078	3	*	UNK_FOR	11.0
887	GS	26	MB	34	90078	4		AGR_SPP	19.7
888	GS	26	MB	34	90078	4		ERI_UMB	74.4
889	GS	26	MB	34	90078	4		KOE_GRA	9.8
890	GS	26	MB	34	90078	4		LIN_LEW	17.2
891	GS	26	MB	34	90078	4		ORY_HYM	39.4
892	GS	26	MB	34	90078	4		POA_SPP	9.8
893	GS	26	MB	34	90078	4		UNK_GRA	59.0
894	GS	26	MB	34	90078	5		BAL_SAG	80.6
895	GS	26	MB	34	90078	5		COM_UMB	171.6
896	GS	26	MB	34	90078	5		ERI_UMB	74.4
897	GS	26	MB	34	90078	5		HET_VIL	34.3
898	GS	26	MB	34	90078	5		KOE_GRA	25.5
899	GS	26	MB	34	90078	5		ORY_HYM	5.2
900	GS	26	MB	34	90078	5		POA_SPP	5.2
901	GS	26	MB	34	90078	5		UNK_FOR	11.4
902	GS	26	MB	34	90078	6	*	AGR_SPP	128.0
903	GS	26	MB	34	90078	6	*	COM_UMB	70.0
904	GS	26	MB	34	90078	6	*	ERI_UMB	45.0
905	GS	26	MB	34	90078	6	*	KOE_GRA	11.0
906	GS	26	MB	34	90078	6	*	LIN_LEW	3.0
907	GS	26	MB	34	90078	6	*	PHL_LON	15.0
908	GS	26	MB	34	90078	7	*	AGR_SPP	163.0
909	GS	26	MB	34	90078	7	*	AST_CHA	3.0
910	GS	26	MB	34	90078	7	*	COM_UMB	5.2
911	GS	26	MB	34	90078	7	*	ERI_UMB	138.0
912	GS	26	MB	34	90078	7	*	ORY_HYM	5.0
913	GS	26	MB	34	90078	7	*	PHL_LON	3.1
914	GS	26	MB	34	90078	7	*	POA_SPP	5.0
915	GS	26	MB	34	90078	7	*	SEN_MUL	3.0
916	GS	26	MB	34	90078	8		BAL_SAG	43.8
917	GS	26	MB	34	90078	8		COM_UMB	166.4
918	GS	26	MB	34	90078	8		ERI_UMB	17.2

APPENDIX 3-2.1. CORRECTED DRY WEIGHT OF STANDING BIOMASS FOR THE RBOSC RANGE STUDIES DURING SEPTEMBER, 1978.

OBS	CLIENT	DTYPE	VEG_TYPE	TRANSECT	DATE	PLOT	PTYPE	SPECIES	DRY_WT
919	GS	26	MB	34	90078	8		HED_BOR	43.8
920	GS	26	MB	34	90078	8		KOE_GRA	49.2
921	GS	26	MB	34	90078	8		LUP_SP	22.9
922	GS	26	MB	34	90078	8		MAH_REP	17.2
923	GS	26	MB	34	90078	8		POA_SPP	167.3
924	GS	26	MB	34	90078	9		ACH_SPP	17.2
925	GS	26	MB	34	90078	9		AGR_SPP	59.0
926	GS	26	MB	34	90078	9		BAL_SAG	17.2
927	GS	26	MB	34	90078	9		COM_UMB	22.9
928	GS	26	MB	34	90078	9		CRY_SER	5.7
929	GS	26	MB	34	90078	9		ERI_UMB	40.0
930	GS	26	MB	34	90078	9		HET_VIL	5.7
931	GS	26	MB	34	90078	9		POA_SPP	78.7
932	GS	26	MB	34	90078	9		STI_SP	19.7
933	GS	26	MB	34	90078	9		UNK_FOR	17.2
934	GS	26	MB	34	90078	10	*	AGR_SPP	60.0
935	GS	26	MB	34	90078	10	*	AST_CON	37.0
936	GS	26	MB	34	90078	10	*	CAS_SP	42.0
937	GS	26	MB	34	90078	10	*	KOE_GRA	6.0
938	GS	26	MB	34	90078	10	*	PHL_LON	3.1
939	GS	26	MB	34	90078	10	*	POA_SPP	5.2
940	GS	26	MB	34	90078	10	*	SPH_COC	31.0
941	GS	26	MB	34	90078	10	*	STI_SP	9.0
942	GS	26	MB	34	90078	10	*	UNK_FOR	23.0
943	GS	26	MB	35	90078	1	*	AGR_SPP	4.8
944	GS	26	MB	35	90078	1	*	AST_CON	3.2
945	GS	26	MB	35	90078	1	*	CRY_SER	2.0
946	GS	26	MB	35	90078	1	*	HAP_NUT	25.0
947	GS	26	MB	35	90078	2		AGR_SPP	17.5
948	GS	26	MB	35	90078	2		HAP_NUT	12.7
949	GS	26	MB	35	90078	3		AGR_SPP	4.8
950	GS	26	MB	35	90078	3		CRY_SER	6.4
951	GS	26	MB	35	90078	3		LUP_SP	24.1
952	GS	26	MB	35	90078	3		SPH_COC	3.2
953	GS	26	MB	35	90078	4		CRY_SER	6.4
954	GS	26	MB	35	90078	4		ORY_HYM	52.6
955	GS	26	MB	35	90078	4		SPH_COC	6.4
956	GS	26	MB	35	90078	4		THE_ELE	24.1
957	GS	26	MB	35	90078	4		UNK_FOR	12.1
958	GS	26	MB	35	90078	5	*	CRY_SER	20.0
959	GS	26	MB	35	90078	5	*	ORY_HYM	7.0
960	GS	26	MB	35	90078	5	*	SPH_COC	2.0
961	GS	26	MB	35	90078	5	*	UNK_FOR	10.0
962	GS	26	MB	35	90078	6		AGR_SPP	17.5
963	GS	26	MB	35	90078	6		ORY_HYM	307.0
964	GS	26	MB	35	90078	6		SAL_KAL	18.4
965	GS	26	MB	35	90078	6		SPH_COC	12.1
966	GS	26	MB	35	90078	7	*	AGR_SPP	4.8
967	GS	26	MB	35	90078	7	*	AST_CON	14.0
968	GS	26	MB	35	90078	7	*	HED_BOR	61.0
969	GS	26	MB	35	90078	7	*	ORY_HYM	54.0
970	GS	26	MB	35	90078	8		AGR_SPP	15.1
971	GS	26	MB	35	90078	8		CRY_SER	3.2
972	GS	26	MB	35	90078	8		HAP_NUT	12.1

APPENDIX 3-2.1. CORRECTED DRY WEIGHT OF STANDING BIOMASS FOR THE RBOSC RANGE STUDIES DURING SEPTEMBER, 1978.

OBS	CLIENT	DTYPE	VEG_TYPE	TRANSECT	DATE	PLOT	PTYPE	SPECIES	DRY_WT
973	GS	26	MB	35	90078	9	*	AGR_SPP	44.0
974	GS	26	MB	35	90078	9	*	ERI_UMB	23.0
975	GS	26	MB	35	90078	9	*	ORY_HYM	26.0
976	GS	26	MB	35	90078	10	*	AGR_SPP	81.0
977	GS	26	MB	35	90078	10	*	AGR_SPP	9.0
978	GS	26	MB	35	90078	10	*	AST_CON	3.2
979	GS	26	MB	35	90078	10	*	HAP_NUT	3.0
980	GS	26	MB	35	90078	10	*	HED_BOR	33.0
981	GS	26	MB	35	90078	10	*	ORY_HYM	6.0
982	GS	26	MB	35	90078	10	*	PHL_LON	3.2
983	GS	26	MB	35	90078	10	*	SPH_COC	3.2
984	GS	26	MB	36	90078	1	*	AGR_SPP	34.0
985	GS	26	MB	36	90078	1	*	BRO_TEC	2.8
986	GS	26	MB	36	90078	1	*	STI_SP	2.8
987	GS	26	MB	36	90078	2		AGR_SPP	2.8
988	GS	26	MB	36	90078	2		COM_UMB	12.1
989	GS	26	MB	36	90078	3	*	AGR_SPP	26.0
990	GS	26	MB	36	90078	3	*	SPH_COC	11.0
991	GS	26	MB	36	90078	4		COM_UMB	24.2
992	GS	26	MB	36	90078	4		PHY_FLO	3.0
993	GS	26	MB	36	90078	4		POA_SPP	6.3
994	GS	26	MB	36	90078	5		AGR_SPP	6.3
995	GS	26	MB	36	90078	5		COM_UMB	66.7
996	GS	26	MB	36	90078	5		POA_SPP	6.3
997	GS	26	MB	36	90078	5		STI_SP	2.8
998	GS	26	MB	36	90078	6	*	AGR_SPP	5.0
999	GS	26	MB	36	90078	6	*	COM_UMB	40.4
1000	GS	26	MB	36	90078	6	*	KOE_GRA	2.8
1001	GS	26	MB	36	90078	7		AGR_SPP	12.0
1002	GS	26	MB	36	90078	7		BRO_TEC	2.8
1003	GS	26	MB	36	90078	7		ORY_HYM	12.0
1004	GS	26	MB	36	90078	7		POA_SPP	6.3
1005	GS	26	MB	36	90078	7		STI_SP	2.8
1006	GS	26	MB	36	90078	8	*	AST_CHA	9.0
1007	GS	26	MB	36	90078	8	*	KOE_GRA	5.0
1008	GS	26	MB	36	90078	8	*	STI_SP	6.0
1009	GS	26	MB	36	90078	9		AGR_SPP	1.4
1010	GS	26	MB	36	90078	9		KOE_GRA	6.3
1011	GS	26	MB	36	90078	9		POA_SPP	6.3
1012	GS	26	MB	36	90078	10	*	AGR_SPP	1.0
1013	GS	26	MB	36	90078	10	*	COM_UMB	12.0
1014	GS	26	MB	36	90078	10	*	KOE_GRA	32.0
1015	GS	26	MB	36	90078	10	*	ORY_HYM	2.8
1016	GS	26	MB	36	90078	10	*	SEN_SPP	3.0
1017	GS	26	PJ	37	90078	1	*	BAL_SAG	304.0
1018	GS	26	PJ	37	90078	2		BAL_SAG	141.6
1019	GS	26	PJ	37	90078	2		POA_SPP	7.3
1020	GS	26	PJ	37	90078	3		AGR_SPP	15.5
1021	GS	26	PJ	37	90078	3		POA_SPP	7.8
1022	GS	26	PJ	37	90078	4		AGR_SPP	15.5
1023	GS	26	PJ	37	90078	4		POA_SPP	7.3
1024	GS	26	PJ	37	90078	5	*	ORY_HYM	5.0
1025	GS	26	PJ	37	90078	5	*	POA_SPP	4.6
1026	GS	26	PJ	37	90078	6	*	AGR_SPP	24.0

APPENDIX 3-2.1. CORRECTED DRY WEIGHT OF STANDING BIOMASS FOR THE RBOSC RANGE STUDIES DURING SEPTEMBER, 1978.

OBS	CLIENT	DTYPE	VEG_TYPE	TRANSECT	DATE	PLOT	PTYPE	SPECIES	DRY_WT
1027	GS	26	PJ	37	90078	6	*	BRO_TEC	3.6
1028	GS	26	PJ	37	90078	6	*	ORY_HYM	62.0
1029	GS	26	PJ	37	90078	7	*	HAP_NUT	13.0
1030	GS	26	PJ	37	90078	7	*	POA_SPP	70.0
1031	GS	26	PJ	37	90078	7	*	POA_SPP	12.0
1032	GS	26	PJ	37	90078	8		BRO_TEC	3.6
1033	GS	26	PJ	37	90078	8		CRY_SER	9.7
1034	GS	26	PJ	37	90078	8		ORY_HYM	7.3
1035	GS	26	PJ	37	90078	8		POA_SPP	15.5
1036	GS	26	PJ	37	90078	9		NOPLANT	.
1037	GS	26	PJ	37	90078	10	*	AGR_SPP	26.0
1038	GS	26	PJ	37	90078	10	*	SEN_SPP	5.0
1039	GS	26	SB	38	90078	1	*	AST_SPP	68.0
1040	GS	26	SB	38	90078	1	*	GIL_AGG	5.6
1041	GS	26	SB	38	90078	1	*	HET_VIL	5.6
1042	GS	26	SB	38	90078	1	*	KOE_GRA	22.0
1043	GS	26	SB	38	90078	1	*	ORY_HYM	5.1
1044	GS	26	SB	38	90078	1	*	STI_SP	34.0
1045	GS	26	SB	38	90078	2		ARG_DAS	5.1
1046	GS	26	SB	38	90078	2		POA_SPP	5.1
1047	GS	26	SB	38	90078	3		ARG_DAS	10.2
1048	GS	26	SB	38	90078	3		PHL_LON	5.6
1049	GS	26	SB	38	90078	3		STI_SP	5.1
1050	GS	26	SB	38	90078	4	*	COM_UMB	99.0
1051	GS	26	SB	38	90078	4	*	HAP_NUT	5.6
1052	GS	26	SB	38	90078	4	*	KOE_GRA	17.0
1053	GS	26	SB	38	90078	4	*	PHY_FLO	5.6
1054	GS	26	SB	38	90078	4	*	POA_SPP	7.0
1055	GS	26	SB	38	90078	4	*	SEN_SPP	8.0
1056	GS	26	SB	38	90078	4	*	STI_SP	41.0
1057	GS	26	SB	38	90078	4	*	UNK_FOR	31.0
1058	GS	26	SB	38	90078	5		ARG_DAS	10.2
1059	GS	26	SB	38	90078	5		POA_SPP	20.4
1060	GS	26	SB	38	90078	5		SPH_COC	11.2
1061	GS	26	SB	38	90078	5		STI_SP	30.6
1062	GS	26	SB	38	90078	6	*	KOE_GRA	17.0
1063	GS	26	SB	38	90078	6	*	POA_SPP	14.0
1064	GS	26	SB	38	90078	6	*	SEN_SPP	5.0
1065	GS	26	SB	38	90078	6	*	STI_SP	54.0
1066	GS	26	SB	38	90078	6	*	UNK_FOR	22.0
1067	GS	26	SB	38	90078	7		KOE_GRA	10.2
1068	GS	26	SB	38	90078	7		POA_SPP	10.2
1069	GS	26	SB	38	90078	8		ARG_DAS	5.1
1070	GS	26	SB	38	90078	8		HAP_NUT	11.2
1071	GS	26	SB	38	90078	8		KOE_GRA	5.1
1072	GS	26	SB	38	90078	8		UNK_FOR	33.6
1073	GS	26	SB	38	90078	9	*	ARG_DAS	5.1
1074	GS	26	SB	38	90078	9	*	HAP_NUT	43.0
1075	GS	26	SB	38	90078	9	*	KOE_GRA	10.0
1076	GS	26	SB	38	90078	9	*	POA_SPP	8.0
1077	GS	26	SB	38	90078	9	*	UNK_FOR	5.6
1078	GS	26	SB	38	90078	9	*	UNK_FOR	5.0
1079	GS	26	SB	38	90078	10	*	ARG_DAS	12.0
1080	GS	26	SB	38	90078	10	*	AST_CHA	5.6

APPENDIX 3-2.1. CORRECTED DRY WEIGHT OF STANDING BIOMASS FOR THE RBOSC RANGE STUDIES DURING SEPTEMBER, 1978.

OBS	CLIENT	DTYPE	VEG_TYPE	TRANSECT	DATE	PLOT	PTYPE	SPECIES	DRY_WT
1081	GS	26	SB	38	90078	10	*	HAP_NUT	36.0
1082	GS	26	SB	38	90078	10	*	PHL_LON	5.6
1083	GS	26	SB	38	90078	10	*	POA_SPP	6.0
1084	GS	26	SB	38	90078	10	*	UNK_FOR	26.0
1085	GS	26	SB	38	90078	10	*	UNK_FOR	14.0
1086	GS	26	SB	39	90078	1	*	ARG_DAS	54.0
1087	GS	26	SB	39	90078	1	*	COM_UMB	3.0
1088	GS	26	SB	39	90078	1	*	ORY_HYM	12.0
1089	GS	26	SB	39	90078	1	*	POA_SPP	3.0
1090	GS	26	SB	39	90078	1	*	SEN_SPP	2.6
1091	GS	26	SB	39	90078	1	*	STI_SP	23.0
1092	GS	26	SB	39	90078	2	*	ARG_DAS	67.0
1093	GS	26	SB	39	90078	2	*	KOE_GRA	4.0
1094	GS	26	SB	39	90078	2	*	PEN_SP	19.0
1095	GS	26	SB	39	90078	2	*	POA_SPP	9.0
1096	GS	26	SB	39	90078	3		ARG_DAS	9.4
1097	GS	26	SB	39	90078	3		AST_CON	9.0
1098	GS	26	SB	39	90078	3		SEN_SPP	4.5
1099	GS	26	SB	39	90078	3		STI_SP	28.1
1100	GS	26	SB	39	90078	4		KOE_GRA	9.4
1101	GS	26	SB	39	90078	4		LUP_SP	112.0
1102	GS	26	SB	39	90078	4		SEN_SPP	4.5
1103	GS	26	SB	39	90078	4		SPH_COC	4.5
1104	GS	26	SB	39	90078	4		STI_SP	10.1
1105	GS	26	SB	39	90078	5		ARG_DAS	46.8
1106	GS	26	SB	39	90078	5		KOE_GRA	28.1
1107	GS	26	SB	39	90078	5		STI_SP	112.3
1108	GS	26	SB	39	90078	6		COM_UMB	2.6
1109	GS	26	SB	39	90078	6		CRY_SER	4.5
1110	GS	26	SB	39	90078	6		ERI_ALA	9.0
1111	GS	26	SB	39	90078	6		KOE_GRA	28.1
1112	GS	26	SB	39	90078	6		PHL_LON	4.5
1113	GS	26	SB	39	90078	6		SEN_SPP	13.4
1114	GS	26	SB	39	90078	6		STI_SP	18.7
1115	GS	26	SB	39	90078	7	*	ARG_DAS	26.0
1116	GS	26	SB	39	90078	7	*	HAP_NUT	34.0
1117	GS	26	SB	39	90078	7	*	KOE_GRA	13.0
1118	GS	26	SB	39	90078	7	*	SEN_SPP	7.0
1119	GS	26	SB	39	90078	7	*	STI_SP	12.0
1120	GS	26	SB	39	90078	8		ARG_DAS	4.7
1121	GS	26	SB	39	90078	8		AST_CON	13.4
1122	GS	26	SB	39	90078	8		ORY_HYM	9.4
1123	GS	26	SB	39	90078	8		PHL_LON	4.5
1124	GS	26	SB	39	90078	8		SEN_SPP	9.0
1125	GS	26	SB	39	90078	8		STI_SP	9.4
1126	GS	26	SB	39	90078	9	*	ARG_DAS	33.0
1127	GS	26	SB	39	90078	9	*	AST_CON	5.0
1128	GS	26	SB	39	90078	9	*	COM_UMB	7.0
1129	GS	26	SB	39	90078	9	*	KOE_GRA	4.7
1130	GS	26	SB	39	90078	9	*	LIN_LEW	5.0
1131	GS	26	SB	39	90078	9	*	ORY_HYM	4.7
1132	GS	26	SB	39	90078	9	*	STI_SP	7.0
1133	GS	26	SB	39	90078	10	*	ARG_DAS	33.0
1134	GS	26	SB	39	90078	10	*	COM_UMB	1.0

APPENDIX 3-2.1. CORRECTED DRY WEIGHT OF STANDING BIOMASS FOR THE RBOSC RANGE STUDIES DURING SEPTEMBER, 1978.

OBS	CLIENT	DTYPE	VEG_TYPE	TRANSECT	DATE	PLOT	PTYPE	SPECIES	DRY_WT
1135	GS	26	SB	39	90078	10	*	LIN_LEN	5.0
1136	GS	26	SB	39	90078	10	*	SEN_SPP	2.6

APPENDIX 3-3

RBOSC FAUNA DATA

APPENDIX 3-3.1

MULE DEER DATA

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0261	GS	2	34	JWD	091478	00007000	00	00	PJ	1	01	00	F
0262	GS	2	34	JWD	091478	00007000	05	N	PJ	1	02	00	F
0263	GS	2	34	JWD	091478	00007000	10	E	SP	1	03	00	F
0264	GS	2	34	JWD	091478	00007000	10	E	SP	1	04	00	F
0265	GS	2	34	JWD	091478	00007000	10	E	SP	1	05	00	F
0266	GS	2	34	JWD	091478	00007000	10	E	MP	1	06	00	F
0267	GS	2	34	JWD	091478	00007000	10	E	MP	1	07	00	F
0268	GS	2	34	JWD	091478	00007000	10	E	PJ	1	08	00	F
0269	GS	2	34	JWD	091478	00007000	05	N	SP	1	09	00	F
0270	GS	2	34	JWD	091478	00007000	05	N	SP	1	10	01	F
0271	GS	2	34	JWD	091478	00007000	00	00	SP	2	01	00	F
0272	GS	2	34	JWD	091478	00007000	05	N	SP	2	02	02	F
0273	GS	2	34	JWD	091478	00007000	05	N	SP	2	03	00	F
0274	GS	2	34	JWD	091478	00007000	05	N	SP	2	04	00	F
0275	GS	2	34	JWD	091478	00007000	05	N	SP	2	05	01	F
0276	GS	2	34	JWD	091478	00007000	05	N	SB	2	06	00	F
0277	GS	2	34	JWD	091478	00007000	05	S	SB	2	07	01	F
0278	GS	2	34	JWD	091478	00007000	10	SE	PJ	2	08	00	F
0279	GS	2	34	JWD	091478	00007000	10	SE	PJ	2	09	01	F
0280	GS	2	34	JWD	091478	00007000	10	SE	PJ	2	10	00	F
0281	GS	3	01	JWD	091178	00006500	25	S	PJ	1	01	00	F
0282	GS	3	01	JWD	091178	00006500	00	00	PJ	1	02	00	F
0283	GS	3	01	JWD	091178	00006500	00	00	SP	1	03	00	F
0284	GS	3	01	JWD	091178	00006500	00	00	SP	1	04	00	F
0285	GS	3	01	JWD	091178	00006500	00	00	SP	1	05	00	F
0286	GS	3	01	JWD	091178	00006500	00	00	SP	1	06	00	F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0235	GS	2	24	JWD	091178	00006500	15	SE	PJ	2	05	00	F
0236	GS	2	24	JWD	091178	00006500	00	00	PJ	2	06	00	F
0237	GS	2	24	JWD	091178	00006500	00	00	PJ	2	07	00	F
0238	GS	2	24	JWD	091178	00006500	05	N	PJ	2	08	00	F
0239	GS	2	24	JWD	091178	00006500	05	N	PJ	2	09	00	F
0240	GS	2	24	JWD	091178	00006500	05	N	PJ	2	10	00	F
0241	GS	2	28	JWD	091478	00007000	05	N	SP	1	01	00	F
0242	GS	2	28	JWD	091478	00007000	05	N	SB	1	02	00	F
0243	GS	2	28	JWD	091478	00007000	05	N	SB	1	03	00	F
0244	GS	2	28	JWD	091478	00007000	05	N	SB	1	04	00	F
0245	GS	2	28	JWD	091478	00007000	05	N	SB	1	05	00	F
0246	GS	2	28	JWD	091478	00007000	05	N	SB	1	06	00	F
0247	GS	2	28	JWD	091478	00007000	05	N	SB	1	07	00	F
0248	GS	2	28	JWD	091478	00007000	05	N	SB	1	08	00	F
0249	GS	2	28	JWD	091478	00007000	05	N	SB	1	09	00	F
0250	GS	2	28	JWD	091478	00007000	05	N	SB	1	10	00	F
0251	GS	2	28	JWD	091478	00007000	10	E	PJ	2	01	00	F
0252	GS	2	28	JWD	091478	00007000	05	E	PJ	2	02	00	F
0253	GS	2	28	JWD	091478	00007000	05	N	SP	2	03	00	F
0254	GS	2	28	JWD	091478	00007000	05	N	SP	2	04	00	F
0255	GS	2	28	JWD	091478	00007000	10	N	SP	2	05	00	F
0256	GS	2	28	JWD	091478	00007000	10	N	SB	2	06	01	F
0257	GS	2	28	JWD	091478	00007000	05	N	SB	2	07	01	F
0258	GS	2	28	JWD	091478	00007000	05	N	SB	2	08	00	F
0259	GS	2	28	JWD	091478	00007000	05	N	SB	2	09	00	F
0260	GS	2	28	JWD	091478	00007000	05	N	SB	2	10	01	F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0209	GS	2	15	JWD	091178	00007000	05	NW	MP	1	09	00	F
0210	GS	2	15	JWD	091178	00007000	25	NW	MP	1	10	00	F
0211	GS	2	15	JWD	091178	00007000	05	N	SP	2	01	00	F
0212	GS	2	15	JWD	091178	00007000	05	N	SP	2	02	00	F
0213	GS	2	15	JWD	091178	00007000	05	N	SP	2	03	01	F
0214	GS	2	15	JWD	091178	00007000	05	N	SP	2	04	00	F
0215	GS	2	15	JWD	091178	00006500	20	N	MP	2	05	00	F
0216	GS	2	15	JWD	091178	00006500	20	N	MP	2	06	01	F
0217	GS	2	15	JWD	091178	00006500	20	SW	MP	2	07	00	F
0218	GS	2	15	JWD	091178	00006500	15	NW	MP	2	08	01	F
0219	GS	2	15	JWD	091178	00006500	30	W	MP	2	09	00	F
0220	GS	2	15	JWD	091178	00006500	25	N	MP	2	10	00	F
0221	GS	2	24	JWD	091178	00006500	00	00	PJ	1	01	00	F
0222	GS	2	24	JWD	091178	00006500	05	SE	PJ	1	02	00	F
0223	GS	2	24	JWD	091178	00006500	05	SE	PJ	1	03	00	F
0224	GS	2	24	JWD	091178	00006500	00	00	PJ	1	04	00	F
0225	GS	2	24	JWD	091178	00006500	10	N	PJ	1	05	00	F
0226	GS	2	24	JWD	091178	00006500	10	N	SP	1	06	01	F
0227	GS	2	24	JWD	091178	00006500	10	NW	SP	1	07	00	F
0228	GS	2	24	JWD	091178	00006500	10	NW	SP	1	08	00	F
0229	GS	2	24	JWD	091178	00006500	10	NW	SP	1	09	00	F
0230	GS	2	24	JWD	091178	00006500	00	00	SB	1	10	00	F
0231	GS	2	24	JWD	091178	00006500	05	NE	SP	2	01	01	F
0232	GS	2	24	JWD	091178	00006500	05	NE	SP	2	02	00	F
0233	GS	2	24	JWD	091178	00006500	00	00	SB	2	03	00	F
0234	GS	2	24	JWD	091178	00006500	15	SE	PJ	2	04	00	F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0183	GS	2	17	JWD	091178	00006500	05	NE	PJ	1	03	01	F
0184	GS	2	17	JWD	091178	00006500	15	SE	PJ	1	04	00	F
0185	GS	2	17	JWD	091178	00006500	15	SE	PJ	1	05	00	F
0186	GS	2	17	JWD	091178	00006500	15	SE	PJ	1	06	00	F
0187	GS	2	17	JWD	091178	00006500	00	O	PJ	1	07	00	F
0188	GS	2	17	JWD	091178	00006500	05	N	PJ	1	08	00	F
0189	GS	2	17	JWD	091178	00006500	05	N	PJ	1	09	00	F
0190	GS	2	17	JWD	091178	00006500	05	N	PJ	1	10	00	F
0191	GS	2	17	JWD	091178	00006500	10	N	PJ	2	01	00	F
0192	GS	2	17	JWD	091178	00006500	00	O	SP	2	02	01	F
0193	GS	2	17	JWD	091178	00006500	35	SE	PJ	2	03	00	F
0194	GS	2	17	JWD	091178	00006500	05	N	PJ	2	04	00	F
0195	GS	2	17	JWD	091178	00006500	05	N	PJ	2	05	00	F
0196	GS	2	17	JWD	091178	00006500	05	N	PJ	2	06	01	F
0197	GS	2	17	JWD	091178	00006500	05	N	PJ	2	07	00	F
0198	GS	2	17	JWD	091178	00006500	00	O	SP	2	08	00	F
0199	GS	2	17	JWD	091178	00006500	00	O	SB	2	09	00	F
0200	GS	2	17	JWD	091178	00006500	05	SE	PJ	2	10	00	F
0201	GS	2	15	JWD	091178	00007000	00	OO	SP	1	01	01	F
0202	GS	2	15	JWD	091178	00006500	10	E	SP	1	02	00	F
0203	GS	2	15	JWD	091178	00007000	10	E	SP	1	03	00	F
0204	GS	2	15	JWD	091178	00007000	00	OO	MP	1	04	00	F
0205	GS	2	15	JWD	091178	00007000	05	NW	MP	1	05	00	F
0206	GS	2	15	JWD	091178	00007000	05	NW	MP	1	06	00	F
0207	GS	2	15	JWD	091178	00007000	05	NW	MP	1	07	00	F
0208	GS	2	15	JWD	091178	00007000	05	NW	MP	1	08	01	F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0157	GS	2	05	JWD	091178	00006500	00	D	SB	2	07	00	F
0158	GS	2	05	JWD	091178	00006500	35	SW	MP	2	08	00	F
0159	GS	2	05	JWD	091178	00006500	10	SE	MP	2	09	00	F
0160	GS	2	05	JWD	091178	00006500	05	SE	PJ	2	10	00	F
0161	GS	2	06	JWD	091178	00006500	10	N	PJ	1	01	00	F
0162	GS	2	06	JWD	091178	00006500	10	N	PJ	1	02	00	F
0163	GS	2	06	JWD	091178	00006500	10	N	PJ	1	03	00	F
0164	GS	2	06	JWD	091178	00006500	25	N	MP	1	04	01	F
0165	GS	2	06	JWD	091178	00006500	25	S	PJ	1	05	00	F
0166	GS	2	06	JWD	091178	00006500	15	NE	PJ	1	06	00	F
0167	GS	2	06	JWD	091178	00006500	35	N	MP	1	07	00	F
0168	GS	2	06	JWD	091178	00006500	00	D	SB	1	08	00	F
0169	GS	2	06	JWD	091178	00006500	00	D	SB	1	09	00	F
0170	GS	2	06	JWD	091178	00006500	00	D	SB	1	10	00	F
0171	GS	2	06	JWD	091178	00006500	00	D	SP	2	01	00	F
0172	GS	2	06	JWD	091178	00006500	05	SE	PJ	2	02	00	F
0173	GS	2	06	JWD	091178	00006500	05	NE	SP	2	03	00	F
0174	GS	2	06	JWD	C91178	00006500	05	NE	PJ	2	04	00	F
0175	GS	2	06	JWD	091178	00006500	05	NE	PJ	2	05	01	F
0176	GS	2	06	JWD	091178	00006500	05	NE	PJ	2	06	00	F
0177	GS	2	06	JWD	091178	00006500	05	NE	PJ	2	07	00	F
0178	GS	2	06	JWD	C91178	00006500	20	E	MP	2	08	01	F
0179	GS	2	06	JWD	091178	00006500	20	E	MP	2	09	00	F
0180	GS	2	06	JWD	091178	00006500	20	N	PJ	2	10	00	F
0181	GS	2	17	JWD	091178	00006500	00	S	PJ	1	01	00	F
0182	GS	2	17	JWD	091178	00006500	05	NE	PJ	1	02	00	F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0131	GS	1	31	WJC	091578	00007500	10	S	MB	2	01	00	F
0132	GS	1	31	WJC	091578	00007500	20	S	MB	2	02	00	F
0133	GS	1	31	WJC	091578	00008000	10	E	SB	2	03	00	F
0134	GS	1	31	WJC	091578	00007500	20	SE	MB	2	04	01	F
0135	GS	1	31	WJC	091578	00007500	20	SE	MB	2	05	01	F
0136	GS	1	31	WJC	091578	00007500	30	SE	MB	2	06	01	F
0137	GS	1	31	WJC	091578	00007500	00	O	MB	2	07	01	F
0138	GS	1	31	WJC	091578	00007500	10	N	MB	2	08	00	F
0139	GS	1	31	WJC	091578	00008000	30	N	MB	2	09	00	F
0140	GS	1	31	WJC	091578	00008000	30	N	MB	2	10	00	F
0141	GS	2	05	JWD	091178	00006500	10	N	MP	1	01	00	F
0142	GS	2	05	JWD	091178	00006500	00	O	SB	1	02	00	F
0143	GS	2	05	JWD	091178	00006500	00	O	SB	1	03	00	F
0144	GS	2	05	JWD	091178	00006500	00	O	SB	1	04	00	F
0145	GS	2	05	JWD	091178	00006500	30	E	SB	1	05	01	F
0146	GS	2	05	JWD	091178	00006500	40	S	MP	1	06	00	F
0147	GS	2	05	JWD	091178	00006500	35	S	MP	1	07	00	F
0148	GS	2	05	JWD	091178	00006500	10	S	MP	1	08	00	F
0149	GS	2	05	JWD	091178	00006500	00	O	MP	1	09	00	F
0150	GS	2	05	JWD	091178	00006500	30	NE	MP	1	10	00	F
0151	GS	2	05	JWD	091178	00006500	45	N	MP	2	01	00	F
0152	GS	2	05	JWD	091178	00006500	20	N	PJ	2	02	00	F
0153	GS	2	05	JWD	091178	00006500	20	N	PJ	2	03	00	F
0154	GS	2	05	JWD	091178	00006500	10	N	MB	2	04	00	F
0155	GS	2	05	JWD	091178	00006500	00	O	SB	2	05	00	F
0156	GS	2	05	JWD	091178	00006500	00	O	SB	2	06	01	F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0105	GS	1	26	JWD	091478	00007500	65	N	MB	1	05	00	F
0106	GS	1	26	JWD	091478	00007500	60	N	MB	1	06	00	F
0107	GS	1	26	JWD	091478	00007000	65	N	MB	1	07	01	F
0108	GS	1	26	JWD	091478	00007000	15	N	MB	1	08	00	F
0109	GS	1	26	JWD	091478	00007000	05	S	SB	1	09	00	F
0110	GS	1	26	JWD	091478	00007000	50	S	MB	1	10	00	F
0111	GS	1	26	JWD	091478	00007500	40	S	MB	2	01	00	F
0112	GS	1	26	JWD	091478	00007500	30	N	MB	2	02	01	F
0113	GS	1	26	JWD	091478	00007500	00	O	SB	2	03	01	F
0114	GS	1	26	JWD	091478	00007500	20	S	MB	2	04	01	F
0115	GS	1	26	JWD	091478	00007500	10	S	MB	2	05	00	F
0116	GS	1	26	JWD	091478	00007000	00		MB	2	06	00	F
0117	GS	1	26	JWD	091478	00007000	50	N	MB	2	07	00	F
0118	GS	1	26	JWD	091478	00007000	50	N	MB	2	08	00	F
0119	GS	1	26	JWD	091478	00007000	00		SB	2	09	00	F
0120	GS	1	26	JWD	091478	00007000	55	S	MB	2	10	00	F
0121	GS	1	31	WJC	091578	00007500	10	SW	MB	1	01	00	F
0122	GS	1	31	WJC	091578	00008000	20	S	MB	1	02	00	F
0123	GS	1	31	WJC	091578	00008000	20	S	MB	1	03	00	F
0124	GS	1	31	WJC	091578	00008000	10	SE	MB	1	04	01	F
0125	GS	1	31	WJC	091578	00008000	30	N	MB	1	05	00	F
0126	GS	1	31	WJC	091578	00008000	30	N	MB	1	06	01	F
0127	GS	1	31	WJC	091578	00008000	30	N	MB	1	07	00	F
0128	GS	1	31	WJC	091578	00007500	30	NE	MB	1	08	01	F
0129	GS	1	31	WJC	091578	00007500	30	NE	MB	1	09	00	F
0130	GS	1	31	WJC	091578	00007500	30	NE	MB	1	10	01	F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0079	GS	1	20	JWD	091478	00007500	15	S	MB	2	09	00 F
0080	GS	1	20	JWD	091478	00007500	10	SE	MB	2	10	00 F
0081	GS	1	23	JWD	091178	00007000	00	O	SB	1	01	00 F
0082	GS	1	23	JWD	091178	00007000	10	SE	SB	1	02	00 F
0083	GS	1	23	JWD	091178	00007000	10	SE	SB	1	03	00 F
0084	GS	1	23	JWD	091178	00007000	35	NE	MB	1	04	00 F
0085	GS	1	23	JWD	091178	00007000	00	O	SB	1	05	00 F
0086	GS	1	23	JWD	091178	00007000	05	S	SB	1	06	00 F
0087	GS	1	23	JWD	091178	00007000	20	NW	SB	1	07	00 F
0088	GS	1	23	JWD	091178	00007000	20	S	PJ	1	08	00 F
0089	GS	1	23	JWD	091178	00007000	20	S	MP	1	09	00 F
0090	GS	1	23	JWD	091178	00007000	00	O	MP	1	10	00 F
0091	GS	1	23	JWD	091178	00007000	10	E	MP	2	01	00 F
0092	GS	1	23	JWD	091178	00007000	05	SE	MP	2	02	00 F
0093	GS	1	23	JWD	091178	00007000	05	SE	SP	2	03	00 F
0094	GS	1	23	JWD	091178	00007000	25	W	MP	2	04	00 F
0095	GS	1	23	JWD	091178	00007000	35	SW	MP	2	05	01 F
0096	GS	1	23	JWD	091178	00007000	45	E	SP	2	06	00 F
0097	GS	1	23	JWD	091178	00007000	05	S	SB	2	07	00 F
0098	GS	1	23	JWD	091178	00007000	40	S	SB	2	08	01 F
0099	GS	1	23	JWD	091178	00007000	35	E	MB	2	09	00 F
0100	GS	1	23	JWD	091178	00007000	40	SW	MB	2	10	00 F
0101	GS	1	26	JWD	091478	00007500	20	S	MB	1	01	01 F
0102	GS	1	26	JWD	091478	00007500	20	S	MB	1	02	00 F
0103	GS	1	26	JWD	091478	00007500	05	N	MB	1	03	00 F
0104	GS	1	26	JWD	091478	00007500	40	N	MB	1	04	00 F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0053	GS	1	16	DER	091478	00007500	20	SW	MB	2	03	00	F
0054	GS	1	16	DER	091478	00007500	30	W	MP	2	04	00	F
0055	GS	1	16	DER	091478	00007500	10	W	OT	2	05	00	F
0056	GS	1	16	DER	091478	00007500	10	S	MP	2	06	00	F
0057	GS	1	16	DER	091478	00007500	00	O	MP	2	07	00	F
0058	GS	1	16	DER	091478	00007500	00	O	MB	2	08	00	F
0059	GS	1	16	DER	091478	00007500	10	N	MB	2	09	00	F
0060	GS	1	16	DER	091478	00007500	00	O	MB	2	10	00	F
0061	GS	1	20	JWD	091478	00007500	00	O	SB	1	01	00	F
0062	GS	1	20	JWD	091478	00007500	55	S	MB	1	02	00	F
0063	GS	1	20	JWD	091478	00007500	50	S	MB	1	03	00	F
0064	GS	1	20	JWD	091478	00007500	20	S	OT	1	04	00	F
0065	GS	1	20	JWD	091478	00007500	20	S	MB	1	05	01	F
0066	GS	1	20	JWD	091478	00007500	20	W	MB	1	06	00	F
0067	GS	1	20	JWD	091478	00007500	30	W	MB	1	07	00	F
0068	GS	1	20	JWD	091478	00007500	25	SE	MB	1	08	00	F
0069	GS	1	20	JWD	091478	00007500	25	S	MB	1	09	00	F
0070	GS	1	20	JWD	091478	00007500	25	S	MB	1	10	00	F
0071	GS	1	20	JWD	091478	00007500	50	W	MB	2	01	00	F
0072	GS	1	20	JWD	091478	00007500	50	W	OT	2	02	00	F
0073	GS	1	20	JWD	091478	00007500	40	W	OT	2	03	00	F
0074	GS	1	20	JWD	091478	00007500	40	W	OT	2	04	00	F
0075	GS	1	20	JWD	091478	00007500	30	W	MB	2	05	00	F
0076	GS	1	20	JWD	091478	00007500	35	S	MB	2	06	01	F
0077	GS	1	20	JWD	091478	00007500	35	S	MB	2	07	00	F
0078	GS	1	20	JWD	091478	00007500	35	S	MB	2	08	00	F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0027	GS	1	11	DER	091478	00007000	20	SE	MB	1	07	00 F
0028	GS	1	11	DER	091478	00007000	10	N	MB	1	08	00 F
0029	GS	1	11	DER	091478	00007000	20	NW	MB	1	09	00 F
0030	GS	1	11	DER	091478	00007000	10	N	MB	1	10	00 F
0031	GS	1	11	DER	091478	00007000	20	N	MB	2	01	00 F
0032	GS	1	11	DER	091478	00007000	00	O	MB	2	02	01 F
0033	GS	1	11	DER	091478	00007000	10	N	MP	2	03	00 F
0034	GS	1	11	DER	091478	00007000	10	NW	MP	2	04	00 F
0035	GS	1	11	DER	091478	00007000	00	O	MP	2	05	00 F
0036	GS	1	11	DER	091478	00007000	10	NW	MP	2	06	00 F
0037	GS	1	11	DER	091478	00007000	20	N	MB	2	07	00 F
0038	GS	1	11	DER	091478	00007000	20	N	MP	2	08	00 F
0039	GS	1	11	DER	091478	00007000	00	O	SB	2	09	00 F
0040	GS	1	11	DER	091478	00007000	10	E	SB	2	10	00 F
0041	GS	1	16	DER	091478	00007500	10	E	MB	1	01	01 F
0042	GS	1	16	DER	091478	00007500	45	SE	MB	1	02	00 F
0043	GS	1	16	DER	091478	00007500	45	SE	MB	1	03	00 F
0044	GS	1	16	DER	091478	00007500	30	SE	MB	1	04	00 F
0045	GS	1	16	DER	091478	00007500	10	E	MB	1	05	00 F
0046	GS	1	16	DER	091478	00007500	10	S	MB	1	06	00 F
0047	GS	1	16	DER	091478	00007500	10	SE	MP	1	07	00 F
0048	GS	1	16	DER	091478	00007500	30	S	MP	1	08	00 F
0049	GS	1	16	DER	091478	00007500	10	E	MP	1	09	00 F
0050	GS	1	16	DER	091478	00007500	00	O	MB	1	10	00 F
0051	GS	1	16	DER	091478	00007000	30	SW	MP	2	01	00 F
0052	GS	1	16	DER	091478	00007000	00	O	MB	2	02	00 F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0001	GS	1	05	DER	091478	00007000	20	SE	MP	1	01	00	F
0002	GS	1	05	DER	091478	00007000	20	SE	MP	1	02	00	F
0003	GS	1	05	DER	091478	00007000	30	SE	MP	1	03	00	F
0004	GS	1	05	DER	091478	00007000	20	S	MP	1	04	00	F
0005	GS	1	05	DER	091478	00007000	00	0	OT	1	05	00	F
0006	GS	1	05	DER	091478	00007000	10	SE	MP	1	06	00	F
0007	GS	1	05	DER	091478	00007000	10	E	MP	1	07	00	F
0008	GS	1	05	DER	091478	00007000	10	NE	MB	1	08	01	F
0009	GS	1	05	DER	091478	00007000	10	N	MB	1	09	00	F
0010	GS	1	05	DER	091478	00007000	20	N	MB	1	10	01	F
0011	GS	1	05	DER	091478	00007000	30	N	MB	2	01	00	F
0012	GS	1	05	DER	091478	00007000	00	0	SB	2	02	00	F
0013	GS	1	05	DER	C91478	00007000	10	SE	SB	2	03	00	F
0014	GS	1	05	DER	091478	00007000	20	E	MB	2	04	00	F
0015	GS	1	05	DER	091478	00007000	45	S	MB	2	05	00	F
0016	GS	1	05	DER	091478	00007000	10	E	SP	2	06	00	F
0017	GS	1	05	DER	091478	00007000	10	E	MP	2	07	00	F
0018	GS	1	05	DER	091478	00007000	10	E	MP	2	08	00	F
0019	GS	1	05	DER	091478	00007000	20	SE	MP	2	09	00	F
0020	GS	1	05	DER	091478	00007000	10	SE	MP	2	10	00	F
0021	GS	1	11	DER	091478	00007000	20	E	MB	1	01	00	F
0022	GS	1	11	DER	091478	00007000	20	E	MB	1	02	00	F
0023	GS	1	11	DER	091478	00007000	10	N	MB	1	03	00	F
0024	GS	1	11	DER	091478	00007000	10	SE	SB	1	04	00	F
0025	GS	1	11	DER	091478	00007000	20	S	MP	1	05	00	F
0026	GS	1	11	DER	091478	00007000	20	SE	MB	1	06	00	F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0287	GS	3	01	JWD	091178	00006500	00	00	SP	1	07	02 F
0288	GS	3	01	JWD	091178	00006500	00	00	SP	1	08	00 F
0289	GS	3	01	JWD	091178	00006500	00	00	SP	1	09	00 F
0290	GS	3	01	JWD	091178	00006500	00	NW	SP	1	10	00 F
0291	GS	3	01	JWD	091178	00006500	00	00	SP	2	01	00 F
0292	GS	3	01	JWD	091178	00006500	00	00	SP	2	02	00 F
0293	GS	3	01	JWD	091178	00006500	05	N	SP	2	03	00 F
0294	GS	3	01	JWD	091178	00006500	00	00	SB	2	04	00 F
0295	GS	3	01	JWD	091178	00006500	00	00	SP	2	05	00 F
0296	GS	3	01	JWD	091178	00006500	00	00	SP	2	06	00 F
0297	GS	3	01	JWD	091178	00006500	00	00	SP	2	07	00 F
0298	GS	3	01	JWD	091178	00006500	00	00	SP	2	08	00 F
0299	GS	3	01	JWD	091178	00006500	00	00	SP	2	09	00 F
0300	GS	3	01	JWD	091178	00006500	00	00	SP	2	10	01 F
0301	GS	3	11	JWD	091178	00006500	15	S	SP	1	01	00 F
0302	GS	3	11	JWD	091178	00006500	15	S	SP	1	02	00 F
0303	GS	3	11	JWD	091178	00006500	00	00	SB	1	03	01 F
0304	GS	3	11	JWD	091178	00006500	00	00	SB	1	04	00 F
0305	GS	3	11	JWD	091178	00006500	00	00	SB	1	05	00 F
0306	GS	3	11	JWD	091178	00006500	00	00	SB	1	06	00 F
0307	GS	3	11	JWD	091178	00006500	00	00	SB	1	07	01 F
0308	GS	3	11	JWD	091178	00006500	00	00	SB	1	08	00 F
0309	GS	3	11	JWD	091178	00006500	00	00	SB	1	09	00 F
0310	GS	3	11	JWD	091178	00006500	00	00	SB	1	10	00 F
0311	GS	3	11	JWD	091178	00006500	00	00	SP	2	01	00 F
0312	GS	3	11	JWD	091178	00006500	00	00	SP	2	02	00 F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0313	GS	3	11	JWD	091178	00006500	00	00	SP	2	03	00	F
0314	GS	3	11	JWD	091178	00006500	00	00	SB	2	04	00	F
0315	GS	3	11	JWD	091178	00006500	00	00	SB	2	05	01	F
0316	GS	3	11	JWD	091178	00006500	00	00	SB	2	06	00	F
0317	GS	3	11	JWD	091178	00006500	00	00	SB	2	07	00	F
0318	GS	3	11	JWD	091178	00006500	00	00	SB	2	08	00	F
0319	GS	3	11	JWD	091178	00006500	00	00	SB	2	09	00	F
0320	GS	3	11	JWD	091178	00006500	00	00	SB	2	10	01	F
0321	GS	3	14	JWD	091178	00006500	00	00	SB	1	01	00	F
0322	GS	3	14	JWD	091178	00006500	00	00	SB	1	02	00	F
0323	GS	3	14	JWD	091178	00006500	00	00	SB	1	03	00	F
0324	GS	3	14	JWD	091178	00006500	05	S	SP	1	04	00	F
0325	GS	3	14	JWD	091178	00006500	05	SE	PJ	1	05	00	F
0326	GS	3	14	JWD	091178	00006500	05	SE	PJ	1	06	00	F
0327	GS	3	14	JWD	091178	00006500	05	SE	PJ	1	07	00	F
0328	GS	3	14	JWD	091178	00006500	05	NE	SP	1	08	00	F
0329	GS	3	14	JWD	091178	00006500	05	N	SP	1	09	00	F
0330	GS	3	14	JWD	091178	00006500	00	00	SB	1	10	00	F
0331	GS	3	14	JWD	091178	00006500	05	N	SP	2	01	00	F
0332	GS	3	14	JWD	091178	00006500	05	N	SB	2	02	00	F
0333	GS	3	14	JWD	091178	00006500	00	00	SB	2	03	01	F
0334	GS	3	14	JWD	091178	00006500	00	00	SB	2	04	00	F
0335	GS	3	14	JWD	091178	00006500	00	00	SB	2	05	01	F
0336	GS	3	14	JWD	091178	00006500	00	00	SB	2	06	00	F
0337	GS	3	14	JWD	091178	00006500	05	W	SB	2	07	00	F
0338	GS	3	14	JWD	091178	00006500	05	S	SP	2	08	00	F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0339	GS	3	14	JWD	091178	00006500	00	00	SP	2	09	01	F
0340	GS	3	14	JWD	091178	00006500	00	00	SB	2	10	00	F
0341	GS	3	17	JWD	091178	00006500	00	00	SB	1	01	00	F
0342	GS	3	17	JWD	091178	00006500	00	00	SB	1	02	01	F
0343	GS	3	17	JWD	091178	00006500	00	00	SB	1	03	00	F
0344	GS	3	17	JWD	091178	00006500	00	00	SB	1	04	00	F
0345	GS	3	17	JWD	091178	00006500	00	00	SB	1	05	00	F
0346	GS	3	17	JWD	091178	00006500	00	00	SB	1	06	00	F
0347	GS	3	17	JWD	091178	00006500	00	00	SB	1	07	00	F
0348	GS	3	17	JWD	091178	00006000	00	00	SB	1	08	00	F
0349	GS	3	17	JWD	091178	00006000	20	S	SP	1	09	00	F
0350	GS	3	17	JWD	091178	00006000	20	S	SP	1	10	00	F
0351	GS	3	17	JWD	091178	00006500	05	00	SB	2	01	01	F
0352	GS	3	17	JWD	091178	00006500	05	00	SB	2	02	00	F
0353	GS	3	17	JWD	091178	00006500	05	00	SB	2	03	00	F
0354	GS	3	17	JWD	091178.	00006500	05	00	SB	2	04	01	F
0355	GS	3	17	JWD	091178	00006500	05	00	SB	2	05	00	F
0356	GS	3	17	JWD	091178	00006500	05	00	SB	2	06	00	F
0357	GS	3	17	JWD	091178	00006000	05	00	SB	2	07	00	F
0358	GS	3	17	JWD	091178	00006000	05	00	SB	2	08	00	F
0359	GS	3	17	JWD	091178	00006000	05	00	SB	2	09	00	F
0360	GS	3	17	JWD	091178	00006000	05	00	SB	2	10	00	F
0361	GS	3	18	JWD	091178	00006500	05	NW	SB	1	01	01	F
0362	GS	3	18	JWD	091178	00006500	05	NW	SB	1	02	00	F
0363	GS	3	18	JWD	091178	00006500	05	NW	SB	1	03	00	F
0364	GS	3	18	JWD	091178	00006500	05	NW	SB	1	04	00	F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0365	GS	3	18	JWD	C91178	00006500	05	NW	SB	1	05	00	F
0366	GS	3	18	JWD	091178	00006500	05	NW	SB	1	06	00	F
0367	GS	3	18	JWD	091178	00006500	05	NW	SB	1	07	00	F
0368	GS	3	18	JWD	091178	00006000	05	NW	SB	1	08	01	F
0369	GS	3	18	JWD	091178	00006000	05	NW	SB	1	09	00	F
0370	GS	3	18	JWD	091178	00006000	05	NW	SB	1	10	00	F
0371	GS	3	18	JWD	091178	00006500	00	OO	SB	2	01	00	F
0372	GS	3	18	JWD	091178	00006500	00	OO	SB	2	02	00	F
0373	GS	3	18	JWD	091178	00006500	00	OO	SB	2	03	00	F
0374	GS	3	18	JWD	091178	00006500	00	OO	SB	2	04	00	F
0375	GS	3	18	JWD	091178	00006500	05	NW	SB	2	05	00	F
0376	GS	3	18	JWD	091178	00006500	05	NW	SB	2	06	01	F
0377	GS	3	18	JWD	091178	00006500	05	NW	SB	2	07	00	F
0378	GS	3	18	JWD	091178	00006500	05	NW	SB	2	08	00	F
0379	GS	3	18	JWD	091178	00006500	05	NW	SB	2	09	00	F
0380	GS	3	18	JWD	091178	00006500	05	NW	SB	2	10	00	F
0381	GS	3	19	JWD	091178	00006500	05	N	SP	1	01	00	F
0382	GS	3	19	JWD	091178	00006500	00	OO	SP	1	02	01	F
0383	GS	3	19	JWD	091178	00006500	05	N	SB	1	03	00	F
0384	GS	3	19	JWD	091178	00006500	05	N	SB	1	04	00	F
0385	GS	3	19	JWD	091178	00006500	05	N	SB	1	05	00	F
0386	GS	3	19	JWD	091178	00006500	05	N	SB	1	06	00	F
0387	GS	3	19	JWD	091178	00006500	00	OO	SB	1	07	00	F
0388	GS	3	19	JWD	C91178	00006500	00	OO	SB	1	08	00	F
0389	GS	3	19	JWD	091178	00006500	05	SE	PJ	1	09	00	F
0390	GS	3	19	JWD	C91178	00006500	10	SW	PJ	1	10	00	F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0391	GS	3	19	JWD	091178	00006500	00	OO	SP	2	01	00	F
0392	GS	3	19	JWD	091178	00006500	00	OO	SP	2	02	00	F
0393	GS	3	19	JWD	091178	00006500	10	N	SP	2	03	00	F
0394	GS	3	19	JWD	091178	00006500	10	N	SP	2	04	00	F
0395	GS	3	19	JWD	091178	00006500	00	OO	SB	2	05	00	F
0396	GS	3	19	JWD	091178	00006500	05	NE	SP	2	06	00	F
0397	GS	3	19	JWD	091178	00006500	05	NE	PJ	2	07	00	F
0398	GS	3	19	JWD	091178	00006500	05	NE	PJ	2	08	00	F
0399	GS	3	19	JWD	091178	00006500	05	N	PJ	2	09	00	F
0400	GS	3	19	JWD	091178	00006500	05	N	SP	2	10	00	F
0401	GS	3	34	JWD	091178	00006000	00	OO	SB	1	01	00	F
0402	GS	3	34	JWD	091178	00006000	00	OO	SB	1	02	00	F
0403	GS	3	34	JWD	091178	00006000	00	OO	OT	1	03	01	F
0404	GS	3	34	JWD	091178	00006000	40	SE	PJ	1	04	00	F
0405	GS	3	34	JWD	091178	00006500	40	SE	PJ	1	05	00	F
0406	GS	3	34	JWD	091178	00006500	10	SE	SB	1	06	00	F
0407	GS	3	34	JWD	091178	00006500	45	SW	PJ	1	07	00	F
0408	GS	3	34	JWD	091178	00006500	00	OO	PJ	1	08	00	F
0409	GS	3	34	JWD	091178	00006500	00	OO	PJ	1	09	00	F
0410	GS	3	34	JWD	091178	00006500	10	SE	PJ	1	10	00	F
0411	GS	3	34	JWD	091178	00006500	45	NE	MP	2	01	00	F
0412	GS	3	34	JWD	091178	00006500	45	NE	MP	2	02	00	F
0413	GS	3	34	JWD	091178	00006500	00	OO	SB	2	03	00	F
0414	GS	3	34	JWD	091178	00006000	00	OO	SB	2	04	00	F
0415	GS	3	34	JWD	091178	00006000	00	OO	SB	2	05	00	F
0416	GS	3	34	JWD	091178	00006000	00	OO	SB	2	06	00	F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0417	GS	3	34	JWD	091178	00006000	50	E	MP	2	07	00 F
0418	GS	3	34	JWD	091178	00006500	50	E	MP	2	08	00 F
0419	GS	3	34	JWD	091178	00006500	30	E	SP	2	09	00 F
0420	GS	3	34	JWD	091178	00006500	00	OO	PJ	2	10	01 F
0421	GS	4	01	WJC	091578	00007500	60	S	MB	1	01	00 F
0422	GS	4	01	WJC	091578	00007500	30	N	OT	1	02	00 F
0423	GS	4	01	WJC	091578	00007500	10	E	SB	1	03	00 F
0424	GS	4	01	WJC	091578	00007500	50	S	MB	1	04	00 F
0425	GS	4	01	WJC	091578	00007500	30	SE	MB	1	05	00 F
0426	GS	4	01	WJC	091578	00007500	30	SE	MB	1	06	00 F
0427	GS	4	01	WJC	091578	00007500	30	SE	MB	1	07	00 F
0428	GS	4	01	WJC	091578	00007500	30	SE	MB	1	08	00 F
0429	GS	4	01	WJC	091578	00007500	30	SE	MB	1	09	01 F
0430	GS	4	01	WJC	091578	00008000	30	SE	MB	1	10	00 F
0431	GS	4	01	WJC	091578	00007500	50	N	MB	2	01	00 F
0432	GS	4	01	WJC	091578	00007500	50	N	MB	2	02	00 F
0433	GS	4	01	WJC	091578	00007500	50	N	MB	2	03	01 F
0434	GS	4	01	WJC	091578	00007500	10	E	SB	2	04	00 F
0435	GS	4	01	WJC	091578	00007500	60	S	MP	2	05	00 F
0436	GS	4	01	WJC	091578	00007500	50	SE	MB	2	06	01 F
0437	GS	4	01	WJC	091578	00007500	50	SE	MB	2	07	00 F
0438	GS	4	01	WJC	091578	00007500	40	E	MB	2	08	01 F
0439	GS	4	01	WJC	091578	00007500	40	E	MB	2	09	00 F
0440	GS	4	01	WJC	091578	00007500	10	S	MB	2	10	01 F
0441	GS	4	08	DER	091278	00007500	10	N	MB	1	01	00 F
0442	GS	4	08	DER	091278	00007500	20	N	MB	1	02	00 F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0443	GS	4	08	DER	091278	00007500	00	00	MB	1	03	00 F
0444	GS	4	08	DER	091278	00007500	20	S	MB	1	04	00 F
0445	GS	4	08	DER	091278	00007500	20	S	MB	1	05	00 F
0446	GS	4	08	DER	091278	00007500	10	SE	MB	1	06	00 F
0447	GS	4	08	DER	091278	00007500	10	SE	MB	1	07	00 F
0448	GS	4	08	DER	091278	00007500	10	SE	MB	1	08	00 F
0449	GS	4	08	DER	091278	00008000	20	NE	MB	1	09	00 F
0450	GS	4	08	DER	091278	00008000	10	00	MB	1	10	00 F
0451	GS	4	08	DER	091278	00007500	00	N	MB	2	01	00 F
0452	GS	4	08	DER	091278	00007500	20	N	MB	2	02	00 F
0453	GS	4	08	DER	091278	00007500	20	00	MB	2	03	00 F
0454	GS	4	08	DER	091278	00007500	00	S	MB	2	04	00 F
0455	GS	4	08	DER	091278	00007500	20	SE	MB	2	05	00 F
0456	GS	4	08	DER	091278	00007500	20	E	MB	2	06	00 F
0457	GS	4	08	DER	091278	00007500	30	E	MB	2	07	00 F
0458	GS	4	08	DER	091278	00007500	20	E	MB	2	08	00 F
0459	GS	4	08	DER	091278	00007500	20	E	MB	2	09	00 F
0460	GS	4	08	DER	091278	00007500	20	E	MB	2	10	00 F
0461	GS	4	13	DER	091278	00007500	00	00	MB	1	01	00 F
0462	GS	4	13	DER	091278	00007500	10	SW	OT	1	02	00 F
0463	GS	4	13	DER	091278	00007500	10	SW	OT	1	03	00 F
0464	GS	4	13	DER	091278	00008000	10	S	MB	1	04	00 F
0465	GS	4	13	DER	091278	00008000	20	S	MB	1	05	00 F
0466	GS	4	13	DER	091278	00008000	00	00	MB	1	06	00 F
0467	GS	4	13	DER	091278	00008000	10	W	MB	1	07	00 F
0468	GS	4	13	DER	091278	00008000	00	00	MB	1	08	00 F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0469	GS	4	13	DER	091278	00008000	00	OO	MB	1	09	00	F
0470	GS	4	13	DER	091278	00008000	00	OO	MB	1	10	00	F
0471	GS	4	13	DER	091278	00007500	10	SE	MB	2	01	00	F
0472	GS	4	13	DER	091278	00007500	10	SW	MB	2	02	00	F
0473	GS	4	13	DER	091278	00007500	10	SW	MB	2	03	00	F
0474	GS	4	13	DER	C91278	00007500	10	SW	OT	2	04	00	F
0475	GS	4	13	DER	091278	00007500	10	SW	OT	2	05	00	F
0476	GS	4	13	DER	091278	00007500	10	SW	OT	2	06	00	F
0477	GS	4	13	DER	091278	00007500	10	SW	MB	2	07	00	F
0478	GS	4	13	DER	C91278	00007500	00	OO	MB	2	08	00	F
0479	GS	4	13	DER	091278	00007500	10	N	MB	2	09	00	F
0480	GS	4	13	DER	091278	00007500	10	N	MB	2	10	00	F
0481	GS	4	14	WJC	091278	00007500	30	E	MB	1	01	00	F
0482	GS	4	14	WJC	091278	00007500	30	E	MB	1	02	01	F
0483	GS	4	14	WJC	091278	00007500	30	E	MB	1	03	00	F
0484	GS	4	14	WJC	091278	00007500	30	E	MB	1	04	00	F
0485	GS	4	14	WJC	091278	00007500	30	SE	MB	1	05	00	F
0486	GS	4	14	WJC	091278	00007500	30	E	MB	1	06	00	F
0487	GS	4	14	WJC	091278	00007500	20	E	MB	1	07	00	F
0488	GS	4	14	WJC	C91278	00007500	20	S	MB	1	08	02	F
0489	GS	4	14	WJC	091278	00007500	10	S	MB	1	09	00	F
0490	GS	4	14	WJC	C91278	00007500	00	OO	MB	1	10	00	F
0491	GS	4	14	WJC	091278	00007000	60	SW	MB	2	01	00	F
0492	GS	4	14	WJC	091278	00007500	30	SW	MB	2	02	00	F
0493	GS	4	14	WJC	091278	00007500	20	SW	MB	2	03	00	F
0494	GS	4	14	WJC	091278	00007500	20	W	MB	2	04	00	F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0495	GS	4	14	WJC	091278	00007500	20	SE	MB	2	05	00 F
0496	GS	4	14	WJC	091278	00007500	20	SE	MB	2	06	01 F
0497	GS	4	14	WJC	091278	00007500	20	SE	MB	2	07	00 F
0498	GS	4	14	WJC	091278	00007500	10	N	MB	2	08	00 F
0499	GS	4	14	WJC	091278	00007500	10	SW	MB	2	09	00 F
0500	GS	4	14	WJC	091278	00007500	10	SW	MB	2	10	00 F
0501	GS	4	18	DER	091378	00007000	20	N	MB	1	01	00 F
0502	GS	4	18	DER	091378	00007000	10	N	MB	1	02	00 F
0503	GS	4	18	DER	091378	00007000	20	N	MB	1	03	00 F
0504	GS	4	18	DER	091378	00007000	45	S	MB	1	04	00 F
0505	GS	4	18	DER	091378	00007000	45	S	MP	1	05	00 F
0506	GS	4	18	DER	091378	00007000	30	S	MP	1	06	00 F
0507	GS	4	18	DER	091378	00007000	10	S	MP	1	07	00 F
0508	GS	4	18	DER	091378	00007000	10	S	MP	1	08	00 F
0509	GS	4	18	DER	091378	00007500	10	S	MP	1	09	00 F
0510	GS	4	18	DER	091378	00007500	30	S	MP	1	10	00 F
0511	GS	4	18	DER	091378	00007000	45	N	MB	2	01	00 F
0512	GS	4	18	DER	091378	00007000	30	S	MB	2	02	00 F
0513	GS	4	18	DER	091378	00007000	20	S	MB	2	03	00 F
0514	GS	4	18	DER	091378	00007000	20	S	MB	2	04	00 F
0515	GS	4	18	DER	091378	00007000	20	S	MB	2	05	00 F
0516	GS	4	18	DER	091378	00007000	45	E	MB	2	06	00 F
0517	GS	4	18	DER	091378	00007000	60	E	MB	2	07	00 F
0518	GS	4	18	DER	091378	00007000	30	E	MP	2	08	00 F
0519	GS	4	18	DER	091378	00007000	30	E	MP	2	09	00 F
0520	GS	4	18	DER	091378	00007000	00	00	MP	2	10	00 F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0521	GS	4	23	DER	091578	00007000	20	S	MB	1	01	00	F
0522	GS	4	23	DER	091578	00007000	00	00	OT	1	02	00	F
0523	GS	4	23	DER	091578	00007000	20	E	MB	1	03	00	F
0524	GS	4	23	DER	091578	00007000	30	E	MB	1	04	00	F
0525	GS	4	23	DER	091578	00007000	30	E	MB	1	05	00	F
0526	GS	4	23	DER	C91578	00007500	30	E	MB	1	06	00	F
0527	GS	4	23	DER	091578	00007500	20	SE	MB	1	07	00	F
0528	GS	4	23	DER	091578	00007500	00	00	MB	1	08	00	F
0529	GS	4	23	DER	091578	00007500	00	00	MB	1	09	01	F
0530	GS	4	23	DER	C91578	00007500	10	E	MB	1	10	00	F
0531	GS	4	23	DER	091578	00007000	30	S	MP	2	01	00	F
0532	GS	4	23	DER	091578	00007000	30	S	SP	2	02	00	F
0533	GS	4	23	DER	091578	00007000	20	SE	SP	2	03	00	F
0534	GS	4	23	DER	091578	00007500	20	E	MP	2	04	00	F
0535	GS	4	23	DER	091578	00007500	10	S	MP	2	05	00	F
0536	GS	4	23	DER	091578	00007500	00	00	MP	2	06	00	F
0537	GS	4	23	DER	C91578	00007500	00	00	MP	2	07	00	F
0538	GS	4	23	DER	091578	00007500	20	NW	MB	2	08	00	F
0539	GS	4	23	DER	091578	00007000	20	NW	MB	2	09	00	F
0540	GS	4	23	DER	091578	00007000	10	E	MB	2	10	00	F
0541	GS	4	25	DER	091578	00008000	30	S	OT	1	01	00	F
0542	GS	4	25	DER	091578	00008000	10	SW	OT	1	02	00	F
0543	GS	4	25	DER	091578	00008000	10	S	MB	1	03	01	F
0544	GS	4	25	DER	C91578	00008000	10	W	OT	1	04	00	F
0545	GS	4	25	DER	091578	00008000	10	W	OT	1	05	00	F
0546	GS	4	25	DER	091578	00008000	00	00	MB	1	06	00	F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978

0547	GS	4	25	DER	091578	00008000	00	00	MB	1	07	00	F
0548	GS	4	25	DER	091578	00008000	10	N	MB	1	08	00	F
0549	GS	4	25	DER	091578	00008000	30	N	MB	1	09	00	F
0550	GS	4	25	DER	091578	00007500	30	N	MB	1	10	00	F
0551	GS	4	25	DER	091578	00007500	20	SW	MB	2	01	00	F
0552	GS	4	25	DER	091578	00007500	20	W	MB	2	02	00	F
0553	GS	4	25	DER	091578	00007500	20	S	MB	2	03	00	F
0554	GS	4	25	DER	091578	00007500	20	S	OT	2	04	00	F
0555	GS	4	25	DER	091578	00008000	20	S	MB	2	05	00	F
0556	GS	4	25	DER	091578	00008000	10	SW	OT	2	06	00	F
0557	GS	4	25	DER	091578	00008000	00	00	OT	2	07	00	F
0558	GS	4	25	DER	091578	00007500	10	N	MB	2	08	00	F
0559	GS	4	25	DER	091578	00007500	10	N	MB	2	09	00	F
0560	GS	4	25	DER	091578	00007500	20	N	MB	2	10	00	F
0561	GS	5	08	JWD	091178	00007000	10	SE	MP	1	01	00	F
0562	GS	5	08	JWD	091178	00007000	20	N	MP	1	02	00	F
0563	GS	5	08	JWD	091178	00007000	10	N	MB	1	03	01	F
0564	GS	5	08	JWD	091178	00007000	10	N	MB	1	04	00	F
0565	GS	5	08	JWD	091178	00007000	10	N	MB	1	05	00	F
0566	GS	5	08	JWD	091178	00007000	10	N	MB	1	06	00	F
0567	GS	5	08	JWD	091178	00007000	25	N	MB	1	07	00	F
0568	GS	5	08	JWD	091178	00007000	25	N	MB	1	08	01	F
0569	GS	5	08	JWD	091178	00007000	25	S	MB	1	09	00	F
0570	GS	5	08	JWD	091178	00007000	25	S	MB	1	10	00	F
0571	GS	5	08	JWD	091178	00007000	15	E	MP	2	01	00	F
0572	GS	5	08	JWD	091178	00007000	05	E	MB	2	02	00	F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0573	GS	5	08	JWD	091178	00007000	15	NE	MB	2	03	01	F
0574	GS	5	08	JWD	091178	00007000	10	E	MB	2	04	00	F
0575	GS	5	08	JWD	091178	00007000	05	S	MP	2	05	01	F
0576	GS	5	08	JWD	091178	00007000	05	S	MP	2	06	00	F
0577	GS	5	08	JWD	091178	00007000	00	00	MP	2	07	00	F
0578	GS	5	08	JWD	091178	00007000	10	N	MB	2	08	00	F
0579	GS	5	08	JWD	091178	00007000	10	N	MB	2	09	00	F
0580	GS	5	08	JWD	091178	00007000	10	N	MB	2	10	00	F
0581	GS	5	13	WJC	091378	00007000	50	S	SP	1	01	00	F
0582	GS	5	13	WJC	091378	00007000	30	S	SP	1	02	00	F
0583	GS	5	13	WJC	091378	00007000	40	S	SP	1	03	00	F
0584	GS	5	13	WJC	091378	00007000	40	S	DT	1	04	00	F
0585	GS	5	13	WJC	091378	00007000	40	S	SP	1	05	00	F
0586	GS	5	13	WJC	091378	00007000	40	S	SP	1	06	00	F
0587	GS	5	13	WJC	091378	00007000	00	00	MP	1	07	01	F
0588	GS	5	13	WJC	091378	00007000	10	N	MP	1	08	00	F
0589	GS	5	13	WJC	091378	00007000	20	W	MP	1	09	00	F
0590	GS	5	13	WJC	091378	00007000	20	W	MP	1	10	00	F
0591	GS	5	13	WJC	091378	00006500	20	N	MB	2	01	00	F
0592	GS	5	13	WJC	091378	00006500	00	00	SB	2	02	00	F
0593	GS	5	13	WJC	091378	00007000	50	S	SB	2	03	00	F
0594	GS	5	13	WJC	091378	00007000	30	S	MP	2	04	00	F
0595	GS	5	13	WJC	091378	00007000	20	SE	MP	2	05	00	F
0596	GS	5	13	WJC	091378	00007000	30	E	MP	2	06	00	F
0597	GS	5	13	WJC	091378	00007000	30	E	MP	2	07	00	F
0598	GS	5	13	WJC	091378	00007000	30	SE	MP	2	08	00	F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0599	GS	5	13	WJC	091378	00007000	30	SE	MP	2	09	00 F
0600	GS	5	13	WJC	091378	00007000	00	DD	MP	2	10	00 F
0601	GS	5	15	JWD	091578	00007000	15	N	MP	1	01	00 F
0602	GS	5	15	JWD	091578	00007000	15	NW	MP	1	02	00 F
0603	GS	5	15	JWD	091578	00007000	20	W	MP	1	03	00 F
0604	GS	5	15	JWD	091578	00007000	20	N	MP	1	04	00 F
0605	GS	5	15	JWD	091578	00006500	20	N	MP	1	05	00 F
0606	GS	5	15	JWD	091578	00006500	20	N	MP	1	06	01 F
0607	GS	5	15	JWD	091578	00006500	45	W	MP	1	07	00 F
0608	GS	5	15	JWD	091578	00006500	00	DD	SB	1	08	00 F
0609	GS	5	15	JWD	091578	00006500	00	DD	SB	1	09	00 F
0610	GS	5	15	JWD	091578	00007000	70	S	SP	1	10	00 F
0611	GS	5	15	JWD	091578	00007000	10	E	PJ	2	01	00 F
0612	GS	5	15	JWD	091578	00007000	00	DD	PJ	2	02	00 F
0613	GS	5	15	JWD	091578	00007000	10	N	SP	2	03	00 F
0614	GS	5	15	JWD	091578	00007000	15	W	PJ	2	04	00 F
0615	GS	5	15	JWD	091578	00007000	35	N	SP	2	05	01 F
0616	GS	5	15	JWD	091578	00007000	05	N	SB	2	06	01 F
0617	GS	5	15	JWD	091578	00006500	05	N	SB	2	07	00 F
0618	GS	5	15	JWD	091578	00006500	20	N	SP	2	08	00 F
0619	GS	5	15	JWD	091578	00006500	20	N	MP	2	09	00 F
0620	GS	5	15	JWD	091578	00006500	20	N	MP	2	10	00 F
0621	GS	5	27	JWD	091378	00007000	00	DD	SB	1	01	01 F
0622	GS	5	27	JWD	091378	00007000	30	W	SB	1	02	00 F
0623	GS	5	27	JWD	091378	00007000	20	W	SP	1	03	00 F
0624	GS	5	27	JWD	091378	00007000	10	N	SP	1	04	01 F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0625	GS	5	27	JWD	C91378	00007000	20	N	MB	1	05	00 F
0626	GS	5	27	JWD	091378	00007000	15	N	MB	1	06	00 F
0627	GS	5	27	JWD	091378	00007000	20	N	MB	1	07	00 F
0628	GS	5	27	JWD	091378	00007000	50	N	MB	1	08	00 F
0629	GS	5	27	JWD	091378	00006500	70	N	MP	1	09	00 F
0630	GS	5	27	JWD	091378	00006500	30	N	MB	1	10	00 F
0631	GS	5	27	JWD	091378	00007000	00	00	MP	2	01	00 F
0632	GS	5	27	JWD	C91378	00007000	00	00	MP	2	02	00 F
0633	GS	5	27	JWD	091378	00007000	00	00	PJ	2	03	00 F
0634	GS	5	27	JWD	091378	00007000	00	00	SP	2	04	00 F
0635	GS	5	27	JWD	091378	00007000	00	00	SP	2	05	00 F
0636	GS	5	27	JWD	C91378	00007000	20	N	MP	2	06	01 F
0637	GS	5	27	JWD	091378	00007000	20	N	SP	2	07	01 F
0638	GS	5	27	JWD	091378	00007000	20	N	SP	2	08	00 F
0639	GS	5	27	JWD	091378	00007000	30	N	MB	2	09	00 F
0640	GS	5	27	JWD	091378	00006500	30	NE	MP	2	10	00 F
0641	GS	5	28	JWD	091378	00007000	00	00	SB	1	01	01 F
0642	GS	5	28	JWD	091378	00007000	05	S	SB	1	02	00 F
0643	GS	5	28	JWD	C91378	00007000	30	E	MP	1	03	01 F
0644	GS	5	28	JWD	091378	00007000	30	S	PJ	1	04	00 F
0645	GS	5	28	JWD	091378	00007000	20	N	MP	1	05	00 F
0646	GS	5	28	JWD	091378	00007000	25	E	SP	1	06	00 F
0647	GS	5	28	JWD	091378	00007000	20	S	PJ	1	07	00 F
0648	GS	5	28	JWD	091378	00007000	10	S	PJ	1	08	00 F
0649	GS	5	28	JWD	091378	00007000	05	S	SP	1	09	00 F
0650	GS	5	28	JWD	C91378	00007000	00	00	PJ	1	10	00 F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0651	GS	5	28	JWD	091378	00007000	10	N	SB	2	01	00	F
0652	GS	5	28	JWD	091378	00006500	10	N	SB	2	02	00	F
0653	GS	5	28	JWD	091378	00006500	00	00	SB	2	03	00	F
0654	GS	5	28	JWD	091378	00006500	25	N	MB	2	04	00	F
0655	GS	5	28	JWD	C91378	00006500	30	SW	PJ	2	05	00	F
0656	GS	5	28	JWD	091378	00006500	15	N	SP	2	06	00	F
0657	GS	5	28	JWD	091378	00006500	15	N	SP	2	07	00	F
0658	GS	5	28	JWD	091378	00006500	10	N	MB	2	08	01	F
0659	GS	5	28	JWD	091378	00006500	00	00	MB	2	09	00	F
0660	GS	5	28	JWD	091378	00006500	05	N	SB	2	10	00	F
0661	GS	5	29	DER	091378	00007000	00	00	MP	1	01	00	F
0662	GS	5	29	DER	C91378	00007000	20	NW	DT	1	02	00	F
0663	GS	5	29	DER	091378	00007000	00	00	SB	1	03	00	F
0664	GS	5	29	DER	091378	00007000	00	00	SB	1	04	00	F
0665	GS	5	29	DER	091378	00007000	00	00	SP	1	05	00	F
0666	GS	5	29	DER	C91378	00007000	00	00	SB	1	06	00	F
0667	GS	5	29	DER	091378	00007000	20	N	MB	1	07	00	F
0668	GS	5	29	DER	091378	00007000	30	SW	PJ	1	08	00	F
0669	GS	5	29	DER	091378	00007000	20	W	SP	1	09	00	F
0670	GS	5	29	DER	091378	00007000	20	W	SB	1	10	00	F
0671	GS	5	29	DER	091378	00007000	00	00	MB	2	01	00	F
0672	GS	5	29	DER	091378	00007000	10	N	MB	2	02	00	F
0673	GS	5	29	DER	C91378	00007000	10	W	MB	2	03	00	F
0674	GS	5	29	DER	091378	00007000	00	00	SB	2	04	00	F
0675	GS	5	29	DER	091378	00007000	00	00	SB	2	05	00	F
0676	GS	5	29	DER	091378	00007000	10	NE	SB	2	06	00	F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0677	GS	5	29	DER	091378	00007000	30	E	SB	2	07	00	F
0678	GS	5	29	DER	091378	00007000	10	NE	SP	2	08	00	F
0679	GS	5	29	DER	091378	00007000	20	NE	SB	2	09	00	F
0680	GS	5	29	DER	091378	00007000	20	NE	MB	2	10	00	F
0681	GS	5	36	WJC	091378	00006500	00	00	SP	1	01	00	F
0682	GS	5	36	WJC	091378	00006500	10	N	MP	1	02	00	F
0683	GS	5	36	WJC	091378	00006500	40	S	SP	1	03	00	F
0684	GS	5	36	WJC	091378	00006500	20	SE	SP	1	04	00	F
0685	GS	5	36	WJC	091378	00006500	20	SE	MP	1	05	00	F
0686	GS	5	36	WJC	091378	00006500	10	E	SP	1	06	00	F
0687	GS	5	36	WJC	091378	00007000	40	N	MP	1	07	00	F
0688	GS	5	36	WJC	091378	00007000	40	S	MP	1	08	00	F
0689	GS	5	36	WJC	091378	00007000	40	S	MP	1	09	00	F
0690	GS	5	36	WJC	091378	00007000	20	S	MP	1	10	00	F
0691	GS	5	36	WJC	091378	00006500	20	S	MP	2	01	00	F
0692	GS	5	36	WJC	091378	00006500	20	S	SP	2	02	00	F
0693	GS	5	36	WJC	091378	00006500	10	NE	SP	2	03	00	F
0694	GS	5	36	WJC	091378	00006500	20	E	SP	2	04	00	F
0695	GS	5	36	WJC	091378	00006500	10	E	PJ	2	05	00	F
0696	GS	5	36	WJC	091378	00006500	10	E	SP	2	06	00	F
0697	GS	5	36	WJC	091378	00006500	10	SE	SP	2	07	00	F
0698	GS	5	36	WJC	091378	00006500	00	00	MP	2	08	00	F
0699	GS	5	36	WJC	091378	00006500	10	SE	SP	2	09	00	F
0700	GS	5	36	WJC	091378	00007000	10	SE	SP	2	10	00	F
0701	GS	6	08	JWD	091378	00006500	15	S	PJ	1	01	00	F
0702	GS	6	08	JWD	091378	00006500	10	N	SP	1	02	00	F

APPENDIX 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0703	GS	6	08	JWD	091378	00006500	30	S	SP	1	03	00	F
0704	GS	6	08	JWD	091378	00006500	30	S	SP	1	04	00	F
0705	GS	6	08	JWD	091378	00006500	10	N	SP	1	05	00	F
0706	GS	6	08	JWD	091378	00006500	10	NW	MP	1	06	01	F
0707	GS	6	08	JWD	091378	00006500	05	NW	PJ	1	07	00	F
0708	GS	6	08	JWD	091378	00006500	20	N	MP	1	08	00	F
0709	GS	6	08	JWD	091378	00006500	00	00	MP	1	09	00	F
0710	GS	6	08	JWD	091378	00006500	00	00	SB	1	10	00	F
0711	GS	6	08	JWD	091378	00006500	20	E	PJ	2	01	00	F
0712	GS	6	08	JWD	091378	00006500	20	E	PJ	2	02	02	F
0713	GS	6	08	JWD	091378	00006500	30	E	SP	2	03	00	F
0714	GS	6	08	JWD	091378	00006500	30	E	PJ	2	04	00	F
0715	GS	6	08	JWD	091378	00006500	30	E	SP	2	05	00	F
0716	GS	6	08	JWD	091378	00006500	05	N	PJ	2	06	00	F
0717	GS	6	08	JWD	091378	00006500	00	00	SB	2	07	01	F
0718	GS	6	08	JWD	091378	00006500	00	00	SB	2	08	00	F
0719	GS	6	08	JWD	091378	00006500	00	00	SB	2	09	00	F
0720	GS	6	08	JWD	091378	00006500	00	00	SB	2	10	00	F
0721	GS	6	11	WJC	091378	00006500	20	N	MP	1	01	00	F
0722	GS	6	11	WJC	091378	00006500	00	00	PJ	1	02	00	F
0723	GS	6	11	WJC	091378	00006500	20	SE	PJ	1	03	00	F
0724	GS	6	11	WJC	091378	00006500	20	S	PJ	1	04	00	F
0725	GS	6	11	WJC	091378	00006500	10	S	PJ	1	05	00	F
0726	GS	6	11	WJC	091378	00006500	00	00	PJ	1	06	00	F
0727	GS	6	11	WJC	091378	00006500	00	00	SP	1	07	00	F
0728	GS	6	11	WJC	091378	00006500	00	00	SP	1	08	00	F

APPENDIX - 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0729	GS	6	11	WJC	091378	00006500	00	00	MP	1	09	00	F
0730	GS	6	11	WJC	091378	00006500	20	N	MP	1	10	00	F
0731	GS	6	11	WJC	091378	00006500	10	SE	SP	2	01	00	F
0732	GS	6	11	WJC	091378	00006500	00	00	SP	2	02	00	F
0733	GS	6	11	WJC	091378	00006500	20	N	SP	2	03	00	F
0734	GS	6	11	WJC	091378	00006500	00	00	PJ	2	04	00	F
0735	GS	6	11	WJC	091378	00006500	00	00	PJ	2	05	00	F
0736	GS	6	11	WJC	091378	00006500	10	E	PJ	2	06	00	F
0737	GS	6	11	WJC	091378	00006500	10	SW	PJ	2	07	00	F
0738	GS	6	11	WJC	091378	00006500	00	00	PJ	2	08	00	F
0739	GS	6	11	WJC	091378	00006500	00	00	PJ	2	09	00	F
0740	GS	6	11	WJC	091378	00006500	00	00	SP	2	10	00	F
0741	GS	6	14	JWD	091378	00006500	10	E	PJ	1	01	00	F
0742	GS	6	14	JWD	091378	00006500	00	00	PJ	1	02	00	F
0743	GS	6	14	JWD	091378	00006500	50	E	PJ	1	03	01	F
0744	GS	6	14	JWD	091378	00006500	50	N	SP	1	04	00	F
0745	GS	6	14	JWD	091378	00006500	50	N	SP	1	05	00	F
0746	GS	6	14	JWD	091378	00006500	50	N	SP	1	06	00	F
0747	GS	6	14	JWD	091378	00006500	15	N	PJ	1	07	00	F
0748	GS	6	14	JWD	091378	00006500	40	SE	PJ	1	08	00	F
0749	GS	6	14	JWD	091378	00006500	25	S	PJ	1	09	00	F
0750	GS	6	14	JWD	091378	00006500	10	S	PJ	1	10	00	F
0751	GS	6	14	JWD	091378	00006500	05	N	SP	2	01	00	F
0752	GS	6	14	JWD	091378	00006500	05	N	SP	2	02	01	F
0753	GS	6	14	JWD	091378	00006500	05	N	SP	2	03	01	F
0754	GS	6	14	JWD	091378	00006500	05	N	SP	2	04	00	F

APPENDIX - 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0755	GS	6	14	JWD	091378	00006500	30	S	SP	2	05	00	F
0756	GS	6	14	JWD	091378	00006500	00	00	PJ	2	06	00	F
0757	GS	6	14	JWD	091378	00006500	15	N	MP	2	07	01	F
0758	GS	6	14	JWD	091378	00006500	15	N	MP	2	08	00	F
0759	GS	6	14	JWD	091378	00006500	25	N	MP	2	09	00	F
0760	GS	6	14	JWD	091378	00006500	10	N	MP	2	10	00	F
0761	GS	6	27	DER	091378	00006500	30	S	MP	1	01	00	F
0762	GS	6	27	DER	091378	00006500	20	E	SP	1	02	00	F
0763	GS	6	27	DER	091378	00006500	30	NW	SP	1	03	00	F
0764	GS	6	27	DER	091378	00006500	45	S	MP	1	04	00	F
0765	GS	6	27	DER	091378	00006500	00	00	SP	1	05	00	F
0766	GS	6	27	DER	091378	00006500	10	SE	PJ	1	06	00	F
0767	GS	6	27	DER	091378	00006500	10	E	PJ	1	07	00	F
0768	GS	6	27	DER	091378	00006500	10	E	MP	1	08	02	F
0769	GS	6	27	DER	091378	00006500	30	S	SP	1	09	00	F
0770	GS	6	27	DER	091378	00006500	00	00	SB	1	10	00	F
0771	GS	6	27	DER	091378	00006500	20	S	MB	2	01	00	F
0772	GS	6	27	DER	091378	00006500	10	SE	MB	2	02	00	F
0773	GS	6	27	DER	091378	00006500	10	SE	SB	2	03	00	F
0774	GS	6	27	DER	091378	00006500	45	S	OT	2	04	00	F
0775	GS	6	27	DER	091378	00006500	10	E	MB	2	05	00	F
0776	GS	6	27	DER	091378	00006500	10	NE	SP	2	06	00	F
0777	GS	6	27	DER	091378	00006500	00	00	SB	2	07	00	F
0778	GS	6	27	DER	091378	00006500	30	SW	MP	2	08	00	F
0779	GS	6	27	DER	091378	00006500	10	E	SP	2	09	00	F
0780	GS	6	27	DER	091378	00006500	00	00	SP	2	10	00	F

APPENDIX - 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0781	GS	6	30	DER	091178	00006500	00	00	PJ	1	01	00	F
0782	GS	6	30	DER	091178	00006500	10	SW	MP	1	02	00	F
0783	GS	6	30	DER	091178	00006500	10	S	MP	1	03	00	F
0784	GS	6	30	DER	091178	00006500	00	00	MP	1	04	00	F
0785	GS	6	30	DER	091178	00006500	10	N	MP	1	05	00	F
0786	GS	6	30	DER	091178	00006500	10	N	PJ	1	06	00	F
0787	GS	6	30	DER	091178	00006500	10	N	SP	1	07	00	F
0788	GS	6	30	DER	091178	00006500	30	NE	SB	1	08	00	F
0789	GS	6	30	DER	091178	00006500	00	00	SP	1	09	00	F
0790	GS	6	30	DER	091178	00006500	00	00	SP	1	10	00	F
0791	GS	6	30	DER	091178	00006500	00	00	MP	2	01	00	F
0792	GS	6	30	DER	091178	00006500	10	S	PJ	2	02	00	F
0793	GS	6	30	DER	091178	00006500	10	E	PJ	2	03	00	F
0794	GS	6	30	DER	091178	00006500	10	E	MP	2	04	00	F
0795	GS	6	30	DER	091178	00006500	00	00	MP	2	05	00	F
0796	GS	6	30	DER	091178	00006500	10	E	MP	2	06	00	F
0797	GS	6	30	DER	091178	00006500	10	SE	MP	2	07	00	F
0798	GS	6	30	DER	091178	00006500	00	00	PJ	2	08	00	F
0799	GS	6	30	DER	091178	00006500	00	00	MP	2	09	00	F
0800	GS	6	30	DER	091178	00006500	10	N	PJ	2	10	00	F
0801	GS	6	32	WJC	091378	00006500	30	SE	SP	1	01	00	F
0802	GS	6	32	WJC	091378	00006500	30	N	SP	1	02	00	F
0803	GS	6	32	WJC	091378	00006500	50	S	MP	1	03	00	F
0804	GS	6	32	WJC	091378	00006500	30	E	PJ	1	04	00	F
0805	GS	6	32	WJC	091378	00006500	20	E	SP	1	05	00	F
0806	GS	6	32	WJC	091378	00006500	10	NE	SP	1	06	00	F

APPENDIX - 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0807	GS	6	32	WJC	091378	00006500	10	E	PJ	1	07	00	F
0808	GS	6	32	WJC	091378	00006500	20	NE	SP	1	08	00	F
0809	GS	6	32	WJC	091378	00006500	20	E	PJ	1	09	00	F
0810	GS	6	32	WJC	091378	00006500	10	E	MP	1	10	00	F
0811	GS	6	32	WJC	091378	00006500	00	OO	SB	2	01	00	F
0812	GS	6	32	WJC	091378	00006500	10	SE	DT	2	02	00	F
0813	GS	6	32	WJC	091378	00006500	20	SE	SP	2	03	00	F
0814	GS	6	32	WJC	091378	00006500	20	NW	MP	2	04	00	F
0815	GS	6	32	WJC	091378	00006500	30	W	SB	2	05	00	F
0816	GS	6	32	WJC	091378	00006500	30	W	MP	2	06	00	F
0817	GS	6	32	WJC	091378	00006500	30	W	MP	2	07	00	F
0818	GS	6	32	WJC	091378	00006500	30	SW	PJ	2	08	00	F
0819	GS	6	32	WJC	091378	00006500	30	SW	PJ	2	09	00	F
0820	GS	6	32	WJC	091378	00006500	20	SE	PJ	2	10	00	F
0821	GS	6	35	WJC	091178	00006500	10	W	SB	1	01	00	F
0822	GS	6	35	WJC	091178	00006500	10	E	SP	1	02	00	F
0823	GS	6	35	WJC	091178	00006500	10	E	SP	1	03	00	F
0824	GS	6	35	WJC	091178	00006500	20	E	MP	1	04	00	F
0825	GS	6	35	WJC	091178	00006500	20	E	MP	1	05	00	F
0826	GS	6	35	WJC	091178	00006500	10	E	MP	1	06	00	F
0827	GS	6	35	WJC	091178	00006500	00	OO	PJ	1	07	00	F
0828	GS	6	35	WJC	091178	00006500	10	NW	MP	1	08	00	F
0829	GS	6	35	WJC	091178	00006500	10	NW	MP	1	09	00	F
0830	GS	6	35	WJC	091178	00006500	00	OO	PJ	1	10	00	F
0831	GS	6	35	WJC	091178	00006500	00	OO	MP	2	01	00	F
0832	GS	6	35	WJC	091178	00006500	10	W	PJ	2	02	00	F

APPENDIX - 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0833	GS	6	35	WJC	091178	00006500	10	NW	MP	2	03	00 F
0834	GS	6	35	WJC	091178	00006500	10	NW	OD	2	04	00 F
0835	GS	6	35	WJC	091178	00006500	10	NW	MP	2	05	00 F
0836	GS	6	35	WJC	091178	00006500	10	NW	MP	2	06	00 F
0837	GS	6	35	WJC	C91178	00006500	10	NW	MP	2	07	00 F
0838	GS	6	35	WJC	091178	00006500	10	N	MP	2	08	00 F
0839	GS	6	35	WJC	091178	00006500	20	N	SP	2	09	00 F
0840	GS	6	35	WJC	091178	00006500	00	OD	MP	2	10	00 F
0841	GS	7	16	DER	091278	00007500	20	NW	MB	1	01	00 F
0842	GS	7	16	DER	091278	00007500	10	NW	MB	1	02	00 F
0843	GS	7	16	DER	091278	00007500	30	SE	MB	1	03	00 F
0844	GS	7	16	DER	091278	00007500	30	SE	MB	1	04	00 F
0845	GS	7	16	DER	091278	00007500	30	SE	MB	1	05	00 F
0846	GS	7	16	DER	091278	00007500	00	OD	MB	1	06	00 F
0847	GS	7	16	DER	091278	00007500	00	OD	MB	1	07	00 F
0848	GS	7	16	DER	C91278	00007500	20	NW	MB	1	08	00 F
0849	GS	7	16	DER	091278	00007500	20	NW	MB	1	09	00 F
0850	GS	7	16	DER	091278	00007500	20	NW	MB	1	10	00 F
0851	GS	7	16	DER	091278	00007500	00	OD	SB	2	01	00 F
0852	GS	7	16	DER	091278	00007500	00	OD	MB	2	02	00 F
0853	GS	7	16	DER	091278	00007500	00	OD	MB	2	03	00 F
0854	GS	7	16	DER	091278	00007500	20	NW	MB	2	04	00 F
0855	GS	7	16	DER	C91278	00007500	20	NW	MB	2	05	00 F
0856	GS	7	16	DER	091278	00007500	20	NW	MB	2	06	00 F
0857	GS	7	16	DER	091278	00007000	10	NW	MB	2	07	00 F
0858	GS	7	16	DER	C91278	00007000	00	OD	SB	2	08	00 F

APPENDIX - 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0859	GS	7	16	DER	091278	00007000	30	E	MB	2	09	00 F
0860	GS	7	16	DER	091278	00007000	20	SE	MB	2	10	00 F
0861	GS	7	17	DER	091278	00007500	00	00	MB	1	01	00 F
0862	GS	7	17	DER	091278	00007500	10	N	MB	1	02	00 F
0863	GS	7	17	DER	091278	00007500	20	N	MB	1	03	00 F
0864	GS	7	17	DER	091278	00007000	30	S	MB	1	04	00 F
0865	GS	7	17	DER	091278	00007000	10	W	MB	1	05	00 F
0866	GS	7	17	DER	091278	00007000	20	NW	MB	1	06	00 F
0867	GS	7	17	DER	091278	00007000	20	N	MB	1	07	00 F
0868	GS	7	17	DER	091278	00007000	30	N	MB	1	08	00 F
0869	GS	7	17	DER	091278	00007000	30	W	MB	1	09	00 F
0870	GS	7	17	DER	091278	00007000	30	W	MB	1	10	00 F
0871	GS	7	17	DER	091278	00007500	00	00	MB	2	01	00 F
0872	GS	7	17	DER	091278	00007500	00	00	MB	2	02	00 F
0873	GS	7	17	DER	091278	00007500	00	00	MB	2	03	00 F
0874	GS	7	17	DER	091278	00007500	00	00	MB	2	04	00 F
0875	GS	7	17	DER	091278	00007500	00	00	MB	2	05	00 F
0876	GS	7	17	DER	091278	00007500	00	00	MB	2	06	00 F
0877	GS	7	17	DER	091278	00007500	10	NW	MB	2	07	00 F
0878	GS	7	17	DER	091278	00007500	00	00	MB	2	08	00 F
0879	GS	7	17	DER	091278	00007500	00	00	MB	2	09	00 F
0880	GS	7	17	DER	091278	00007500	10	NW	MB	2	10	00 F
0881	GS	7	19	WJC	091478	00008000	30	E	MB	1	01	00 F
0882	GS	7	19	WJC	091478	00008000	30	E	MB	1	02	00 F
0883	GS	7	19	WJC	091478	00008000	40	NE	OT	1	03	00 F
0884	GS	7	19	WJC	091478	00007500	40	NE	OT	1	04	01 F

APPENDIX - 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0885	GS	7	19	WJC	091478	00007500	20	NE	DT	1	05	00 F
0886	GS	7	19	WJC	091478	00007500	30	SW	MB	1	06	00 F
0887	GS	7	19	WJC	091478	00007500	30	SW	MB	1	07	00 F
0888	GS	7	19	WJC	091478	00007500	20	SW	MB	1	08	00 F
0889	GS	7	19	WJC	091478	00007500	30	SW	MB	1	09	00 F
0890	GS	7	19	WJC	091478	00007500	30	SW	MB	1	10	00 F
0891	GS	7	19	WJC	091478	00007500	50	NW	DT	2	01	00 F
0892	GS	7	19	WJC	091478	00007500	50	NW	DT	2	02	01 F
0893	GS	7	19	WJC	091478	00007500	40	SE	DT	2	03	00 F
0894	GS	7	19	WJC	091478	00007500	50	N	DT	2	04	00 F
0895	GS	7	19	WJC	091478	00007500	50	N	DT	2	05	00 F
0896	GS	7	19	WJC	091478	00007500	30	S	MB	2	06	00 F
0897	GS	7	19	WJC	091478	00007500	30	SE	MB	2	07	00 F
0898	GS	7	19	WJC	091478	00007500	30	SE	MB	2	08	00 F
0899	GS	7	19	WJC	091478	00007500	30	SE	MP	2	09	00 F
0900	GS	7	19	WJC	091478	00007500	30	SE	MP	2	10	00 F
0901	GS	7	22	DER	091278	00007500	00	OO	MB	1	01	00 F
0902	GS	7	22	DER	091278	00007500	10	W	MB	1	02	00 F
0903	GS	7	22	DER	091278	00007500	10	NW	MB	1	03	00 F
0904	GS	7	22	DER	091278	00007500	10	N	MB	1	04	00 F
0905	GS	7	22	DER	091278	00007500	20	NW	MB	1	05	00 F
0906	GS	7	22	DER	091278	00007500	30	NW	MB	1	06	00 F
0907	GS	7	22	DER	091278	00007500	20	N	MB	1	07	00 F
0908	GS	7	22	DER	091278	00007500	10	NW	MB	1	08	00 F
0909	GS	7	22	DER	091278	00007500	20	SE	MB	1	09	00 F
0910	GS	7	22	DER	091278	00007500	20	S	MB	1	10	00 F

APPENDIX - 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978/

0911	GS	7	22	DER	091278	00007500	30	E	MB	2	01	00 F
0912	GS	7	22	DER	091278	00007500	20	SE	MB	2	02	00 F
0913	GS	7	22	DER	091278	00007500	10	SE	MB	2	03	00 F
0914	GS	7	22	DER	091278	00007500	00	OO	MB	2	04	00 F
0915	GS	7	22	DER	091278	00007500	10	NE	MB	2	05	00 F
0916	GS	7	22	DER	091278	00007500	10	NE	MB	2	06	00 F
0917	GS	7	22	DER	091278	00007500	00	OO	MB	2	07	00 F
0918	GS	7	22	DER	091278	00007500	10	NE	MB	2	08	00 F
0919	GS	7	22	DER	091278	00007500	00	OO	MB	2	09	00 F
0920	GS	7	22	DER	C91278	00007500	00	OO	SB	2	10	00 F
0921	GS	7	28	WJC	091278	00008000	30	SE	MB	1	01	00 F
0922	GS	7	28	WJC	091278	00008000	20	SE	MB	1	02	00 F
0923	GS	7	28	WJC	091278	00007500	10	SE	MB	1	03	00 F
0924	GS	7	28	WJC	091278	00007500	00	OO	MB	1	04	00 F
0925	GS	7	28	WJC	091278	00007500	30	NW	MB	1	05	00 F
0926	GS	7	28	WJC	091278	00007500	40	NW	MB	1	06	00 F
0927	GS	7	28	WJC	C91278	00007500	40	NW	MB	1	07	00 F
0928	GS	7	28	WJC	091278	00007500	40	NW	MB	1	08	00 F
0929	GS	7	28	WJC	091278	00007500	40	NW	MB	1	09	00 F
0930	GS	7	28	WJC	091278	00007500	20	SE	SB	1	10	00 F
0931	GS	7	28	WJC	C91278	00007500	50	N	MB	2	01	00 F
0932	GS	7	28	WJC	091278	00007500	50	N	MB	2	02	00 F
0933	GS	7	28	WJC	091278	00007500	50	N	MB	2	03	00 F
0934	GS	7	28	WJC	091278	00007500	50	E	MB	2	04	00 F
0935	GS	7	28	WJC	091278	00007500	40	N	MB	2	05	00 F
0936	GS	7	28	WJC	C91278	00007500	40	N	MB	2	06	00 F

APPENDIX - 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0937	GS	7	28	WJC	091278	00007500	10	SE	MB	2	07	00 F
0938	GS	7	28	WJC	091278	00007500	30	SE	MB	2	08	00 F
0939	GS	7	28	WJC	091278	00007500	30	SE	MB	2	09	00 F
0940	GS	7	28	WJC	091278	00007500	30	SE	MB	2	10	00 F
0941	GS	7	32	WJC	091478	00008000	20	NW	MB	1	01	00 F
0942	GS	7	32	WJC	091478	00008000	30	NW	MB	1	02	00 F
0943	GS	7	32	WJC	C91478	00008000	30	NW	OT	1	03	00 F
0944	GS	7	32	WJC	091478	00008000	30	NW	OT	1	04	00 F
0945	GS	7	32	WJC	091478	00008000	40	SE	MB	1	05	01 F
0946	GS	7	32	WJC	091478	00008000	40	SE	MB	1	06	01 F
0947	GS	7	32	WJC	091478	00008000	40	SE	MB	1	07	00 F
0948	GS	7	32	WJC	091478	00008000	40	SE	MB	1	08	00 F
0949	GS	7	32	WJC	091478	00008000	00	OO	MB	1	09	00 F
0950	GS	7	32	WJC	C91478	00008000	10	N	MB	1	10	00 F
0951	GS	7	32	WJC	091478	00008000	20	NW	MB	2	01	00 F
0952	GS	7	32	WJC	091478	00008000	30	NW	OT	2	02	00 F
0953	GS	7	32	WJC	C91478	00008000	30	NW	OT	2	03	01 F
0954	GS	7	32	WJC	091478	00008000	40	S	OT	2	04	00 F
0955	GS	7	32	WJC	091478	00008000	40	E	MB	2	05	00 F
095o	GS	7	32	WJC	091478	00008000	40	N	MB	2	06	00 F
0957	GS	7	32	WJC	091478	00008000	40	NE	OT	2	07	00 F
0958	GS	7	32	WJC	091478	00008000	40	NE	OT	2	08	00 F
0959	GS	7	32	WJC	091478	00008000	40	S	MB	2	09	00 F
0960	GS	7	32	WJC	C91478	00008000	30	S	MB	2	10	00 F
0961	GS	7	34	WJC	C91278	00007500	50	N	MB	1	01	00 F
0962	GS	7	34	WJC	091278	00007500	50	N	MB	1	02	00 F

APPENDIX - 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0963	GS	7	34	WJC	091278	00007500	50	N	MB	1	03	00	F
0964	GS	7	34	WJC	091278	00007500	40	SE	MB	1	04	01	F
0965	GS	7	34	WJC	091278	00007500	30	NE	MB	1	05	00	F
0966	GS	7	34	WJC	091278	00007500	30	SW	MB	1	06	00	F
0967	GS	7	34	WJC	091278	00007500	40	W	MB	1	07	00	F
0968	GS	7	34	WJC	091278	00007500	40	W	MB	1	08	00	F
0969	GS	7	34	WJC	091278	00007500	40	W	MB	1	09	00	F
0970	GS	7	34	WJC	091278	00007500	30	NW	MB	1	10	00	F
0971	GS	7	34	WJC	091278	00007500	50	N	MB	2	01	00	F
0972	GS	7	34	WJC	091278	00007500	50	N	MB	2	02	00	F
0973	GS	7	34	WJC	091278	00007500	50	S	MB	2	03	00	F
0974	GS	7	34	WJC	091278	00007500	50	S	MB	2	04	00	F
0975	GS	7	34	WJC	091278	00007500	50	SE	MB	2	05	00	F
0976	GS	7	34	WJC	091278	00007500	50	E	MB	2	06	00	F
0977	GS	7	34	WJC	091278	00007500	50	E	MB	2	07	00	F
0978	GS	7	34	WJC	091278	00007500	50	E	MB	2	08	00	F
0979	GS	7	34	WJC	091278	00007500	10	E	MB	2	09	00	F
0980	GS	7	34	WJC	091278	00007500	10	NE	MB	2	10	00	F
0981	GS	8	03	JWD	091378	00007000	10	N	MB	1	01	00	F
0982	GS	8	03	JWD	091378	00007000	10	N	SB	1	02	01	F
0983	GS	8	03	JWD	091378	00007000	05	N	SB	1	03	00	F
0984	GS	8	03	JWD	091378	00007000	05	N	SB	1	04	01	F
0985	GS	8	03	JWD	091378	00007000	05	S	SB	1	05	00	F
0986	GS	8	03	JWD	091378	00007000	60	NE	MP	1	06	00	F
0987	GS	8	03	JWD	091378	00007000	60	S	PJ	1	07	00	F
0988	GS	8	03	JWD	091378	00007000	60	S	PJ	1	08	00	F

APPENDIX - 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

0989	GS	8	03	JWD	091378	00007000	05	S	MP	1	09	00	F
0990	GS	8	03	JWD	091378	00007000	00	OO	MP	1	10	00	F
0991	GS	8	03	JWD	091378	00007000	05	N	SB	2	01	00	F
0992	GS	8	03	JWD	091378	00007000	05	N	SB	2	02	00	F
0993	GS	8	03	JWD	091378	00007000	05	N	SB	2	03	00	F
0994	GS	8	03	JWD	091378	00007000	05	N	SB	2	04	01	F
0995	GS	8	03	JWD	091378	00007000	10	N	SB	2	05	00	F
0996	GS	8	03	JWD	091378	00007000	10	N	SB	2	06	01	F
0997	GS	8	03	JWD	091378	00007000	05	N	SB	2	07	00	F
0998	GS	8	03	JWD	091378	00007000	10	N	SB	2	08	00	F
0999	GS	8	03	JWD	091378	00007000	10	N	SB	2	09	00	F
1000	GS	8	03	JWD	091378	00007000	10	N	SB	2	10	00	F
1001	GS	8	05	DER	091178	00007000	10	N	MB	1	01	01	F
1002	GS	8	05	DER	091178	00007000	10	SE	SB	1	02	00	F
1003	GS	8	05	DER	091178	00007000	10	SE	MB	1	03	00	F
1004	GS	8	05	DER	091178	00007000	30	SW	MB	1	04	00	F
1005	GS	8	05	DER	091178	00007000	00	OO	SP	1	05	00	F
1006	GS	8	05	DER	091178	00007000	20	SW	MB	1	06	00	F
1007	GS	8	05	DER	091178	00007000	10	E	MB	1	07	00	F
1008	GS	8	05	DER	091178	00007000	30	E	MB	1	08	00	F
1009	GS	8	05	DER	091178	00007000	20	SE	SP	1	09	01	F
1010	GS	8	05	DER	091178	00007000	10	S	SP	1	10	00	F
1011	GS	8	05	DER	091178	00007000	10	N	SB	2	01	00	F
1012	GS	8	05	DER	091178	00007000	10	N	SP	2	02	00	F
1013	GS	8	05	DER	091178	00007000	10	N	SP	2	03	00	F
1014	GS	8	05	DER	091178	00007000	10	NW	SP	2	04	00	F

APPENDIX - 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978

1015	GS	8	05	DER	091178	00007000	10	NE	SB	2	05	00	F
1016	GS	8	05	DER	091178	00007000	10	SE	SB	2	06	00	F
1017	GS	8	05	DER	091178	00007000	20	SE	MP	2	07	00	F
1018	GS	8	05	DER	091178	00007000	20	SE	PJ	2	08	00	F
1019	GS	8	05	DER	091178	00007000	10	E	PJ	2	09	00	F
1020	GS	8	05	DER	091178	00007000	20	E	PJ	2	10	00	F
1021	GS	8	11	WJC	091178	00007000	00	00	MB	1	01	00	F
1022	GS	8	11	WJC	091178	00007000	20	E	MB	1	02	00	F
1023	GS	8	11	WJC	091178	00007000	20	SE	MB	1	03	00	F
1024	GS	8	11	WJC	091178	00007000	20	SE	MB	1	04	00	F
1025	GS	8	11	WJC	091178	00007000	20	S	MB	1	05	00	F
1026	GS	8	11	WJC	091178	00007000	10	S	PJ	1	06	00	F
1027	GS	8	11	WJC	091178	00007000	10	N	SP	1	07	00	F
1028	GS	8	11	WJC	091178	00007000	10	N	SB	1	08	00	F
1029	GS	8	11	WJC	091178	00007000	10	N	SP	1	09	00	F
1030	GS	8	11	WJC	091178	00007000	10	N	MB	1	10	00	F
1031	GS	8	11	WJC	091178	00006500	40	NE	MB	2	01	00	F
1032	GS	8	11	WJC	091178	00006500	50	S	MP	2	02	00	F
1033	GS	8	11	WJC	091178	00006500	40	S	PJ	2	03	00	F
1034	GS	8	11	WJC	091178	00006500	40	S	PJ	2	04	00	F
1035	GS	8	11	WJC	091178	00007000	10	S	SP	2	05	00	F
1036	GS	8	11	WJC	091178	00007000	00	00	SP	2	06	00	F
1037	GS	8	11	WJC	091178	00007000	10	SE	SP	2	07	00	F
1038	GS	8	11	WJC	091178	00007000	10	E	SP	2	08	00	F
1039	GS	8	11	WJC	091178	00007000	10	SE	SP	2	09	00	F
1040	GS	8	11	WJC	091178	00007000	10	SE	SP	2	10	00	F

APPENDIX - 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978

1041	GS	8	13	DER	C91178	00007000	20	SE	MB	1	01	00	F
1042	GS	8	13	DER	091178	00007000	10	SE	SP	1	02	00	F
1043	GS	8	13	DER	C91178	00007000	10	S	PJ	1	03	00	F
1044	GS	8	13	DER	091178	00007000	00	00	MB	1	04	00	F
1045	GS	8	13	DER	C91178	00007000	10	SE	MB	1	05	00	F
1046	GS	8	13	DER	091178	00007000	00	00	SB	1	06	00	F
1047	GS	8	13	DER	091178	00007000	00	00	SB	1	07	00	F
1048	GS	8	13	DER	C91178	00007000	00	00	SB	1	08	00	F
1049	GS	8	13	DER	091178	00007000	00	00	SB	1	09	00	F
1050	GS	8	13	DER	091178	00007000	10	SW	SB	1	10	00	F
1051	GS	8	13	DER	091178	00007000	00	00	MB	2	01	00	F
1052	GS	8	13	DER	C91178	00007000	00	00	MB	2	02	00	F
1053	GS	8	13	DER	091178	00007000	00	00	MB	2	03	00	F
1054	GS	8	13	DER	091178	00007000	00	00	MB	2	04	00	F
1055	GS	8	13	DER	C91178	00007000	00	00	MB	2	05	00	F
1056	GS	8	13	DER	091178	00007000	00	00	MB	2	06	00	F
1057	GS	8	13	DER	091178	00007000	10	E	SB	2	07	00	F
1058	GS	8	13	DER	091178	00007000	10	SE	SB	2	08	00	F
1059	GS	8	13	DER	C91178	00007000	10	S	MB	2	09	00	F
1060	GS	8	13	DER	091178	00007000	00	00	MB	2	10	00	F
1061	GS	8	14	WJC	C91178	00007000	10	SE	MP	1	01	00	F
1062	GS	8	14	WJC	091178	00007000	10	SE	MP	1	02	00	F
1063	GS	8	14	WJC	091178	00007000	10	SE	MP	1	03	00	F
1064	GS	8	14	WJC	091178	00007000	10	SE	MP	1	04	00	F
1065	GS	8	14	WJC	091178	00007000	10	SE	MP	1	05	00	F
1066	GS	8	14	WJC	C91178	00007000	10	SE	SB	1	06	00	F

APPENDIX = 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978

1067	GS	8	14	WJC	091178	00007000	10	SE	SB	1	07	00 F
1068	GS	8	14	WJC	091178	00007000	10	SE	SB	1	08	00 F
1069	GS	8	14	WJC	091178	00007000	10	S	MB	1	09	00 F
1070	GS	8	14	WJC	091178	00007000	10	S	MB	1	10	00 F
1071	GS	8	14	WJC	C91178	00007000	30	E	MB	2	01	00 F
1072	GS	8	14	WJC	091178	00007000	30	E	MB	2	02	00 F
1073	GS	8	14	WJC	091178	00007000	20	E	MB	2	03	00 F
1074	GS	8	14	WJC	091178	00007000	50	S	MP	2	04	00 F
1075	GS	8	14	WJC	C91178	00007000	40	E	MP	2	05	00 F
1076	GS	8	14	WJC	091178	00007000	30	E	MP	2	06	00 F
1077	GS	8	14	WJC	091178	00007000	50	SE	MP	2	07	00 F
1078	GS	8	14	WJC	091178	00007000	20	S	MP	2	08	00 F
1079	GS	8	14	WJC	091178	00007000	20	E	MP	2	09	00 F
1080	GS	8	14	WJC	091178	00007000	30	E	MP	2	10	00 F
1081	GS	8	27	WJC	091378	00007000	20	SW	MP	1	01	00 F
1082	GS	8	27	WJC	C91378	00007000	10	NW	MP	1	02	00 F
1083	GS	8	27	WJC	091378	00007000	40	NW	MB	1	03	00 F
1084	GS	8	27	WJC	091378	00006500	00	OO	SB	1	04	00 F
1085	GS	8	27	WJC	091378	00006500	00	OO	OT	1	05	00 F
1086	GS	8	27	WJC	091378	00006500	00	OO	SB	1	06	00 F
1087	GS	8	27	WJC	091378	00007000	60	S	MP	1	07	00 F
1088	GS	8	27	WJC	091378	00007000	10	S	SP	1	08	00 F
1089	GS	8	27	WJC	C91378	00007000	00	OO	SP	1	09	00 F
1090	GS	8	27	WJC	091378	00007000	10	E	SP	1	10	00 F
1091	GS	8	27	WJC	C91378	00007000	00	OO	SB	2	01	00 F
1092	GS	8	27	WJC	C91378	00007000	00	OO	SB	2	02	00 F

APPENDIX - 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

1093	GS	8	27	WJC	091378	00007000	20	N	SB	2	03	00	F
1094	GS	8	27	WJC	091378	00007000	30	E	MB	2	04	00	F
1095	GS	8	27	WJC	091378	00007000	45	W	MP	2	05	00	F
1096	GS	8	27	WJC	091378	00007000	30	W	MP	2	06	00	F
1097	GS	8	27	WJC	091378	00006500	20	N	SB	2	07	00	F
1098	GS	8	27	WJC	091378	00006500	00	00	OT	2	08	00	F
1099	GS	8	27	WJC	091378	00006500	00	00	OT	2	09	00	F
1100	GS	8	27	WJC	091378	00006500	00	00	OT	2	10	00	F
1101	GS	8	34	DER	091378	00007000	00	00	SB	1	01	00	F
1102	GS	8	34	DER	091378	00007000	10	N	SB	1	02	00	F
1103	GS	8	34	DER	091378	00007000	00	00	OT	1	03	00	F
1104	GS	8	34	DER	091378	00007000	10	NW	MB	1	04	00	F
1105	GS	8	34	DER	091378	00007000	10	NW	MB	1	05	00	F
1106	GS	8	34	DER	091378	00007000	20	N	MB	1	06	00	F
1107	GS	8	34	DER	091378	00007000	45	W	MB	1	07	00	F
1108	GS	8	34	DER	091378	00007000	20	N	MB	1	08	00	F
1109	GS	8	34	DER	091378	00007000	45	E	SB	1	09	00	F
1110	GS	8	34	DER	091378	00007000	20	E	MP	1	10	00	F
1111	GS	8	34	WJC	091378	00007000	10	N	SB	2	01	00	F
1112	GS	8	34	WJC	091378	00007000	10	N	SB	2	02	00	F
1113	GS	8	34	WJC	091378	00007000	10	N	SB	2	03	00	F
1114	GS	8	34	WJC	091378	00007000	10	N	SB	2	04	00	F
1115	GS	8	34	WJC	091378	00007000	10	N	SB	2	05	00	F
1116	GS	8	34	WJC	091378	00007000	10	N	SB	2	06	00	F
1117	GS	8	34	WJC	091378	00007000	10	N	SB	2	07	00	F
1118	GS	8	34	WJC	091378	00007000	10	N	SB	2	08	00	F

APPENDIX - 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

1119	GS	8	34	WJC	091378	00007000	20	W	MP	2	09	00	F
1120	GS	8	34	WJC	091378	00007000	20	W	MP	2	10	00	F
1121	GS	9	03	WJC	C91178	00006500	10	E	PJ	1	01	00	F
1122	GS	9	03	WJC	091178	00006500	00	OO	PJ	1	02	00	F
1123	GS	9	03	WJC	091178	00006500	10	N	PJ	1	03	00	F
1124	GS	9	03	WJC	C91178	00006500	20	N	SP	1	04	00	F
1125	GS	9	03	WJC	091178	00006500	20	N	MP	1	05	00	F
1126	GS	9	03	WJC	091178	00006500	20	NW	MP	1	06	00	F
1127	GS	9	03	WJC	091178	00006500	20	NW	SP	1	07	00	F
1128	GS	9	03	WJC	C91178	00006500	30	N	MP	1	08	00	F
1129	GS	9	03	WJC	091178	00006500	20	N	SB	1	09	00	F
1130	GS	9	03	WJC	091178	00006500	10	N	SB	1	10	00	F
1131	GS	9	03	WJC	091178	00006500	10	E	SB	2	01	00	F
1132	GS	9	03	WJC	091178	00006500	20	E	SP	2	02	00	F
1133	GS	9	03	WJC	091178	00006500	10	E	PJ	2	03	00	F
1134	GS	9	03	WJC	091178	00006500	30	SE	MP	2	04	00	F
1135	GS	9	03	WJC	C91178	00006500	10	E	PJ	2	05	00	F
1136	GS	9	03	WJC	091178	00006500	10	E	SP	2	06	00	F
1137	GS	9	03	WJC	091178	00006500	20	E	PJ	2	07	00	F
1138	GS	9	03	WJC	091178	00006500	20	E	SP	2	08	00	F
1139	GS	9	03	WJC	091178	00006500	20	E	PJ	2	09	00	F
1140	GS	9	03	WJC	091178	00006500	20	N	SP	2	10	00	F
1141	GS	9	07	DER	091378	00006500	10	N	MP	1	01	01	F
1142	GS	9	07	DER	C91378	00006500	20	N	MP	1	02	00	F
1143	GS	9	07	DER	091378	00006500	30	SW	MP	1	03	00	F
1144	GS	9	07	DER	091378	00006500	00	OO	SP	1	04	00	F

APPENDIX - 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

1145	GS	9	07	DER	091378	00006500	10	N	SP	1	05	00	F
1146	GS	9	07	DER	091378	00006500	20	NE	MP	1	06	00	F
1147	GS	9	07	DER	091378	00006500	10	N	MP	1	07	00	F
1148	GS	9	07	DER	091378	00006500	30	E	MP	1	08	00	F
1149	GS	9	07	DER	091378	00006500	30	N	SB	1	09	00	F
1150	GS	9	07	DER	091378	00006500	00	00	SB	1	10	00	F
1151	GS	9	07	DER	091378	00007000	10	NE	MP	2	01	00	F
1152	GS	9	07	DER	091378	00007000	10	NW	MP	2	02	00	F
1153	GS	9	07	DER	091378	00007000	20	W	MP	2	03	00	F
1154	GS	9	07	DER	091378	00006500	20	E	MP	2	04	01	F
1155	GS	9	07	DER	091378	00006500	20	N	MP	2	05	00	F
1156	GS	9	07	DER	091378	00006500	20	E	MP	2	06	00	F
1157	GS	9	07	DER	091378	00006500	10	N	SP	2	07	00	F
1158	GS	9	07	DER	091378	00006500	10	N	MB	2	08	00	F
1159	GS	9	07	DER	091378	00006500	10	W	SB	2	09	00	F
1160	GS	9	07	DER	091378	00006500	20	W	SB	2	10	00	F
1161	GS	9	09	WJC	091178	00006500	10	SW	SP	1	01	00	F
1162	GS	9	09	WJC	091178	00006500	10	NW	SP	1	02	00	F
1163	GS	9	09	WJC	091178	00006500	10	N	SP	1	03	00	F
1164	GS	9	09	WJC	091178	00006500	10	W	SB	1	04	00	F
1165	GS	9	09	WJC	091178	00006500	00	00	SB	1	05	00	F
1166	GS	9	09	WJC	091178	00006500	10	SE	SB	1	06	00	F
1167	GS	9	09	WJC	091178	00006500	50	E	MP	1	07	00	F
1168	GS	9	09	WJC	091178	00006500	10	E	MP	1	08	00	F
1169	GS	9	09	WJC	091178	00006500	10	E	MP	1	09	00	F
1170	GS	9	09	WJC	091178	00006500	10	NE	MP	1	10	00	F

APPENDIX - 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978

1171	GS	9	09	WJC	091178	00006500	10	SW	PJ	2	01	00 F
1172	GS	9	09	WJC	091178	00006500	20	SW	SP	2	02	00 F
1173	GS	9	09	WJC	091178	00006500	20	SW	MP	2	03	00 F
1174	GS	9	09	WJC	C91178	00006500	30	N	MB	2	04	00 F
1175	GS	9	09	WJC	091178	00006500	50	S	MP	2	05	00 F
1176	GS	9	09	WJC	091178	00006500	30	NW	MP	2	06	00 F
1177	GS	9	09	WJC	091178	00006500	10	NW	MP	2	07	00 F
1178	GS	9	09	WJC	091178	00006500	20	N	MP	2	08	00 F
1179	GS	9	09	WJC	091178	00006500	20	W	MP	2	09	00 F
1180	GS	9	09	WJC	091178	00006500	20	W	MP	2	10	00 F
1181	GS	9	15	DER	C91178	00007000	10	NW	SB	1	01	00 F
1182	GS	9	15	DER	091178	00006500	10	N	SB	1	02	00 F
1183	GS	9	15	DER	091178	00006500	10	N	SB	1	03	00 F
1184	GS	9	15	DER	091178	00006500	10	NW	SB	1	04	00 F
1185	GS	9	15	DER	091178	00006500	20	SW	MB	1	05	00 F
1186	GS	9	15	DER	091178	00006500	00	00	SB	1	06	00 F
1187	GS	9	15	DER	091178	00006500	00	00	SP	1	07	00 F
1188	GS	9	15	DER	091178	00006500	10	N	MB	1	08	01 F
1189	GS	9	15	DER	091178	00006500	10	NE	SP	1	09	00 F
1190	GS	9	15	DER	091178	00006500	10	N	MP	1	10	00 F
1191	GS	9	15	DER	091178	00007000	10	NW	SB	2	01	00 F
1192	GS	9	15	DER	C91178	00007000	10	NW	SB	2	02	00 F
1193	GS	9	15	DER	091178	00007000	10	NW	SP	2	03	00 F
1194	GS	9	15	DER	091178	00007000	10	NW	SB	2	04	00 F
1195	GS	9	15	DER	C91178	00007000	10	NW	SP	2	05	00 F
1196	GS	9	15	DER	091178	00006500	10	NW	SP	2	06	00 F

APPENDIX - 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

1197	GS	9	15	DER	C91178	00006500	20	N	SP	2	07	00	F
1198	GS	9	15	DER	091178	00006500	20	N	SB	2	08	00	F
1199	GS	9	15	DER	091178	00006500	00	OO	SB	2	09	00	F
1200	GS	9	15	DER	091178	00006500	10	W	SB	2	10	00	F
1201	GS	9	21	DER	091178	00006500	60	S	MB	1	01	00	F
1202	GS	9	21	DER	091178	00007000	45	SW	MP	1	02	00	F
1203	GS	9	21	DER	091178	00007000	30	S	MP	1	03	00	F
1204	GS	9	21	DER	C91178	00007000	10	S	MP	1	04	00	F
1205	GS	9	21	DER	091178	00007000	00	OO	SB	1	05	00	F
1206	GS	9	21	DER	091178	00007000	00	OO	SP	1	06	00	F
1207	GS	9	21	DER	091178	00007000	10	NW	SB	1	07	00	F
1208	GS	9	21	DER	091178	00007000	20	W	SB	1	08	00	F
1209	GS	9	21	DER	091178	00007000	00	OO	SB	1	09	00	F
1210	GS	9	21	DER	091178	00007000	10	NW	SB	1	10	00	F
1211	GS	9	21	DER	C91178	00006500	45	E	MP	2	01	00	F
1212	GS	9	21	DER	091178	00006500	30	E	MP	2	02	00	F
1213	GS	9	21	DER	091178	00007000	30	SE	PJ	2	03	00	F
1214	GS	9	21	DER	C91178	00007000	20	S	PJ	2	04	00	F
1215	GS	9	21	DER	C91178	00007000	30	SE	PJ	2	05	00	F
1216	GS	9	21	DER	091178	00007000	10	N	SP	2	06	00	F
1217	GS	9	21	DER	091178	00007000	10	NW	SP	2	07	01	F
1218	GS	9	21	DER	C91178	00007000	10	NW	SB	2	08	00	F
1219	GS	9	21	DER	091178	00007000	10	NW	SB	2	09	00	F
1220	GS	9	21	DER	091178	00007000	10	NW	SB	2	10	00	F
1221	GS	9	30	DER	091176	00007000	10	NW	MP	1	01	00	F
1222	GS	9	30	DER	C91176	00006500	00	OO	MP	1	02	00	F

APPENDIX - 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

1223	GS	9	30	DER	091178	00006500	45	S	PJ	1	03	00	F
1224	GS	9	30	DER	091178	00006500	10	SE	MP	1	04	00	F
1225	GS	9	30	DER	091178	00007000	00	00	MP	1	05	00	F
1226	GS	9	30	DER	091178	00007000	05	N	MP	1	06	00	F
1227	GS	9	30	DER	091178	00007000	00	00	MP	1	07	00	F
1228	GS	9	30	DER	091178	00007000	05	NE	MP	1	08	00	F
1229	GS	9	30	DER	091178	00007000	05	NE	SP	1	09	00	F
1230	GS	9	30	DER	091178	00007000	00	00	SP	1	10	00	F
1231	GS	9	30	DER	091178	00007000	10	NW	MP	2	01	00	F
1232	GS	9	30	DER	091178	00007000	10	NW	MP	2	02	00	F
1233	GS	9	30	DER	091178	00007000	20	NW	MP	2	03	00	F
1234	GS	9	30	DER	091178	00007000	10	SW	MP	2	04	00	F
1235	GS	9	30	DER	091178	00007000	00	00	PJ	2	05	00	F
1236	GS	9	30	DER	091178	00007000	10	N	PJ	2	06	00	F
1237	GS	9	30	DER	091178	00007000	10	N	MP	2	07	00	F
1238	GS	9	30	DER	091178	00006500	60	W	MB	2	08	00	F
1239	GS	9	30	DER	091178	00006500	20	N	MP	2	09	00	F
1240	GS	9	30	DER	091178	00007000	30	SW	MP	2	10	00	F
1241	GS	9	35	WJC	091178	00007000	10	NW	SB	1	01	00	F
1242	GS	9	35	WJC	091178	00007000	20	NW	SP	1	02	00	F
1243	GS	9	35	WJC	091178	00007000	50	S	MP	1	03	00	F
1244	GS	9	35	WJC	091178	00007000	10	W	MP	1	04	00	F
1245	GS	9	35	WJC	091178	00007000	20	W	MP	1	05	00	F
1246	GS	9	35	WJC	091178	00007000	20	SW	MP	1	06	00	F
1247	GS	9	35	WJC	091176	00007000	20	SW	PJ	1	07	00	F
1248	GS	9	35	WJC	091178	00007000	20	SW	PJ	1	08	00	F

APPENDIX - 3.3-1. RBOSC MULE DEER PELLET GROUP DATA - SEPTEMBER, 1978.

1249	GS	9	35	WJC	091178	00007000	20	SW	MP	1	09	00	F
1250	GS	9	35	WJC	091178	00007000	10	NW	PJ	1	10	00	F
1251	GS	9	35	WJC	091178	00007000	00	00	SP	2	01	00	F
1252	GS	9	35	WJC	091178	00007000	30	N	SP	2	02	00	F
1253	GS	9	35	WJC	091178	00007000	30	N	SP	2	03	00	F
1254	GS	9	35	WJC	091178	00007000	30	N	SB	2	04	00	F
1255	GS	9	35	WJC	091178	00007000	20	N	SB	2	05	00	F
1256	GS	9	35	WJC	091178	00006500	20	NE	SP	2	06	00	F
1257	GS	9	35	WJC	091178	00006500	30	NE	SP	2	07	00	F
1258	GS	9	35	WJC	091178	00007000	40	SW	MP	2	08	00	F
1259	GS	9	35	WJC	091178	00007000	40	SW	MP	2	09	00	F
1260	GS	9	35	WJC	091178	00007000	40	NW	MP	2	10	00	F

APPENDIX 3-3.2

MULE DEER STATISTICAL CALCULATIONS

APPENDIX 3.3-2. NUMBER OF PELLET GROUPS PER SAMPLE UNIT COUNTED ON QUARTER SQUARE-MILE SAMPLE UNITS WITHIN NINE SAMPLING BLOCKS ON STUDY AREA, RBOSC MDP MONITORING PROGRAM

	1	2	3	4	5	6	7	8	9
	3	3	8	12	16	14	8	15	1
	12	4	22	6	4	7	14	1	1
	9	12	7	1	21	10	0	1	3
	7	6	7	11	34	9	7	5	0
	11	9	10	3	16	27	10	6	1
	16	12	7	9	15	2	1	3	1
	12	6	9	6	5	2	3	3	3
n_h	7	7	7	7	7	7	7	7	7
Ey_h	70	52	70	48	111	71	43	34	10
$\bar{y}_h$	10.00	7.43	10.00	6.85	15.86	10.14	6.14	4.86	1.43
90% Confidence Limits for $\bar{y}_h$	7.26-12.74	5.03-9.83	6.43-13.57	4.17-9.53	9.19-22.53	4.48-15.80	18.59-9.49	1.67-8.05	.682-2.17
N_{h_2}	36	36	36	36	36	36	36	36	36
n_h	17.33	13.29	29.33	16.48	102.48	73.81	25.81	23.48	1.29

$N = IN_h = 324$

$$\bar{y}_{st} = \frac{\sum_{h=1}^{L} N_h \bar{y}_h}{N} = 8.08$$

$$v(\bar{y}_{st}) = 6^2(\bar{y}_{st}) - \frac{1}{N^2} \sum_{h=1}^{L} N_h(N_n - n_h)\frac{n_h^2}{n_h} = 0.431$$

[1]Statistical methods and notation follows Cochran (1963).
[2]Degrees of freedom were assigned according to Satterthwaite (1946).

Form 1279–3
(June 1984)

BORROWER

TN 859 .C64 R5
Nov.
Modular develo
monitoring re

DATE LOANED	BORROWER

USDI – ELM